



OTOB Installation Guide

Release rel-10.0

Rother OSS GmbH

Sep 19, 2024

Contents

1	Description	3
2	System requirements	5
2.1	Framework	5
2.2	Packages	5
2.3	Third-party software	5
3	Usage	7
3.1	Setup	7
3.2	Configuration Reference	7
4	About	11
4.1	Contact	11
4.2	Version	11

(T U B)

CHAPTER 1

Description

A tool to help the developer during development.

2.1 Framework

OTOBO 10.0.x

2.2 Packages

-

2.3 Third-party software

-

3.1 Setup

3.2 Configuration Reference

3.2.1 Core

Fred::ConsoleWidth

Defines the width of the Fred console in percent.

3.2.2 Core::Fred

Fred::ConsoleHeight

Defines the height of the Fred console in pixel.

Fred::Module###SQLLog

Turn on if you want an realtime SQL statement log function.

Fred::ConsoleOpacity

Defines the opacity of the Fred console, e.g. 0.9 for 10% transparency.

Fred::Active

Defines if fred is visible or hidden.

Fred::Module###Console

Turn on if you want to use the fred console.

Fred::Module###HTMLCheck

Turn on if you want an realtime HTML-checker.

Fred::Module###JSLint

Turn on if you want a JavaScript code quality checker. Only works in CVS Head.

Fred::Module###TranslationDebug

Turn on if you want the translation debugger.

Fred::Module###ConfigLog

Turn on if you want to use the config log mechanism.

Fred::Module###ConfigSwitch

Turn on if you want to use the config switch mechanism.

Fred::Module###STDERRLog

Turn on if you want to see the STDERRLog.

Fred::STDERRLogFilter

Turn on if you want to filter the output of the STDERRLog. You can add a regular expression to filter the output.

Fred::Module###SessionDump

Turn on if you want to see the data in the serverside session object.

Fred::Module###EnvDump

Turn on if you want to see the data in the environment of the layout object.

Fred::ConfigLog###OrderBy

Which order should the config log data have?

Fred::ConfigSwitch###Settings

List of config settings which should be available for quick switch. Please add only settings with possible values 0 or 1 (No/Yes).

Fred::SystemName

Customizable system name. If empty, config item 'Home' is being used for display.

Fred::BackgroundColor

This option defines the background color for the system name box.

3.2.3 Frontend::Admin::ModuleRegistration

Frontend::Module###DevelFred

Frontend module registration for the devel fred object in the admin area.

3.2.4 Frontend::Base::Loader

Loader::Customer::CommonCSS###000-Fred

List of CSS files to always be loaded for the customer interface.

Loader::Customer::CommonJS###000-Fred

List of JS files to always be loaded for the customer interface.

Loader::Agent::CommonCSS###000-Fred

List of CSS files to always be loaded for the agent interface.

Loader::Agent::CommonJS###000-Fred

List of JS files to always be loaded for the agent interface.

3.2.5 Frontend::Base::OutputFilter

Frontend::Output::FilterContent###Fred

Subscribe the output filter at the system.

3.2.6 Frontend::Customer::ModuleRegistration

`CustomerFrontend::Module###DevelFred`

Frontend module registration for the customer interface.

3.2.7 Frontend::Public::ModuleRegistration

`PublicFrontend::Module###DevelFred`

Frontend module registration for the public interface.

4.1 Contact

Rother OSS GmbH
Email: hello@otobo.de
Web: <https://otobo.de>

4.2 Version

Author: Rother OSS GmbH / Version: rel-10.0 / Date of release: 2024-09-19