



OTRS
Open Technology
Real Services

Documentation

OTRS 7 - Admin Manual

Build Date:

2018-04-20

OTRS 7 - Admin Manual

Copyright © 2003-2018 OTRS AG

Эта работа защищена авторским правом OTRS AG.

Это руководство может быть скопировано целиком или частично, при условии, что это уведомление об авторских правах будет включено в каждую копию.

Все торговые названия используются без гарантии их бесплатного использования и, возможно, являются зарегистрированными товарными знаками. Все продукты, упомянутые в этом руководстве, могут быть товарными знаками соответствующего производителя.

Исходный код этого документа можно найти на [github](#), в репозитории [doc-admin](#). Любой вклад приветствуется. Вы также можете помочь в переводе на ваш язык на сайте [Transifex](#).



Table of Contents

Предисловие	xviii
1. Введение	1
1. Системы Обработки Заявок - Основы	1
1.1. Что такое система обработки заявок и зачем она нужна?	1
1.2. Что такое заявка?	2
2. OTRS Help Desk	2
2.1. Основы	3
2.2. Особенности и функциональные возможности	3
2.3. Требования к аппаратному и программному обеспечению	10
2.4. Сообщество	11
2.5. Профессиональная поддержка OTRS	11
2. Установка	12
1. Installation From Source (Linux, Unix)	12
2. Updating OTRS	17
3. First Steps	21
1. Agent Web Interface	21
2. Customer Web Interface	22
3. Public Web Interface	22
4. First Login	23
5. The Web Interface - an Overview	24
6. Панель Управления/Дайджест	26
7. What is a Queue?	32
8. What is the Queue Overview?	33
9. User Preferences	34
4. Администрирование	37
1. Панель администрирования OTRS	37
1.1. Основы	37
1.2. Агенты, Группы и Роли	37
1.3. Customer Users and Customers	45
1.4. Очереди	55
1.5. Приветствия, Подписи, Вложения и Шаблоны	56
1.6. Автоответы	62
1.7. Системные адреса почты	64
1.8. Уведомления по заявкам	65
1.9. S/MIME	69
1.10. PGP	69
1.11. Состояния	69
1.12. Настройка Системы	70
1.13. Использование учётных записей почты	71
1.14. Фильтрация входящих почтовых сообщений	71
1.15. Executing Automated Jobs with the GenericAgent	75
1.16. Administrative Messages	76
1.17. Управление сеансами	77
1.18. Обслуживание системы	77
1.19. Системный журнал	78
1.20. Журнал сеансов общения	79
1.21. SQL Queries via the SQL Box	82
1.22. Менеджер пакетов	82
1.23. Веб-сервисы	84
1.24. Динамические Поля	85
1.25. Календари	85
2. Настройка Системы	86
2.1. Конфигурационные файлы OTRS	86
2.2. Configuring the System Through the Web Interface	87
3. Backing Up the System	88

3.1. Резервное копирование	88
3.2. Восстановление	89
4. Настройки электронной почты	89
4.1. Sending/Receiving Emails	89
4.2. Secure Email with PGP	96
4.3. Secure Email with S/MIME	99
5. Using External backends	103
5.1. Customer Data	103
5.2. Customer User Backend	104
5.3. Backends to Authenticate Agents and Customers	111
5.4. Customizing the Customer Self-Registration	116
6. Настройки заявок	118
6.1. Состояния заявок	118
6.2. Ticket Priorities	122
6.3. Ответственность за Заявку & Наблюдение за Заявкой	122
7. Date and Time Related Functions	124
7.1. Настройка периода рабочего времени, праздников и часовых поясов	124
7.2. Автоматические Разблокировки	125
8. Customizing the PDF Output	126
9. Reporting	126
9.1. Отчеты	126
9.2. The Report Generator	133
10. Динамические Поля	137
10.1. Введение	137
10.2. Настройка Системы	138
11. Generic Interface	155
11.1. Слои интерфейса Generic Interface	155
11.2. Поток связи Generic Interface	157
11.3. Веб-сервисы	160
11.4. Графический интерфейс веб-сервиса	160
11.5. Интерфейс командной строки Веб-Сервиса	179
11.6. Конфигурация Веб-сервиса	179
11.7. Коннекторы (Connectors)	187
12. The OTRS Daemon	208
12.1. OTRS Daemon Graphical Interface	210
12.2. OTRS Daemon Command Line Interface	211
5. Настройка	212
1. Списки Контроля Доступа (ACLs)	212
1.1. Введение	212
1.2. Описание	212
1.3. Примеры	213
1.4. Ссылка	219
2. Управление Процессами	222
2.1. Введение	222
2.2. Пример процесса	222
2.3. Выполнение примера	222
2.4. Эталонная последовательность настройки процесса	247
2.5. Import Ready2Adopt process	269
3. Локализация интерфейса OTRS	270
6. Особенности и функциональные возможности	271
1. The Appointment Calendar	271
1.1. Введение	271
1.2. Использование	273
2. The Ticket Timeline View	296
2.1. Описание	296
2.2. Настройка Системы	296
2.3. Использование	297

3. The Article Attachment Overview	298
3.1. Описание	298
3.2. Настройка Системы	298
3.3. Использование	298
4. System Configuration User Specific Settings	299
4.1. Описание	299
4.2. Настройка Системы	299
4.3. Использование	299
5. Notification Methods	301
5.1. Описание	301
5.2. Notification Web View	301
5.3. SMS Notifications	302
6. The SLA Field Selection Dialog	303
6.1. Описание	303
6.2. Настройка Системы	303
6.3. Использование	304
7. SMS Communication Channel	304
7.1. Описание	304
7.2. Activating SMS Cloud Service	304
7.3. Configuring SMS Templates	306
7.4. Creating SMS Tickets	306
7.5. Creating SMS Articles	307
7.6. Displaying SMS Articles	308
8. The Dynamic Field <i>Contact with Data</i>	309
8.1. Описание	309
8.2. Настройка Системы	310
8.3. Использование	310
9. The Chat	311
9.1. Описание	311
9.2. Настройка Системы	311
9.3. Setup	313
9.4. General Usage	315
9.5. Advanced Usage	320
10. Video and Audio Calls	324
10.1. Описание	324
10.2. Настройка Системы	324
10.3. Setup	324
10.4. Использование	325
10.5. Connection	332
11. FAQ (Часто Задаваемые Вопросы)	332
11.1. Описание	332
11.2. Настройка Системы	332
11.3. Included Features	347
11.4. Использование	349
12. Share Search Templates	353
12.1. Описание	353
12.2. Настройка Системы	353
12.3. Использование	354
7. Настройка Производительности	355
1. OTRS	355
1.1. TicketIndexModule	355
1.2. Ticket Search Index	355
1.3. Article Storage (Email, Phone and Internal Articles)	356
1.4. Архивирование Заявок	357
1.5. Кэш	358
2. База данных	358
2.1. MySQL	358
2.2. PostgreSQL	359

3. Web Server	359
A. Дополнительные ресурсы	360
B. Справочник опций конфигурации	362
1. CloudService	362
2. CloudService → Admin → ModuleRegistration	362
3. Core	362
4. Core → AppointmentCalendar	364
5. Core → AppointmentCalendar → Plugin	365
6. Core → AppointmentCalendar → TicketAppointments	365
7. Core → Auth → Agent → TwoFactor	367
8. Core → Auth → Customer	367
9. Core → Auth → Customer → TwoFactor	372
10. Core → Autoload	373
11. Core → Cache	373
12. Core → Chat	374
13. Core → CommunicationChannel	378
14. Core → CommunicationChannel → MIMEBase	379
15. Core → CommunicationLog	379
16. Core → Crypt → PGP	380
17. Core → Crypt → SMIME	382
18. Core → Customer	383
19. Core → DB → Mirror	384
20. Core → DocumentSearch → Driver	386
21. Core → Draft	387
22. Core → DynamicFields → DriverRegistration	387
23. Core → DynamicFields → ObjectTypeRegistration	389
24. Core → Email	390
25. Core → Email → PostMaster	394
26. Core → Event → AppointmentCalendar	403
27. Core → Event → CustomPage	403
28. Core → Event → CustomerCompany	404
29. Core → Event → CustomerUser	404
30. Core → Event → DynamicField	405
31. Core → Event → FAQ	406
32. Core → Event → LinkObject	406
33. Core → Event → Package	406
34. Core → Event → Queue	407
35. Core → Event → ServiceCatalogueItem	407
36. Core → Event → Ticket	408
37. Core → FAQ	411
38. Core → FAQ → Approval	413
39. Core → FAQ → Explorer	414
40. Core → FAQ → Item	416
41. Core → FAQ → Item → Voting	418
42. Core → FAQ → RelatedArticles	418
43. Core → FAQ → TicketCompose	418
44. Core → GoogleChrome	419
45. Core → LinkObject	420
46. Core → Log	422
47. Core → MailQueue	423
48. Core → PDF	423
49. Core → Package	425
50. Core → PerformanceLog	427
51. Core → Permission	427
52. Core → ProcessManagement	428
53. Core → Queue	431
54. Core → ReferenceData	431
55. Core → SLA	432

56. Core → SMS	432
57. Core → SOAP	432
58. Core → Service	433
59. Core → Session	433
60. Core → Stats	436
61. Core → Stats → Reports	437
62. Core → SystemMaintenance	437
63. Core → Ticket	438
64. Core → Ticket → ACL	447
65. Core → Ticket → DynamicFieldDefault	450
66. Core → Ticket → FulltextSearch	455
67. Core → Ticket → Permission	469
68. Core → Time	472
69. Core → Time → Calendar1	475
70. Core → Time → Calendar2	477
71. Core → Time → Calendar3	479
72. Core → Time → Calendar4	481
73. Core → Time → Calendar5	483
74. Core → Time → Calendar6	486
75. Core → Time → Calendar7	488
76. Core → Time → Calendar8	490
77. Core → Time → Calendar9	492
78. Core → Web	494
79. Core → WebUserAgent	495
80. Daemon	495
81. Daemon → Log	495
82. Daemon → ModuleRegistration	496
83. Daemon → SchedulerCronTaskManager → Task	497
84. Daemon → SchedulerGenericAgentTaskManager	508
85. Daemon → SchedulerGenericInterfaceTaskManager	508
86. Daemon → SchedulerTaskWorker	508
87. Frontend → Admin	509
88. Frontend → Admin → ModuleRegistration	511
89. Frontend → Admin → ModuleRegistration → AdminOverview	530
90. Frontend → Admin → ModuleRegistration → Loader	545
91. Frontend → Admin → ModuleRegistration → MainMenu	560
92. Frontend → Admin → View → ContactWithData	571
93. Frontend → Admin → View → CustomPage	571
94. Frontend → Admin → View → CustomerCompany	572
95. Frontend → Admin → View → CustomerUser	572
96. Frontend → Admin → View → NotificationEvent	572
97. Frontend → Admin → View → SelectBox	575
98. Frontend → Admin → View → SysConfig	575
99. Frontend → Agent	575
100. Frontend → Agent → ArticleComposeModule	589
101. Frontend → Agent → FAQJournalOverview	590
102. Frontend → Agent → FAQOverview	590
103. Frontend → Agent → FAQRelatedArticles	590
104. Frontend → Agent → FrontendNotification	591
105. Frontend → Agent → LinkObject	595
106. Frontend → Agent → MIMEViewer	597
107. Frontend → Agent → ModuleRegistration	598
108. Frontend → Agent → ModuleRegistration → Loader	616
109. Frontend → Agent → ModuleRegistration → MainMenu	629
110. Frontend → Agent → TicketOverview	638
111. Frontend → Agent → TicketOverview → MenuModule	640
112. Frontend → Agent → ToolBar	642
113. Frontend → Agent → View → CustomerInformationCenter	647

114. Frontend → Agent → View → CustomerUserAddressBook	651
115. Frontend → Agent → View → CustomerUserInformationCenter	651
116. Frontend → Agent → View → CustomerUserSearch	655
117. Frontend → Agent → View → Dashboard	656
118. Frontend → Agent → View → Dashboard → EventsTicketCalendar	667
119. Frontend → Agent → View → Dashboard → TicketFilters	668
120. Frontend → Agent → View → FAQAdd	668
121. Frontend → Agent → View → FAQEdit	669
122. Frontend → Agent → View → FAQExplorer	669
123. Frontend → Agent → View → FAQJournal	670
124. Frontend → Agent → View → FAQPrint	671
125. Frontend → Agent → View → FAQSearch	671
126. Frontend → Agent → View → FAQZoom	675
127. Frontend → Agent → View → FAQZoom → MenuModule	676
128. Frontend → Agent → View → LinkObject	677
129. Frontend → Agent → View → NotificationView	677
130. Frontend → Agent → View → Preferences	679
131. Frontend → Agent → View → Stats	690
132. Frontend → Agent → View → TicketBounce	692
133. Frontend → Agent → View → TicketBulk	693
134. Frontend → Agent → View → TicketClose	695
135. Frontend → Agent → View → TicketCompose	700
136. Frontend → Agent → View → TicketCustomer	703
137. Frontend → Agent → View → TicketEmailNew	703
138. Frontend → Agent → View → TicketEmailOutbound	706
139. Frontend → Agent → View → TicketEmailResend	708
140. Frontend → Agent → View → TicketEscalation	709
141. Frontend → Agent → View → TicketForward	710
142. Frontend → Agent → View → TicketFreeText	711
143. Frontend → Agent → View → TicketHistory	717
144. Frontend → Agent → View → TicketLocked	718
145. Frontend → Agent → View → TicketMerge	719
146. Frontend → Agent → View → TicketMove	720
147. Frontend → Agent → View → TicketNote	723
148. Frontend → Agent → View → TicketOwner	728
149. Frontend → Agent → View → TicketPending	733
150. Frontend → Agent → View → TicketPhoneInbound	737
151. Frontend → Agent → View → TicketPhoneNew	739
152. Frontend → Agent → View → TicketPhoneOutbound	742
153. Frontend → Agent → View → TicketPrint	744
154. Frontend → Agent → View → TicketPriority	744
155. Frontend → Agent → View → TicketProcess	749
156. Frontend → Agent → View → TicketQueue	750
157. Frontend → Agent → View → TicketResponsible	752
158. Frontend → Agent → View → TicketSMSNew	758
159. Frontend → Agent → View → TicketSMSOutbound	759
160. Frontend → Agent → View → TicketSearch	760
161. Frontend → Agent → View → TicketService	767
162. Frontend → Agent → View → TicketStatus	769
163. Frontend → Agent → View → TicketWatch	770
164. Frontend → Agent → View → TicketZoom	771
165. Frontend → Agent → View → TicketZoom → ArticleAction	777
166. Frontend → Agent → View → TicketZoom → MenuModule	780
167. Frontend → Base	789
168. Frontend → Base → Loader	795
169. Frontend → Base → NavBarModule	799
170. Frontend → Base → OutputFilter	800
171. Frontend → External	803

172. Frontend → External → Auth	804
173. Frontend → External → Menu	805
174. Frontend → External → PrivacyNotice	807
175. Frontend → External → Route	808
176. Frontend → External → View → KnowledgeBaseDetail	810
177. Frontend → External → View → Preferences	810
178. Frontend → External → View → TicketCreate	812
179. Frontend → External → View → TicketDetail	816
180. Frontend → External → View → TicketOverview	818
181. GenericInterface	819
182. GenericInterface → ErrorHandling → ModuleRegistration	819
183. GenericInterface → Invoker → ModuleRegistration	819
184. GenericInterface → Mapping → ModuleRegistration	820
185. GenericInterface → Operation	820
186. GenericInterface → Operation → Generic → RPC	821
187. GenericInterface → Operation → ModuleRegistration	821
188. GenericInterface → Operation → TicketCreate	823
189. GenericInterface → Operation → TicketSearch	824
190. GenericInterface → Operation → TicketUpdate	825
191. GenericInterface → Transport → ModuleRegistration	825
192. WebApp	826
193. WebApp → API → Customer → Account	827
194. WebApp → APIClient	829
C. GNU Free Documentation License	831
0. PREAMBLE	831
1. APPLICABILITY AND DEFINITIONS	831
2. VERBATIM COPYING	832
3. COPYING IN QUANTITY	832
4. MODIFICATIONS	833
5. COMBINING DOCUMENTS	834
6. COLLECTIONS OF DOCUMENTS	834
7. AGGREGATION WITH INDEPENDENT WORKS	835
8. TRANSLATION	835
9. TERMINATION	835
10. FUTURE REVISIONS OF THIS LICENSE	835
How to use this License for your documents	836

List of Figures

3.1. Login screen of the agent interface	21
3.2. Login screen of the customer interface	22
3.3. Общедоступный веб-интерфейс	23
3.4. Прислать новый пароль	24
3.5. Dashboard of the agent interface	25
3.6. Нижний колонтитул/"подвал"	26
3.7. Виджеты Панели Управления	27
3.8. Виджет "Календарь событий по заявкам"	29
3.9. Dashboard Settings	31
3.10. Обзор очередей (по умолчанию) для агентов	33
3.11. Agent Queue View visual alarms	34
3.12. Agent's personal preferences	34
3.13. Customer's personal preferences	35
4.1. Экран панели администрирования OTRS	37
4.2. Управление агентами	38
4.3. Добавление нового агента	38
4.4. Управление Группами	39
4.5. Агенты <-> Группы	39
4.6. Изменение группы, к которой принадлежит агент.	40
4.7. Изменение агентов, входящих в определенную группу.	40
4.8. Управление Ролями	43
4.9. Добавление новой роли	43
4.10. Изменение Ролей, связанных с Агентом.	43
4.11. Изменение Агентов, связанных с конкретной Ролью.	44
4.12. Управление связями Роли-Группы	44
4.13. Изменить связи группы для роли	44
4.14. Изменить связи роли для группы	45
4.15. Customer User management	45
4.16. Adding a customer user	46
4.17. Customer Users-Customers relations management	47
4.18. Customer Users-Group relations management	47
4.19. Change Group relations for a Customer User	48
4.20. Change Customer user relations for a Group	48
4.21. Customers-Group relations management	49
4.22. Change Group relations for a Customer User	49
4.23. Change Customer user relations for a Group	50
4.24. Управления очередями	55
4.25. Добавление новой очереди	55
4.26. Управления приветствиями	56
4.27. Добавление нового приветствия	57
4.28. Управление подписями	57
4.29. Добавление новой подписи	58
4.30. Управление вложениями	59
4.31. Добавление нового вложения	59
4.32. Связать вложения с шаблонами.	59
4.33. Изменить связь Вложения с Шаблоном	59
4.34. Изменить связь Шаблона с Вложением	60
4.35. Управление шаблонами	61
4.36. Добавление шаблона	61
4.37. Настройка Шаблонов для Очереди	61
4.38. Изменить связь Очереди с Шаблоном	62
4.39. Изменить связь Шаблона с Очередью	62
4.40. Настройка авто-ответов	62
4.41. Добавление авто-ответа	63
4.42. Настройка авто-ответов для очередей	64

4.43. Изменение авто-ответов для очереди	64
4.44. Настройка системных адресов почты	65
4.45. Добавление системного адреса исходящей почты	65
4.46. Настройка уведомлений по тикетам	66
4.47. Настройка уведомлений	67
4.48. Настройка получателей уведомлений	68
4.49. Настройка способов уведомлений	68
4.50. Настройка S/MIME	69
4.51. Настройка PGP	69
4.52. Настройка статусов	70
4.53. Graphical user interface of the system configuration.	71
4.54. Управление почтовыми ящиками	71
4.55. Управление фильтрами PostMaster	72
4.56. Add a PostMaster filter	74
4.57. Список заданий для GenericAgent	75
4.58. Создание заданий для GenericAgent	75
4.59. Admin notification screen	76
4.60. Управление сеансами	77
4.61. Подробности сеанса/сессии	77
4.62. The system maintenance overview screen with some scheduled periods	78
4.63. The system maintenance edit screen	78
4.64. Системный журнал	79
4.65. Communication Log Overview	79
4.66. Communication Log Time Range Selection	80
4.67. Communication Log Account Status	80
4.68. Communication Log Account Status	80
4.69. Communication Log Detail View	81
4.70. Communication Log Priority Filter	81
4.71. SQL-запросы	82
4.72. Менеджер пакетов	82
4.73. Package Manager Update All Installed Packages Button	83
4.74. Package Manager Update All Installed Packages In Progress Notification	84
4.75. Package Manager Update All Installed Packages Summary	84
4.76. Графический интерфейс для веб-сервисов	84
4.77. The dynamic fields overview screen with some dynamic fields	85
4.78. The calendar management screen with some calendars	86
4.79. Графический интерфейс для настройки системы	87
4.80. System configuration deployment	88
4.81. Добавление учетной записи электронной почты	91
4.82. Changing the Responsibility of a ticket in its zoomed view	123
4.83. Pop-up dialog to change a ticket's responsibility	123
4.84. Subscribing to watching a ticket in its zoomed view	124
4.85. Unsubscribing from watching a ticket in its zoomed view	124
4.86. Watched tickets view	124
4.87. Overview of the standard statistics.	127
4.88. Viewing a specific statistic.	127
4.89. Adding a new statistic, first step.	128
4.90. Adding a new statistic, second step.	129
4.91. Configuring the x-axis of a statistic.	130
4.92. Configuring the y-axis of a statistic.	130
4.93. Configuring the data filter of a statistic.	130
4.94. Configuring the data filter of a statistic.	131
4.95. Statistics import	131
4.96. Overview of the defined reports.	133
4.97. Automatic generation settings	133
4.98. Automatic generation settings	134
4.99. Output settings	134
4.100. Report: Front page	135

4.101. Report: Table of contents	135
4.102. Report: Preamble	136
4.103. Report: Statistics	136
4.104. Dynamic fields overview screen.	139
4.105. Окно конфигурации Динамического поля Text	141
4.106. Окно конфигурации Динамического поля Textarea	142
4.107. Диалог настройки Динамического поля Checkbox	143
4.108. Окно настройки динамического поля Dropdown	144
4.109. Диалог конфигурации Динамического поля Multiselect (множественный выбор)	145
4.110. Окно настройки динамического поля Date	146
4.111. Диалог настройки динамического поля Date / Time	148
4.112. Страница просмотра заполненного динамического поля с тестовыми данными	148
4.113. Field1 in New Phone Ticket Screen	150
4.114. Field1 in New Phone Ticket Screen as mandatory	150
4.115. Several fields in New Phone Ticket Screen as mandatory	151
4.116. Some deactivated fields in New Phone Ticket Screen as mandatory	152
4.117. Field1 in Ticket Zoom Screen	152
4.118. Field1 in Ticket Overview Small Screen	153
4.119. Field1 in User preferences screen	154
4.120. The graphical interface layers	156
4.121. Web services overview	161
4.122. Web services add	162
4.123. Клонирование веб-сервиса	163
4.124. Web services export	164
4.125. Web services import	164
4.126. Web service history	165
4.127. Удаление веб-сервиса	166
4.128. Web service debugger	167
4.129. Web services change	168
4.130. Web service provider network transport (HTTP::SOAP)	169
4.131. Web service provider network transport (HTTP::REST)	171
4.132. Web service operation	172
4.133. Web service requester network transport (HTTP::SOAP)	173
4.134. Web service requester network transport (HTTP::REST)	175
4.135. Web service invoker	176
4.136. Web service invoker event	177
4.137. Web service mapping	179
4.138. Daemon notification	210
4.139. Start Daemon	210
5.1. ACL 100-Example-ACL	214
5.2. ACL 102-Example-ACL	215
5.3. ACL 102-Second-Example-ACL	216
5.4. ACL 103-Third-ACL-Example	217
5.5. ACL 104-Only-Hardware-Services-for-HW-Queues-ACL	217
5.6. ACL 105-Disallow-Process-For-CustomerID - Запретить Процессы для этого CustomerID	218
5.7. Страница Администратора OTRS - Администрирование системы	225
5.8. Создать Новую кнопку Процесса	226
5.9. Добавить новый процесс	226
5.10. Create New User Task Activity Dialog button	226
5.11. Add new User Task Activity Dialog	227
5.12. Редактировать элементы поля (Article)	227
5.13. Create New Sequence Flow button	230
5.14. Add new Sequence Flow	230
5.15. Create New Sequence Flow Action button	231
5.16. Add new Sequence Flow Action	232

5.17. Configure Sequence Flow Action	232
5.18. Создать Новую кнопку Деятельности	234
5.19. Перетащите первую Активность на полотно схемы.	235
5.20. Перетащите вторую Активность на полотно схемы.	235
5.21. Drag a Sequence Flow into the canvas	236
5.22. Connect Activities using Sequence Flows	236
5.23. Assign Sequence Flow Actions	237
5.24. Законченная/полная схема процесса заказа книги.	239
5.25. Import Ready2Adopt Processes widget	270
6.1. Calendar management overview	273
6.2. Calendar edit screen	273
6.3. Color picker in calendar edit screen	273
6.4. Appointment import in calendar management overview	275
6.5. Calendar overview screen	275
6.6. Sidebar in calendar overview screen	276
6.7. View modes in calendar overview screen	277
6.8. Weekly view in calendar overview screen	277
6.9. Monthly view in calendar overview screen	278
6.10. Navigation controls in calendar overview screen	278
6.11. Today and Jump buttons in calendar overview screen	278
6.12. User preferences for calendar overview screen	279
6.13. Agenda overview screen	279
6.14. Appointment edit screen	280
6.15. Appointment display in calendar overview screen	281
6.16. Appointment tooltip	282
6.17. Edit screen of a repeating appointment	282
6.18. Repeating appointments in calendar overview screen	283
6.19. Edit screen of a repeating child appointment	283
6.20. Repeating settings of a child appointment	283
6.21. Notification settings in appointment edit screen	284
6.22. Calendar/Appointment notification management link	285
6.23. Calendar/Appointment notification management overview	285
6.24. Sidebar in calendar/appointment notification overview	286
6.25. Table in calendar/appointment notification overview	286
6.26. Event definition for calendar/appointment notifications	287
6.27. Filter settings in calendar/appointment notifications	287
6.28. Recipient settings in calendar/appointment notifications	288
6.29. Notification methods in calendar/appointment notifications	288
6.30. Notification body in calendar/appointment notifications	289
6.31. Show in agent preferences option in calendar/appointment notifications	289
6.32. Ticket link option in appointment edit screen	290
6.33. Linked appointments table in ticket zoom screen	290
6.34. Appointment linking from ticket zoom screen	290
6.35. New appointment link in ticket zoom screen	291
6.36. Ticket appointments configuration in calendar edit screen	291
6.37. Ticket appointment rule in calendar edit screen	292
6.38. Ticket appointment in calendar overview screen	293
6.39. Edit screen of a ticket appointment	294
6.40. Today filter in upcoming appointments dashboard widget	295
6.41. Soon filter in upcoming appointments dashboard widget	296
6.42. Switching to the Ticket Timeline View	297
6.43. Using the Ticket Timeline View	297
6.44. Switching to the article attachment overview	298
6.45. Using the article attachment overview	298
6.46. Accessing the user specific settings	299
6.47. Reverting a setting to default value	299
6.48. Access to user values of a particular setting	300
6.49. Usage of the user specific values screen	300

6.50. Access to the setting reset dialog	300
6.51. Choosing the reset scope	301
6.52. Enabling the Notification Web View	301
6.53. Notification Web View Icon on the Tool-bar	302
6.54. Notification Web View Overview	302
6.55. Notification Web View Detail	302
6.56. Enabling SMS Notifications	303
6.57. Agent Preferences SMS Notification Settings	303
6.58. SMS Notification Text Fields	303
6.59. SLA configuration	304
6.60. SLA message	304
6.61. Cloud Services Screen in Admin Interface	304
6.62. Activating SMS Cloud Service	305
6.63. Manage SMS Templates	306
6.64. Manage SMS Templates	306
6.65. New SMS Ticket Screen	307
6.66. New SMS Ticket Screen	308
6.67. New SMS Ticket Screen	308
6.68. SMS Article Display	309
6.69. SMS Ticket History Entries	309
6.70. Setting up preferred chat channels	314
6.71. Setting up Chat Availability	314
6.72. The Chat Managing Screen	315
6.73. Starting an A2C chat from ticket zoom	316
6.74. Starting an A2C chat from dashboard	316
6.75. Starting a C2A chat	316
6.76. An Open Chat Request	317
6.77. Open Chat Request Details	317
6.78. The chat widget	318
6.79. Monitor a chat	318
6.80. Advanced chat actions	318
6.81. The chat widget	319
6.82. Configure Chat Integration Button	320
6.83. Configuration Tab	321
6.84. Integration Code Tab	322
6.85. Preview Tab	323
6.86. Setting up the On-line widget on Dashboard	325
6.87. Making a call inside the chat	326
6.88. Media Permission Request	326
6.89. Waiting for the other party	327
6.90. Established Connection	327
6.91. Mute Buttons	328
6.92. Audio Only	328
6.93. Call Invitation	329
6.94. Notification Permission Request	329
6.95. Online widget on the Dashboard	330
6.96. Calling other agents from Ticket Zoom	330
6.97. Making a call from Customer Information Center	331
6.98. Making a call from Ticket Zoom	331
6.99. Starting a Video Call from Customer interface	331
6.100. Deploy template for each agent	354
A.1. Инструмент отслеживания информации об ошибках	361

List of Tables

4.1. Предопределенные группы, доступны для новой (только что) установленной системы OTRS	38
4.2. Права, связанные с группами OTRS	41
4.3. Additional permission groups	41
4.4. События для авто-ответов	63
4.5. Функции различных X-OTRS-заголовков	72
4.6. В систему будут добавлены следующие поля:	140
A.1. Почтовые рассылки	360



List of Examples

4.1. Сортирование спама в определенную очередь	74
4.2. Routing via Procmail Using otrs.Console.pl	92
4.3. .fetchmailrc	93
4.4. Example jobs for the filter module Kernel::System::PostMaster::Filter::Match	94
4.5. Пример задания для модуля фильтрации Kernel::System::PostMaster::Filter::CMD	94
4.6. Example job for the filter module Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition	95
4.7. Настройка клиентского хранилища базы данных (DB)	104
4.8. Using Company Tickets with a DB Backend	107
4.9. Настройка LDAP в качестве клиентского бэк-енда	107
4.10. Использование заявок Компании с LDAP-бэкэндом	109
4.11. Использование больше чем одного пользовательского хранилища данных с OTRS	109
4.12. Проверка подлинности агентов путем использования Базы Данных (DB) в качестве хранилища информации.	112
4.13. Проверка подлинности агентов при использовании LDAP в качестве хранилища данных	112
4.14. Аутентификация Агентов с помощью HTTPBasic	114
4.15. Аутентификация (проверка подлинности) агентов с использованием Radius-сервера в качестве хранилища информации	114
4.16. Аутентификация Клиента в Базе Данных	114
4.17. Аутентификация пользователей с помощью LDAP-бэкэнда	115
4.18. Аутентификация клиентов с помощью HTTPBasic	115
4.19. Аутентификация клиентов с использованием Radius	116
4.20. Default statistics permission group	129
4.21. Customized statistics permission group	129
4.22. Активировать Field1 на странице Новая Заявка на основе телефонного звонка.	150
4.23. Сделать Field1 на странице просмотра Заявки созданной на базе телефонного звонка New Phone Ticket Screen as mandatory.	150
4.24. Активировать несколько полей на странице просмотра Новых Телефонных Заявко.	150
4.25. Отключить некоторые поля на странице Новой Заявки, созданной на основе телефонного звонка.	151
4.26. Активировать поле Field1 на странице просмотра подробной информации о Заявке.	152
4.27. Активировать поле Field1 на странице просмотра обобщенной информации о Заявке.	152
4.28. Активировать Field1 в событии TicketCreate.	153
4.29. Активировать поле Field1 на странице Пользовательские Настройки.	154
4.30. Example to start the OTRS Daemon	211
4.31. Example to list all configured daemons	211
4.32. Example to a summary of all daemon tasks	211
5.1. Списки прав доступа (ACL) позволяют перемещать в очереди только заявки с приоритетом 5.	213
5.2. ACL позволяют перемещать в другие очереди только заявки с приоритетом 5, уже имеющиеся в базе данных.	214
5.3. Списки прав доступа (ACL) делают невозможным закрытие заявок в очереди raw и скрывают кнопку "закрыть".	215
5.4. ACL удаляет навсегда возможность установить состояние "closed successful".	216
5.5. ACL только отображает Hardware-сервисы для заявок, которые были созданы в очередях, начинающихся с "HW".	217

5.6. ACL для ограничения доступа к Процессу в интерфейсе клиента по CustomerID.	218
5.7. Ссылка отображает все возможные важные настройки ACL	219



Предисловие

Эта книга предназначена для использования OTRS-администраторами. Он также послужит хорошим справочником для новичков OTRS.

В следующих главах описывается установка, настройка и администрирование программы OTRS. В первой трети текста описываются ключевые функциональные возможности программного обеспечения, в то время как остальной текст является ссылкой на полный набор настраиваемых параметров.

Эта книга и дальше находится в стадии разработки и совершенствуется с выходом новых версий продукта. Чтобы сделать это справочное руководство более качественным, полным и точным нам нужна обратная связь с вами. Пожалуйста, напишите нам, если заметите отсутствие некоторых разделов в этой книге, если некоторые вещи объясняются недостаточно хорошо или, если просто видите орфографические, грамматические ошибки или опечатки. Мы будем признательны за любой вид обратной связи, которую можно осуществить посредством нашей системы отслеживания ошибок, которая находится по адресу <http://bugs.otrs.org>. Заранее благодарим вас за помощь!



Chapter 1. Введение

1. Системы Обработки Заявок - Основы

В этой главе дается краткий обзор идеи заявок в целом, и систем обработки заявок, в частности. Краткий пример иллюстрирует преимущества использования системы обработки заявок.

1.1. Что такое система обработки заявок и зачем она нужна?

Следующий пример показывает, что собой являет система обработки заявок и как можно сэкономить много времени и денег, используя подобную систему в своей компании.

Давайте представим, что Максим занимается производством видеомагнитофонов. Максим получает много писем от клиентов, которые нуждаются в помощи по устройству. Спустя несколько дней, у него нету свободного времени чтобы оперативно ответить на все письма клиентов или хотя бы просмотреть их. Некоторые клиенты не хотят долго ждать и пишут второе письмо с тем же вопросом. Все письма, содержащие просьбы о поддержке хранятся в одном почтовом ящике. Запросы не сортируются и Максим отвечает на письма пользуясь обычной программой для работы с электронной почтой.

Поскольку Максим не успевает быстро дать ответ на все письма, его инженеры: Андрей и Александр берутся помочь Максиму. Для работы с почтой Андрей и Александр используют один и тот же почтовый ящик, который хранит все письма клиентов. Они ничего не подозревают о том, что Максим получил два одинаковых письма с вопросом о помощи от отчаявшегося клиента. Временами они оба отвечают на один и тот же запрос, и клиент получает два различных ответа. Более того, Максим не имеет представления о содержимом этих ответов. Также он не знает подробностей большинства проблем его клиентов и о том как они решаются, какие проблемы возникают чаще всего, а также, сколько времени и денег он должен потратить на поддержку клиентов.

На собрании коллега рассказывает Максиму о системах обработки заявок и как они могут решить его проблемы с поддержкой клиентов. После поиска информации в Интернете, Максим принимает решение установить OTRS - Открытую Систему Обработки Заявок, далее просто OTRS, на компьютере, который будет доступен из веб как для клиентов компании так и для ее сотрудников. С этого момента, запросы клиентов больше не приходят на частный почтовый ящик Максима, теперь они направляются на почтовый ящик, который используется для OTRS. OTRS подключена к этому почтовому ящику и автоматически сохраняет все запросы в своей базе данных. Система генерирует авто-ответ для каждого нового запроса и отправляет его клиенту, так что теперь клиент может быть уверен в том, что его запрос поступил в обработку и ответ будет дан в ближайшее время. Для каждого запроса OTRS создает прямую ссылку - номер заявки. Теперь клиенты довольны, они получают быстрый ответ на свою заявку и им уже нет никакого смысла писать повторно письмо с тем же вопросом. Максим, Андрей и Александр могут спокойно отвечать на поступившие запросы используя обычный веб-браузер для работы с OTRS. Также, следует отметить тот факт, что ни одно сообщение клиента не будет отредактировано дважды, поскольку система автоматически блокирует заявку, для которой создается ответ.

Давайте представим что г-н Гришко делает запрос в компанию Максима и его сообщение обрабатывается системой OTRS. Александр дает краткий ответ на его вопрос. Но у г-на Гришко есть дополнительный вопрос и на следующий день он отвечает на письмо Александра. Поскольку у Александра и своих дел хватает, на письмо г-на Гришко отвечает Максим. Способность OTRS хранить историю позволяет Максиму просмотреть всю цепочку переписки по этому запросу и написать более подробный ответ г-ну Гришко. Г-н Гришко, в свою очередь, даже не догадывается, что в процесс общения были вовлечены два разных человека, он доволен советами относительно решения своей проблемы, которые пришли в последнем сообщении от Максима.

Конечно, это всего лишь краткий обзор функциональных возможностей и особенностей систем обработки заявок. Но в случае, если в вашу компанию приходит множество запросов от клиентов через письма электронной почты и телефонные звонки и они должны обрабатываться в разное время, - система обработки заявок поможет существенно сэкономить время и деньги, позволит структурировать всю систему поддержки клиентов, сделать более прозрачным процесс обмена информацией между клиентами и компаниями, что неотменно приведет к повышению эффективности как для клиентов так и для обслуживающего персонала и позитивно скажется на финансовом положении компании.

1.2. Что такое заявка?

Заявка очень похожа на медицинскую карточку пациента больницы. Медицинская карточка создается, когда пациент посещает больницу впервые, все важные данные о пациенте, такие как: личные данные, информация о состоянии его здоровья, медицинском осмотре записываются в медицинскую карточку. С каждым новым визитом пациента в больницу, каждый из лечащих врачей добавляет в медицинскую карточку информацию о состоянии пациента, истории болезни и, используемые для лечения лекарственные препараты. Таким образом другие лечащие врачи и медсестры могут видеть, подробную картину состояния пациента. Когда пациент выздоровел и выписался из больницы, медицинская карточка закрывается и вся информация передается в архив.

Системы обработки заявок, такие как OTRS, обрабатывают заявки как обыкновенные email. Когда клиент посылает запрос, система создает новую заявку, что сравнимо с открытием новой медицинской карточки пациента больницы. Ответ в этой новой заявке можно сравнить с записью лечащего врача в медицинской карточке, свидетельствующей о изменении состояния здоровья пациента. Заявка считается закрытой, когда клиенту отправлен ответ или если заявка закрыта системой автоматически. Если клиент отправляет ответ на уже закрытую заявку, она будет заново открыта системой и в нее будет добавлена новая информация. Чтобы сохранить целостность всех данных, хранящихся в системе, каждая заявка хранится и архивируется вместе со всей информацией. Поскольку заявки обрабатываются как обыкновенные сообщения электронной почты - вместе с ними также будут сохранены все вложения и контекстные аннотации. Конечно же, такая полезная информация как примечания, даты, данные о нанятых работниках, рабочее время необходимое для работы с заявкой и т.д также сохраняется системой. Все заявки могут быть отсортированы в соответствующем порядке, также можно с легкостью производить поиск всей необходимой информации.

2. OTRS Help Desk

В этой главе описываются характерные особенности и функциональные возможности Открытой Системы Обработки Заявок (OTRS). Здесь вы найдете полезную информацию о том, какое оборудование и программное обеспечение необходимо для функционирования OTRS. Также, в этой главе рассказывается о том,

как получить коммерческую поддержку системы OTRS, на случай, если вы в ней нуждаетесь, а также, каким образом можно связаться с сообществом.

2.1. Основы

OTRS Help Desk (OTRS) веб приложение, которое устанавливается на веб-сервер и используется в веб-браузере.

OTRS разделен на несколько компонентов. Главным компонентом всей системы является OTRS-фреймворк, в котором содержатся все основные функции приложения и система обработки заявок. Веб-интерфейс OTRS позволяет устанавливать дополнительные приложения, такие как, например, OTRS::ITSM, а также инструментальные средства для мониторинга информации о состоянии системы, базу знаний (FAQ) и многие другие.

2.2. Особенности и функциональные возможности

OTRS имеет большой набор функций. Следующий список дает обзор основных особенностей, включенных в OTRS фреймворк.

2.2.1. Пользовательский интерфейс

- OTRS поставляется с современным веб-интерфейсом разделенным для агентов и пользователей
- Он прекрасно работает в любом современном браузере, включая мобильные платформы и retina-дисплеи.
- Используя темы и скины можно настроить веб-интерфейс по своему вкусу.
- Многофункциональная, настраиваемая панель управления для агентов с персональным, отдельным блоком для просмотра заявок и графической статистикой.
- Расширяемый генератор отчетов предоставляет различные статистические данные и настраиваемые параметры планирования отчетов.
- С помощью ProcessManagement можно создавать собственные, основанные на заявках экраны и процессы (поток работ по заявке - workflows).
- OTRS имеет встроенную систему прав, функциональность которой можно с легкостью расширить с помощью списков контроля доступа (ACL).
- Поддержка более 30 языков и разных часовых поясов.

2.2.2. Почтовый интерфейс

- Поддержка MIME с вложениями.
- Автоматическое преобразование HTML в простой текст (повышает безопасность "чувствительного" содержания и значительно ускоряет поиск).
- Входящая почта может быть отфильтрована с использованием сложных правил, например для извлечения спам - сообщений или для распределения заявок по очередям.
- Поддержка PGP и S/MIME стандартов для управления ключами/сертификатами и обработки электронной почты.

- Автоматические ответы, настраиваемые для каждой очереди.
- Уведомления агентов по электронной почте о новых, последующих или разблокированных заявках.
- Имеется возможность задать свой собственный идентификатор заявки для распознавания связанных с нею объектов, например, Звонок№, Заявка№ или Запрос№. В системе имеется несколько способов генерации номеров (основанный на дате, на базе случайных чисел и т.д.), также, вы можете включить свой собственный. Связанные объекты также могут распознаваться с использованием In-Reference-To заголовков или внешних номеров заявок.

2.2.3. Заявки

- OTRS использует понятие заявки для сбора информации из всех внешних и внутренних источников коммуникации. Эти заявки помещаются в очереди.
- Доступно много различных способов просмотра заявок в системе (на основе Очередей, Статуса, Эскалации...) используя различные уровни детализации (малый/средний/предварительный просмотр).
- Все изменения заявки регистрируются в Истории заявки.
- Изменения в заявках могут быть выполнены многими разными способами, такими как ответ на заявку, перенаправление, пересылка, перемещение в другую очередь, изменение ее атрибутов (состояние, приоритет и пр...), блокировка и ввод затраченного на нее времени. Можно изменять множество заявок одновременно (массовое действие).
- Перевод в ожидание и установка параметров эскалации / Управление SLA - соглашениями об уровне сервиса предоставляют возможность планирования обработки заявок во времени и устанавливать ограничения для них.
- Заявки могут быть привязаны к другими заявкам или объектам, например, к записям из FAQ.
- "GenericAgent" позволяет совершать автоматические и синхронные действия над заявками.
- OTRS поставляется с мощной поисковой системой, которая позволяет выполнять сложный и полнотекстовый поиск по заявкам.

2.2.4. Система

- OTRS работает во многих операционных системах (Linux, Solaris, AIX, FreeBSD, OpenBSD, Mac OS 10.x) и поддерживает работу с разнообразными СУБД для основного сервера баз данных OTRS (MySQL, PostgreSQL, Oracle, MSSQL).
- Ядро системы может быть расширено с помощью установки дополнительных пакетов OTRS. Существует множество свободно распространяемых пакетов (таких как FAQ, OTRS::ITSM и другие), а также FeatureAddon пакеты для клиентов, заключивших сервисные контракты с OTRS group.
- Для хранения данных о клиентах предусмотрена возможность интеграции внешних источников данных, используя AD, eDirectory или OpenLDAP. Клиенты могут аутентифицироваться с помощью внутренней БД, LDAP, HTTPAuth или Radius.
- Используя GenericInterface, можно легко подключить OTRS к другим веб-сервисам. Простые веб-сервисы могут быть интегрированы без использования

программирования, сложных сценариев с различными расширениями. OTRS Ticket Connector позволяет создание, обновление и поиск заявок через веб-сервисы через стороннее ПО.

Рассмотрим изменения в последних версиях OTRS.

2.2.5. New Features of OTRS 7

2.2.6. New Features of OTRS 6

2.2.6.1. Продуктивность

- Implemented proper time zone support. Time zones can be configured system wide and also on a per-user basis.
- Improvements to ticket handling
 - Added possibility to store unfinished ticket forms as drafts for later reuse.
 - Completely revamped ticket zoom screen, with a fresh new design with accent on content. User avatars have been introduced as a visual aid for easier identification of the article sender. Article display settings are now displayed in a settings dialog.
 - Dropped dubious and somewhat confusing article types, and introduced the concept of communication channels as source for ticket articles (e.g. Email, Phone, Chat, etc). Customer visibility of articles can now be determined by a simple check-box.
 - Improved AgentTicketHistory screen usability.
 - Merged the add-on module OTRSAdvancedTicketSplit. Now it's possible to select to which kind of ticket an article should be split: phone (default), email or process ticket. For process tickets, additional selection of specific process will be provided. However, only those fields which are configured in the first activity dialog will be adopted from original ticket.
 - Added support for ticket number and title search in ticket merge and bulk screens. Auto-complete list can be used to populate the ticket number field with a single click, therefore speeding up the process and limiting room for error. In the ticket merge screen, there is also a CustomerID search filter option, which will limit the results to tickets belonging to the same customer company as the source ticket.
 - Split last sender and ticket title columns in ticket overviews.
 - It's now possible to access all supported article actions directly from large ticket overview screen.
 - It is now possible to delete linked objects directly from the zoom view.
 - Ticket search and statistic can now filter for pending until time.
 - Added possibility to restrict zoom and print screens in the customer interface by using ACLs.
 - The used search template is now shown on the ticket search result screen.
 - Added possibility to automatically lock new tickets to the agent who creates them.
 - Added possibility to send notifications to the agent who created a ticket, thanks to Dian Tong Software.

- Added new recipient notification groups 'AllRecipientsFirstArticle' and 'AllRecipientsLastArticle'.
- Make it possible to configure which ticket state types to show striked through in the linked objects table, thanks to Renée Bäcker.
- Made possible to define ServiceIDs and SLAIDs as default shown ticket search attributes, thanks to Paweł Bogusławski.
- Merged the add-on module OTRSTicketCloseRedirect. It is now possible by a new SysConfig setting to stay in Ticket Zoom after an action that closes the ticket instead of been redirected to the last overview screen or dashboard. This is now controlled by the new SysConfig setting "Ticket::Frontend::RedirectAfterCloseDisabled".
- Merged the add-on module OTRSUserDefaultQueue, With a new SysConfig setting now it is possible to pre-select a queue to create a ticket in the New Phone, Email and Process ticket screens.
- Merged the add-on module OTRSAppointmentCalendar. Now OTRS provides a calendar implementation that allows agents to manage and display multiple calendars and their appointments.
- Improvements for working with customers
 - Added dynamic field support for customer users and customers. This makes it possible to attach additional data fields to customer users and customers (companies) without making manual changes to the database.
 - Modernized the OTRS address book. It is now possible to search for all configured custom user and customer fields.
 - Added the Customer User Information Center frontend. This works like the existing Customer Information Center, but focuses on all data of one particular customer user, rather than a complete customer (company).
 - Improved the selection of customers in various screens by adding autocomplete fields.
- Added support for proper Chinese name formatting, thanks to Dian Tong Software.
- Removed custom spell-checker in favor of using the built-in spell checker features of the different browsers.
- Email articles now support display of their transmission status in the agent zoom screen. Messages with errors will be flagged as such, and automatic notifications will be triggered for relevant agents. Useful email resend screen can be used to resend failed messages.
- Added option for dashboard widgets to mark them as mandatory. With this feature administrators have the ability to configure dashboard widgets that can't be disabled by the agents individually.
- Added the possibility to filter content of the CCI Dashboard Widget.

2.2.6.2. Usability & Accessibility

- Added beautiful drag & drop multi file upload for agent and customer interface.
- Added a high contrast skin for visually impaired agents.

2.2.6.3. Масштабируемость и Производительность

- Improved session storage to no longer include permission information. This should result in significant performance gains for large systems with many agents and groups.
- Moved ticket number counter from the TicketCounter.log file to the database. This allows OTRS to process incoming e-mails much faster and in parallel.
- Improved web upload cache performance, thanks to Paweł Bogusławski.
- Improved Generic Agent performance at deleting old execution times. Thanks to Moritz Lenz @ noris networks!

2.2.6.4. Безопасность

- Made bcrypt cost configurable for agent and customer password hashing, thanks to Paweł Bogusławski.

2.2.6.5. Работа с внешними системами

- Web service improvements
 - Added support for additional response headers in REST and SOAP provider configuration.
 - Added possibility to filter for events before calling Invokers.
 - Added the possibility to include the ticket data in web service response data.
 - Added automatic cleanup of old web service debug log information.
 - Added new operations TicketHistoryGet and SessionGet.
 - Updated default web service configurations.
 - Improved Authentication, Proxy and SSL handling in SOAP and REST transport.
 - Improved usability of debugger.
 - Added SOAPAction naming flexibility.
 - Improved SOAP output generation.
 - Prevent usage of invalid web services in provider.
 - Globally changed wording from 'webservice' to 'web service'.
 - Added error handling to the Generic Interface.
 - Improved XSLT mapping functionality.
- Email improvements
 - Added possibility to configure default headers for outgoing emails (Sendmail::Default-Headers), thanks to Renée Bäcker.
 - Added possibility to use multiple named captures in Postmaster filters, thanks to Renée Bäcker.
 - Added possibility to set the ticket title in Postmaster filters, thanks to Renée Bäcker.
 - Add support for setting owner and responsible via filter also for follow-ups, thanks to Renée Bäcker.

- Make it possible to re-enable auto responses from Postmaster filters by setting X-OTRS-Loop to no/false, thanks to Paweł Bogusławski.
- All email communication is now being queued for sending and handled by dedicated scheduled daemon task. In case of errors, multiple retries will be scheduled, in order to alleviate temporary problems.
- Added possibility to add an external link to the action menu in AgentTicketZoom, thanks to Paweł Bogusławski.

2.2.6.6. Установка & Администрирование

- Renewed system configuration mechanism including a totally new graphical user interface.
 - Added possibility to review changes before they are effective.
 - Exclusively edit settings, so other administrators can not change the same setting at the same time.
 - Added possibility to define favorite settings for quick access.
 - Added new console commands to display and update setting values (Maint::Config::Dump and Maint::Config::Rebuild).
 - Added possibility to distribute configuration states to all nodes in a cluster environment.
- Added new command Admin::Package::UpgradeAll, which allows updating all installed packages at once. This can also be triggered from the package manager screen.
- Renewed main administration screen.
- Renewed user preferences screen.
- Added SHA-512 as new password digest method to agent and customer authentication.
- Added support for multi-tiered customer and customer user relationships.
- Added the possibility to use the auto complete search for the customer ID selection in the user management frontend.
- Improved command Maint::Ticket::InvalidUserCleanup. It can now both unlock tickets of invalid users and also (optionally) change their state to make sure they will not be overlooked. Thanks to Moritz Lenz @ noris networks!
- Added per-address email loop protection configuration (PostmasterMaxEmailsPerAddress), thanks to Moritz Lenz.
- Added console command to list configured queues, thanks to Martin Burggraf.
- Added completely new log mechanism for email communications. The dashboard-like display allows administrators to quickly see what might be wrong in their system regarding receiving and sending emails. Account overview can be used to determine which mail accounts might be having issues and why. Detailed logging should help figuring out how an email was processed by the system before ending up in a specific ticket.

2.2.7. Новые возможности OTRS 5

2.2.7.1. Продуктивность

- OTRS теперь оптимизирован для использования с мобильными устройствами различного типа и размера экрана.
- Поля ввода для прямого или множественного выбора модернизированы и предоставляют возможность расширенного поиска и фильтрации (спасибо Dusan Vuckovic из Mühlbauer).
- Теперь, вы можете добавить/загрузить изображение непосредственно в WYSIWYG редактор, используя приемы Copy&Paste и Drag&Drop из любого внешнего приложения (во всех браузерах, без всяких дополнений).
- Улучшена/расширена система уведомлений. Теперь можно настраивать собственные уведомления с собственными триггерами условий и получателями. В OTRS Business Solution™, уведомления также могут быть доставлены с помощью SMS и/или уведомления Web View. Последняя возможность - это специальный экран в OTRS, который содержит все уведомления агента; с её помощью OTRS может использоваться вообще без почтового клиента.
- Система отчетов получила новый графический интерфейс, более дружелюбный, помогающий создавать великолепные отчеты быстро и легко.
- Дополнительно, в отчетах введены новые временные периоды - "квартал" и "полугодие"
- Появилась новая возможность - группировка пунктов меню на экране полного просмотра заявок. Менее часто используемые элементы меню могут быть объединены в подменю, улучшая обзор экрана и его использование.
- Обзоры заявок могут теперь отображать данные компаний клиента, спасибо Renée Bäcker.
- В процессных заявках теперь можно в TransitionAction "TicketCreate" создавать заявки без заметок.

2.2.7.2. Масштабируемость и Производительность

- Новый OTRS Daemon управляет всеми асинхронными и периодическими задачами и заменяет все OTRS cron jobs прежних версий. В кластерных конфигурациях, нагрузка автоматически распределяется/выравнивается по узлам.
- Появилась возможность задать несколько зеркальных (подчиненных) БД для эффективности вычислений, таких как получение отчетов или полнотекстовый поиск для распределения нагрузки между серверами БД.

2.2.7.3. Безопасность

- Новый механизм двухфакторной аутентификации позволяет повысить безопасность при входе.
 - Если ввод фиксированных логина и пароля не удовлетворяет вашим требованиям, вы можете дополнительно использовать открытый стандарт для временных одноразовых паролей ([Rfc 6238](#), также известный как Google Authenticator).
- После включения двухфакторной аутентификации, агенты и клиенты могут добавить разделяемый секретный ключ в свои личные настройки и сразу начать

использование одноразовых паролей созданных выбранным ими методом (например, Android Google Authenticator).

2.2.7.4. Работа с внешними системами

- A new XSLT based GenericInterface mapping module allows for arbitrarily complex user-defined data mapping.

2.2.7.5. Установка & Администрирование

- Новая консоль OTRS делает работу с командной строкой простой и забавной. Все команды имеют единый интерфейс, полезную документацию и предоставляют полезную цветную раскраску результатов вывода.
- Администраторы теперь могут выбрать минимальный уровень вывода в журнал для уменьшения объемов протоколирования, спасибо Renée Bäcker.
- Экраны обзора в интерфейсе администратора теперь помечают ошибочные значения серым, позволяя легко сфокусироваться на них.

2.3. Требования к аппаратному и программному обеспечению

OTRS can be installed on many different operating systems. OTRS can run on linux and on other unix derivates (e.g. OpenBSD or FreeBSD). OTRS does not have excessive hardware requirements. We recommend using a machine with at least a 3 GHz Xeon or comparable CPU, 8 GB RAM, and a 256 GB hard drive.

Если вы хотите использовать OTRS, вам потребуются некоторые другие компоненты программного обеспечения. Основные требования к программному обеспечению: веб-сервер и сервер баз данных, рабочая среда для выполнения Perl с некоторыми дополнительными модулями. Веб-сервер и Perl должны быть установлены на той же машине что и OTRS. База данных может быть установлена на локальной машине или же на другом хосте.

В качестве веб-сервера, мы рекомендуем использовать apache 2. Это связано с тем, что его модуль `mod_perl` позволяет существенным образом улучшить производительность OTRS. Если у вас нету возможности использовать Apache в качестве веб-сервера, OTRS может работать на любом другом веб-сервере, поддерживающем выполнение Perl-скриптов.

В качестве базы данных, можно использовать MySQL, PostgreSQL или Oracle. В случае использования MySQL или PostgreSQL в качестве сервера базы данных - есть возможность задать некоторые настройки СУБД и системы посредством веб-интерфейса, при установке системы.

Для Perl, вам могут потребоваться дополнительные модули, которые могут установлены либо через оболочку Perl и CPAN, либо с помощью менеджера пакетов вашей ОС (`rpm`, `yast`, `apt-get`).

Требования к программному обеспечению

2.3.1. поддержка Perl

- Perl 5.16 or higher

2.3.2. Поддержка Веб-сервера

- Apache2, nginx or any other web server that can be used as a reverse proxy

2.3.3. Поддержка базы данных

- MySQL 5.0 или выше
- MariaDB
- PostgreSQL 9.2 or higher
- Oracle 10g или выше

2.3.4. Other Dependencies

- Elasticsearch 6.0 or or higher
- Node.js 8.9 or higher

Раздел руководства установка Perl-модулей более подробно описывает как можно настроить модули, необходимые для работы OTRS.

2.3.5. Поддержка веб-браузера

To use OTRS, you'll be OK if you use a modern browser with JavaScript support enabled. Supported Browsers are:

- Google Chrome
- Firefox version 31 and higher
- Safari version 6 and higher
- Internet Explorer version 11 and higher, Microsoft Edge

Мы рекомендуем использовать самые последние версии браузеров, т.к. они всегда обладают наилучшей производительностью JavaScript и рендеринга. Критическая разница в производительности может возникать при больших объемах данных при использовании старых версий. Мы всегда рады оказать помощь в таких случаях.

2.4. Сообщество

OTRS имеет большое сообщество пользователей. По ссылке the mailing-lists. пользователи и разработчики обсуждают OTRS, общаются на различные темы, связанные с системой обработки заявок. Также есть возможность обсуждать вопросы, касающиеся установки, настройки, использования, локализации и разработки приложения. Ошибки, замеченные в программном обеспечении отправляйте по ссылке bug tracking system.

Домашняя страница OTRS-сообщества: <http://www.otrs.com/open-source/>.

2.5. Профессиональная поддержка OTRS

We offer best professional support from the OTRS team, reliable OTRS security and regular free updates as well as an [exclusive set of additional Business Features](#) that you can flexibly activate or deactivate according to different deployment scenarios.

The [OTRS Group](#) offers specific [training programs](#) in different countries. You can either participate in one of our public OTRS Administrator trainings which take place regularly, or benefit from an inhouse training that covers all the specific needs of your company.

Chapter 2. Установка

This chapter describes the installation and basic configuration of the central OTRS framework.

Следуйте подробным шагам этой главы чтобы установить OTRS на своем сервере. Потом можно использовать его веб-интерфейс чтобы войти в систему и производить администрирование.

1. Installation From Source (Linux, Unix)

1.1. Preparation: Disable SELinux

Note

If your system uses SELinux, you should disable it, otherwise OTRS will not work correctly.

Here's how to disable SELinux for RHEL/CentOS/Fedora:

- Configure SELINUX=disabled in the `/etc/selinux/config` file:

```
# This file controls the state of SELinux on the system.
# SELINUX= can take one of these three values:
#     enforcing - SELinux security policy is enforced.
#     permissive - SELinux prints warnings instead of enforcing.
#     disabled - No SELinux policy is loaded.
SELINUX=disabled
# SELINUXTYPE= can take one of these two values:
#     targeted - Targeted processes are protected,
#     mls - Multi Level Security protection.
SELINUXTYPE=targeted
```

- Reboot your system. After reboot, confirm that the `getenforce` command returns Disabled:

```
root> getenforce
Disabled
```

1.2. Step 1: Unpack and Install the Application

Unpack the source archive (for example, using **tar**) into the directory `/opt`, and rename the directory from `otrs-x.x.x` to `otrs` (see Script below).

```
root> tar xzf /tmp/otrs-x.x.x.tar.gz
root> mv otrs-x.x.x /opt/otrs
```

1.3. Step 2: Install Additional Programs and Perl Modules

Use the following script to get an overview of all installed and required CPAN modules and other external dependencies.

```
root> perl /opt/otrs/bin/otrs.CheckEnvironment.pl
Checking for Perl Modules:
  o Archive::Tar.....ok (v1.90)
  o Archive::Zip.....ok (v1.37)
  o Crypt::Eksblowfish::Bcrypt.....ok (v0.009)
  ...
```

Note

Please note that OTRS requires a working Perl installation with all "core" modules such as the module version. These modules are not explicitly checked by the script. You may need to install a perl-core package on some systems like RHEL that do not install the Perl core packages by default.

OTRS requires a supported stable version of Node.js to be installed. Please refer to the [Node.js installation instructions](#).

1.4. Step 3: Create the OTRS User

Create a dedicated user for OTRS:

```
root> useradd -d /opt/otrs -c 'OTRS user' otrs
```

1.5. Step 4: Activate the Default Config File

There is one OTRS config file bundled in \$OTRS_HOME/Kernel/Config.pm.dist. You must activate it by copying it without the ".dist" filename extension.

```
root> cp /opt/otrs/Kernel/Config.pm.dist /opt/otrs/Kernel/Config.pm
```

1.6. Step 5: Configure the Apache Web Server

OTRS comes with an own built-in web server that is used behind apache as a reverse proxy (or any other reverse proxy server). A few apache modules are needed for correct operation: proxy_module, proxy_http_module and proxy_wstunnel_module.

```
# On some systems like Debian and SuSE, these modules need to be specifically enabled:

root> a2enmod proxy
root> a2enmod proxy_http
root> a2enmod proxy_wstunnel
```

Most Apache installations have a conf.d directory included. On Linux systems you can usually find this directory under /etc/apache or /etc/apache2. Log in as root, change to the conf.d directory and link the appropriate template in /opt/otrs/scripts/apache2-httpd.include.conf to a file called zzz_otrs.conf in the Apache configuration directory (to make sure it is loaded after the other configurations).

```
# Debian/Ubuntu:
root> ln -s /opt/otrs/scripts/apache2-httpd.include.conf /etc/apache2/sites-enabled/
zzz_otrs.conf
```

Now you can restart your web server to load the new configuration settings. On most systems you can do that with the command **systemctl restart apache2.service**.

1.7. Step 6: Set File Permissions

Please execute the following command as root user to set the file and directory permissions for OTRS. It will try to detect the correct user and group settings needed for your setup.

```
root> cd /opt/otrs/
root> bin/otrs.SetPermissions.pl
```

1.8. Step 7: Setup the Database

The following steps need to be taken to setup the database for OTRS properly:

- Create a dedicated database user and database.
- Create the database structure.
- Insert the initial data.
- Configure the database connection in Kernel/Config.pm.

Note

Please note that OTRS requires utf8 as database storage encoding.

1.8.1. MySQL

```
#
# Run the following commands in mysql as admin user:
#
mysql -uroot -p

# Create database
CREATE DATABASE otrs CHARACTER SET utf8;

# Create database user
# Special handling for MySQL 8, as the default caching_sha2_password can only be used
over secure connections.
CREATE USER 'otrs'@'localhost' IDENTIFIED WITH mysql_native_password BY 'choose-your-
password';
# Older mysql versions:
CREATE USER 'otrs'@'localhost' IDENTIFIED BY 'choose-your-password';

# Assign user privileges to the new database.
GRANT ALL PRIVILEGES ON otrs.* TO 'otrs'@'localhost';
FLUSH PRIVILEGES;

#
# Run the following commands on the shell:
#
# Create schema and insert data.
mysql -uroot -p otrs < /opt/otrs/scripts/database/otrs-schema.mysql.sql
```



```
mysql -uroot -p otrs < /opt/otrs/scripts/database/otrs-initial_insert.mysql.sql
mysql -uroot -p otrs < /opt/otrs/scripts/database/otrs-schema-post.mysql.sql

# Configure database settings in Kernel/Config.pm
$self->{DatabaseHost} = '127.0.0.1';
$self->{Database}      = 'otrs';
$self->{DatabaseUser} = 'otrs';
$self->{DatabasePw}   = 'choose-your-password';
$self->{DatabaseDSN}  = "DBI:mysql:database=$self->{Database};host=$self->{DatabaseHost}";
```

Note

The following configuration settings are recommended for MySQL setups. Please add the following lines to `/etc/my.cnf` under the `[mysqld]` section:

```
max_allowed_packet = 64M
query_cache_size   = 32M
innodb_log_file_size = 256M
```

1.8.2. PostgreSQL

```
#
# Run these commands as "postgres" user:
#
sudo su - postgres

# Create database
createdb --encoding=utf8 --owner=otrs otrs

# Create database user
echo "create user otrs password 'choose-your-password';" | psql

#
# Run these commands on the shell as 'otrs' user.
#

# Create schema and insert data.
export PGPASSWORD=some-pass
psql otrs otrs -h localhost < /opt/otrs/scripts/database/otrs-schema.postgresql.sql
psql otrs otrs -h localhost < /opt/otrs/scripts/database/otrs-
initial_insert.postgresql.sql
psql otrs otrs -h localhost < /opt/otrs/scripts/database/otrs-schema-post.postgresql.sql

# Configure database settings in Kernel/Config.pm
$self->{DatabaseHost} = '127.0.0.1';
$self->{Database}      = 'otrs';
$self->{DatabaseUser} = 'otrs';
$self->{DatabasePw}   = 'choose-your-password';
$self->{DatabaseDSN}  = "DBI:Pg:dbname=$self->{Database};host=$self->{DatabaseHost}";
```

1.8.3. Finishing the Database Setup

To verify your database setup, run the following command (as otrs user):

```
otrs> /opt/otrs/bin/otrs.Console.pl Maint::Database::Check
Trying to connect to database 'DBI:Pg:dbname=otrs;host=localhost' with user 'otrs'...
Connection successful.
```

Once the database is configured correctly, please initialize the system configuration with the following command:

```
otrs> /opt/otrs/bin/otrs.Console.pl Maint::Config::Rebuild
Rebuilding the system configuration...
Done.
```

Note

For security reasons, please change the default password root of the admin user root@localhost.

```
otrs> /opt/otrs/bin/otrs.Console.pl Admin::User::SetPassword root@localhost
Generated password 'rtB98S55kuc9'.
Successfully set password for user 'root@localhost'.
```

1.9. Step 8: Setup Elasticsearch Cluster

OTRS requires an active cluster of Elasticsearch 6.0 or higher. The easiest way is to [setup Elasticsearch](#) on the same host as OTRS and binding it to its default port. With that, no further configuration in OTRS is needed.

Additionally, OTRS requires plugins to be installed into Elasticsearch:

```
# Install required plugins for elasticsearch.
root> /usr/share/elasticsearch/bin/elasticsearch-plugin install --batch ingest-attachment
root> /usr/share/elasticsearch/bin/elasticsearch-plugin install --batch analysis-icu
```

To verify the Elasticsearch installation, you can use the following command:

```
otrs> /opt/otrs/bin/otrs.Console.pl Maint::DocumentSearch::Check
Trying to connect to cluster...
Connection successful.
```

1.10. Step 9: Start the OTRS Daemon and Web Server

The new OTRS daemon is responsible for handling any asynchronous and recurring tasks in OTRS. The built-in OTRS web server process handles the web requests handed over from Apache. Both processes must be started from the otrs user.

```
otrs> /opt/otrs/bin/otrs.Daemon.pl start
otrs> /opt/otrs/bin/otrs.WebServer.pl
```

1.11. Step 10: First Login

Now you are ready to login to your system at <http://localhost/otrs/index.pl> as user root@localhost with the password that was generated (see above).

1.12. Step 11: Setup Cron Jobs

There are two default OTRS cron files in /opt/otrs/var/cron/*.dist, and their purpose is to make sure that the OTRS Daemon is running. They need to be activated by copying them without the ".dist" filename extension.

```
otrs> cd /opt/otrs/var/cron
```

```
otrs> for foo in *.dist; do cp $foo `basename $foo .dist`; done
```

To schedule these cron jobs on your system, you can use the script `Cron.sh` with the `otrs` user.

```
otrs> /opt/otrs/bin/Cron.sh start  
# Stopping the cron jobs is also possible (useful for maintenance):  
otrs> /opt/otrs/bin/Cron.sh stop
```

На этом, начальная установка системы закончена.

1.13. Step 12: Setup Bash Autocompletion (optional)

All regular OTRS commandline operations happen via the `otrs Console` interface `bin/otrs.Console.pl`. This provides an auto completion for the bash shell which makes finding the right command and options much easier.

You can activate the bash autocompletion by installing the package `bash-completion`. It will automatically detect and load the file `/opt/otrs/.bash_completion` for the `otrs` user.

After restarting your shell, you can just type `bin/otrs.Console.pl` followed by `TAB`, and it will list all available commands. If you type a few characters of the command name, `TAB` will show all matching commands. After typing a complete command, all possible options and arguments will be shown by pressing `TAB`.

1.14. Step 13: Further Information

Мы советуем вам ознакомиться с раздел настройки производительности.

Please have a look at the list of additional resources for information about OTRS Group, the creator of and service provider for [OTRS](#), and further resources.

2. Updating OTRS

Note

Настоятельно рекомендуем выполнить сначала тестовое обновление в отдельной тестовой среде.

Updating from an earlier version of OTRS 7

You can update directly from any previous to the latest available patch level release.

Updating from OTRS 6

You can update from any OTRS 6 patch level to the latest available OTRS 7 patch level release.

Updating from OTRS 5 or earlier

Warning

You cannot update from OTRS 5 or earlier directly to OTRS 7. Full updates to all available minor versions have to be made sequentially instead. For example,

if you come from OTRS 4.0, you first have to perform a full update to OTRS 5, then to 6 and finally to OTRS 7.

2.1. Step 1: Stop all relevant services and the OTRS Daemon

Please make sure there are no more running services or cron jobs that try to access OTRS. This will depend on your service configuration, here is an example:

```
root> /etc/init.d/cron stop
root> /etc/init.d/postfix stop
root> /etc/init.d/apache stop
```

Stop OTRS cron jobs and the daemon (in this order):

```
otrs> cd /opt/otrs/
otrs> bin/Cron.sh stop
otrs> bin/otrs.Daemon.pl stop
```

If you perform a patch level update of OTRS 7, you need to also stop the built-in OTRS web server:

```
otrs> cd /opt/otrs/
otrs> bin/otrs.WebServer.pl --stop
```

2.2. Step 2: Backup files and database

- Kernel/Config.pm
- Kernel/WebApp.conf (only in case of a patch level update of OTRS 7, and only if the file was modified)
- var/*
- а также базы данных

Warning

Don't proceed without a complete backup of your system.

2.3. Step 3: Install the new release

Note

With OTRS 7 RPMs are no longer provided. RPM based installations need to switch by uninstalling the RPM (this will not drop your database) and using the source archives instead.

```
root> cd /opt
root> mv otrs otrs-old
root> tar -xzf otrs-x.x.x.tar.gz
root> mv otrs-x.x.x otrs
```

2.3.1. Восстановить старые конфигурационные файлы

- Kernel/Config.pm
- Kernel/WebApp.conf (only in case of a patch level update of OTRS 7, and only if the file was modified)

2.3.2. Восстановить данные статьи

If you configured OTRS to store article data in the file system you have to restore the article folder to /opt/otrs/var/ or the folder specified in the System Configuration.

2.3.3. Restore already installed default statistics

If you have additional packages with default statistics you have to restore the stats xml files with the suffix *.installed to /opt/otrs/var/stats.

```
root> cd OTRS-BACKUP/var/stats
root> cp *.installed /opt/otrs/var/stats
```

2.3.4. Установка прав доступа к файлам.

Please execute the following command as root user to set the file and directory permissions for OTRS. It will try to detect the correct user and group settings needed for your setup.

```
root> cd /opt/otrs/
root> bin/otrs.SetPermissions.pl
```

2.3.5. Install Required Programs and Perl Modules

Please refer to the section in the installation guide that explains how to verify external dependencies such as Perl modules and Node.js.

In addition to that, OTRS 7 also requires an active cluster of Elasticsearch 6.0 or higher. Please refer to the Setup Elasticsearch Cluster section in the installation guide.

2.4. Step 4: Run the migration script

Note

If you have any custom Perl or XML configuration files in Kernel/Config/Files, these need to be [converted to the new formats supported by OTRS 7](#) before running the migration script.

The migration script will perform many checks on your system and give you advice on how to install missing Perl modules etc., if that is required. If all checks succeeded, the necessary migration steps will be performed. Please also run this script in case of patch level updates.

Run the migration script (as user otrs, NOT as root):

```
otrs> cd /opt/otrs/
otrs> scripts/DBUpdate-to-7.pl
```

Warning

Do not continue the upgrading process if this script did not work properly for you. Otherwise malfunction or data loss may occur.

2.5. Step 5: Update installed packages

Note

Packages for OTRS 6 are not compatible with OTRS 7 and have to be updated.

You can use the command below to update all installed packages. This works for all packages that are available from online repositories. You can update other packages later via the package manager (this requires a running OTRS Daemon).

```
otrs> cd /opt/otrs/  
otrs> bin/otrs.Console.pl Admin::Package::UpgradeAll
```

2.6. Step 6: Restart your services

OTRS 7 comes with an own built-in web server that is used behind apache as a reverse proxy (or any other reverse proxy server). For major updates from OTRS 6, the apache configuration must be updated with the new version in `/opt/otrs/scripts/apache2-httpd.include.conf`, if it was copied and not just linked. Please also note that while `mod_perl` is no longer needed, other Apache modules are required now: `proxy_module`, `proxy_http_module` and `proxy_wstunnel_module`.

After that, the services can be restarted. This will depend on your service configuration, here is an example:

```
root> /etc/init.d/apache start  
root> /etc/init.d/postfix start  
root> /etc/init.d/cron start
```

Note

The OTRS Daemon is required for correct operation of OTRS such as sending emails. Please activate it as described in the next step.

2.7. Step 7: Start the OTRS Daemon, web server and cron job

The OTRS Daemon is responsible for handling any asynchronous and recurring tasks in OTRS. The daemon and its keepalive cron job must be started as the `otrs` user. The built-in OTRS web server process handles the web requests handed over from Apache.

```
otrs> cd /opt/otrs/  
otrs> bin/otrs.Daemon.pl start  
otrs> bin/Cron.sh start  
otrs> bin/otrs.WebServer.pl
```

Now you can log into your system.

Chapter 3. First Steps

The goal of this chapter is to provide a brief overview of OTRS and the structure of its web interface. The terms 'agents', 'customers', and 'administrators' are introduced. We also login as the OTRS administrator and take a closer look at the user preferences available on every account.

1. Agent Web Interface

Note

Before logging on for the first time, please consider activating the HTTPS on your web server in order for OTRS to be served as a secure app over SSL/TLS protocol. For detailed instructions on how to do this, please consult the documentation of your web server (e.g. Apache2).


After you activate HTTPS, please set the configuration option `HttpType` to `https` in `SysConfig`. This will make sure that all internal links in OTRS are indeed using HTTPS.

Good practice is to also redirect all HTTP traffic to HTTPS, in case someone tries to access the OTRS via an insecure link. This should be done on web server configuration level for maximum effect. However, in case this is not possible, you can set `HTTPSForceRedirect` to `Yes` in `SysConfig` to do it on application level.

Агентский веб-интерфейс позволяет агентам отвечать на вопросы клиентов, создавать новые заявки для клиентов и агентов, создавать заявки на основе телефонных звонков клиентов, писать и редактировать записи FAQ-модуля, редактировать данные клиентов и так далее.

Supposing your OTRS host is reachable via the URL <http://www.example.com>, then the OTRS login screen can be reached by using the address <http://www.example.com/otrs/index.pl> in a web browser (see figure below).

Figure 3.1. Login screen of the agent interface



root@localhost

....

Login


[Lost your password?](#)

2. Customer Web Interface

В OTRS клиенты имеют отдельный веб-интерфейс, с помощью этого веб-интерфейса они могут создавать новые учетные записи, просматривать собственные заявки, создавать и редактировать заявки, изменять настройки своей учетной записи и т.д.

Continuing the above example, the customer login screen can be reached by using the URL <http://www.example.com/otrs/customer.pl> with a web browser (see figure below).

Figure 3.2. Login screen of the customer interface



3. Public Web Interface

В дополнение к веб-интерфейсу для агентов и клиентов, OTRS имеет открытый веб-интерфейс, предоставляющий доступ к FAQ-модулю, который устанавливается отдельно. Он предоставляет открытый доступ к FAQ-системе и позволяет пользователям без авторизации искать информацию в базе знаний.

В нашем примере общий веб-интерфейс будет доступен по ссылке: <http://www.example.com/otrs/faq.pl> , <http://www.example.com/otrs/public.pl>

Figure 3.3. Общедоступный веб-интерфейс

Example Company

FAQ Explorer

FAQ

Subcategories

NAME	COMMENT	SUBCATEGORIES	FAQ ARTICLES
Bugzilla	Reporting bugs	0	1
Feature AddOns	FAQs	0	1
OTRS Framework	Questions and answers about OTRS	0	1

FAQ Articles

FAQ#	TITLE	CATEGORY	LANGUAGE
No FAQ articles found.			

Search

Wildcards are allowed.

Latest created FAQ articles

[Advanced Escalations](#)
 Feature AddOns - en - public (all) - 12/03/2014 00:54
[Framework bug](#)
 Bugzilla - en - public (all) - 12/03/2014 00:53
[Test Uno](#)
 OTRS Framework - en - public (all) - 12/03/2014 00:51

Latest updated FAQ articles

[Advanced Escalations](#)
 Feature AddOns - en - public (all) - 12/03/2014 00:54
[Framework bug](#)
 Bugzilla - en - public (all) - 12/03/2014 00:53
[Test Uno](#)
 OTRS Framework - en - public (all) - 12/03/2014 00:51

Top 10 FAQ articles

4. First Login

Access the login screen as described in the section Agent web interface . Enter a user name and password. Since the system has just been installed and no users have yet been created, login as OTRS administrator first, using 'root@localhost' for username and the generated password in the last step of the installer.


Warning

Данные доступа этого аккаунта действительны для каждой копии новоустановленной системы OTRS. Именно по этой причине пароль OTRS-администратора необходимо изменить как можно быстрее. Это можно сделать после входа в систему с правами администратора перейдя по ссылке preferences.

If you don't want to login as OTRS administrator, just enter the username and password for your normal agent account.

In case you have forgotten your password, you can request the system for a new password. Simply press the link below the Login button, enter the username that is registered for your OTRS account into the input field, and press the Request New Password button (see figure).

Figure 3.4. Прислать новый пароль


 A web form for requesting a new password. It consists of a text input field labeled "Username" and a button labeled "Request New Password".

[← Back to login](#)

5. The Web Interface - an Overview

Upon successfully logging into the system, you are presented with the Dashboard page (see figure below). It shows your locked tickets, allows direct access through menus to the queue, status and escalation views, and also holds options for creation of new phone and e-mail tickets. It also presents a quick summary of the tickets using different criteria.

Figure 3.5. Dashboard of the agent interface



Powered by OTRS Business Solution™

To improve clarity, the general web interface is separated into different areas. The top row of each page shows some general information such as the logout button, icons listing the number of locked tickets with direct access to them, links to create a new phone/e-mail ticket, etc. There are also icons to go to the queue, status, and escalation views.

Под иконками находится навигационная строка. Она показывает меню, позволяющие переходить к разным модулям системы и позволяет выполнять некоторые глобальные действия. При нажатии на кнопку Панель Управления вы перейдете на страницу Панели Инструментов, которая по умолчанию отображается после входа в систему. Если нажать ссылку меню Заявки, откроется подменю, предлагающее различные действия, допустимые над заявками: создание новой заявки (на основе телефонного звонка или сообщения электронной почты), поиск конкретных заявок. Кнопка Отчеты также является частью меню и позволяет просматривать существующую статистическую информацию, создать новую а также производить импорт существующей статистики. Кнопка Клиенты позволяет перейти на страницу Управления Клиентами. Для администрирования системы нажмите кнопку Администрирование. На этой странице можно создавать аккаунты для других агентов, очереди и т.д. Для поиска заявок используйте кнопку Поиск.

Если установлены дополнительные приложения, такие как, например, FAQ или Опросы, кнопки в меню для перехода к ним также отображаются.

In the area below the navigation bar, different system messages can be shown. If you are logged in as the default OTRS administrator user, you get a red message warning you not to work using this system account.

Под названиями разделов, каждый из них находится в отдельном блоке есть несколько подразделов, содержащих ссылки и пояснения об их содержании и использовании.

Эти блоки содержат ссылки, они могут отображаться в одной или нескольких колонках, на определенные страницы с формами или инструментарием для выполнения определенных действий, например, добавление, изменение или удаление записей, проверку журнала сисмы, изменение конфигурации и т.д.

Finally at the bottom of the page, the site footer is displayed (see figure below). It contains a link to directly access the OTRS official web site, or switch to mobile mode.

Обычно, строка иконок, меню и "подвал" - одинаковы на всех экранах веб-интерфейса.

Figure 3.6. Нижний колонтитул/"подвал"



6. Панель Управления/Дайджест

Экран Дайджеста это главная страница системы, здесь вы можете увидеть информацию о заявках и других данных, связанных с работой над ними. Это должно быть начальной точкой повседневной работы агента, по умолчанию на ней представлен краткий обзор заявок, которые отложены, эскалированы, новых и открытых заявок и некоторая другая, полезная информация.

Важным достоинством экрана Дайджест является его полная настраиваемость. Это означает, что вы можете настроить каждую из частей экрана, скрывая или отображая их. Можно изменят набор и порядок отображения колонок в таблицах, менять в них порядок сортировки и пр. Каждый из элементов называется "Виджет". В системе имеется набор готовых виджетов, но модульная структура экрана готова к легкой интерации в нее пользовательских виджетов.

The content of this screen is arranged in two main columns, on the left column you normally can see information about tickets classified by their states like: reminder, escalated, new, and open. On each of this widgets you can filter the results to see all of the tickets that you are allowed to access, tickets you have locked, the ones that are located in agent defined queues, among other filters. There are also other kind of widgets in this column and they are all described below.

Figure 3.7. Виджеты Панели Управления

Reminder Tickets				
My locked tickets (0) Tickets in My Queues (0) All tickets (0)				
	TICKET#	AGE	TITLE	
none				

Escalated Tickets				
My locked tickets (0) Tickets in My Queues (0) All tickets (0)				
	TICKET#	AGE	TITLE	
none				

New Tickets				
My locked tickets (0) Tickets in My Queues (0) All tickets (1)				
	TICKET#	▼ AGE	TITLE	
■ ☆	2015071510123456	14 d 10 h	Welcome to OTRS!	

Open Tickets				
My locked tickets (0) Tickets in My Queues (0) All tickets (0)				
	TICKET#	▼ AGE	TITLE	
none				

Ticket Queue Overview				
QUEUE	NEW	OPEN	PENDING REMINDER	TOTAL
Raw	1	0	0	1
TOTAL	1	0	0	

Виджеты левой стороны Дайджеста.

- Виджеты списков заявок

Widgets under this category share same overall behavior, look and feel. This widgets shows a list of tickets on a determined state. The amount of tickets display on each list page can be configured in widget options (they appear when you hover the mouse pointer over the top right part of the widget). This widgets support the following filters:

- Мои заблокированные заявки

Список заблокированных заявок агента.

- Мои наблюдаемые заявки

The tickets that the logged agent has in his/her watched list, requires Ticket::Watcher setting to be turned on to be displayed.

- Заявки, где я ответственный

The tickets that the logged agent is set as responsible, Ticket::Responsible setting is required to be turned on in order to make this filter visible.

- Заявки в моих очередях

The tickets that are on queues where the agent define as *My Queues*.

- Заявки в Моих сервисах

The tickets that are assigned to services where the agent define as *My Services* and are on queues with at least read-only permissions.

- Все Заявки

Все заявки доступные агенту.

Эти виджеты:

- Заявки с напоминанием

Отложенные заявки, у которых назначенная дата напоминания наступила.

- Эскалированные заявки

Эскалированные заявки

- Новые Заявки

Tickets that have state *New*.

- Открытые Заявки / Ожидают ответа

Tickets that have state *Open* and are ready for work with them.


- Календарь событий по заявкам

Событие календаря (для этого виджета) задается при создании новой заявки. Функция Календарь событий для заявок должна быть включена и требуется наличие двух новых полей на экране создания заявки, одно для времени начала и второе для времени окончания события. Эти значения определяют длительность события.

This widget includes the following views: month, week and day. Agents can scroll through the pages by using the right and left arrows.

Как было отмечено ранее, только включения виджета - недостаточно. В систему должна быть добавлена пара динамических полей "Дата/Время" (используйте для этого панель настройки динамических полей в Панели Администратора) и указать их в настройках виджета в SysConfig. Оба поля должны быть указаны для отображения на экранах создания заявок, заполнены при создании заявки или при другом действии, позволяющем обновить эти значения (например, в пункте меню заявки - Свободные/Дополнительные поля) для описания временного интервала для события календаря (время начала и окончания). Можно задать отображение этих полей на экране просмотра заявки/TicketZoom для контроля, если сочтете это необходимым.

Figure 3.8. Виджет "Календарь событий по заявкам"



Further configurations for this widget could be found under the Frontend::Agent::Dashboard::EventsTicketCalendar SubGroup in the SysConfig:

- **Ширина Календаря**
 Задает ширину фрейма для Календаря в процентах. Стандартно - 95%.
- **DynamicFieldStartTime**
 Задает динамическое поля для времени начала.
- **DynamicFieldEndTime**
 Задает динамическое поля для времени окончания.
- **Очереди**
 Заявки только заданных в этом параметре очередей будут показаны в календаре.
- **DynamicFieldsForEvents**
 Задает динамические поля, отображаемые во всплывающем окне календаря. При наведении мыши на заявку.
- **TicketFieldsForEvents**

Задаёт атрибуты заявки, отображаемые во всплывающем окне календаря. При наведении мыши на заявку.

- Итоги по очередям

Этот виджет отображает итоги по очередям в виде матрицы, в которой строки показывают итоги в очереди, а столбцы состояние заявок, т.е каждая ячейка таблицы содержит количество заявок определенного состояния, принадлежащих конкретной очереди.

Виджет также показывает итоги по строкам и столбцам, где итоги по колонке это сумма заявок каждого состояния во всех очередях, тогда как итог по строке показывает сумму всех заявок в каждой очереди всех представленных в таблице состояний.

Перечень отображаемых в таблице состояний и очередей может быть изменен в Sysconfig.

Нажимая мышко по конкретному значению в ячейке таблицы можно быстро перейти к списку заявок, составивших это значение для более детального просмотра агентом.

In the right column is located a special widget that allow you to control the widgets you want to show or hide. This is the Settings widget. Click on it's header to expand the section and see all available widgets, as shown in Figure. Each widget name has a checkbox. Use this checkboxes to define the visibility of the widgets in the dashboard (unchecked widgets will not be shown) after you define the visibility options and click on Save for storing your changes. This section is fixed on the screen, this means you can't drag and drop it, or close it.

▼ Settings

- Product News
- Reminder Tickets
- Escalated Tickets
- New Tickets
- Open Tickets
- Running Process Tickets
- 7 Day Stats
- Upcoming Events
- Ticket Queue Overview
- Events Ticket Calendar
- Out Of Office
- Logged-In Users
- OTRS News
- Appointments

Save settings

Виджеты правой стороны Дайджеста.

- Статистика за неделю (7 дней)

Он показывает график активности по заявкам за прошедшие 7 дней и отображает 2 линии. Одна, синего цвета показывает количество вновь созданных заявок в день и вторя, обычно оранжевая, количество закрытых заявок в день.

- Предстоящие события

Здесь перечисляются заявки подлежащие эскалации или уже эскалированные. Информация этого виджета очень полезна, чтобы решить, какие заявки требуют вашего внимания или просто контролировать что должно произойти.

- Новости OTRS

Полный список событий в компании OTRS, а также информация о новых релизах продуктов или заплатках.

- Онлайн

Здесь отображается сводка об агентах вошедших в систему, он также включает и секцию о клиентах on-line, обычно, эти виджеты скрыты, их можно включить используя виджет "Параметры" описанный выше.

7. What is a Queue?

На физическом уровне для почтового ящика создается специальный файл (иногда его еще называют почтовый спул), в который помещаются и хранятся все сообщения. Новые сообщения электронной почты просто добавляются в конец этого файла. Почтовая программа, которая используется для чтения и написания писем (такие программы еще называются пользовательскими почтовыми агентами - MUA (Mail User Agent) читает этот файл и отображает его содержимое.

Очереди OTRS можно сравнить с Inbox-файлом, в котором хранятся входящие сообщения электронной почты, так как в них тоже может храниться множество сообщений. Очереди имеют много функций, схожих с теми, которые присущи Inbox-файлу. Как агенты так и пользователи, все должны помнить о том, в какой очереди содержится заявка. Агенты могут открывать, редактировать заявки, размещенные в очереди, а также, перемещать их из одной очереди в другую. Но зачем перемещать заявки?

Чтобы объяснить это с более практической точки зрения давайте вспомним пример с компанией Максима, которая была описана в разделе пример системы обработки заявок. Максим установил OTRS чтобы избавиться от существующего хаоса в системе поддержки и предоставить возможность своей команде лучше управлять службой поддержки клиентов, покупающих видеомагнитофоны.

На данный момент достаточно одной очереди, чтобы хранить в ней все запросы клиентов. Но через некоторое время Максим решает начать продажи DVD-магнитофонов. Теперь у клиентов есть вопросы касающиеся не только видеомагнитофонов, но и вопросы относительно нового продукта. С течением времени в очередь, ранее созданную Максимом, начинает приходиться все больше и больше писем и управляться с ними становится все труднее и труднее.

Однажды Максим принимает решение немного оптимизировать структуру системы поддержки и добавляет две новых очереди. Таким образом в системе используется уже три очереди. Новые заявки, только поступившие в систему хранятся в очереди "raw". Две новые очереди: одна для хранения заявок касающихся видеомагнитофонов и другая - для dvd-магнитофонов.

Максим просит Сандру просматривать очередь "raw" и сортировать (распределять) емейлы либо в очередь "видеомагнитофоны" или в "dvd-магнитофоны", в зависимости от того, что запросил клиент. Джон имеет доступ только к очереди "видеомагнитофоны", а Джо может отвечать на заявки из очереди "dvd-магнитофоны". Максим имеет возможность редактировать заявки, находящиеся во всех очередях.

OTRS поддерживает управление доступом для пользователей, групп и ролей, таким образом можно очень легко настроить очереди, которые доступны только для некоторых учетных записей. Чтобы все запросы приходили в различные очереди, Максим может использовать правила фильтрации. Иначе, если используются два различных email-адреса, Сандра будет сортировать и направлять в другие очереди только те заявки, которые не были отсортированы автоматически.

Сортировка входящих сообщений в различные очереди позволяет сохранять систему поддержки в структурированном и аккуратном виде. Поскольку ваши агенты находятся в разных группах и имеют различные права для доступа к очередям, система может быть оптимизирована еще больше. Очереди могут быть использованы для определения структуры всей компании а также для определения рабочего потока процессов. Максим может к примеру создать еще одну очередь и назвать ее "продажи", которая будет содержать подочереди "запросы", "предложения", "заказы", "оплаты" и т.д. Такой подход поможет Максиму структурировать и оптимизировать процесс работы с транзакциями.


Чем лучше структурирована система поддержки, тем меньше времени требуется для различных задач. Это приводит к уменьшению рабочего времени, соответственно и к уменьшению денежных затрат. Очереди могут помочь оптимизировать бизнес-процессы вашей компании.

8. What is the Queue Overview?

Просмотр очередей дает возможность видеть все очереди, в которых есть заявки, и в которых агент имеет права RW.

Figure 3.10. Обзор очередей (по умолчанию) для агентов

QueueView: My Queues




The queue overview offers a variety of options for daily work with OTRS. The first of these is the My Queue. In the Agent Preferences, or when administering agents, a set of queues can be defined for which the agent has been assigned to work within. All the tickets will appear in this default view, when accessing the *Tickets -> Queue View* menu.

Другой возможностью предлагаемой в Обзоре очередей является навигация по отдельным очередям и подочередям через их раскрытие/drill down с которыми надо работать.

In both of the view types, the user also has the added ability to see either all unlocked tickets (this is the default filter), or the user can then choose to view all available tickets. Tickets must be in one of the viewable state types to be shown in the queue view. Per default, these are open, new, pending reminder, pending auto.

Для помощи пользователю имеются визуальные оповещения.

Figure 3.11. Agent Queue View visual alarms




Визуальные Оповещения

- Highlight Age 1: Sets the age in minutes (first level) for highlighting queues that contain untouched tickets. Seen in above in the *Raw* queue.
- Highlight Age 2: Sets the age in minutes (second level) for highlighting queues that contain untouched tickets. Seen in above in the *Postmaster* queue.
- Blink: A blinking mechanism of the queue that contains the oldest ticket can be activated using `Ticket::Frontend::AgentTicketQueue###Blink`. Not supported in all browsers. In that case, the queue name will just appear in red color, as seen in above on the queue *Junk*.
- Bold: The current queue will be bolded, as seen above in the *My Queues*.

9. User Preferences

OTRS users such as customers, agents and the OTRS administrator can configure their account preferences as per their needs. Agent can access the configuration screen by clicking on the gear icon at the top of the web interface (see figure below), and customers must click on the "Preferences" link (see figure below).

Figure 3.12. Agent's personal preferences



An agent can configure 4 different categories of preferences: User Profile, Notification Settings, Miscellaneous, and Advanced. The default possibilities are:

Профиль пользователя

- Изменение текущего пароля.
- Change your avatar image.
- Выбор языка интерфейса.
- Select your personal time zone.
- Активация и настройка функции "время вне офиса".

Настройка Уведомлений

- В меню "Мои Очереди" выберите те очереди, которые хотите отслеживать более внимательно.
- Выберите сервисы, которые вы желаете контролировать в "Моих Сервисах".
- Configure which ticket notifications you want to receive (per transport method).
- Choose for which kind of appointment changes you want to receive notifications.

Miscellaneous

- Переключение между темами интерфейса.
- Set the refresh period for the overviews (Dashboard, Queue View, etc.).
- Выберите страницу, которая должна отображаться после создания заявки.
- Define limits per page for different overview screens (Ticket, Dynamic Fields and Communication Log).

Advanced

- Define their own values for some system configuration settings.

Figure 3.13. Customer's personal preferences

Example Company

Tickets
FAQ
Preferences

Change password

Set a new password by filling in your current password and a new one.

Current password

New password

Verify password

Interface language

Select the main interface language.

Language

Time Zone

Select your personal time zone. All times will be displayed relative to this time zone.

Time Zone

Ticket overview

Select after which period ticket overviews should refresh automatically.

Refresh interval

Number of displayed tickets

Select how many tickets should be shown in overviews by default.

Tickets per page



Клиент может выбрать язык веб-интерфейса системы, изменять время обновления страницы в шаблоне просмотра очередей, выбирать максимальное количество отображаемых заявок. Кроме этого также можно установить новый пароль.



Chapter 4. Администрирование


1. Панель администрирования OTRS

1.1. Основы

Администраторы используют страницу администрирования веб-интерфейса OTRS для настройки системы - добавления агентов, клиентов и очередей, заявок и настройки почты, установки дополнительных пакетов, таких как FAQ и ITSM и многое другое.

Агенты, входящие в группу *admin* могут получить доступ к панели администрирования, нажав на кнопку *Администрирование/Админ* на панели навигации (см. рисунок ниже). Остальные агенты не будут видеть эту ссылку.

Figure 4.1. Экран панели администрирования OTRS



1.2. Агенты, Группы и Роли


1.2.1. Агенты

Нажав на ссылку *Агенты* вы получите доступ к странице управления агентами OTRS (см. рисунок ниже). Администраторы могут добавлять, изменять или отключать аккаунты агентов. Администраторы также могут управлять личными настройками агентов, например изменять язык их веб-интерфейса, настройки уведомлений.

Note

Учетная запись (аккаунт) агента может быть деактивирована, но не удалена. Деактивация осуществляется путем установки параметра Действительный в значение *не действительный* или *не действительный-временно*.

Figure 4.2. Управление агентами



Agent Management

Actions

Wildcards like "*" are allowed.

Add Agent


Hint

Agents will be needed to handle tickets.
Attention: Don't forget to add a new agent to groups and/or roles!

USERNAME	NAME	EMAIL	LAST LOGIN	VALIDITY	CHANGED	CREATED
carlos.garcia	Carlos Garcia	carlos.garcia@mycompany...	10/18/2017 14:41	valid	10/16/2017 16:47	10/16/2017 16:47
stefan.bedorf	Stefan Bedorf	stefan.bedorf@mycompany.com	10/18/2017 22:06	valid	10/10/2017 16:23	10/10/2017 16:23
udo.bretz	Udo Bretz	udo.bretz@mycompany.com	10/17/2017 17:52	invalid	10/17/2017 17:52	10/17/2017 17:52

To register an agent, click on the Add agent button, enter the required data and press the Submit button at the bottom of the screen, as shown in Figure.

Figure 4.3. Добавление нового агента



Agent Management > Add Agent

Actions

Go to overview

Hint

Agents will be needed to handle tickets.
Attention: Don't forget to add a new agent to groups and/or roles!

Add Agent

Title or salutation: Mr.

* Firstname: Carlos

* Lastname: Garcia

* Username: carlos.garcia

Password: ****

Will be auto-generated if left empty.

* Email: carlos.garcia@mycompany.com

Mobile:

Validity: valid

Save or Cancel

После того, как новая учетная запись агента создана, его нужно сделать членом одной или нескольких групп или ролей. За дополнительной информацией о группах и ролях обращайтесь к разделу Группы и Роли данной главы.

1.2.2. Группы

Каждая учетная запись агента должна принадлежать по крайней мере к одной группе или роли. После установки системы есть три заранее заданные группы, которые приведены в Таблице 4-1.

Table 4.1. Предопределенные группы, доступны для новой (только что) установленной системы OTRS


Группа	Описание
admin	Допускается для выполнения административных задач в системе.
отчеты	Компетентные для генерации статистики и доступа к модулю статистики OTRS.
users	Агенты должны входить в эту группу с правами для чтения и записи. Тогда они смогут получить доступ ко всем функциям системы обработки заявок.

Note

In a brand new OTRS installation, the agent 'root@localhost' belongs by default to the admin, stats and users groups.

Чтобы перейти на страницу управления группами, нажмите в панели администрирования ссылку *Группы*.

Figure 4.4. Управление Группами



NAME	COMMENT	VALIDITY	CHANGED	CREATED
admin	Group of all administrators.	valid	10/02/2017 16:23	10/02/2017 16:23
faq	faq database users	valid	10/17/2017 03:01	10/17/2017 03:01
faq_admin	faq admin users	valid	10/17/2017 03:01	10/17/2017 03:01
faq_approval	faq approval users	valid	10/17/2017 03:01	10/17/2017 03:01
stats	Group for statistics access.	valid	10/02/2017 16:23	10/02/2017 16:23
users	Group for default access.	valid	10/02/2017 16:23	10/02/2017 16:23


Hint
 The admin group is to get in the admin area and the stats group to get stats area.
 Create new groups to handle access permissions for different groups of agent (e. g. purchasing department, support department, sales department, ...).
 It's useful for ASP solutions.

Note

Как в случае с агентами, группа в OTRS может быть только деактивирована, но не удалена. Деактивация осуществляется путем установки флага Действительный в значение не действительный или не действительный-временно.

Чтобы добавить агента в группу, или изменить принадлежность агентов к группе, используйте ссылку на Панели Управления *Агенты <-> Группы* (см. нижеприведенный Рисунок).

Figure 4.5. Агенты <-> Группы



AGENTS

- andre.bras (André Brás)
- carlos.garcia (Carlos García)
- carlos.rodriguez (Carlos Rodríguez)
- dennis.schmelter (Dennis Schmelter)
- dominik.klein (Dominik Klein)
- dusan.vuckovic (Dusan Vuckovic)
- florian.liebe (Florian Liebe)
- jaroslav.balaz (Jaroslav Balaz)
- manuel.hecht (Manuel Hecht)
- marc.bonsels (Marc Bonsels)
- marc.nilius (Marc Nilius)
- marco.buchholz (Marco Buchholz)
- martin.gruner (Martin Gruner)
- oliver.rottges (Oliver Rottges)
- patrick.brischler (Patrick Brischler)
- rui.patinha (Rui Patinha)
- stefan.bedorf (Stefan Bedorf)
- udo.bretz (Udo Bretz)

GROUPS

- admin
- faq
- faq_admin
- faq_approval
- stats
- users

На этой странице приводится обзор всех групп и агентов. Для поиска той или иной сущности можно использовать фильтры. Если вы хотите изменить группы, в которые входит определенный агент, просто нажмите на его имя (см.

нижеприведенный Рисунок). Для изменения агентов, связанных с группой просто нажмите на название нужной группы (см. рисунок ниже).

Figure 4.6. Изменение группы, к которой принадлежит агент.

Manage Agent-Group Relations

Manage Agent-Group Relations Change Group Relations for Agent 'Carlos Garcia'

Actions

Go to overview

Filter

Just start typing to filter...

Change Group Relations for Agent Carlos Garcia

GROUP	<input type="checkbox"/> CHAT_OBSERVER	<input type="checkbox"/> CHAT_PARTICIPANT	<input type="checkbox"/> CHAT_OWNER	<input type="checkbox"/> RO	<input type="checkbox"/> MOVE_INTO	<input type="checkbox"/> CREATE	<input type="checkbox"/> NOTE	<input type="checkbox"/> OWNER
admin	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
faq	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
faq_admin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
faq_approval	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
stats	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
users	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Save or Save and finish or Cancel

Reference

ro
Read only access to the ticket in this group/queue.

move_into
Permissions to move tickets into this group/queue.

create
Permissions to create tickets in this group/queue.

note
Permissions to add notes to tickets in this group/queue.

owner
Permissions to change the owner of tickets in this group/queue.

priority
Permissions to change the ticket priority in this group/queue.

rw
Full read and write access to the tickets in this group/queue.

Figure 4.7. Изменение агентов, входящих в определенную группу.

Manage Agent-Group Relations

Manage Agent-Group Relations Change Agent Relations for Group 'users'

Actions

Go to overview

Filter

Just start typing to filter...

Change Agent Relations for Group users

AGENT	<input checked="" type="checkbox"/> CHAT_OBSERVER	<input checked="" type="checkbox"/> CHAT_PARTICIPANT	<input checked="" type="checkbox"/> CHAT_OWNER	<input checked="" type="checkbox"/> RO	<input checked="" type="checkbox"/> MOVE_INTO	<input checked="" type="checkbox"/> CREATE	<input checked="" type="checkbox"/> NOTE	<input checked="" type="checkbox"/> OWNER
carlos.garcia (Carlos Garcia)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
dominik.klein (Dominik Klein)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Save or Save and finish or Cancel

Reference

ro
Read only access to the ticket in this group/queue.

move_into
Permissions to move tickets into this group/queue.

create
Permissions to create tickets in this group/queue.

note
Permissions to add notes to tickets in this group/queue.

owner
Permissions to change the owner of tickets in this group/queue.

priority
Permissions to change the ticket priority in this group/queue.

rw
Full read and write access to the tickets in this group/queue.

Каждая группа имеет набор прав, связанных с ней и, каждый член этой группы (агент) может иметь некоторую собственную комбинацию прав. Список разрешений/прав приведен в Таблице 4-2.

Table 4.2. Права, связанные с группами OTRS

Права	Описание
chat_observer	Агенты могут принимать участие в чате молча (доступно в OTRS Business Solution™).
chat_participant	Агенты могут принимать участие в чате в полном объеме (доступно в OTRS Business Solution™).
chat_owner	Агенты имеют полные права в чате и могут принимать запросы чата (доступно в OTRS Business Solution™).
ro	Права "только для чтения" заявок, записей и очередей этой группы.
move into	Права для перемещения заявок или записей между очередями или для области, принадлежащей группе.
create	Права для создания заявок или записей в очередях или области группы.
заметка	Right to add notes to tickets or entries in the queues or areas of this group.
owner	Права для изменения владельца заявок или записей в очередях принадлежащих этой группе.
priority	Права для изменения приоритета заявок или записей в очереди или области, принадлежащей этой группе.
rw	Полный доступ к заявкам или записям в очереди или области, принадлежащей к этой группе.

Note

By default, the QueueView only lists tickets in queues that an agent has *rw* access to, i.e., the tickets the agent needs to work on. If you want to change this behaviour, you can set `Ticket::Frontend::AgentTicketQueue###ViewAllPossibleTickets` to `Yes`.

Не все доступные права отображаются по умолчанию. Эти дополнительные права могут быть добавлены.

Table 4.3. Additional permission groups

Права	Описание
отчеты	Предоставляет доступ к странице отчетов.
Перенаправить	Право перенаправить/bounce почтовое сообщение (ссылка перенаправить/bounce в ticketZoom).
Создать клиент	Право составления ответа на заявку.
Переслать	Право пересылать сообщения (с помощью кнопки Переслать).

Права	Описание
в ожидании	Право перевести заявку в ожидание.
телефон	Право добавить содержание звонка клиента к заявке. В виде сообщения/заметки.
ответственный	Право изменить ответственного за заявку.

Note

These permissions can be added by changing the System::Permission

1.2.3. Роли

Роли являются мощным средством для простого и быстрого управления правами доступа множества агентов. Они особенно полезны для больших и сложных систем поддержки, с большим количеством агентов, групп и очередей. В приведенном ниже примере объясняется как и когда они могут использоваться.

Давайте представим, что у нас есть система, в которой зарегистрировано 100 агентов, 90 из них имеют доступ только к очереди "поддержка", в которой хранятся все запросы о поддержке. Очередь "поддержка" содержит несколько под очередей. Остальные 10 агентов имеют права доступа ко всем очередям, существующим в системе. Эти 10 агентов работают с заявками, просматривают "raw"-очередь и перемещают спам-сообщения в очередь "junk".

В один день компания открывает новый отдел для продажи товаров. Запрос/принятие заказа, подтверждение, счета и т.д. должны быть обработаны, и некоторые из агентов компании должны делать это используя OTRS. Разным агентам нужно предоставить доступ к очередям, которые планируется создать.


Поскольку изменения вручную прав доступа для разных агентов займет много времени, то для определения различных уровней доступа можно создать роли. Затем, агенты могут быть добавлены к одной или нескольким ролям, таким образом их права будут изменены автоматически. Если будет создана новая учетная запись агента, ее также можно с легкостью добавить к одной или нескольким ролям.

Note

Roles are really useful when dealing with complex organizations and when maintaining larger OTRS installations. Proper care is advised though. Mixing Agent to Group with Agent to Role mappings can make for a complex access control scheme, that is difficult to understand and maintain. If you wish to use only roles and disable the Agents <-> Groups option in the Admin area, you can do so by modifying the Frontend::Module###AdminUserGroup in the SysConfig. Be aware that this won't remove already existing Agents to Group assignments!

Для управления ролями перейдите по ссылке *Роли* в Панели Администрирования (см. нижеприведенный Рисунок).

Figure 4.8. Управление Ролями



Role Management

Actions

[Add Role](#)

Filter for Roles

Just start typing to filter...

Hint

Create a role and put groups in it. Then add the role to the users.

List (3 total)


NAME	COMMENT	VALIDITY	CHANGED	CREATED
Development		valid	10/19/2017 01:09	10/19/2017 01:09
IT Supervisor	Supervisor of the IT de...	valid	10/18/2017 17:12	10/18/2017 17:12
Service Desk		valid	10/19/2017 01:09	10/19/2017 01:09

Note

Как в случае с агентом и группами, однажды созданные роли могут быть деактивированы, но не удалены. Чтобы отключить, установите опцию Действительный в значение *не действительный* или *не действительный-временно*.

An overview of all roles in the system is displayed. To edit a role's settings, click on the role's name. In a fresh new OTRS installation, there are no roles defined by default. To register one, click on the Add role button, provide the needed data and submit it (see figure below).

Figure 4.9. Добавление новой роли



Role Management > Add Role

Actions

[Go to overview](#)

Hint

Create a role and put groups in it. Then add the role to the users.

Add Role

* Name:


Validity:

Comment:

or

Чтобы получить список всех ролей и агентов в системе, перейдите по ссылке [Агенты <-> Роли](#) в Панели Администрирования. Также, для поиска конкретного элемента можно использовать фильтры. Если необходимо изменить роли связанные с определенным агентом, просто кликните на имя агента (см. нижеприведенный Рисунок). Чтобы изменить агентов, связанных с ролью, нажмите на роль, которую нужно отредактировать (см. рисунок ниже).

Figure 4.10. Изменение Ролей, связанных с Агентом.



Manage Role-Agent Relations

Change Role Relations for Agent 'Carlos Garcia'

Actions

[Go to overview](#)

Filter

Just start typing to filter...

Change Role Relations for Agent Carlos Garcia

ROLE ACTIVE

IT Supervisor

or or

Figure 4.11. Изменение Агентов, связанных с конкретной Ролью.

Manage Role-Agent Relations

Manage Role-Agent Relations > Change Agent Relations for Role 'IT Supervisor'

Actions: [Go to overview](#)

Filter:

Change Agent Relations for Role IT Supervisor

AGENT	<input type="checkbox"/> ACTIVE
carlos.garcia (Carlos Garcia)	<input type="checkbox"/>
udo.bretz (Udo Bretz)	<input type="checkbox"/>

[Save](#) or [Save and finish](#) or [Cancel](#)

Чтобы получить список всех ролей и групп системы, перейдите по ссылке Роли <-> Группы на Панели Управления. На экране появится страница, приведенная ниже на Рисунке. Для поиска конкретного элемента также можно использовать фильтры.

Figure 4.12. Управление связями Роли-Группы

Manage Role-Group Relations

Manage Role-Group Relations > Overview

Actions: [Add role](#), [Add group](#)

Filter for Roles:

Filter for Groups:

ROLES	GROUPS
Development	admin
IT Supervisor	faq
Service Desk	faq_admin
	faq_approval
	stats
	users

Чтобы определить различные права доступа для роли, нажмите на имя роли или группы (см. ниже Рисунок 4.13 и 4.14, соответственно).

Figure 4.13. Изменить связи группы для роли

Manage Role-Group Relations

Manage Role-Group Relations > Change Group Relations for Role 'Service Desk'

Actions: [Go to overview](#)

Filter:

Hint: Select the role/group permissions. If nothing is selected, then there are no permissions in this group (tickets will not be available for the role).

Change Group Relations for Role Service Desk

GROUP	<input type="checkbox"/> CHAT_OBSERVER	<input type="checkbox"/> CHAT_PARTICIPANT	<input type="checkbox"/> CHAT_OWNER	<input type="checkbox"/> RO	<input type="checkbox"/> MOVE_INTO	<input type="checkbox"/> CREATE	<input type="checkbox"/> NOTE	<input type="checkbox"/> OWNER
admin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
faq	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
faq_admin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
faq_approval	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
stats	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
users	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[Save](#) or [Save and finish](#) or [Cancel](#)

Reference:

- ro** Read only access to the ticket in this group/queue.
- move_into** Permissions to move tickets into this group/queue.
- create** Permissions to create tickets in this group/queue.
- note** Permissions to add notes to tickets in this group/queue.
- owner** Permissions to change the owner of tickets in this group/queue.
- priority** Permissions to change the ticket priority in this group/queue.
- rw** Full read and write access to the tickets in this group/queue.

Figure 4.14. Изменить связи роли для группы

Manage Role-Group Relations > Change Role Relations for Group 'users'

Change Role Relations for Group users

ROLE	<input type="checkbox"/> CHAT_OBSERVER	<input type="checkbox"/> CHAT_PARTICIPANT	<input type="checkbox"/> CHAT_OWNER	<input type="checkbox"/> RO	<input type="checkbox"/> MOVE_INTO	<input type="checkbox"/> CREATE	<input type="checkbox"/> NOTE	<input type="checkbox"/> OWNER
Development	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Supervisor	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Service Desk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Save or Save and finish or Cancel

Hint: Select the role:group permissions. If nothing is selected, then there are no permissions in this group (tickets will not be available for the role).

Reference:

- ro** Read only access to the ticket in this group/queue.
- move_into** Permissions to move tickets into this group/queue.
- create** Permissions to create tickets in this group/queue.
- note** Permissions to add notes to tickets in this group/queue.
- owner** Permissions to change the owner of tickets in this group/queue.
- priority** Permissions to change the ticket priority in this group/queue.
- rw** Full read and write access to the tickets in this group/queue.

1.3. Customer Users and Customers

1.3.1. Клиенты

OTRS supports different types of users. Using the link *Customer Users* (via the navigation bar, or the Admin page), you can manage the accounts of your customer users (see figure below), who can log into the system via the Customer Users interface (*customer.pl*). Through this interface, your customers can not only create tickets but also review their past tickets for new updates. It is important to know that a customer user is needed for the ticket history in the system.

Figure 4.15. Customer User management

Customer Management

(2 total)


CUSTOMER ID	NAME	COMMENT	VALIDITY	CHANGED	CREATED
MyCompany	jose.garcia@testcustomer.com		valid	10/18/2017 23:31	10/17/2017 03:09
Other Company	contact@othercustomer.com		valid	10/18/2017 23:32	10/18/2017 23:32

Actions: Search, Add Customer, Database Backend

You can search for a registered customer user, or edit their settings by clicking on their name. You also have the possibility to change the customer back-end, for further information please refer to the chapter about external back-ends.

To create a new customer user account, click on the *Add customer user* button (see figure below). Some of the fields are mandatory, i.e., they have to contain values, so if you leave one of those empty, it will be highlighted in red.

Figure 4.16. Adding a customer user



Customer User Management > Add Customer User

Actions

- Go to overview
- Back to search results

Hint

Customer user are needed to have a customer history and to login via customer panel.

Add Customer User

Title or salutation:

* Firstname:

* Lastname:

* Username:

Password:

* Email:

* CustomerID:

Phone:

Fax:

Mobile:

Street:

Zip:

City:

Country:

Comment:

* Valid:

Google Authenticator:

Enter your shared secret to enable two factor authentication.Shared Secret

Interface language:

Select the main interface language.Language

Time Zone:

Select your personal time zone. All times will be displayed relative to this time zone.Time Zone

Ticket overview:

Select after which period ticket overviews should refresh automatically.Refresh interval

Number of displayed tickets:

Select how many tickets should be shown in overviews by default.Tickets per page

or

Customer Users can access the system by providing their username and password. The CustomerID is needed by the system to identify the user and associated tickets. Since the email address is a unique value, it can be used as the ID.

With the configuration parameter `AdminCustomerUser::UseAutoComplete` in the Admin SysConfig the autocomplete field can be activated for the customer ID selection in the customer user add or edit screen.

Note

As with agents, groups and roles, customer users can not be deleted from the system, only deactivated by setting the Valid option to *invalid* or *invalid-temporarily*.

1.3.2. Customer Users ↔ Customers Relations

Customer users can be assigned to multiple customers (and vice-versa) using the link *Customer Users* ↔ *Customers* on the admin page. In addition to their own (primary) customer, they will be linked to any other customer for which there is a defined relation.

This gives them access to tickets of customer users from these customers.

Figure 4.17. Customer Users-Customers relations management




1.3.3. Клиенты ↔ Группы

Customer users can also be added to a group, which can be useful if you want to add customer users of the same company with access to one or a few queues. First create the group to which your customer users will belong, via the Group management module. Then add the queues and select the new group for the queues.

The next step is to activate the customer group support. This can be done with the configuration parameter `CustomerGroupSupport`, from the Admin SysConfig option. Using the parameter `CustomerGroupAlwaysGroups`, you can specify the default groups for a newly added customer user, so that every new account will be automatically added to these groups.


Through the link *Customer Users ↔ Groups* you can manage which customer shall belong to the different groups (see figure below).

Figure 4.18. Customer Users-Group relations management



To define the different groups a customer should be part of and vice versa, click on the corresponding customer username or group (see below the Figures 4.18 and 4.19, respectively).

Figure 4.19. Change Group relations for a Customer User



Manage Customer User-Group Relations > Change Group Relations for Customer User 'Han Solo (han.solo)'

Actions

- Go to overview
- Edit Customer User Default Groups

These groups are automatically assigned to all customer users. You can manage these groups via the configuration setting "CustomerGroupAlwaysGroups".

Filter for Groups: Just start typing to filter...

Hint: Select the customer user - group permissions. If nothing is selected, then there are no permissions in this group (tickets will not be available for the customer user).

Change Group Relations for Customer User Han Solo (han.solo)

GROUP	RO	RW
admin	<input type="checkbox"/>	<input type="checkbox"/>
faq	<input type="checkbox"/>	<input type="checkbox"/>
faq_admin	<input type="checkbox"/>	<input type="checkbox"/>
faq_approval	<input type="checkbox"/>	<input type="checkbox"/>
stats	<input type="checkbox"/>	<input type="checkbox"/>

Save or Save and finish or Cancel

Customer User Default Groups:

GROUPS: users


No changes can be made to these groups.

Reference

ro
Read only access to the ticket in this group/queue.

rw
Full read and write access to the tickets in this group/queue.

Figure 4.20. Change Customer user relations for a Group



Manage Customer User-Group Relations > Change Customer User Relations for Group 'stats'

Actions

- Go to overview

Wildcards like "*" are allowed.

Hint: Select the customer user - group permissions. If nothing is selected, then there are no permissions in this group (tickets will not be available for the customer user).

Change Customer User Relations for Group stats

CUSTOMER USER (2)	RO	RW
Han Solo <han.solo@testcustomer.com> (MyCompany)	<input type="checkbox"/>	<input type="checkbox"/>
Jose Garcia <jose.garcia@testcustomer.com> (MyCompany)	<input type="checkbox"/>	<input type="checkbox"/>

Save or Save and finish or Cancel

Reference

ro
Read only access to the ticket in this group/queue.

rw
Full read and write access to the tickets in this group/queue.

1.3.4. Компании ↔ Группы

Customers can also be added to a group, which can be useful if you don't want to add group relations to every single customer user. First create the group to which your customers will belong, via the Group management module. Then add the queues and select the new group for the queues.

The next step is to activate the customer group support. This can be done with the configuration parameter `CustomerGroupSupport`, from the Admin SysConfig option. Using the parameter `CustomerGroupAlwaysGroups`, you can specify the default groups for a newly added customers, so that every new customer will be automatically added to these groups. Available permission levels can be changed via configuration.

Assigned permissions will be shared among all customer users of this customer, so permissions don't have to be given individually to every customer user (although this is still possible if required).

Different contexts of permission assignment are available, which will determine how the permissions are inherited by customer users.

The following contexts are available:

- Такой же клиент

Group permissions will be inherited by all customer users of this customer. This provides them with access to tickets of all customer users from the this customer if they are located in a queue that's assigned to this group.


- Other Customers

Group permissions will be inherited by all customer users of this customer. This provides them with access to tickets of all customer users from other customers if they are located in a queue that's assigned to this group and if the other customer also has permissions to this group.

Access is limited to the level the customer user of a ticket has.

Through the link *Customers ↔ Groups* you can manage which customer shall belong to the different groups (see figure below).

Figure 4.21. Customers-Group relations management



To define the different groups a customer should be part of and vice versa, click on the corresponding customer username or group (see below the Figures 4.18 and 4.19, respectively).

Figure 4.22. Change Group relations for a Customer User




Figure 4.23. Change Customer user relations for a Group

Manage Customer-Group Relations > Change Customer Relations for Group 'stats'

Actions

Go to overview

Wildcards like "*" are allowed.

Hint

Select the customer:group permissions. If nothing is selected, then there are no permissions in this group (tickets will not be available for the customer).

Change Customer Relations for Group stats

CUSTOMER (2)	SAME CUSTOMER	
	RO	RW
MyCompany jose.garcia@testcustomer.com	<input type="checkbox"/>	<input type="checkbox"/>
Other Company contact@othercustomer.com	<input type="checkbox"/>	<input type="checkbox"/>

Save or Save and finish or Cancel

Reference

Same Customer
Gives customer users group based access to tickets from customer users of the same customer (ticket CustomerID is a CustomerID of the customer user).

ro
Read only access to the ticket in this group/queue.

rw
Full read and write access to the tickets in this group/queue.

1.3.5. Customer permission functionality explained

Access to tickets on the customer interface with enabled group support is mostly evaluated by a combination of group and individual (customer/customer user based) permission. Only if both criteria are met, specific access is granted.

If the resulting access is *rw*, a customer user can view and modify a ticket, if the access is *ro* only viewing is possible.

For ticket creation only the group permissions are used and a customer user can create tickets for all queues with *rw* permissions (unless restricted otherwise, e.g. ACL or CustomerPanelOwnSelection).

Group permissions are additive (meaning that only one method needs to grant permissions) and the following possibilities are taken into account:

- Customer user default groups via SysConfig setting
- Groups assigned to the customer user via *Customer Users* ↔ *Customers* admin frontend
- Customer default groups via SysConfig setting
- Groups assigned to the customer via *Customers* ↔ *Groups* admin frontend

For the methods above, all customers related to a customer user are used. This includes the 'primary' customer (selected in *Customer User* admin frontend), additional customers (added in *Customer Users* ↔ *Customers* admin frontend) and other customer that might exist in the backend.

Individual permission checks require one of the following conditions to be met:

- Ticket is assigned to the customer user
- Ticket is assigned to a customer that the customer user is related to (as explained above)
- Ticket is assigned to a customer with group permissions for the ticket queue while a customer related to the customer user has *Other Customers* permission to the same group

An example for the last item to clarify the functionality:

- Ticket is assigned to customer user 'Arvid Karlsson' with related customer 'Ericsson AB'
- Ticket is located in queue 'Support Sweden'
- Queue 'Support Sweden' is in group 'support-se'

- Customer 'Ericsson AB' has 'Same Customer' context 'rw' permission to group 'support-se'
- Logged in customer user is 'Barry Smith' which is related to customer 'Farmers Inc.'
- Customer 'Farmers Inc.' has 'Same Customer' context 'ro' permission to group 'support-se'
- Now, if Customer 'Farmers Inc.' is given 'Other Customers' context 'ro' permission to group 'support-se', Barry Smith will be able to view the ticket
- In order for Barry to modify the ticket, 'rw' permission is required for both 'Same Customer' and 'Other Customers' context

1.3.6. Multi-Tier Customer Relationship Usage/Setup Example

In this example we will create a multi-tier customer structure with resulting ticket permissions. To get the same results you will need a relatively clean system without many customizations.

First, create following customers through 'Admin → Customers' frontend:

- CustomerID: de, Customer: Graubrot AG
- CustomerID: mx, Customer: Hernandez SA
- CustomerID: se, Customer: Ericsson AB
- CustomerID: us, Customer: Farmers Inc.

Next, create the following customer users through *Admin → Customer Users* frontend and assign them to the already created customers. Use any valid email addresses for Email field.

- Firstname: Arvid, Lastname: Karlsson, Username: ak, CustomerID: Ericsson AB
- Firstname: Barry, Lastname: Smith, Username: bs, CustomerID: Farmers Inc.
- Firstname: Christian, Lastname: Müller, Username: cm, CustomerID: Graubrot AG
- Firstname: Diego, Lastname: Garcia, Username: dg, CustomerID: Hernandez SA

Then, go to 'Admin → Groups' frontend and add the following as new groups:

- faq-amer
- faq-emea
- support-de
- support-mx
- support-se
- support-us

Then, go to *Admin → Queues* and add corresponding queues which will use previously created groups. For the System address you can use any available.

- Name: FAQ Germany, Group: faq-emea
- Name: FAQ Mexico, Group: faq-amer
- Name: FAQ Sweden, Group: faq-emea

- Name: FAQ USA, Group: faq-amer
- Name: Support Germany, Group: support-de
- Name: Support Mexico, Group: support-mx
- Name: Support Sweden, Group: support-se
- Name: Support USA, Group: support-us

Go to *Admin* → *Customer Users* ↔ *Customers* frontend and assign customer users to other customers.

- Arvid Karlsson
de Graubrot AG → active {1}
- Diego Garcia
se Ericsson AB, us Farmers Inc. → active {2}

Additionally, go to *Admin* → *Customer Users* ↔ *Groups* frontend and assign a single customer user direct access to a group.

- Diego Garcia
faq-emea → rw {3}


Now, go to *Admin* → *Customers* ↔ *Groups* frontend and assign customers to groups according to the matrix below. Be sure to select proper permission level for each group and company.

- de Graubrot AG
 - Same Customer {4}
faq-amer → ro
faq-emea → ro
support-de → rw
support-mx → ro
- mx Hernandex SA
 - Same Customer {5}
faq-amer → ro
faq-emea → ro
support-de → ro
support-mx → rw
 - Other Customers {6}
support-de → rw (this is intentional to demonstrate limitation to base permissions)
support-mx → rw
- se Ericsson AB
 - Same Customer {7}

faq-amer → ro
 faq-emea → ro
 support-se → rw

- us Farmers Inc.
 - Same Customer {8}
 - faq-amer → ro
 - faq-emea → ro
 - support-us → rw
 - Other Customers {9}
 - faq-amer → ro

For reference, please consult image below where all relationships are drawn as lines:



Finally, let's create some tickets. Go to *New phone ticket* frontend and create tickets, one each per customer user and queue (32 in total). By the way, this is possible in the agent frontend as the customer group restrictions are only active on the customer frontend.

For checking resulting access to the tickets, you can easily switch between the customer users by activating *SwitchToCustomer* option in SysConfig. Then just go to *Admin* → *Customer Users* and click on corresponding *Switch to customer* link next to the user's name.

You will be immediately logged in as that customer user and you can visit *Tickets* → *Company Tickets* screen for checking the ticket access. It should conform to the matrix below. Click on a ticket to check if corresponding permission level is honored: for *ro* permission level you should not see the *Reply* button.

This is the expected result for each customer user. The marker '{0}' refers to the location above where the corresponding setting was taken (this shows why the access is granted).

Resulting access for customer user Arvid Karlsson

- Queue FAQ Germany: ro (via {7}) + Christian's Tickets ro (via {1})
- Queue FAQ Mexico: ro (via {7}) + Christian's Tickets ro (via {1})
- Queue FAQ Sweden: ro (via {7}) + Christian's Tickets ro (via {1})
- Queue FAQ USA: ro (via {7}) + Christian's Tickets ro (via {1})
- Queue Support Germany: rw (via {1→6}) + Christian's Tickets rw (via {1})
- Queue Support Mexico: -
- Queue Support Sweden: rw (via {7}) + Christian's Tickets rw (via {1})
- Queue Support USA: -

Resulting access for customer user Barry Smith

- Queue FAQ Germany: ro (via {8})
- Queue FAQ Mexico: ro (via {8}) + Arvid's, Christian's, Diego's Tickets ro (via {9})
- Queue FAQ Sweden: ro (via {8})
- Queue FAQ USA: ro (via {8}) + Arvid's, Christian's, Diego's Tickets ro (via {9})
- Queue Support Germany: -
- Queue Support Mexico: -
- Queue Support Sweden: -
- Queue Support USA: rw (via {8})

Resulting access for customer user Christian Müller

- Queue FAQ Germany: ro (via {4})
- Queue FAQ Mexico: ro (via {4})
- Queue FAQ Sweden: ro (via {4})
- Queue FAQ USA: ro (via {4})
- Queue Support Germany: rw (via {4})
- Queue Support Mexico: ro (via {4})
- Queue Support Sweden: -
- Queue Support USA: -

Resulting access for customer user Diego Garcia


- Queue FAQ Germany: rw (via {3}) + Arvid's, Barry's Tickets rw (via {2})
- Queue FAQ Mexico: ro (via {5}) + Arvid's, Barry's Tickets ro (via {2}) + Christian's Tickets ro (via {2→9})
- Queue FAQ Sweden: rw (via {3}) + Arvid's, Barry's Tickets rw (via {2})
- Queue FAQ USA: ro (via {5}) + Arvid's, Barry's Tickets ro (via {2}) + Christian's Tickets ro (via {2→9})

- Queue Support Germany: ro (via {5}) + Arvid's, Barry's Tickets ro (via {2}) + Christian's Tickets ro (via {6})
- Queue Support Mexico: rw (via {5}) + Arvid's, Barry's Tickets rw (via {2}) + Christian's Tickets rw (via {6})
- Queue Support Sweden: rw (via {2→4}) + Arvid's, Barry's Tickets rw (via {2})
- Queue Support USA: rw (via {2→5}) + Arvid's, Barry's Tickets rw (via {2})

1.4. Очереди

Clicking on the link "Queues" of the Admin page, you can manage the queues of your system (see figure below). In a new OTRS installation there are 4 default queues: Raw, Junk, Misc and Postmaster. All incoming messages will be stored in the "Raw" queue if no filter rules are defined. The "Junk" queue can be used to store spam messages.


Figure 4.24. Управления очередями



NAME	GROUP	COMMENT	VALIDITY	CHANGED	CREATED
Junk	users	All junk tickets.	valid	10/02/2017 16:23	10/02/2017 16:23
Misc	users	All misc tickets.	valid	10/02/2017 16:23	10/02/2017 16:23
Postmaster	users	Postmaster queue.	valid	10/02/2017 16:23	10/02/2017 16:23
Raw	users	All default incoming ti...	valid	10/02/2017 16:23	10/02/2017 16:23
Support	admin		valid	10/18/2017 17:09	10/18/2017 17:09

Here you can add queues (see figure below) and modify them. You can specify the group that should use the queue. You can also set the queue as a sub-queue of an existing queue.

Figure 4.25. Добавление новой очереди



Add Queue

★ Name:

Sub-queue of:

★ Group:

Unlock timeout minutes:

0 = no unlock - 24 hours = 1440 minutes - Only business hours are counted.
 If an agent locks a ticket and does not close it before the unlock timeout has passed, the ticket will unlock and will become available for other agents.

Escalation - first response time (minutes): (Notify by)

0 = no escalation - 24 hours = 1440 minutes - Only business hours are counted.
 If there is not added a customer contact, either email-external or phone, to a new ticket before the time defined here expires, the ticket is escalated.

Escalation - update time (minutes): (Notify by)

0 = no escalation - 24 hours = 1440 minutes - Only business hours are counted.
 If there is an article added, such as a follow-up via email or the customer portal, the escalation update time is reset. If there is no customer contact, either email-external or phone, added to a ticket before the time defined here expires, the ticket is escalated.

Escalation - solution time (minutes): (Notify by)

0 = no escalation - 24 hours = 1440 minutes - Only business hours are counted.
 If the ticket is not set to closed before the time defined here expires, the ticket is escalated.

★ Follow up Option:

Specifies if follow up to closed tickets would re-open the ticket, be rejected or lead to a new ticket.

Для очереди можно определить время разблокировки - если агент заблокировал заявку и не закрыл ее до истечения времени блокировки, заявка будет автоматически разблокирована и доступна для других агентов.

Есть три типа настроек эскалации времени, которые могут быть связаны на уровне очередей:

Эскалация - Время Первого Отклика

- После создания заявки, если истекает оговоренное время без какой-либо связи с клиентом как по электронной почте так и по телефону, - заявка будет эскалирована.

Эскалация - Время обновления

- Если какой-нибудь клиент прислал ответ на заявку по электронной почте или изменил ее через пользовательский портал, время эскалации будет обнулено. Если до истечения времени ожидания контакта с клиентом не было, заявка эскалируется.

Эскалация - Время решения

- Если до истечения оговоренного времени заявка не закрыта - она эскалируется.

Используя опцию 'Ticket lock after a follow-up', можно определить будет ли заявка установлена в значение 'заблокирована' для старого владельца, если она была закрыта а потом открыта заново. Такое поведение гарантирует, что последующая заявка будет обрабатываться агентом, который работал с этой заявкой ранее.

Параметром системный адрес определяется адрес электронной почты, который будет использоваться для исходящих заявок этой очереди. Также, для ответов по электронной почте, есть возможность ассоциировать/связать очереди с приветствиями и подписями. За более подробной информацией перейдите по ссылке адреса электронной почты , приветствия и подписи .

Note


Как в случае с агентами, группами и клиентами, очереди не могут быть удалены, а только отключены, путем установки опции "Действительная" в значение *недействительная* или *недействительная-временно*.

1.5. Приветствия, Подписи, Вложения и Шаблоны

1.5.1. Приветствия

A salutation is a text module for a template. Salutations can be linked to one or more queues, as described in the section about queues. A salutation is used only if a ticket from a queue the salutation is linked to, is answered. To manage the different salutations of your system, use the "Salutations" link of the admin area (see figure below).

Figure 4.26. Управления приветствиями




NAME	COMMENT	VALIDITY	CHANGED	CREATED
Salutation Example		valid	10/18/2017 17:18	10/18/2017 17:18
system standard salutation (en)	Standard Salutation.	valid	10/02/2017 16:23	10/02/2017 16:23

После установки в системе есть одно предопределенное приветствие: "system standard salutation (en)".

To create a new salutation, press the button Add salutation, provide the required data and submit it (see figure below).

Figure 4.27. Добавление нового приветствия



В приветствиях можно использовать переменные. Когда вы отвечаете на заявку, имена переменных будут заменены на их значения.

Различные переменные, которые можно использовать в ответах приведены в нижней части экрана приветствия. Если вы используете, например, переменную <OTRS_LAST_NAME> то в ответ будет включена фамилия отправителя заявки.


Note

Как и в случае с другими сущностями системы OTRS, приветствия не можно удалять, только деактивировать их, установив параметр Действительный в значение *не действительный* или *не действительный-временно*.

1.5.2. Подписи

Another text module for a template is the signature. Signatures can be linked to a queue, as described in the section about the queues. Please note that a signature will only be appended to a template text, if it has previously been linked to a queue. You can manage the signatures in your system by accessing the "Signatures" link of the Admin page, (see figure below).

Figure 4.28. Управление подписями




NAME	COMMENT	VALIDITY	CHANGED	CREATED
Signature example		valid	10/18/2017 12:27 (America/Mexico_City)	10/18/2017 12:27 (America/Mexico_City)
system standard signature (en)	Standard Signature.	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)

В новой, только установленной системе OTRS есть одна предустановленная подпись: "system standard signature (en)".

To create a new signature, press the button Add signature, provide the needed data and submit it (see figure below).

Figure 4.29. Добавление новой подписи



Как и приветствия, подписи также могут содержать динамический контент, например, имя и фамилию агента, который отвечает на заявку, а также могут использоваться переменные для замены текста подписи каждой заявки. Переменные, которые можно использовать ищите в нижней части страницы с подписями. Если вы, к примеру, включаете переменную `<OTRS_LAST_NAME>` то она будет заменена фамилией агента, который отвечает на заявку.

Note


Как и в случае с приветствиями, подписи не могут быть удалены, только деактивированы путем установки параметра Действительный в значения *не действительный* или *не действительный-временно*.

1.5.3. Вложения

You can also optionally add one or more attachments to a template. If the template is selected, the attachments will be attached to the message in the compose screen. If necessary, the agent can remove the attachment from an individual template before sending it to the customer.

Through the "Attachment" link of the Admin page, you can load the attachments into the database of the system (see figure below).

Figure 4.30. Управление вложениями



Attachment Management


Actions: Add Attachment

Filter for Attachments: Just start typing to filter...

NAME	FILENAME	COMMENT	VALIDITY	CHANGED	CREATED	DELETE
Test Attachment One	image.jpg		valid	10/18/2017 22:47	10/18/2017 22:47	
Test Attachment Two	diagram.jpg		valid	10/18/2017 22:48	10/18/2017 22:48	

To create a new attachment, press the button Add attachment, provide the required data and submit it (see figure below).

Figure 4.31. Добавление нового вложения



Attachment Management > Add Attachment

Actions: Go to overview

Add Attachment

* Name:

* Attachment: No file selected.

* Validity:

Comment:

or

If an attachment is stored it can be linked to one or more templates. Click on the Attachment <-> Templates link of the Admin page (see figure below).

Figure 4.32. Связать вложения с шаблонами.



Manage Templates-Attachments Relations

Filter for Templates: Just start typing to filter...


Filter for Attachments: Just start typing to filter...

Overview

TEMPLATES	ATTACHMENTS
Answer - A new answer	Test Attachment One (image.jpg)
Answer - empty answer	Test Attachment Two (diagram.jpg)
Answer - test answer	

To associate different attachments with a specific template and vice versa, click on the corresponding template name or attachment (see below the Figures 4.29 and 4.30, respectively).

Figure 4.33. Изменить связь Вложения с Шаблоном



Manage Templates-Attachments Relations > Change Attachment Relations for Template 'Answer - A new answer'

Actions: Go to overview


Filter: Just start typing to filter...

Change Attachment Relations for Template Answer - A new answer

ATTACHMENT	ACTIVE
Test Attachment One (image.jpg)	<input type="checkbox"/>
Test Attachment Two (diagram.jpg)	<input type="checkbox"/>

or or

Figure 4.34. Изменить связь Шаблона с Вложением



TEMPLATE	ACTIVE
Answer - A new answer	<input type="checkbox"/>
Answer - empty answer	<input type="checkbox"/>
Answer - test answer	<input type="checkbox"/>

1.5.4. Шаблоны

Для ускорения работы в OTRS и стандартизовать вид ответов, можно задать шаблоны. Шаблон может быть связан с одной или несколькими очередями и наоборот.

Существует несколько различных видов шаблонов, которые могут быть использованы в различных местах в OTRS и в различных целях. Ниже приведен список доступных типов шаблонов:

- Ответ: Будет использоваться в качестве ответа на заявку
- Создать: Будет использоваться в качестве Телефонной Заявки или Email заявки
- Переслать: Используется для пересылки сообщения кому-то другому
- Телефонный звонок: Для регистрации входящих и исходящих звонков агентом
- ProcessDialog: To be used in the Process activity dialogs (field "Article" contains the template selection)


Answer templates can be accessed in two ways, from the ticket zoom screen in the article menu, or in a quicker fashion: from any ticket overview large screen such as Status View or Ticket View. For a fresh OTRS installation, the "empty answer" template (Answer) is set as the default for every queue.

As soon as Forward templates are added and assigned to the queues, the "Forward" button in ticket zoom (that normally leads to an empty text forward screen) will change into a selection control. This selection is filled with the added Forward templates, and by choosing one of the templates, the forward screen will be shown pre-filled with the template text and attachments (similar to the reply selection box with the Answer templates).

Creating templates of type Create and PhoneCall will make visible the "Text Template" selection box in their respective screens, and choosing a template for the list will populate the "Text" and "Attachment" fields (if available in the template). Notice that any previous change in the text or attachments will be overwritten by selecting a template.

Clicking the "Templates" link on the Admin page brings you to the Template management screen (see figure below).

Figure 4.35. Управление шаблонами



Manage Templates

Actions

[Add template](#)

Filter

Just start typing to filter...


Hint

A template is a default text which helps your agents to write faster tickets, answers or forwards.
Attention: Don't forget to add new templates to queues.

TYPE	NAME	ATTACHMENTS	COMMENT	VALIDITY	CHANGED	CREATED	DELETE
Answer	A new answer	0		valid	10/18/2017 12:32 (America/Mexico_City)	10/18/2017 12:32 (America/Mexico_City)	
Answer	empty answer	0		valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)	
Answer	test answer	0		valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)	

To create a new template, click on the Add template button, provide the required data (make sure to select the appropriate template type) and submit it (see figure below).

Figure 4.36. Добавление шаблона



Manage Templates > Add Template

Actions

[Go to overview](#)

Hint

A template is a default text which helps your agents to write faster tickets, answers or forwards.
Attention: Don't forget to add new templates to queues.

Add Template

★ Type:

★ Name:

Template:

B I U S | | | | | | | | | | |

Format | Font | Size | | | | | | |

The text for this answer . . .

Attachments:

★ Validity:

Comment:

[Save](#) or [Cancel](#)

To add/remove templates to one or more queues, click on the "Templates <-> Queues" link on the Admin page (see figure below). You can also use filters to get information regarding a specific entity.

Figure 4.37. Настройка Шаблонов для Очередей



Manage Template-Queue Relations

Filter for Templates

Just start typing to filter...

Filter for Queues


Just start typing to filter...

Overview

TEMPLATES	QUEUES
Answer - A new answer	Junk
Answer - empty answer	Misc
Answer - test answer	Postmaster
	Raw
	Support

To define the different templates that will be available for a queue and vice versa, click on the corresponding template or queue (see figures below).

Figure 4.38. Изменить связь Очереди с Шаблоном



Manage Template-Queue Relations > Change Queue Relations for Template 'Answer - A new answer'

Actions: Go to overview

Filter: Just start typing to filter...

QUEUE	ACTIVE
Junk	<input type="checkbox"/>
Misc	<input type="checkbox"/>
Postmaster	<input type="checkbox"/>
Queue UnitTest-TicketWorkflow-005168_1508262162	<input type="checkbox"/>
Queue UnitTest-TicketWorkflow-315235_1508262145	<input type="checkbox"/>
Raw	<input type="checkbox"/>
Support	<input type="checkbox"/>

Save or Save and finish or Cancel

Figure 4.39. Изменить связь Шаблона с Очередью



Manage Template-Queue Relations > Change Template Relations for Queue 'Junk'

Actions: Go to overview

Filter: Just start typing to filter...

TEMPLATE	ACTIVE
Answer - A new answer	<input type="checkbox"/>
Answer - empty answer	<input checked="" type="checkbox"/>
Answer - test answer	<input type="checkbox"/>

Save or Save and finish or Cancel

When choosing a template, additional information could be added to the template text, this depends on the template type.

PhoneCall and Create templates do not add any content to the template text. However, New Email Ticket screen adds the queue assigned signature to the resulting email body (this screen has a separated box to visualize the signature).


Answer templates text when selected also include the salutation associated with the queue, followed by the text of the template, then the quoted ticket text, and finally the signature associated with the queue.

Forward templates are similar to Answer templates, but they do not include the salutation part.

1.6. Автоответы

OTRS allows you to send automatic responses to customers based on the occurrence of certain events, such as the creation of a ticket in a specific queue, the receipt of a follow-up message in regards to a ticket, the closure or rejection of a ticket, etc. To manage such responses, click the link "Auto responses" on the Admin page (see figure below).

Figure 4.40. Настройка авто-ответов



Auto Response Management


Actions: Add Auto Response

Filter for Auto Responses: Just start typing to filter...

NAME	TYPE	COMMENT	VALIDITY	CHANGED	CREATED
default follow-up (after a ticket follow-up has been added)	auto follow up		valid	10/02/2017 16:23	10/02/2017 16:23
default reject (after follow-up and rejected of a closed ticket)	auto reject		valid	10/02/2017 16:23	10/02/2017 16:23
default reject/new ticket created (after closed follow-up with new ticket creation)	auto reply/new ticket		valid	10/02/2017 16:23	10/02/2017 16:23
default reply (after new ticket has been created)	auto reply		valid	10/02/2017 16:23	10/02/2017 16:23

To create an automatic response, click on the button Add auto response, provide the needed data and submit it (see figure below).

Figure 4.41. Добавление авто-ответа



Как и в случае с подписями и приветствиями, тема и текст авто ответа может быть сгенерирована с помощью переменных. Если, например, в текст/тело авто ответа вставить переменную `<OTRS_CUSTOMER_EMAIL[5]>`, то первые 5 строк текста из письма клиенту будут вставлены в авто ответ. Более подробную информацию о допустимых переменных, которые можно использовать можно найти в нижней части экрана, как это показано на Рисунке.

For every automatic answer, you can specify the event that should trigger it. The system events that are available after a default installation are described in the Table 4-4.

Table 4.4. События для авто-ответов

Название	Описание
auto reply	Создание заявки в определенной очереди.
auto reply/new ticket	Открытие уже закрытой заявки, например если клиент отвечает на определенную заявку.
auto follow up	Прием входящих заявок.
auto reject	Автоматический отказ от заявки, сделанный системой.
auto remove	Удаление заявок, завершенных системой.

Note

Как и в случае с другими сущностями OTRS, Авто ответы также не могут быть удалены, только деактивированы путем установки опции Действительный в значения *не действительный* или *не действительный-временно*.

To add an auto response to a queue, use the "Auto Response <-> Queues" link on the Admin page (see figure below). All system events are listed for every queue, and an auto answer with the same event can be selected or removed via a listbox.

Figure 4.42. Настройка авто-ответов для очередей

The screenshot shows the 'Manage Queue-Auto Response Relations' page. On the left, there are three filter sections: 'Actions' with a dropdown menu set to 'Queues without Auto Responses', 'Filter for Queues' with a text input field, and 'Filter for Auto Responses' with a text input field. The main area is divided into two columns: 'QUEUES' and 'AUTO RESPONSES'. The 'QUEUES' column lists: Junk, Misc, Postmaster, Raw, and Support. The 'AUTO RESPONSES' column lists: default reply (after new ticket has been created) (auto reply), default reject (after follow-up and rejected of a closed ticket) (auto reject), default follow-up (after a ticket follow-up has been added) (auto follow up), and default reject/new ticket created (after closed follow-up with new ticket creation) (auto reply/new ticket).

To define the different auto responses that will be available for a queue, click on the corresponding queue name (see figure below). It is also possible to edit an existing auto response - to do so, click on the response and edit in the same manner as editing a new auto response.


Figure 4.43. Изменение авто-ответов для очереди

This screenshot is identical to Figure 4.42, showing the 'Manage Queue-Auto Response Relations' page with the same filters and lists of queues and auto responses.

1.7. Системные адреса почты

To enable OTRS to send emails, you need a valid email address to be used by the system. OTRS is capable of working with multiple email addresses, since many support installations need to use more than one. A queue can be linked to many email addresses, and vice versa. The address used for outgoing messages from a queue can be set when the queue is created. Use the "Email Addresses" link from the Admin page to manage all email addresses of the system (see figure below).

Figure 4.44. Настройка системных адресов почты



System Email Addresses Management

Actions

[+ Add System Address](#)

Filter for System Addresses

Just start typing to filter...


Hint

All incoming email with this address in To or Cc will be dispatched to the selected queue.

EMAIL ADDRESS	DISPLAY NAME	QUEUE	VALIDITY	CHANGED	CREATED
otrs@localhost	OTRS System	Postmaster	valid	10/02/2017 16:23	10/02/2017 16:23
postmaster@mycompany.com	Postmaster	Postmaster	valid	10/18/2017 23:50	10/18/2017 23:50
support@mycompany.com	Support	Support	valid	10/18/2017 23:50	10/18/2017 16:37

If you create a new mail address (see figure below), you can select the queue or sub queue to be linked with it. This link enables the system to sort incoming messages via the address in the To: field of the mail into the right queue.

Figure 4.45. Добавление системного адреса исходящей почты



System Email Addresses Management

Add System Email Address

Actions

[Go to overview](#)

Hint

All incoming email with this address in To or Cc will be dispatched to the selected queue.

Add System Email Address

★ Email address:

★ Display name:

The display name and email address will be shown on mail you send.

★ Queue:

★ Validity:

Comment:

[Save](#) or [Cancel](#)

Note

Как и другие сущности OTRS, емейл адреса не могут быть удалены, только деактивированы, установив опцию Действительный в значение *не действительный* или *не действительный-временно*.

1.8. Уведомления по заявкам

OTRS allows ticket notifications to be sent to agents and customers, based on the occurrence of certain events. Agents can customize their ticket notification settings via the preferences link.

Through the "Ticket Notifications" link on the Admin page, you can manage the ticket notifications of your system (see figure below). OTRS comes with a set of predefined notifications that cover a wide range of use cases.

Figure 4.46. Настройка уведомлений по тикетам

🏠 Ticket Notification Management

Actions

+ Add notification

📄 Export Notifications

Filter for Notifications

Configuration Import

Here you can upload a configuration file to import Ticket Notifications to your system. The file needs to be in .yaml format as exported by the Ticket Notification module.

Browse... No file selected.

Overwrite existing notifications?

📄 Import Notification configuration

List

NAME	COMMENT	VALIDITY	CHANGED	CREATED	EXPORT	COPY	DELETE
Ticket create notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket email delivery failure notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket escalation notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket escalation warning notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket follow-up notification (locked)		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket follow-up notification (unlocked)		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket lock timeout notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket new note notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket owner update notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket pending reminder notification (locked)		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket pending reminder notification (unlocked)		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket queue update notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket responsible update notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️
Ticket service update notification		valid	10/02/2017 16:23	10/02/2017 16:23	📄	📄	🗑️

You can customize many aspects of the notifications. Click on the notification you want to change, and its content will be loaded for editing (see figure below).

Figure 4.47. Настройка уведомлений

Edit Notification

★ Name:

Comment:

Show in agent preferences:

Agent preferences tooltip:

This message will be shown on the agent preferences screen as a tooltip for this notification.

Validity:

▶ Events

▶ Ticket Filter

▶ Article Filter (Only for ArticleCreate and ArticleSend event)

▶ Recipients

▶ Notification Methods

▼ Notification Text

▼ English (United States)

★ Subject:

★ Text:

B I U S | | | | | | | |

Format | Font | Size | | | | Source | | |

Hi <OTRS_NOTIFICATION_RECIPIENT_UserFirstname>,

 ticket [:<OTRS_CONFIG_Ticket::Hook><OTRS_CONFIG_Ticket::HookDivider>
 <OTRS_TICKET_TicketNumber>] has been created in queue <OTRS_TICKET_Queue>.

 <OTRS_CUSTOMER_REALNAME> wrote:
 <OTRS_CUSTOMER_BODY[30]>

You can edit the basic data of this notification such as name and comment, and control if the agents may choose to receive this notification (per transport method). For every language, a subject and body can be added/edited to configure what will actually be sent as the notification content.

Just as with signatures and salutations, it is possible to dynamically create the content of a notification by using special variables. You can find a list of variables at the bottom of the screen.

You can choose which events should trigger this notification, and limit it to tickets which match certain criteria (ticket and/or article filter). This makes it possible to create different notifications for different queues, priorities or other criteria that might be relevant for your system.

The recipients of the notification can be configured according to different criteria (groups, roles, individual agents etc.). All configured recipients will receive the notification.

Figure 4.48. Настройка получателей уведомлений

▼ Recipients

Send to:

Send to these agents:

Send to all group members:

Send to all role members:

Send on out of office: Also send if the user is currently out of office.

Once per day: Notify user just once per day about a single ticket using a selected transport.

Additionally, you can specify if the notification should be sent to agents who are out of office, and limit the sending to once per day and ticket (e. g. pending reminder notification).

Notifications can be sent with different notification methods. The "Email" notification method is available in OTRS Free, with **OTRS Business Solution™** you also get the possibility to store and view the notifications in the database (so that no email client is needed to use OTRS) as well as to send them via SMS (e. g. for very important notifications).

Figure 4.49. Настройка способов уведомлений

▼ Notification Methods

These are the possible methods that can be used to send this notification to each of the recipients. Please select at least one method below.

Email

Enable this notification method:

Active by default in agent:

preferences: This is the default value for assigned recipient agents who didn't make a choice for this notification in their preferences yet. If the box is enabled, the notification will be sent to such agents.

Additional recipient email:

addresses: You can use OTRS-tags like <OTRS_TICKET_DynamicField_...> to insert values from the current ticket.

Article visible for customer:

An article will be created if the notification is sent to the customer or an additional email address.

Email template:

Use this template to generate the complete email (only for HTML emails).

Enable email security:

PGP and SMIME not enabled.

Email security level:

If signing key/certificate is missing:

If encryption key/certificate is missing:

Web View

Enable this notification method:

Active by default in agent:

preferences: This is the default value for assigned recipient agents who didn't make a choice for this notification in their preferences yet. If the box is enabled, the notification will be sent to such agents.

SMS (Short Message Service)

⚠ Please activate this transport in order to use it.

The field 'Additional recipient email addresses' provides the possibility to use OTRS-tags like <OTRS_TICKET_DynamicField_...> to insert values from the current ticket. The according SMS field (only available in **OTRS Business Solution™**) also has this feature.


Since OTRS 5s Email transport contains security options for each notification, that includes signing and encrypting possibilities with PGP and S/MIME and the opportunity to decide what to do in case of missing key or certificate.

1.9. S/MIME

OTRS can process incoming S/MIME encoded messages and sign outgoing mails. Before this feature can be used, you need to activate it and change some configuration parameters in the SysConfig.

The "S/MIME Certificates" link on the Admin page allows you to manage your S/MIME certificates (see figure below). You can add or remove certificates, and also search through the SMIME data.

Figure 4.50. Настройка S/MIME




1.10. PGP

OTRS handles PGP keys, which allows you to encrypt/decrypt messages and to sign outgoing messages. Before this feature can be used, you need to activate it and change some configuration parameters in the SysConfig.

Through the "PGP Keys" link on the Admin page, it is possible to manage the key ring of the user who shall be used for PGP with OTRS (see figure below), e.g. the local OTRS user or the web server user. It is possible to add and remove keys and signatures, and you can search through all data in your key ring.

Figure 4.51. Настройка PGP



1.11. Состояния

Through the "States" link on the Admin page, you can manage the different ticket states you want to use in the system (see figure below).

Figure 4.52. Настройка статусов

State Management

Actions

Filter for States

Hint

Attention: Please also update the states in SysConfig where needed.
See also: <http://otrs.github.io/doc>

NAME	TYPE	COMMENT	VALIDITY	CHANGED	CREATED
closed successful	closed	Ticket is closed ...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
closed unsuccessful	closed	Ticket is closed ...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
merged	merged	State for merged ...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
new	new	New ticket create...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
open	open	Open tickets.	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
pending auto close+	pending auto	Ticket is pending...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
pending auto close-	pending auto	Ticket is pending...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
pending reminder	pending reminder	Ticket is pending...	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
removed	removed	Customer removed	valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)
task pending dependency	removed	Waiting on a requ...	valid	10/17/2017 12:41 (America/Mexico_City)	10/17/2017 12:40 (America/Mexico_City)

После установки в системе будут следующие предустановленные состояния:

- закрыта успешно
- закрыта неуспешно
- объединенные
- новая
- открытая
- ожидание авто закрытие+
- ожидание авто закрытие-
- ожидание напоминание
- удаленная

Каждое состояние связано с типом, который нужно указать когда создается новое состояние. По умолчанию есть такие типы состояний:

- закрытая
- объединенные
- новая
- открытая
- ожидание авто
- ожидание напоминание
- удаленная


1.12. Настройка Системы

The System Configuration link leads to the section where many OTRS configuration options are maintained.

The system configuration link on the admin page loads the graphical user interface for the system configuration (see figure below). You can upload your own configuration files for

the system, as well as backup all current settings into a file. Almost all configuration parameters of the OTRS framework and any installed extensions can be viewed and changed using this interface. All configuration parameters are part of a certain group, which makes it possible to navigate quickly through the vast number of existing parameters. It is also possible to perform a full-text search over all parameters.

Figure 4.53. Graphical user interface of the system configuration.



The graphical user interface of the system configuration is described in detail in the chapter "Configuring the system through the web interface".

1.13. Использование учётных записей почты

There are several possibilities to transport new emails into the ticket system. One way is to use a local MTA and the `otrs.PostMaster.pl` script that pipes the mails directly into the system. Another possibility is the use of mail accounts which can be administrated through the web interface. The "PostMaster Mail Accounts" link on the Admin page loads the management console for the mail accounts (see figure below). OTRS supports the mail protocols: POP3, POP3S, IMAP and IMAPS.

Figure 4.54. Управление почтовыми ящиками



За более подробной информацией обращайтесь к разделу Почтовые аккаунты PostMaster.

1.14. Фильтрация входящих почтовых сообщений

OTRS has the capability to filter incoming email messages. For example, it is possible to put certain emails automatically into specified queues, or to set a specific state or ticket

type for some mails. The filters apply to all incoming mails. Several filter conditions can be defined per each mail header. You can manage your filters via the link "PostMaster Filter" on the Admin page (see figure below).

Figure 4.55. Управление фильтрами PostMaster



A filter consists of one or more criteria that must be met in order for the defined actions to be executed on the email. Filter criteria may be defined for the headers or the body of an email, e.g. search for specific header entries, such as a sender address, or on strings in the body. Even regular expressions can be used for extended pattern matching. If your filter matches, you can set fields using the X-OTRS headers in the GUI. These values will be applied when creating the ticket or follow-up message in OTRS. The table below lists the different X-OTRS headers and their meaning.

Note

You also can use X-OTRS-FollowUp-* headers to set values for follow up emails.

Table 4.5. Функции различных X-OTRS-заголовков

Название	Возможные значения:	Описание
X-OTRS-Priority:	1 очень низкий, 2 низкий, 3 нормальный, 4 высокий, 5 очень высокой	Устанавливает приоритет заявки.
X-OTRS-Queue:	Название очереди в системе.	Sets the queue where the ticket shall be sorted. If set in X-OTRS header, all other filter rules that try to sort a ticket into a specific queue are ignored. If you use a sub-queue, specify it as Parent::Sub.
X-OTRS-Lock:	блокировать, разблокировать	Устанавливает состояние блокирования заявки.
X-OTRS-Ignore:	Yes или True	Если этот X-OTRS заголовок установлен в "Yes", входящие сообщения будут полностью игнорироваться и никогда не попадут в систему.
X-OTRS-State:	новая, открытая, закрытая успешно, закрытая неуспешно, ...	Устанавливает следующее состояние заявки.
X-OTRS-State-PendingTime:	например 2010-11-20 00:00:00	Sets the pending time of a ticket (you also should sent a pending state via X-OTRS-State). You can spec-


Название	Возможные значения:	Описание
		ify absolute dates like "2010-11-20 00:00:00" or relative dates, based on the arrival time of the email. Use the form "+ \$Number \$Unit", where \$Unit can be 's' (seconds), 'm' (minutes), 'h' (hours) or 'd' (days). Only one unit can be specified. Examples of valid settings: "+50s" (pending in 50 seconds), "+30m" (30 minutes), "+12d" (12 days). Note that settings like "+1d 12h" are not possible. You can specify "+36h" instead.
X-OTRS-Type:	по умолчанию (в зависимости от настроек)	Sets the type of a ticket (if Ticket::Type is activated).
X-OTRS-Service:	(в зависимости от настроек)	Sets the service of a ticket (if Ticket::Service is active). If you want to set a sub-service you should specify it as Parent::Sub.
X-OTRS-SLA:	(в зависимости от настроек)	Sets the SLA of a ticket (if Ticket::Service support is active).
X-OTRS-CustomerUser:	CustomerUser	Устанавливает клиентского пользователя для заявки.
X-OTRS-CustomerNo:	CustomerNo	Устанавливает ID пользователя для заявки.
X-OTRS-SenderType:	агент, система, клиент	Устанавливает тип отправителя заявки.
X-OTRS-IsVisibleForCustomer:	0, 1	Controls if the article is shown in the customer interface.
X-OTRS-DynamicField-<DynamicFieldName>:	В зависимости от конфигурации Динамических Полей (Текст: Notebook, Дата: 2010-11-20 00:00:00, Количество: 1)	Saves an additional info value for the ticket on <DynamicFieldName> Dynamic Field.
X-OTRS-Loop:	Истина	Если этот X-OTRS заголовок установлен, то отправителю сообщение не доставляется ни одного автоматического ответа (защита от зацыкливания).
X-OTRS-FollowUp-State-Keep:	0, 1	If this X-OTRS header is set, the incoming follow-up message will not change the ticket state. For this purpose the header can be customized in

Название	Возможные значения:	Описание
		the SysConfig using option KeepStateHeader.
X-OTRS-AttachmentExists:	no, yes	Depending on whether attachments are included in the email this X-OTRS header is set to 'yes', or it has a 'no' value if no attachments are included.
X-OTRS-AttachmentCount:	(number of attachments)	This X-OTRS header contains as value the number of attachments which are contained in the email (i.e. '0' for mails without attachments).

You should specify a name for every filter rule. Filter criteria can be specified in the section "Filter Condition". Choose via the list boxes for "Header 1", "Header 2" and so on for the parts of the messages where you would like to search, and specify on the right side the values you wish to filter on. In the section "Set Email Headers", you can choose the actions that are triggered if the filter rules match. You can select for "Header 1", "Header 2" and so on to select the X-OTRS-Header and set the associated values (see figure below).

Filter rules are evaluated in alphabetical order, and are all executed except if the "Stop after match" setting has been set to "Yes" in one of the rules (in this case evaluation of the remaining filters is canceled).

Figure 4.56. Add a PostMaster filter



The screenshot shows the 'Add PostMaster Filter' form in the OTRS interface. The form includes the following fields and options:

- Name:** Filter One
- Stop after match:** No
- Filter Condition (AND Condition):**
 - Search header field: From (dropdown) for value: .*@somebody.com
 - Negate:
 - Search header field: From (dropdown) for value: spamaddresses@.*
 - Negate:
 - Search header field: (empty) for value: (empty)
 - Negate:
 - Search header field: (empty) for value: (empty)
 - Negate:
 - Search header field: (empty) for value: (empty)
 - Negate:
 - Search header field: (empty) for value: (empty)
 - Negate:

On the left side, there is a 'Hint' section with the following text:

To dispatch or filter incoming emails based on email headers. Matching using Regular Expressions is also possible. If you want to match only the email address, use EMAILADDRESS:info@example.com in From, To or Cc. If you use Regular Expressions, you also can use the matched value in () as ["*"] in the 'Set' action. You can also use named captures (?<name>) and use the names in the 'Set' action ["*name"] (e.g. Regex: (?<server>w+), Set action: ["*server"]). A matched EMAILADDRESS has the name 'email'.

Example 4.1. Сортирование спама в определенную очередь

A useful filter rule would be to let OTRS automatically move mails marked for spam, by using a spam detection tool such as SpamAssassin, into the "Junk" queue. SpamAssassin adds the "X-Spam-Flag" header to every checked mail. When the mail is marked as spam, the Header is set to "Yes". So the filter criteria would be "X-Spam-Flag: Yes". To create a filter rule with this criteria you can insert the name as, for example, "spam-mails". In the section for "Filter Condition", choose "X-Spam-Flag:" for "Header 1" from the listbox. Insert "Yes" as value for this header. Now the filter criteria is specified. To make sure that all spam mails are placed into the "Junk" queue, choose in the section for "Set Email Headers", the "X-OTRS-Queue:" entry for "Header 1". Specify "Junk" as value for this header. Finally add the new filter rule to activate it for new messages in the system.


There are additional modules that can be used to filter incoming messages more specifically. These modules might be useful when dealing with larger, more complex systems.

1.15. Executing Automated Jobs with the GenericAgent

GenericAgent является инструментом для автоматического выполнения задач. GenericAgent, например, может закрывать или перемещать заявки, отправлять уведомления для эскалированных заявок и т.д.

Click the link "GenericAgent" on the Admin page (see figure below). A table with all automated jobs in the system is displayed. These jobs can then be edited, run manually or removed entirely.

Figure 4.57. Список заданий для GenericAgent




The screenshot shows the 'Generic Agent' page. On the left, there are 'Actions' (Add job) and a 'Filter for Generic Agent Jobs' input field. The main area contains a table with the following data:

NAME	LAST RUN	VALIDITY	DELETE	RUN NOW!
Job One		valid	Delete	Run this task
Job Three		valid	Delete	Run this task
Job Two		valid	Delete	Run this task

Нажмите "Добавить задание" для создания новой задачи. В первую очередь укажите имя. Затем, вы можете указать как она должна выполняться: автоматически в фиксированное время (как cronjob, этот режим будет оперировать всеми заявками, найденными с помощью фильтра заявок) или базируясь на событиях (сразу после изменения отдельной заявки, если она удовлетворяет фильтру). Помните, что если вы вручную запускаете задание, основанное на событии, с экрана обзора заданий, оно будет оперировать всеми заявками прошедшими фильтр.

Figure 4.58. Создание заданий для GenericAgent



The screenshot shows the 'Add job' form. It includes a 'Job name' field with the value 'Test Seven' and a 'Validity' dropdown set to 'Yes'. Below this are sections for 'Automatic Execution (Multiple Tickets)' and 'Event Based Execution (Single Ticket)'. The 'Event Based Execution' section contains a table for 'Event Triggers':

TYPE	EVENT	DELETE
Ticket	EscalationResponseTimeNotifyBefore	

At the bottom, there are buttons for 'Save' and 'Cancel'.

Для каждого задания необходимо задать фильтр заявок, например, отбирать только заявки в определенной очереди. Чтобы задание выполнялось для заявки она должна удовлетворять всем критериям фильтра.

Finally, the ticket can be modified by setting various ticket fields like a new queue or state. It is possible to attach a note to the ticket(s) or run a customized module. You also have the option to delete the ticket(s) from the database. This can be useful to purge outdated or invalid data from the system.

Warning


Если вы выбрали функцию удаления, все выбранные заявки и вложения к ним будут удалены из базы данных без возможности восстановления!

После редактирования задания, OTRS вернет вас на экран обзора заданий. Здесь вы можете запустить его вручную. Если вы запустили задание, то вначале вы получите список заявок, которые будут обработаны заданием после старта. Этот список поможет вам проверить, что фильтры были заданы правильно. В этот момент еще никаких действий с заявками не выполнялось. Оно начнет работу только после подтверждения вами продолжения работы.

1.16. Administrative Messages

OTRS administrators can send messages to specific users or groups. The "Admin Notification" link on the Admin page opens the screen where the agents and groups that should be notified can be selected (see figure below).

Figure 4.59. Admin notification screen




Можно указать отправителя, тему и текст уведомления. Также можно выбрать агентов, группы и роли, которые должны получить сообщение.

1.17. Управление сеансами

You can see all logged in users and their session details by clicking the "Session Management" link in the admin area (see figure below).

Figure 4.60. Управление сеансами



The screenshot shows the "Session Management" page. On the left, there are statistics for active sessions:

All sessions	1
Agent sessions	1
Customer sessions	0
Unique agents	1
Unique customers	0


Below the statistics is a "Kill all sessions" button and a "Filter for Sessions" input field.

The main area displays a table with session details:

SESSION	TYPE	USER	KILL
2VfpBjKpZiUrtcjVs1wKjXF6vals5CEg	Agent	Carlos Garcia	Kill this session

Some statistics about all active sessions are displayed, e.g. how many agents and customer users are logged in and the number of active sessions. Any individual session can be removed by clicking on the *Kill this session* link on the right-hand side of the list. You also have the option to *Kill all sessions*, which can be useful if you want to take the system offline. Detailed information for every session is available, too (see figure below).

Figure 4.61. Подробности сеанса/сессии



The screenshot shows the "Detail Session View for User: Carlos Garcia". On the left, there are two buttons: "Go to overview" and "Kill this session".


The main area displays a table with session details:

KEY	VALUE
AdminCommunicationLogPageShown	25
AdminDynamicFieldsOverviewPageShown	25
AppointmentNotificationTransport	{"Notification-14-Email";0}
ChangeTime	2017-10-16 16:47:11
CreateTime	2017-10-16 16:47:11
NotificationTransport	{"Notification-2-Email";0,"Notification-1-Email";0,"Notification-3-Email";0,"Notification-4-Email";0,"Notification-8-Email";0,"Notification-13-Email";0}
SessionID	2VfpBjKpZiUrtcjVs1wKjXF6vals5CEg
SessionSource	AgentInterface
UserChallengeToken	hyZyWyCEfNPV2NQEOzTUTLirRQbul0l9
UserEmail	carlos.garcia@mycompany.com
UserFAQJournalOverviewSmallPageShown	25
UserFAQOverviewSmallPageShown	25
UserFirstname	Carlos
UserFullname	Carlos Garcia

1.18. Обслуживание системы


Раздел конфигурации "Обслуживание системы" дает возможность управлять одним или более периодами технического обслуживания системы. В течение этого периода, агенты и клиенты не могут подключиться к системе (за исключением агентов, включенных в группу "admin"). Уже подключенные пользователи получают уведомление о техобслуживании (до и в течение периода техобслуживания). Администраторы имеют возможность закрыть сеансы подключенных агентов и клиентов, все это в рамках подготовки, чтобы иметь возможность вносить изменения в систему (например, обновление системы) в "безопасном" среде.

Figure 4.62. The system maintenance overview screen with some scheduled periods



The Start Date and the Stop Date are required fields, and the only rule for this combination is that Start Date can not be a date after the Stop Date.

Figure 4.63. The system maintenance edit screen




После ввода нового периода обслуживания, отображается обзор и подробности о текущих активных сеансах, используя который, администратор может закрыть эти сеансы (исключая активные), если это необходимо.

1.19. Системный журнал

The "System Log" link on the Admin page shows the log entries of the system, reverse chronologically sorted with most recent first (see figure below).

Figure 4.64. Системный журнал



System Log

Filter for Log Entries

Just start typing to filter...

Hint

Here you will find log information about your system.

Hide this message

TIME	PRIORITY	FACILITY	MESSAGE
Thu Oct 19 11:16:59 2017	error	OTRS-CGI-60	/etc/ssl/certs not writable!
Thu Oct 19 11:16:59 2017	error	OTRS-CGI-60	/etc/ssl/certs not writable!
Thu Oct 19 11:15:56 2017	error	OTRS-CGI-60	/etc/ssl/certs not writable!

Каждая строка в журнале содержит: время, приоритет, компонент системы и непосредственно саму запись.


Note

Системный журнал доступен через веб-интерфейс только на Linux / Unix системах.

1.20. Журнал сеансов общения

The *Communication Log* frontend in the Admin area allows you to inspect the internal logs about communication handling in OTRS, i.e. sending/receiving emails.

Figure 4.65. Communication Log Overview



Communication Log - Overview

Communication Log

Time range

Last 24 hours

Show only communication logs created in specific time range.

Filter for communications

Just start typing to filter...

Hint

In this screen you can see an overview about incoming and outgoing communications. You can change the sort and order of the columns by clicking on the column header. If you click on the different entries, you will get redirected to a detailed screen about the message.

Status for: Last 24 hours

- No account problems
- Falling communications
Number of reported problems: 1
- No active communications
- Average processing time
Less than a second

▼ List of communications (2)

All (2) Successful (1) Processing (0) Failed (1)

STATUS	TRANSPORT	ACCOUNT	START TIME	END TIME	DURATION
✗	Email	imap.example.com / test306550808030003 (IMAP)	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s
✓	Email	imaptls.example.com / test306550808030003 (IMAPTLS)	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s

1-2 of 2

Overview page is a dashboard-like screen with several metrics indicating the overall health of the system, depending on filtered communications.

- Account status will signal if you have any issues with configured accounts used for fetching or sending messages.
- Communication status will notify you if there are any errors with either account connections or message processing.
- Communication state widget will display if there are any active communications currently in the system.
- Average processing time is a cumulative time statistic that is needed to complete a communication.

You can select the time range in the left sidebar in order to filter communications depending on their creation time. In addition to this, you can also dynamically filter for any keywords, state of the communication, and you can sort the overview table by all columns.

Figure 4.66. Communication Log Time Range Selection




Figure 4.67. Communication Log Account Status

Communication Log - Account Status

Communication Log > Account Status

Actions: Back

Time range: Last 24 hours

Filter for accounts: Just start typing to filter...

Filter for communications: Just start typing to filter...

Hint: In this screen you can see an overview about incoming and outgoing communications. You can change the sort and order of those columns by clicking on the column header. If you click on the different entries, you will get redirected to a detailed screen about the message.

Account status for: Last 24 hours				
STATUS	ACCOUNT		AVERAGE PROCESSING TIME	EDIT
✓	imap.example.com / test3065508080300003 (IMAP)		Less than a second	✎
✓	imaptls.example.com / test3065508080300003 (IMAPTLS)		Less than a second	✎

Communication Log Details (1)				
STATUS	TRANSPORT	START TIME	END TIME	DURATION
✗	Email	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s

Clicking on account widget will take you to the account status screen, where you can further filter for communications that are related to specific accounts.

Figure 4.68. Communication Log Account Status

Communication Log - Account Status

Communication Log > Account Status

Actions: Back

Time range: Last 24 hours

Filter for accounts: Just start typing to filter...

Filter for communications: Just start typing to filter...

Hint: In this screen you can see an overview about incoming and outgoing communications. You can change the sort and order of those columns by clicking on the column header. If you click on the different entries, you will get redirected to a detailed screen about the message.

Account status for: Last 24 hours				
STATUS	ACCOUNT		AVERAGE PROCESSING TIME	EDIT
✓	imap.example.com / test3065508080300003 (IMAP)		Less than a second	✎
✓	imaptls.example.com / test3065508080300003 (IMAPTLS)		Less than a second	✎

Communication Log Details (1)				
STATUS	TRANSPORT	START TIME	END TIME	DURATION
✗	Email	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s

If you click on a communication row in any table, you will be presented with a detailed view screen.

Figure 4.69. Communication Log Detail View

Communication Log – Detail view for incoming communication started at 08/01/2017 09:46:43

Communication Log Overview (2)

STATUS	TYPE	ACCOUNT	START TIME	END TIME	DURATION
✓	Connection	imap.example.com / test3065508080300003 (IMAP)	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s
✗	Message	imap.example.com / test3065508080300003 (IMAP)	08/01/2017 09:46:43	08/01/2017 09:46:43	0 s

Communication Log Details (6)

#	PRIORITY	MODULE	INFORMATION	CREATED
1	🔊	Kernel-System::MailAccount::IMAP	Open connection to 'imap.example.com' (test3065508080300003).	08/01/2017 09:46:43
2	🔊	Kernel-System::MailAccount::IMAP	1 message(s) available for fetching (test3065508080300003/imap.example.com).	08/01/2017 09:46:43
3	🔊	Kernel-System::MailAccount::IMAP	Prepare fetching of message '1/1' (Size: 12.3 KB) from server.	08/01/2017 09:46:43
4	🔊	Kernel-System::MailAccount::IMAP	Message '1' successfully received from server.	08/01/2017 09:46:43
5	🔊	Kernel-System::MailAccount::IMAP	Message '1' marked for deletion.	08/01/2017 09:46:43
6	🔊	Kernel-System::MailAccount::IMAP	Fetches 0 message(s) from server (test3065508080300003/imap.example.com).	08/01/2017 09:46:43
7	🔊	Kernel-System::MailAccount::IMAP	Executed deletion of marked messages from server (test3065508080300003/imap.example.com).	08/01/2017 09:46:43
8	🔊	Kernel-System::MailAccount::IMAP	Connection to 'imap.example.com' closed.	08/01/2017 09:46:43

Every communication can contain one or more logs, which can be of Connection or Message type.

- Connection logs will contain any log messages coming from the modules responsible for connecting to your accounts and fetching/receiving messages.
- Message logs will contain any log messages related to specific message processing. Any module working on message themselves can log their actions in this log, giving you a clear overview of what's going on.

You can filter log entries based on their priority, by choosing desired priority in the left sidebar.

Figure 4.70. Communication Log Priority Filter

Filter for log entries

Just start typing to filter...

Show only entries with specific priority and higher:

Trace

Debug

Info

Notice

Warn


Error

Log level rules apply: by selecting a specific priority, you will get log entries that have that priority set and higher, with *Error* being the highest.

1.21. SQL Queries via the SQL Box

The "SQL Box" link on the Admin page opens a screen that lets you query the content of the tables in the OTRS database (see figure below). It is not possible to change the content of the tables, only 'select' queries are allowed.


Figure 4.71. SQL-запросы



1.22. Менеджер пакетов

Using the *Package Manager* link on the Admin page, you can install and manage packages that extend the functionality of OTRS (see figure below).

Figure 4.72. Менеджер пакетов



NAME	VERSION	VENDOR	DESCRIPTION	ACTION
Fred	6.0.1	OTRS AG	A tool to support the developer by his development.	Install
OTRSCodePolicy	1.0.13	OTRS AG	OTRS code quality checks.	Install

NAME	VERSION	VENDOR	DESCRIPTION	STATUS	ACTION
FAQ	6.0.1	OTRS AG	The FAQ/knowledge base.	installed	Uninstall

NAME	DESCRIPTION
Multiple Recipient Encryption	Enables dispatching an encrypted email to more than one recipient at the same time
Agent Email Interface	Enables agents to work on tickets via email without logging into OTRS
Hide/Show Dynamic Fields	Based on ACLs you can use this feature to show and hide specific dynamic fields depending on the context
Dynamic Sender Addresses	Enables the insertion of a sender email-address other than the default
Restore Pending Information	By selecting the pending state again previously filled fields are automatically filled
Restrict Customer Data View	Makes a defined access possible with the assignment of customer IDs to partner IDs
Extended Ticket Stats	Offers the possibility of enhanced ticket statistics that, based on the duration of a ticket stay, can help to identify vulnerabilities
Process Management Article Email	Enables sending OTRS Process Management articles as emails

Менеджер Пакетов позволяет просмотреть пакеты расширения OTRS вместе с номерами их версий, установленные на сервере в данный момент.

Пакеты можно установить из удаленного хоста, для этого, в разделе *Онлайн Репозиторий* нужно выбрать репозиторий и нажать кнопку *Обновить информацию из репозитория*. Все доступные пакеты будут отображены в соответствующей таблице. В правой части страницы отображаются доступные пакеты. Чтобы установить пакет, нажмите на ссылку *Установить*. После установки пакет будет отображаться в разделе *Local Repository*.

To update an installed package, the list of available packages in the online repository will show *Update* in the Action column for any package that has a higher version than the one that is installed locally. Just click *Update* and it will install the new package version on your system.


В некоторых случаях, например, когда ваша OTRS-система не подключена к Интернету, можно установить пакеты, которые были заранее загружены на локальный диск. Нажмите кнопку *Обзор* на боковой панели и выберите .орп-файл на жестком диске. Нажмите *Открыть*, а затем *Установить пакет*. После установки пакет отображается в разделе *Локальный Репозиторий*. Проведите те же действия для того чтобы обновить уже установленный пакет.

In special cases, you might want to configure the Package Manager, e.g., to use a proxy or to use a local repository. Just take a look at the available options in SysConfig under Core::Package.

1.22.1. Обновить все установленные пакеты

Since OTRS 6, a new button labeled *Update all installed packages* has been added to the sidebar of the package manager screen. When this button is pressed, an OTRS Daemon task will be scheduled to update all packages. Alternatively, this action can be also issued from the command line interface by using the `Admin::Package::UpgradeAll` console command.

Figure 4.73. Package Manager Update All Installed Packages Button



This feature reads the information of all defined package repositories and determines if there is a new version for every installed package in the system and calculates the correct order to update the packages respecting all other package dependencies, even if new versions of existing packages require new packages not yet installed in the system.

Note


If there are packages installed that do not have a corresponding repository defined in the system, they can not be updated by this feature and will be marked as failed (due to the missing on-line repository).

When the process to update all packages is running, a notification bar is added to the package manager screen for easier identification. When notification link is clicked, a progress summary is displayed with the current progress. Also, when the process is running package actions such as "Install", "Update", "Uninstall" and "ReInstall" some actions on the screen might be temporarily disabled in order to avoid conflicts.

Figure 4.74. Package Manager Update All Installed Packages In Progress Notification

There is a package upgrade process running, click here to see status information about the upgrade progress. →

Package Manager



When the process finishes (only if it was started in the graphical user interface) the progress notification will change to indicate the new state: it becomes green if all packages were correctly updated or red if there were any failures. Clicking on this notification will show the final summary. In the summary table, a tooltip for the status column of every package can indicate more details about the state. After closing this window, the package manager screen will refresh to show the new version of the installed packages.

Figure 4.75. Package Manager Update All Installed Packages Summary

Upgrade all packages
✕

Process state: Finished

NAME	STATUS
FAQ	Updated
Survey	Updated
TimeAccounting	Updated

1.23. Веб-сервисы

The Web Services link leads to the graphical interface where web services (for the OTRS Generic Interface) are created and maintained (see figure below).

Figure 4.76. Графический интерфейс для веб-сервисов

Web Service Management

Actions

Web Service List


NAME	DESCRIPTION	REMOTE SYSTEM	PROVIDER TRANSPORT	REQUESTER TRANSPORT	VALIDITY
Webservice One	-	-	-	-	valid
Webservice Two	-	-	-	-	valid

Более подробно графический интерфейс для настройки веб-сервисов рассматривается в главе "Настройка веб-сервисов через веб-интерфейс".

1.24. Динамические Поля

Раздел Динамические поля позволяет создавать, настраивать и управлять пользовательскими полями для заявок и сообщений/заметок (см. рисунок ниже).

Figure 4.77. The dynamic fields overview screen with some dynamic fields



NAME	LABEL	ORDER	TYPE	OBJECT	VALIDITY	DELETE
ProcessManagementProcessID	Process	1	ProcessID	Ticket	valid	
ProcessManagementActivityID	Activity	2	ActivityID	Ticket	valid	

Более подробно описание настройки динамических полей содержится в разделе "Настройка Динамических полей".

Каждый тип динамического поля имеет свои настройки и соответственно свои собственные экраны настройки.


Note

















При настройке в Панели Администрирования, динамические поля могут быть привязаны только к заявкам или заметкам/сообщениям по умолчанию, но их использование также может быть распространено и на другие объекты.

1.25. Календари

Via calendar management interface it is possible to add and edit multiple calendars.

Figure 4.78. The calendar management screen with some calendars



	NAME	GROUP	VALIDITY	CHANGED	CREATED	EXPORT	DOWNLOAD	URL
	GCS	admin	valid	2017-10-19 16:02:31	2017-10-19 21:01:04			
	GMS	admin	valid	2017-10-19 16:02:21	2017-10-19 21:01:16			
	GSD	admin	valid	2017-10-19 16:02:44	2017-10-19 21:01:38			
	Public Holidays	admin	valid	2017-10-19 21:02:01	2017-10-19 21:02:01			

The calendar management is described in more detail in the section Calendar Management.

2. Настройка Системы

2.1. Конфигурационные файлы OTRS

All OTRS configuration files are stored in the directory `Kernel` and in its subdirectories. There is no need to manually change any other file than `Kernel/Config.pm`, because the rest of the files will be changed when the system gets updated. Just copy the configuration parameters from other files into `Kernel/Config.pm` and change them as per your needs. This file will never be touched during the update process, so your manual changes are safe.

The configuration can be rebuilt either manually by executing `perl bin/otrs.Console.pl Maint::Config::Rebuild` or automatically by the installer, package operations (install, update, reinstall and uninstall), etc. All `.xml` files located in `Kernel/Config/Files/XML/` are parsed and their content is transferred to the OTRS database. Most of the `.xml` files which are part of this directory by default belong to OTRS Free, but OTRS Free Features such as FAQ or Survey (or any other OTRS extension) will add their own configuration files to this directory as well.


To apply any sort of changes to the configuration, it is necessary to deploy them. The deployment process will extract all settings and the according values from the OTRS database, convert them to a format that OTRS can understand naturally and put them into `Kernel/Config/Files/ZZZAAuto.pm`.

If the OTRS web interface is accessed, the settings contained in the files `Kernel/Config/Files/ZZZAAuto.pm`, `Kernel/Config/Files/ZZZACL.pm` (if existing), `Kernel/Con-`

fig/Files/ZZZProcessManagement.pm (if existing) and any other custom .pm file will be evaluated alphabetically. These files are used by the graphical user interface for caching purposes and should never be changed manually. Lastly, the file Kernel/Config.pm that contains your individual settings and manually changed configuration parameters will be parsed. Reading the configuration files in this order makes sure that your specific configuration settings are considered correctly by the system.

2.2. Configuring the System Through the Web Interface

Figure 4.79. Графический интерфейс для настройки системы



OTRS Free currently brings more than 1700 configuration settings, and there are different ways to quickly access a specific one. With the full text search, all configuration settings can be scanned for one or more keywords. The full text search not only searches through the names of the configuration settings, but also the descriptions and values. This allows an element to be found easily even if its name is unknown.

Furthermore, each configuration setting is classified by a category and a navigation group. Navigation groups are individual elements in the main navigation tree. By selecting one of these navigation entries, all settings assigned to the selected group will be shown. As long as no extensions are installed, the category selection is automatically hidden, but as soon as a package is installed which brings its own configuration settings (such as FAQ or Survey), the category selection will be revealed. Selecting a category makes the main navigation tree show only the navigation groups belonging to the selected category.


All configuration settings are shown as read only by default. To edit a setting, click the *Edit this setting* button that appears on hovering your mouse cursor over a setting. Once edit mode has been entered, changes made to the fields from within the setting can be saved by clicking the *Save* button on the right (or by hitting the *Enter* key on your keyboard). If a setting is currently edited by another administrator, it is not possible to get access to the edit mode for that setting until the other administrator finished their work. Editing can be cancelled by clicking the *Cancel* button on the right or hitting the *Escape* key on your keyboard. When editing is cancelled, all changes made during the current editing session are discarded.

Clicking the setting name or the menu icon on the top right of each setting will reveal a menu with some more options (e.g. enable/disable a setting, reset a setting values to their defaults, copy a direct link to a setting or add a setting to a list of favorites for quick access).

To bring changes into effect, a deployment has to be started. The system configuration deployment screen shows a list of the settings which are to be deployed. Clicking the arrow icon on the top left of each setting or in the outer *Changes Overview* box will show a

one to one comparison between the settings current state (which is about to be deployed) and the previous (or default) state.

Figure 4.80. System configuration deployment



If you would like to save all the changes you made to your system configuration (for example to quickly set up a new instance) you can use the *Export settings* button, which will provide a `.yaml` file for downloading. To restore your own settings, use *Import settings* and select the `.yaml` file you have created before.

Note

For security reasons, the configuration settings for the database connection cannot be changed in the graphical user interface of the system configuration. These have to be set manually in `Kernel/Config.pm`.

3. Backing Up the System

В этой главе описывается резервное копирование и восстановление данных OTRS.

3.1. Резервное копирование

Есть два типа данных для резервного копирования: файлы приложения (например, файлы в `/opt/otrs`) и данные, хранящиеся в базе данных.

Для упрощения создания резервных копий, сценарий `scripts/backup.pl` включен в каждую инсталляцию OTRS. Он позволяет создавать резервную копию всех важных данных (см. Сценарий ниже).

```
linux:/opt/otrs# cd scripts/
linux:/opt/otrs/scripts# ./backup.pl --help
backup.pl - backup script
Copyright (C) 2001-2018 OTRS AG, https://otrs.com/
usage: backup.pl -d /data_backup_dir/ [-c gzip|bzip2] [-r 30] [-t fullbackup|nofullbackup|
dbonly]
linux:/opt/otrs/scripts#
```

Сценарий: Получене помощи о механизме резервного копирования OTRS.

Для создания резервной копии выполните команду, приведенную в Сценарии ниже:

```
linux:/opt/otrs/scripts# ./backup.pl -d /backup/
Backup /backup//2010-09-07_14-28/Config.tar.gz ... done
Backup /backup//2010-09-07_14-28/Application.tar.gz ... done
Dump MySQL rdbms ... done
Compress SQL-file... done
linux:/opt/otrs/scripts#
```

Сценарий: Создание резервной копии.

Все данные хранятся в директории `/backup/2010-09-07_14-28/` (см. Сценарий ниже). Кроме того данные сохранены в файле с расширением `.tar.gz`.

```
linux:/opt/otrs/scripts# ls /backup/2010-09-07_14-28/
Application.tar.gz Config.tar.gz DatabaseBackup.sql.gz
linux:/opt/otrs/scripts#
```

Сценарий: Проверка файлов резервной копии.

3.2. Восстановление

Для восстановления резервной копии, сохраненные данные приложения должны быть записаны обратно в каталог установки, например `/opt/otrs`. База данных также должна быть восстановлена.

Сценарий `scripts/restore.pl` (см. Сценарий ниже), который упрощает процесс восстановления и поставляется с каждой `install`-версией OTRS. Поддерживаются СУБД MySQL и PostgreSQL.

```
linux:/opt/otrs/scripts# ./restore.pl --help
restore.pl - restore script
Copyright (C) 2001-2018 OTRS AG, https://otrs.com/
usage: restore.pl -b /data_backup/<TIME>/ -d /opt/otrs/
linux:/opt/otrs/scripts#
```

Сценарий: Получение справки о механизме восстановления.

Данные, которые хранятся в директории `/backup/2010-09-07_14-28/`, могут быть восстановлены с помощью команды, приведенной в приведенном ниже Сценарии при условии что OTRS установлен в `/opt/otrs`.

```
linux:/opt/otrs/scripts# ./restore.pl -b /backup/2010-09-07_14-28 -d /opt/otrs/
Restore /backup/2010-09-07_14-28//Config.tar.gz ...
Restore /backup/2010-09-07_14-28//Application.tar.gz ...
create MySQL
decompresses SQL-file ...
cat SQL-file into MySQL database
compress SQL-file...
linux:/opt/otrs/scripts#
```

Сценарий: Восстановление данных OTRS.

4. Настройки электронной почты

4.1. Sending/Receiving Emails

4.1.1. Sending Emails

4.1.1.1. Via Sendmail (Default)

OTRS can send out emails via [Sendmail](#), [Postfix](#), [Qmail](#) or [Exim](#). The default configuration is to use Sendmail and should work out-of-the-box.

You can configure the sendmail settings via the graphical configuration frontend (Framework::Core::Sendmail).

4.1.1.2. Via SMTP Server or Smarthost

OTRS может посылать письма через SMTP ([Simple Mail Transfer Protocol / RFC 821](#)) или Secure SMTP.

The SMTP server settings can be configured via the SysConfig (Framework::Core::Send-mail). If you don't see SMTPS available as an option, the required Perl modules are missing. In that case, please refer to "Installation of Perl modules required for OTRS" for instructions.

4.1.1.3. Mail Queue

Before sending, OTRS will queue all emails and let a Daemon task asynchronously handle them in due time. On a normal installation, the emails will be sent out every minute by the OTRS Daemon.

To check the status of email sending, you can use the `bin/otrs.Console.pl Maint::Email::MailQueue --list` console command with `--list` switch.

```
shell> cd /opt/otrs/
shell> bin/otrs.Console.pl Maint::Email::MailQueue --list
+-----+-----+-----+-----+-----+-----+-----+
| ID | ArticleID | Attempts | Sender          | Recipient          | Due Time | Last SMTP
Code | Last SMTP Message |
+-----+-----+-----+-----+-----+-----+-----+
| 28 | 284       | 0       | otrs@localhost | marketing@otrs.com | -        | -
| -  | -         | |       |                |                    | -        | -
| 29 | 285       | 0       | otrs@localhost | feedback@otrs.com | -        | -
| -  | -         | |       |                |                    | -        | -
+-----+-----+-----+-----+-----+-----+-----+
Mail queue contains 2 message(s)
```

In order to filter the table, you can use `--filter` argument, for example with ID of the send job.

```
shell> bin/otrs.Console.pl Maint::Email::MailQueue --list --filter ID::28
+-----+-----+-----+-----+-----+-----+-----+
| ID | ArticleID | Attempts | Sender          | Recipient          | Due Time | Last SMTP
Code | Last SMTP Message |
+-----+-----+-----+-----+-----+-----+-----+
| 28 | 284       | 0       | otrs@localhost | marketing@otrs.com | -        | -
| -  | -         | |       |                |                    | -        | -
+-----+-----+-----+-----+-----+-----+-----+
Mail queue contains 1 message(s)
Done.
```

To delete emails queued for sending, specify either `--delete-all` switch, or `--delete` with some filter active.

```
shell> bin/otrs.Console.pl Maint::Email::MailQueue --delete --filter ID::28
Deleted messages from mail queue.
Done.
```

You can also manually send email without waiting for OTRS Daemon task to kick in. Simply specify the `--send` switch.

```
shell> bin/otrs.Console.pl Maint::Email::MailQueue --send
1 message(s) successfully sent!
Done.
```

4.1.2. Receiving Emails


4.1.2.1. Mail Accounts Configured via the OTRS GUI

OTRS is able to receive emails from POP3, POP3S, IMAP and IMAPS mail accounts.

Configure your mail accounts via the *PostMaster Mail Accounts* link on the Admin page.

If a new mail account is to be created (see figure below), then its mail server name, login name and password must be specified. Also, you need to select the mail server type, which can be POP3, POP3S, IMAP or IMAPS. If you don't see your server type available as an option, the required Perl modules are missing on your system. In that case, please refer to [Installation of Perl modules required for OTRS for instructions](#).

Figure 4.81. Добавление учетной записи электронной почты



The screenshot shows the 'Add Mail Account' form in the OTRS Admin interface. The form is titled 'Add Mail Account' and is located under 'Mail Account Management'. It contains several input fields and a 'Save' button. The fields are:

- * Type: IMAP
- * Username: marco.buchholz
- * Password: [masked]
- * Host: mail.mycompany.com (with an example: mail.example.com)
- IMAP Folder: INBOX (with a note: Only modify this if you need to fetch mail from a different folder than INBOX.)
- * Trusted: No
- * Dispatching: Dispatching by email To: field.
- * Validity: valid
- Comment: [empty]

 At the bottom, there are 'Save' and 'Cancel' buttons. On the left side of the form, there is a 'Hint' section with instructions about email dispatching and trusted accounts.

If you select Yes for the value of the Trusted option, any X-OTRS headers attached to an incoming message are evaluated and executed. Because the X-OTRS header can execute some actions in the ticket system, you should set the *Trusted* option to Yes only for known senders. X-OTRS-Headers are used by the filter module in OTRS. The X-OTRS headers are explained in this table in more detail. Any postmaster filter rules created are executed, irrespective of the Trusted option's setting.

The distribution of incoming messages can be controlled if they need to be sorted by queue or by the content of the *To:* field. For the *Dispatching* field, if *Dispatching by selected queue* is selected, all incoming messages will be sorted into the specified queue. The address where the mail was sent to is disregarded in this case. If *Dispatching by email To: field* is selected, the system checks if a queue is linked with the address in the *To:* field of the incoming mail. You can link an address to a queue in the E-mail address management section of the Admin page. If the address in the *To:* field is linked with a queue, the new message will be sorted into the linked queue. If no link is found between the address in the *To:* field and any queue, then the message flows into the *Raw* queue in the system, which is the *PostmasterDefaultQueue* after a default installation.

All data for the mail accounts are saved in the OTRS database. The `bin/otrs.Console.pl Maint::PostMaster::MailAccountFetch` command uses the settings in the database and fetches the mail. You can execute it manually to check if all your mail settings are working properly.

On a normal installation, the mail will be fetched every 10 minutes by the OTRS Daemon.

Note

При получении почты OTRS удаляет почту с POP или IMAP сервера. Нету такой опции, которая бы позволяла хранить копию сообщения на сервере. Если вы все же хотите чтобы такая возможность присутствовала, скорей всего нужно воспользоваться правилами переадресации на почтовый сервер. Обратитесь пожалуйста к документации по вашему почтовому серверу.

4.1.2.2. Via Command Line Program and Procmail (`otrs.Console.pl Maint::PostMaster::Read`)

If you cannot use mail accounts to get the email into OTRS, the command line program `bin/otrs.Console.pl Maint::PostMaster::Read` might be a way around the problem. It takes the mails via STDIN and pipes them directly into OTRS. That means email will be available in your OTRS system if the MDA (mail delivery agent, e.g. procmail) executes this program.

To test `bin/otrs.Console.pl Maint::PostMaster::Read` without an MDA, execute the command of the following script.

```
linux:/opt/otrs# cd bin
linux:/opt/otrs/bin# cat ../doc/sample_mails/test-email-1.box | ./otrs.Console.pl
Maint::PostMaster::Read
linux:/opt/otrs/bin#
```

Сценарий: Тестирование PostMaster без MDA.

Если сообщения электронной почты отображаются в QueueView, значит ваши настройки работают.

Example 4.2. Routing via Procmail Using `otrs.Console.pl`

In order to route mails in a specific queue using `otrs.Console.pl` use the following example.

```
| $SYS_HOME/bin/otrs.Console.pl Maint::PostMaster::Read --target-queue=QUEUENAME
```

When sorting to a subqueue, you must separate the parent and child queue with a `::`.

```
| $SYS_HOME/bin/otrs.Console.pl Maint::PostMaster::Read --target-queue=QUEUENAME::SUBQUEUE
```

Procmail - это очень распространенный фильтр электронной почты в среде Linux. Он устанавливается на большинстве систем. Если нет, перейдите по ссылке [procmail homepage](#).

Для настройки procmail для OTRS (требуется сконфигурированный транспортный агент MTA, например sendmail, postfix, exim or qmail), используйте файл

~otrs/.procmailer.dist, скопируйте его в .procmailer а затем добавьте строки из нижеприведенного сценария.

```
SYS_HOME=$HOME
PATH=/bin:/usr/bin:/usr/local/bin
# --
# Pipe all email into the PostMaster process.
# --
:0 :
| $SYS_HOME/bin/otrs.Console.pl Maint::PostMaster::Read
```

Сценарий: Настройка procmailer для OTRS.

All email sent to the local OTRS user will be piped into bin/otrs.Console.pl Maint::PostMaster::Read and then shown in your QueueView.

4.1.2.3. Fetching emails via POP3 or IMAP and fetchmail for otrs.Console.pl Maint::PostMaster::Read

In order to get email from your mail server, via a POP3 or IMAP mailbox, to the OTRS machine/local OTRS account and to procmailer, use [fetchmail](#).

Note

Работающий и сконфигурированный SMTP необходим для работы OTRS.

You can use the .fetchmailrc.dist in the home directory of OTRS and copy it to .fetchmailrc. Modify/change it for your needs (see the Example below).

Example 4.3. .fetchmailrc

```
#poll (mailserver) protocol POP3 user (user) password (password) is (localuser)
poll mail.example.com protocol POP3 user joe password mama is otrs
```

Don't forget to set the .fetchmailrc to 710 (**chmod 710 .fetchmailrc**)!

With the .fetchmailrc from the Example above, all email will be forwarded to the local OTRS account, if the command **fetchmail -a** is executed. Set up a cronjob with this command if you want to fetch the mails regularly.

4.1.2.4. Filtering/Dispatching by OTRS/PostMaster Modules (for More Complex Dispatching)

If you use the bin/otrs.Console.pl Maint::PostMaster::Read or bin/otrs.Console.pl Maint::PostMaster::MailAccountFetch method, you can insert or modify X-OTRS header entries with the PostMaster filter modules. With the X-OTRS headers, the ticket system can execute some actions on incoming mails, sort them into a specific queue, change the priority or change the customer ID, for example. More information about the X-OTRS headers are available in the section about adding mail accounts from the OTRS Admin page.

Есть некоторые предустановленные модули фильтрации:

Note

Название задания (например \$Self->{'PostMaster::PreFilterModule'}->{'Job-Name'}) должно быть уникальным!

Kernel::System::PostMaster::Filter::Match is a default module to match on some email header (e.g. From, To, Subject, ...). It can set new email headers (e.g. X-OTRS-Ignore: yes or X-OTRS-Queue: spam) if a filter rule matches. The jobs of the Example below can be inserted in Kernel/Config.pm

Example 4.4. Example jobs for the filter module Kernel::System::PostMaster::Filter::Match

```
# Job Name: 1-Match
# (block/ignore all spam email with From: noreply@)
$self->{'PostMaster::PreFilterModule'}->{'1-Match'} = {
    Module => 'Kernel::System::PostMaster::Filter::Match',
    Match => {
        From => 'noreply@',
    },
    Set => {
        'X-OTRS-Ignore' => 'yes',
    },
};

# Job Name: 2-Match
# (sort emails with From: sales@example.com and Subject: **ORDER**
# into queue 'Order')
$self->{'PostMaster::PreFilterModule'}->{'2-Match'} = {
    Module => 'Kernel::System::PostMaster::Filter::Match',
    Match => {
        To => 'sales@example.com',
        Subject => '**ORDER**',
    },
    Set => {
        'X-OTRS-Queue' => 'Order',
    },
};
```

Kernel::System::PostMaster::Filter::CMD is a default module to pipe the email into an external command. The output is given to STDOUT and if the result is true, then set new email header (e.g. X-OTRS-Ignore: yes or X-OTRS-Queue: spam). The Example below can be used in Kernel/Config.pm

Example 4.5. Пример задания для модуля фильтрации Kernel::System::PostMaster::Filter::CMD

```
# Job Name: 5-SpamAssassin
# (SpamAssassin example setup, ignore spam emails)
$self->{'PostMaster::PreFilterModule'}->{'5-SpamAssassin'} = {
    Module => 'Kernel::System::PostMaster::Filter::CMD',
    CMD => '/usr/bin/spamassassin | grep -i "X-Spam-Status: yes"',
    Set => {
        'X-OTRS-Ignore' => 'yes',
    },
};
```

Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition is a default module that adds the possibility to parse external identifiers, in the email subject, the body or both using regular expressions. It then stores this value in a defined dynamic field. When an email comes in, OTRS will first search for an external identifier and when it finds one, query OTRS on the pre-defined dynamic field. If it finds an existing ticket, it will update this ticket, otherwise it will create a new ticket with the external reference number in the separate field.

OTRS SysConfig already provide 4 different settings to setup different external ticket numbers. If more settings are needed they need to be added manually. The following example can be used in Kernel/Config.pm to extend SysConfig settings.

Example 4.6. Example job for the filter module

Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition

```
# Job Name: ExternalTicketNumberRecognition
# External Ticket Number Reconition, check for Incident-<number> in incoming mails subject
and
# body from the addeesses <sender>@externalticket.com, if number is found it will be stored
in
# the dynamic field 'ExternalNumber' (that need to be setup in the Admin Panel).
$self->{'PostMaster::PreFilterModule'}->{'000-ExternalTicketNumberRecognition'} = {
  'FromAddressRegExp' => '\\s*@externalticket.com',
  'NumberRegExp' => 'Incident-(\\d.*)',
  'SearchInSubject' => '1',
  'SearchInBody' => '1',
  'TicketStateTypes' => 'new;open'
  'DynamicFieldName' => 'ExternalNumber',
  'Module' =>
  'Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition',
  'Name' => 'Test External Ticket Number',
  'SenderType' => 'system',
};
```

Configuration Options

- FromAddressRegExp

This is an optional setting. Only mails matching this *From:* address will be considered for this filter. You can adjust this setting to the sender address your external system uses for outgoing mails. In case this address can differ, you can set this option to empty. OTRS will in that case not check the sender address.

- NumberRegExp

Этот параметр обязателен. Он содержит регулярное выражение, которое OTRS будет использовать для извлечения номера заявки из темы и/или тела письма. Выражение по умолчанию будет проверять соответствие, например, 'Incident-12354' и помещать часть значения между скобками в динамическое поле, в данном случае '12354'.

- SearchInSubject

Если установлено в '1', в поле Тема письма будет осуществляться поиск номера заявки.

- SearchInBody

Если установлено в '1', поиск номера заявки будет осуществляться в тексте письма.

- TicketStateTypes

Это необязательный параметр. Если задан, OTRS будет искать открытые внешние заявки с заданными типами состояний. Типы состояний в списке разделяются точкой с запятой.

- DynamicField

Обязательный параметр. Задаёт динамическое поле, используемое для хранения внешнего номера заявки (имя поля должно существовать в системе и быть действительным).

- SenderType

Этот параметр задает тип отправителя и используется при создании сообщений/заметок в OTRS.

`Kernel::System::PostMaster::Filter::Decrypt` is a default module that is capable to decrypt an encrypted incoming email message (S/MIME or PGP) placing the unencrypted message body in the email header `X-OTRS-BodyDecrypted` to be processed later. Additionally it can also update the email body to the unencrypted version.

In order to decrypt the emails the system needs to be properly configured for S/MIME and/or PGP and have the needed private keys to decrypt the information.

This module is disabled by default and it can be configured directly in the System Configuration in the Admin Panel.

Configuration Options

- `StoreDecryptedBody`

Set this option to "1" to update the email body to the unencrypted version if the decryption was successful. Be aware that using this the emails will be stored unencrypted and there is no possible way to revert this action.

Конечно, также есть возможность разработки своих собственных PostMaster-модулей фильтрации.

4.1.2.5. Troubleshooting Email Filtering

This section shows some common issues and things to consider when troubleshooting Postmaster filters.

- The filters are worked in order of their alphabetically sorted filter names. The last filter wins for a certain field to be set, when the criteria match twice.
- *Stop After Match* can prevent a second match.
- Make sure the regular expression is valid.
- Headers can be set as to control OTRS, but are not written in the mail itself.
- When matching one From, CC, TO, use `EMAILADDRESS: <your@address>`
- The Mailbox must be trusted.
- The match criteria are AND conditions.
- Ticket properties can not be matched by the postmaster filter.

Note

Details about Postmaster filter processing are also present in communication logs. Make sure to check Communication Log in the Admin area.

4.2. Secure Email with PGP

OTRS имеет возможность подписывать или шифровать исходящие сообщения с помощью PGP. Также, могут быть расшифрованы входящие зашифрованные сообщения. Шифрование и дешифрование осуществляется с помощью GPL-

инструмента GnuPG. Чтобы установить GnuPG для OTRS, нужно проделать следующие действия:

1. Установка GnuPG с помощью менеджера пакетов вашей операционной системы.
2. Настройте GnuPG для использования с OTRS. Для GnuPG и приватного ключа нужно создать необходимые директории. В командной строки для пользователя 'otrs' нужно выполнить команду из нижеприведенного сценария.

```

linux:~# su otrs
linux:/root$ cd
linux:~$ pwd
/opt/otrs
linux:~$ gpg --gen-key
gpg (GnuPG) 1.4.2; Copyright (C) 2005 Free Software Foundation, Inc.
This program comes with ABSOLUTELY NO WARRANTY.
This is free software, and you are welcome to redistribute it
under certain conditions. See the file COPYING for details.

gpg: directory `/opt/otrs/.gnupg' created
gpg: new configuration file `/opt/otrs/.gnupg/gpg.conf' created
gpg: WARNING: options in `/opt/otrs/.gnupg/gpg.conf' are not yet active during t
his run
gpg: keyring `/opt/otrs/.gnupg/secring.gpg' created
gpg: keyring `/opt/otrs/.gnupg/pubring.gpg' created
Please select what kind of key you want:
  (1) DSA and Elgamal (default)
  (2) DSA (sign only)
  (5) RSA (sign only)
Your selection? 1
DSA keypair will have 1024 bits.
ELG-E keys may be between 1024 and 4096 bits long.
What keysize do you want? (2048)
Requested keysize is 2048 bits
Please specify how long the key should be valid.
  0 = key does not expire
  <n> = key expires in n days
  <n>w = key expires in n weeks
  <n>m = key expires in n months
  <n>y = key expires in n years
Key is valid for? (0)
Key does not expire at all
Is this correct? (y/N) y

You need a user ID to identify your key; the software constructs the user ID
from the Real Name, Comment and Email Address in this form:
  "Heinrich Heine (Der Dichter) <heinrichh@duesseldorf.de>"

Real name: Ticket System
Email address: support@example.com
Comment: Private PGP Key for the ticket system with address support@example.com
You selected this USER-ID:
"Ticket System (Private PGP Key for the ticket system with address support@examp
le.com) <support@example.com>"

Change (N)ame, (C)omment, (E)mail or (O)kay/(Q)uit? 0
You need a Passphrase to protect your secret key.

Passphrase: secret
Repeat passphrase: secret

We need to generate a lot of random bytes. It is a good idea to perform
some other action (type on the keyboard, move the mouse, utilize the
disks) during the prime generation; this gives the random number
generator a better chance to gain enough entropy.
+++++.....+++++.....+++++.....+++++.....+++++.....+++++.....+++++.....+++++
+++++.....+++++.....+++++.....+++++.....+++++.....+++++.....+++++.....+++++
.....>+++++<+++++.....+++++.....+++++.....+++++.....+++++.....+++++.....+++++

```

Not enough random bytes available. Please do some other work to give

```
the OS a chance to collect more entropy! (Need 280 more bytes)

+++++++..+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++
+++++++..+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++
..+++++>..+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++.+++++
.....>+++++<+++++.....
.....+++++^^^
gpg: /opt/otrs/.gnupg/trustdb.gpg: trustdb created
gpg: key 7245A970 marked as ultimately trusted
public and secret key created and signed.

gpg: checking the trustdb
gpg: 3 marginal(s) needed, 1 complete(s) needed, PGP trust model
gpg: depth: 0 valid: 1 signed: 0 trust: 0-, 0q, 0n, 0m, 0f, 1u
pub 1024D/7245A970 2006-02-03
    Key fingerprint = 2ED5 BC36 D2B6 B055 7EE1 5833 1D7B F967 7245 A970
uid          Ticket System (Private gpg key for ticket system with addre
ss support@example.com) <support@example.com>
sub 2048g/52B97069 2006-02-03

linux:~$
```

Сценарий: Настройка GnuPG.

Как показано в нижеприведенном сценарии, настройки по умолчанию могут быть применены для большинства из необходимых параметров. Правильно должны быть указаны только пароль и значения для владельца ключа.

3. In the screen for the PGP settings, PGP should be activated for OTRS (first option). Also, the path to the gpg program should be set and checked.

Следующим нужно изменить конфигурационный параметр (PGP::Options). Используя эти конфигурационные настройки можно определить параметры, которые будут использоваться для каждого вызова gpg пользователем 'otrs'. Каталог с конфигурационными файлами для GnuPG является очень важным. В примере используется /opt/otrs/.gnupg. Эта директория была создана на первом шаге конфигурации PGP.

Используя следующий конфигурационный параметр (PGP::Key::Password), можно указать пары для ключей ID и их пароли для собственных закрытых ключей. Поскольку партнеры извне пишут зашифрованные сообщения в систему заявок используя ваш публичный ключ, OTRS может расшифровать эти сообщения с помощью ID/паролей указанных здесь.

Как получить идентификатор вашего собственного закрытого ключа? ID вашего собственного закрытого идентификатора отображается во время генерации (см. выше шаг 1). Также есть возможность получить ID, указав команду из нижеприведенного сценария вызванную с правами пользователя 'otrs':

```
linux:~# su otrs
linux:/root$ cd
linux:~$ pwd
/opt/otrs
linux:~$ gpg --list-keys
/opt/otrs/.gnupg/pubring.gpg
-----
pub 1024D/7245A970 2006-02-03
uid          Ticket System (Private gpg key for ticket system with
address support@example.com) <support@example.com>
sub 2048g/52B97069 2006-02-03

linux:~$
```

Сценарий: Получение ID вашего собственного частного ключа.

Идентификатор (ID) закрытого ключа можно найти в строке, которая начинается с "sub". Это шестнадцатеричное представление строки, длиной в восемь символов, например "52B97069". Пароль, который нужно указать для этого ключа в системе обработки заявок такой же как данные при генерации ключей.

После того, как эти данные были введены, нажмите кнопку "Обновить" чтобы сохранить настройки. Теперь OTRS готов принимать и расшифровывать зашифрованные сообщения.

4. И наконец, нужно импортировать открытый ключ клиента. Это гарантирует, что зашифрованные сообщения могут быть отправлены этому клиенту. Есть два способа импортировать открытый ключ клиента.

Первый способ - указать открытый ключ клиента в веб-интерфейсе управления клиентами.

Вторая возможность заключается в определении ключей посредством настройки PGP, которая доступна через Панель Администрирования. В правой стороне этой страницы отображаются все импортированные открытые ключи клиентов. После того как PGP активирован и сконфигурирован, здесь также должен отображаться ваш собственный открытый ключ. В левой части страницы настроек PGP можно производить поиск по ключам. Также, новый открытый ключ может быть загружен в систему из файла.

Файлы с открытым ключем, которые нужно импортировать в OTRS должны соответствовать файлам ключей GnuPGP. В большинстве случаев, ключ сохраняется в файле как "ASCII armored key". OTRS позволяет работать с этим форматом.

4.3. Secure Email with S/MIME

На первый взгляд, S/MIME-шифрование кажется более сложным чем PGP. Прежде всего для OTRS нужно создать Центр Сертификации - Certification Authority (CA). Последующие процедуры очень похожи на те, которые вы выполняли для PGP: настроить OTRS, установить собственные сертификаты, импортировать другие открытые сертификаты, если необходимо, и т. д.

В большинстве случаев настройка S/MIME производится за пределами веб-интерфейса OTRS, и должна осуществляться в оболочке операционной системы с правами пользователя 'otrs'. MIME конфигурация под Linux основана на SSL (OpenSSL). Поэтому, сначала проверьте установлен ли в вашей системе пакет OpenSSL. OpenSSL-пакет содержит скрипт, который называется CA.pl, для создания сертификата, все наиболее важные шаги, нужно проделать именно с ним. Для упрощения процедуры узнайте, где в файловой системе находится сценарий CA.pl и введите путь к его местоположению в переменную путей оболочки (см. нижеприведенный сценарий).

```
otrs@linux:~> rpm -ql openssl | grep CA
/usr/share/ssl/misc/CA.pl
otrs@linux:~> export PATH=$PATH:/usr/share/ssl/misc
otrs@linux:~> which CA.pl
/usr/share/ssl/misc/CA.pl
otrs@linux:~> mkdir tmp; cd tmp
otrs@linux:~/tmp>
```

Сценарий: Настройка S/MIME.

Сценарий выше показывает, что была создана новая временная директория ~/tmp, в которой хранятся сгенерированные сертификаты.

Для создания сертификата, проделайте следующие операции в командной строке (предположим, что OTRS-администратор должен создать SSL-сертификат с целью тестирования и обучения. В случае, если у вас уже есть SSL-сертификат для шифрования, используйте его и пропустите следующие шаги):

1. Создание собственного Центра Сертификации (Certification Authority) для SSL. Вы должны подтвердить запрос на собственный SSL-сертификат (см. нижеприведенный сценарий).

```
otrs@linux:~/tmp> CA.pl -newca
CA certificate filename (or enter to create)

Making CA certificate ...
Generating a 1024 bit RSA private key
...+++++
.....+++++
writing new private key to './demoCA/private/akey.pem'
Enter PEM pass phrase:
Verifying - Enter PEM pass phrase:
-----
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter '.', the field will be left blank.
-----
Country Name (2 letter code) [AU]:DE
State or Province Name (full name) [Some-State]:OTRS-state
Locality Name (eg, city) []:OTRS-town
Organization Name (eg, company) [Internet Widgits Pty Ltd]:Your company
Organizational Unit Name (eg, section) []:
Common Name (eg, YOUR name) []:OTRS Admin
Email Address []:otrs@your-domain.tld
otrs@linux:~/tmp> ls -la demoCA/
total 8
-rw-r--r--  1 otrs otrs 1330 2006-01-08 17:54 cacert.pem
drwxr-xr-x  2 otrs otrs  48 2006-01-08 17:53 certs
drwxr-xr-x  2 otrs otrs  48 2006-01-08 17:53 crl
-rw-r--r--  1 otrs otrs   0 2006-01-08 17:53 index.txt
drwxr-xr-x  2 otrs otrs  48 2006-01-08 17:53 newcerts
drwxr-xr-x  2 otrs otrs  80 2006-01-08 17:54 private
-rw-r--r--  1 otrs otrs  17 2006-01-08 17:54 serial
otrs@linux:~/tmp>
```

Сценарий: Создание Центра Сертификации (Certification Authority) для SSL.

2. Создание запроса сертификата (см. Сценарий ниже).

```
otrs@linux:~/tmp> CA.pl -newreq
Generating a 1024 bit RSA private key
.....+++++
....+++++
writing new private key to 'newreq.pem'
Enter PEM pass phrase:
Verifying - Enter PEM pass phrase:
-----
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter '.', the field will be left blank.
```

```
-----
Country Name (2 letter code) [AU]:DE\keyreturn
State or Province Name (full name) [Some-State]:OTRS-state
Locality Name (eg, city) []:OTRS-town
Organization Name (eg, company) [Internet Widgits Pty Ltd]:Your company
Organizational Unit Name (eg, section) []:
Common Name (eg, YOUR name) []:OTRS admin
Email Address []:otrs@your-domain.tld

Please enter the following 'extra' attributes
to be sent with your certificate request
A challenge password []:
An optional company name []:
Request (and private key) is in newreq.pem
otrs@linux:~/tmp> ls -la
total 4
drwxr-xr-x 6 otrs otrs 232 2006-01-08 17:54 demoCA
-rw-r--r-- 1 otrs otrs 1708 2006-01-08 18:04 newreq.pem
otrs@linux:~/tmp>
```

Сценарий: Создание запроса сертификата.

3. Подпись запроса сертификата. Запрос сертификата может быть подписан, и таким образом сертифицирован вашим собственным центром сертификации (CA), что более правдоподобно, чем использование других, внешних CA (см. нижеприведенный сценарий).

```
otrs@linux:~/tmp> CA.pl -signreq
Using configuration from /etc/ssl/openssl.cnf
Enter pass phrase for ./demoCA/private/cakey.pem:
Check that the request matches the signature
Signature ok
Certificate Details:
  Serial Number:
    fd:85:f6:9f:14:07:16:c8
  Validity
    Not Before: Jan  8 17:04:37 2006 GMT
    Not After : Jan  8 17:04:37 2007 GMT
  Subject:
    countryName           = DE
    stateOrProvinceName  = OTRS-state
    localityName         = OTRS-town
    organizationName     = Your Company
    commonName           = OTRS administrator
    emailAddress         = otrs@your-domain.tld
  X509v3 extensions:
    X509v3 Basic Constraints:
      CA:FALSE
    Netscape Comment:
      OpenSSL Generated Certificate
    X509v3 Subject Key Identifier:
      01:D9:1E:58:C0:6D:BF:27:ED:37:34:14:D6:04:AC:C4:64:98:7A:22
    X509v3 Authority Key Identifier:
      keyid:10:4D:8D:4C:93:FD:2C:AA:9A:B3:26:80:6B:F5:D5:31:E2:8E:DB:A8
      DirName:/C=DE/ST=OTRS-state/L=OTRS-town/O=Your Company/
      CN=OTRS admin/emailAddress=otrs@your-domain.tld
      serial:FD:85:F6:9F:14:07:16:C7

Certificate is to be certified until Jan  8 17:04:37 2007 GMT (365 days)
Sign the certificate? [y/n]:y

1 out of 1 certificate requests certified, commit? [y/n]y
Write out database with 1 new entries
Data Base Updated
Signed certificate is in newcert.pem
otrs@linux:~/tmp>
```

Сценарий: Подпись запроса сертификата.

4. Создание своего собственного сертификата, и все данные собираются с ним, используя запрос сертификата (см. Сценарий ниже).

```
otrs@linux:~/tmp> CA.pl -pkcs12 "OTRS Certificate"
Enter pass phrase for newreq.pem:
Enter Export Password:
Verifying - Enter Export Password:
otrs@linux:~/tmp> ls -la
total 12
drwxr-xr-x  6 otrs otrs  328 2006-01-08 18:04 demoCA
-rw-r--r--  1 otrs otrs 3090 2006-01-08 18:13 newcert.p12
-rw-r--r--  1 otrs otrs 3791 2006-01-08 18:04 newcert.pem
-rw-r--r--  1 otrs otrs 1708 2006-01-08 18:04 newreq.pem
otrs@linux:~/tmp>
```

Сценарий: Создание нового сертификата.

Теперь эти операции выполнены, установка S/MIME в OTRS должна быть завершена.

Эта часть установки осуществляется в Панели Администрирования, выбрав ссылку "SMIME". В случае, если в OTRS нету поддержки S/MIME, маска указывает администратору удобные ссылки чтобы активировать поддержку S/MIME.

With the SysConfig group "Crypt::SMIME", you can also enable and configure the general S/MIME support.

Здесь можно активировать поддержку S/MIME, определить пути для команд OpenSSL, и директории для сертификатов. Файл ключей должен храниться в директории, указанной здесь. В противном случае OpenSSL не будет их использовать.

Следующим шагом, который следует выполнить - перейти по ссылке Настройка S/MIME в Панели Администрирования. Здесь можно импортировать закрытые ключи OTRS-системы и открытые ключи других партнеров. Введите публичный ключ, который был создан и добавлен в OTRS в начале этого раздела.

Obviously, all public S/MIME keys of communication partners can be imported using the customer user administration tool as well.

4.3.1. Fetch S/MIME Certificates from Customer User Backends

It is possible to use a Customer User Backed (such as LDAP) as the source of public S/MIME certificates. This certificates could be imported into the system and be displayed in S/MIME configuration on the OTRS Admin page and they can be used from OTRS to send encrypted emails to the customers.

In order to enable this feature is needed to:

1. Enable SMIME in SysConfig
2. Enable SMIME::FetchFromCustomer in SysConfig
3. Configure a customer user backend to provide the attribute UserSMIMECertificate with the customer user S/MIME certificate (there is an example for LDAP customer user mapping in \$OTRS_HOME/Kernel/Config/Defaults.pm).

This feature can be used in three different ways:

1. Incoming Emails:

A dedicated Postmaster filter (PostMaster::PreFilterModule###000-SMIMEFetch-FromCustomer in SysConfig) will extract the email address of each incoming email and will try to find the email address in the list of customers. If found it will try to get the S/MIME certificate from customer user attributes. If a certificate is found it will try to import it (unless it was already imported).

2. Specific email address or all customers:

The console command Maint::SMIME::CustomerCertificate::Fetch can be used to import the S/MIME certificate of one customer email address as:

```
shell> perl /opt/otrs/bin/otrs.Console.pl Maint::SMIME::CustomerCertificate::Fetch --email customer@example.com
```

In this case the console command will try to match the supplied email address with one of the customer users. If found it will try to add to the system the S/MIME certificate found in customer user properties (if the certificate is not already added).

The same console command can be used to import the S/MIME certificates of all customer users (limited to CustomerUserSearchListLimit property from the customer user backend). This option is discouraged specially for systems with a large number of customer users as it might require too much time to execute and depending on the limit it might be possible that not all customer certificates will be fetched. Execute the console command in this mode as:

```
shell> perl /opt/otrs/bin/otrs.Console.pl Maint::SMIME::CustomerCertificate::Fetch --add-all
```

For this option the console command will query the customer user backends to get all possible customers and for each it will check if there is a S/MIME certificate. If a certificate is found, it will try to add it to the system (if the certificate is not already added).

3. Renew existing certificates:

Another console command Maint::SMIME::CustomerCertificate::Renew can be used to check for all existing certificates in the system. This verifies that the existing certificates from customer users matches the ones that are retrieved by the customer user properties. Any new certificate in the customer user backend will be added into the system (no certificates are deleted in this process).

This console command is executed once a day by the OTRS daemon automatically with the task Daemon::SchedulerCronTaskManager::Task###RenewCustomerSMIME-Certificates (as seen in SysConfig), but it can be also executed manually on demand as:

```
shell> perl /opt/otrs/bin/otrs.Console.pl Maint::SMIME::CustomerCertificate::Renew
```

5. Using External backends

5.1. Customer Data

OTRS works with various attributes of client data, such as name, user name, email address, phone number, etc. These attributes

отображаются в обоих фронтэндах, для Агентов и Клиентов. Они также используются для проверки подлинности клиентов.

Данные клиентов, которые используются и отображаются в OTRS очень легко настраиваются. Несмотря на это следующая информация будет всегда необходима для проверки подлинности клиента:

- Вход пользователей
- Адрес электронной почты
- ID Клиента

Используйте следующие параметры SysConfig, если желаете отобразить информацию о клиенте в интерфейсе агента.

```
# Ticket::Frontend::CustomerInfo*
# (show customer info on Compose (Phone and Email), Zoom and
# Queue view)
$self->{'Ticket::Frontend::CustomerInfoCompose'} = 1;
$self->{'Ticket::Frontend::CustomerInfoZoom'} = 1;
```

Script: SysConfig configuration parameters.

5.2. Customer User Backend

Вы можете использовать два типа хранилища информации клиентов: Базу Данных DB и LDAP. Если у вас уже есть другой бэк-энд для хранения пользовательской информации (например SAP), также есть возможность написать модуль для использования этой функции.

5.2.1. База Данных (По умолчанию)

The Example below shows the configuration of a DB customer backend, which uses customer data stored in the OTRS database.

Example 4.7. Настройка клиентского хранилища базы данных (DB)

```
# CustomerUser (customer database backend and settings)
$self->{CustomerUser} = {
  Name => 'Database Datasource',
  Module => 'Kernel::System::CustomerUser::DB',
  Params => {
    # if you want to use an external database, add the required settings
    # DSN => 'DBI:odbc:yourdsn',
    # Type => 'mssql', # only for ODBC connections
    # DSN => 'DBI:mysql:database=customerdb;host=customerdbhost',
    # User => '',
    # Password => '',
    # Table => 'customer_user',

    # CaseSensitive will control if the SQL statements need LOWER()
    # function calls to work case insensitively. Setting this to
    # 1 will improve performance dramatically on large databases.
    CaseSensitive => 0,
  },
};
# customer unique id
CustomerKey => 'login',

# customer #
CustomerID => 'customer_id',
CustomerValid => 'valid_id',
```

```

CustomerUserListFields => ['first_name', 'last_name', 'email'],
CustomerUserSearchFields => ['login', 'last_name', 'customer_id'],
CustomerUserSearchPrefix => '',
CustomerUserSearchSuffix => '*',
CustomerUserSearchListLimit => 250,
CustomerUserPostMasterSearchFields => ['email'],
CustomerUserNameFields => ['title', 'first_name', 'last_name'],
CustomerUserEmailUniqCheck => 1,
# # show not own tickets in customer panel, CompanyTickets
# CustomerUserExcludePrimaryCustomerID => 0,
# # generate auto logins
# AutoLoginCreation => 0,
# AutoLoginCreationPrefix => 'auto',
# # admin can change customer preferences
# AdminSetPreferences => 1,
# # cache time to live in sec. - cache any database queries
# CacheTTL => 0,
# # just a read only source
# ReadOnly => 1,
Map => [
  # note: Login, Email and CustomerID needed!
  # var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-
link, readonly, http-link-target, link class(es)
  [ 'UserTitle', 'Title', 'title', 1, 0, 'var', '', 0 ],
  [ 'UserFirstname', 'Firstname', 'first_name', 1, 1, 'var', '', 0 ],
  [ 'UserLastname', 'Lastname', 'last_name', 1, 1, 'var', '', 0 ],
  [ 'UserLogin', 'Username', 'login', 1, 1, 'var', '', 0 ],
  [ 'UserPassword', 'Password', 'pw', 0, 0, 'var', '', 0 ],
  [ 'UserEmail', 'Email', 'email', 1, 1, 'var', '', 0 ],
# [ 'UserEmail', Translatable('Email'), 'email', 1, 1, 'var', '[%
Env("CGIHandle") %]?Action=AgentTicketCompose;ResponseID=1;TicketID=[% Data.TicketID | uri
%];ArticleID=[% Data.ArticleID | uri %]', 0, '', 'AsPopup OTRSPopup_TicketAction' ],
  [ 'UserCustomerID', 'CustomerID', 'customer_id', 0, 1, 'var', '', 0 ],
# [ 'UserCustomerIDs', 'CustomerIDs', 'customer_ids', 1, 0, 'var', '', 0 ],
  [ 'UserPhone', 'Phone', 'phone', 1, 0, 'var', '', 0 ],
  [ 'UserFax', 'Fax', 'fax', 1, 0, 'var', '', 0 ],
  [ 'UserMobile', 'Mobile', 'mobile', 1, 0, 'var', '', 0 ],
  [ 'UserStreet', 'Street', 'street', 1, 0, 'var', '', 0 ],
  [ 'UserZip', 'Zip', 'zip', 1, 0, 'var', '', 0 ],
  [ 'UserCity', 'City', 'city', 1, 0, 'var', '', 0 ],
  [ 'UserCountry', 'Country', 'country', 1, 0, 'var', '', 0 ],
  [ 'UserComment', 'Comment', 'comments', 1, 0, 'var', '', 0 ],
  [ 'ValidID', 'Valid', 'valid_id', 0, 1, 'int', '', 0 ],

  # Dynamic field example
# [ 'DynamicField_Name_X', undef, 'Name_X', 0, 0, 'dynamic_field', undef, 0, undef,
undef, ],
],
# default selections
Selections => {
  UserTitle => {
    'Mr.' => 'Mr.',
    'Mrs.' => 'Mrs.',
  },
},
};

```

Если нужно настроить данные клиентов, измените заголовки столбцов или добавьте новые к таблице customer_user базы данных OTRS. В качестве примера используйте нижеприведенный сценарий, в котором показано как добавить новое поле для номера комнаты.

```

linux:~# mysql -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 116 to server version: 5.0.18-Debian_7-log

Type 'help;' or '\h' for help. Type '\c' to clear the buffer.

mysql> use otrs;

```

```
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> ALTER TABLE customer_user ADD room VARCHAR (250);
Query OK, 1 rows affected (0.01 sec)
Records: 1 Duplicates: 0 Warnings: 0

mysql> quit
Bye
linux:~#
```

Сценарий: Добавление поля "комната" в таблицу customer_user table.

Теперь добавьте новый столбец в MAP-массив в Kernel/Config.pm, как это показано в нижеприведенном сценарии.

```
# var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-link,
readonly, http-link-target, link class(es)
[...]
[ 'UserRoom',      'Room',      'room',      0, 1, 'var', '', 0 ],
```

Сценарий: Добавление поля "комната" в файл Kernel/Config.pm file.

Всю эту информацию о клиенте можно также отредактировать воспользовавшись ссылкой Клиенты в интерфейсе агента.

Note

Please note that you may omit `http-link-target` and `link class` keys in map array elements, if they are not to be used. These keys add `target=""` and `class=""` attributes to the HTTP link element, respectively. They are ignored if `http-link` is not set.

5.2.1.1. Customer with Multiple IDs (Company Tickets)

Одному клиенту можно назначить больше одного клиентского идентификатора (Customer ID). Это может быть полезно, если клиенту необходимо получить доступ к заявкам других клиентов, например, руководитель хочет посмотреть заявки своих помощников. Если клиент может получить доступ к заявкам другого клиента, то используется особенность OTRS "заявки компании". Заявки компании могут быть доступны перейдя по ссылке "Заявки Компании" в клиентской панели управления.

Для использования заявок компании, новый столбец с идентификатором (IDs), который должен быть доступен для клиента, должен быть добавлен в таблицу customer_user базы данных OTRS (см. Сценарий ниже).

```
linux:~# mysql -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 124 to server version: 5.0.18-Debian_7-log

Type 'help;' or '\h' for help. Type '\c' to clear the buffer.

mysql> use otrs;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> ALTER TABLE customer_user ADD customer_ids VARCHAR (250);
Query OK, 1 rows affected (0.02 sec)
Records: 1 Duplicates: 0 Warnings: 0

mysql> quit
Bye
linux:~#
```

Сценарий: Добавление поля `customer_ids` в таблицу `customer_user`.

Теперь новый столбец должен быть добавлен в MAP-массив в `Kernel/Config.pm`, как это показано в нижеприведенном Сценарии.

```
# var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-link,
readonly, http-link-target, link class(es)
[...]
[ 'UserCustomerIDs', 'CustomerIDs', 'customer_ids', 1, 0, 'var', '', 0 ],
```

Сценарий: Добавление поля `UserCustomerIDs` в `Kernel/Config.pm`

Теперь, новый столбец для мульти-идентификатора (IDs) клиента можно редактировать с помощью веб-интерфейса Агента, в разделе управления клиентами.

To ensure that one customer can access the tickets of other customers, add the IDs of these other users into the new field for the multiple customer IDs. Each ID has to be separated by a semicolon (see Example below).

Example 4.8. Using Company Tickets with a DB Backend

Клиенты А, Б и Ц созданы в вашей системе и А хочет иметь доступ к заявкам Б и Ц используя клиентскую панель. Б и Ц не должны иметь доступа к заявкам других пользователей.

Для реализации этой структуры, измените таблицу `customer_user` и маппинг (преобразование) в `Kernel/Config.pm` как это показано выше. С помощью Панели Администрирования или используя ссылку Клиенты в веб-интерфейсе Агента загрузите настройки пользователя А. Если настройки отображаются, добавьте значения "Б;Ц;" в поле для `CustomerIDs`.

5.2.2. LDAP

If you have an LDAP directory with your customer data, you can use it as the customer backend with OTRS, as shown in Example below.

Example 4.9. Настройка LDAP в качестве клиентского бэк-енда

```
# CustomerUser
# (customer ldap backend and settings)
$self->{CustomerUser} = {
  Name => 'LDAP Data Source',
  Module => 'Kernel::System::CustomerUser::LDAP',
  Params => {
    # ldap host
    Host => 'bay.csuhayward.edu',
    # ldap base dn
    BaseDN => 'ou=seas,o=csuh',
    # search scope (one|sub)
    SSCOPE => 'sub',
    # The following is valid but would only be necessary if the
    # anonymous user does NOT have permission to read from the LDAP tree
    UserDN => '',
    UserPw => '',
    # in case you want to add always one filter to each ldap query, use
    # this option. e. g. AlwaysFilter => '(mail=*)' or AlwaysFilter =>
    '(objectclass=user)'
    AlwaysFilter => '',
    # if the charset of your ldap server is iso-8859-1, use this:
    SourceCharset => 'iso-8859-1',
  },
};

#
# Net::LDAP new params (if needed - for more info see perldoc Net::LDAP)
Params => {
```

```

        port => 389,
        timeout => 120,
        async => 0,
        version => 3,
    },
},
# customer unique id
CustomerKey => 'uid',
# customer #
CustomerID => 'mail',
CustomerUserListFields => ['cn', 'mail'],
CustomerUserSearchFields => ['uid', 'cn', 'mail'],
CustomerUserSearchPrefix => '',
CustomerUserSearchSuffix => '*',
CustomerUserSearchListLimit => 250,
CustomerUserPostMasterSearchFields => ['mail'],
CustomerUserNameFields => ['givenname', 'sn'],
# show not own tickets in customer panel, CompanyTickets
CustomerUserExcludePrimaryCustomerID => 0,
# add an ldap filter for valid users (expert setting)
# CustomerUserValidFilter => '(!description=locked)',
# administrator can't change customer preferences
AdminSetPreferences => 0,
# # cache time to live in sec. - cache any database queries
# CacheTTL => 0,
Map => [
    # note: Login, Email and CustomerID are mandatory!
    # var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-
link, readonly, http-link-target, link class(es)
    [ 'UserTitle',      'Title',      'title',          1, 0, 'var', '', 0 ],
    [ 'UserFirstname', 'Firstname', 'givenname',     1, 1, 'var', '', 0 ],
    [ 'UserLastname',  'Lastname',  'sn',            1, 1, 'var', '', 0 ],
    [ 'UserLogin',     'Username',  'uid',           1, 1, 'var', '', 0 ],
    [ 'UserEmail',     'Email',     'mail',          1, 1, 'var', '', 0 ],
    [ 'UserCustomerID', 'CustomerID', 'mail',          0, 1, 'var', '', 0 ],
#    [ 'UserCustomerIDs', 'CustomerIDs', 'second_customer_ids', 1, 0, 'var', '', 0 ],
    [ 'UserPhone',     'Phone',     'telephonenumber', 1, 0, 'var', '', 0 ],
    [ 'UserAddress',   'Address',   'postaladdress',  1, 0, 'var', '', 0 ],
    [ 'UserComment',   'Comment',   'description',    1, 0, 'var', '', 0 ],
],
];

```

Если дополнительные атрибуты клиента хранятся в LDAP-каталоге, например, имя руководителя, номер мобильного телефона, или отдела, и если эту информацию нужно отобразить в OTRS, просто расширьте MAP-массив в файле `Kernel/Config.pm` записями для этих атрибутов, как показано в нижеприведенном сценарии.

```

# var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-link,
readonly, http-link-target, link class(es)
[...]
[ 'UserPhone',      'Phone',      'telephonenumber', 1, 0, 'var', '', 0 ],

```

Сценарий: Добавление нового поля в файл `Kernel/Config.pm`.

5.2.2.1. Customer with Multiple IDs (Company Tickets)

При использовании LDAP-бэкенда клиенту можно присвоить больше одного клиентского айди (Customer ID). Для использования заявок компании, в LDAP-директорию нужно добавить новое поле, которое содержит доступные агенту идентификаторы (IDs).

Если в LDAP-каталоге было создано новое поле, его также нужно добавить в MAP-массив в `Kernel/Config.pm`, как это показано в нижеприведенном сценарии.

```

# var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-link,
readonly
[...]
[ 'UserCustomerIDs', 'CustomerIDs', 'customer_ids', 1, 0, 'var', '', 0 ],

```

Сценарий: Подстановка новых полей в Kernel/Config.pm file.

Клиентские идентификаторы (IDs) можно редактировать напрямую в LDAP-директории. OTRS может только считать информацию из LDAP, но не записывать.

To ensure access by a customer to the tickets of other customers, add the customer IDs of the customers whose tickets should be accessed to the new field in your LDAP directory. Each ID has to be separated by a semicolon (see Example below).

Example 4.10. Использование заявок Компании с LDAP-бэкэндом

Клиенты А, Б и Ц созданы в вашей системе и А хочет иметь доступ к заявкам Б и Ц используя клиентскую панель. Б и Ц не должны иметь доступа к заявкам других пользователей.

Для реализации этой установки измените LDAP-директорию и маппинг (mapping) в Kernel/Config.pm, как это показано выше. Затем добавьте в вашей LDAP-директории значения "Б;Ц;" в поле для CustomerIDs, для клиента "А".

5.2.3. Using More than One Customer Backend with OTRS

If you want to utilize more than one customer data source used with OTRS (e.g. an LDAP and a database backend), the CustomerUser config parameter should be expanded with a number, e.g. "CustomerUser1", "CustomerUser2" (see Example below).

Example 4.11. Использование больше чем одного пользовательского хранилища данных с OTRS

В следующем примере показано применение конфигурации как для LDAP так и для базы данных клиентского бэкэнда с OTRS.

```
# 1. Customer user backend: DB
# (customer database backend and settings)
$self->{CustomerUser1} = {
    Name => 'Customer Database',
    Module => 'Kernel::System::CustomerUser::DB',
    Params => {
        # if you want to use an external database, add the
        # required settings
        DSN => 'DBI:odbc:yourdsn',
        Type => 'mssql', # only for ODBC connections
        DSN => 'DBI:mysql:database=customerdb;host=customerdbhost',
        User => '',
        Password => '',
        Table => 'customer_user',
    },
    # customer unique id
    CustomerKey => 'login',
    # customer #
    CustomerID => 'customer_id',
    CustomerValid => 'valid_id',
    CustomerUserListFields => ['first_name', 'last_name', 'email'],
    CustomerUserSearchFields => ['login', 'last_name', 'customer_id'],
    CustomerUserSearchPrefix => '',
    CustomerUserSearchSuffix => '*',
    CustomerUserSearchListLimit => 250,
    CustomerUserPostMasterSearchFields => ['email'],
    CustomerUserNameFields => ['title', 'first_name', 'last_name'],
    CustomerUserEmailUniqCheck => 1,
    # # show not own tickets in customer panel, CompanyTickets
    # CustomerUserExcludePrimaryCustomerID => 0,
    # # generate auto logins
    # AutoLoginCreation => 0,
```

```

#   AutoLoginCreationPrefix => 'auto',
#   # admin can change customer preferences
#   AdminSetPreferences => 1,
#   # cache time to live in sec. - cache any database queries
#   CacheTTL => 0,
#   # just a read only source
#   ReadOnly => 1,
#   Map => [
#       # note: Login, Email and CustomerID needed!
#       # var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-
link, readonly, http-link-target
      [ 'UserTitle',      'Title',      'title',      1, 0, 'var', '', 0 ],
      [ 'UserFirstname', 'Firstname',  'first_name', 1, 1, 'var', '', 0 ],
      [ 'UserLastname',  'Lastname',  'last_name',  1, 1, 'var', '', 0 ],
      [ 'UserLogin',     'Username',  'login',      1, 1, 'var', '', 0 ],
      [ 'UserPassword',  'Password',  'pw',         0, 0, 'var', '', 0 ],
      [ 'UserEmail',     'Email',     'email',      1, 1, 'var', '', 0 ],
      [ 'UserCustomerID', 'CustomerID', 'customer_id', 0, 1, 'var', '', 0 ],
      [ 'UserPhone',     'Phone',     'phone',      1, 0, 'var', '', 0 ],
      [ 'UserFax',       'Fax',       'fax',        1, 0, 'var', '', 0 ],
      [ 'UserMobile',    'Mobile',    'mobile',     1, 0, 'var', '', 0 ],
      [ 'UserStreet',    'Street',    'street',     1, 0, 'var', '', 0 ],
      [ 'UserZip',       'Zip',       'zip',        1, 0, 'var', '', 0 ],
      [ 'UserCity',      'City',      'city',       1, 0, 'var', '', 0 ],
      [ 'UserCountry',   'Country',   'country',    1, 0, 'var', '', 0 ],
      [ 'UserComment',   'Comment',   'comments',   1, 0, 'var', '', 0 ],
      [ 'ValidID',      'Valid',     'valid_id',   0, 1, 'int', '', 0 ],
    ],
#   # default selections
#   Selections => {
#       UserTitle => {
#           'Mr.' => 'Mr.',
#           'Mrs.' => 'Mrs.',
#       },
#   },
};

# 2. Customer user backend: LDAP
# (customer ldap backend and settings)
$self->{CustomerUser2} = {
    Name => 'LDAP Datasource',
    Module => 'Kernel::System::CustomerUser::LDAP',
    Params => {
        # ldap host
        Host => 'bay.csuhayward.edu',
        # ldap base dn
        BaseDN => 'ou=seas,o=csuh',
        # search scope (one|sub)
        SSCOPE => 'sub',
        # The following is valid but would only be necessary if the
        # anonymous user does NOT have permission to read from the LDAP tree
        UserDN => '',
        UserPw => '',
        # in case you want to add always one filter to each ldap query, use
        # this option. e. g. AlwaysFilter => '(mail=*)' or AlwaysFilter =>
        '(objectclass=user)'
        AlwaysFilter => '',
        # if the charset of your ldap server is iso-8859-1, use this:
        SourceCharset => 'iso-8859-1',

        # Net::LDAP new params (if needed - for more info see perldoc Net::LDAP)
        Params => {
            port => 389,
            timeout => 120,
            async => 0,
            version => 3,
        },
    },
#   # customer unique id
#   CustomerKey => 'uid',
#   # customer #

```



```

CustomerID => 'mail',
CustomerUserListFields => ['cn', 'mail'],
CustomerUserSearchFields => ['uid', 'cn', 'mail'],
CustomerUserSearchPrefix => '',
CustomerUserSearchSuffix => '*',
CustomerUserSearchListLimit => 250,
CustomerUserPostMasterSearchFields => ['mail'],
CustomerUserNameFields => ['givenname', 'sn'],
# show not own tickets in customer panel, CompanyTickets
CustomerUserExcludePrimaryCustomerID => 0,
# add a ldap filter for valid users (expert setting)
# CustomerUserValidFilter => '(!description=locked)',
# admin can't change customer preferences
AdminSetPreferences => 0,
Map => [
  # note: Login, Email and CustomerID needed!
  # var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-
link, readonly
  [ 'UserTitle',      'Title',      'title',          1, 0, 'var', '', 0 ],
  [ 'UserFirstname', 'Firstname', 'givenname',     1, 1, 'var', '', 0 ],
  [ 'UserLastname',  'Lastname',  'sn',            1, 1, 'var', '', 0 ],
  [ 'UserLogin',     'Username',  'uid',           1, 1, 'var', '', 0 ],
  [ 'UserEmail',     'Email',     'mail',          1, 1, 'var', '', 0 ],
  [ 'UserCustomerID', 'CustomerID', 'mail',          0, 1, 'var', '', 0 ],
#   [ 'UserCustomerIDs', 'CustomerIDs', 'second_customer_ids', 1, 0, 'var', '', 0 ],
  [ 'UserPhone',     'Phone',     'telephonenumber', 1, 0, 'var', '', 0 ],
  [ 'UserAddress',   'Address',   'postaladdress',  1, 0, 'var', '', 0 ],
  [ 'UserComment',   'Comment',   'description',    1, 0, 'var', '', 0 ],
],
];

```

Есть возможность интегрировать до 10 различных пользовательских бэк-эндов. Используйте интерфейс управления клиентами в OTRS, чтобы просматривать и редактировать данные о них (при условии наличия прав для записи).

5.2.4. Storing CustomerUser Data in Dynamic Fields

Иногда бывает полезным также сохранить данные клиента заявки непосредственно в динамических полях заявки, для создания некоторых отчетов по этим данным. Например, по заявкам компании, когда клиент в течение отчетного периода перешел в другую компанию того же провайдера услуг техподдержки.

Динамические поля заполняются при создании заявки или когда клиент заявки изменяется. Значения полей берутся из данных клиента. Это работает для всех бэкендов, но наиболее полезно для LDAP-бэкендов.

To activate this optional feature of OTRS, please activate the settings Ticket::EventModulePost###950-DynamicFieldFromCustomerUser and DynamicFieldFromCustomerUser::Mapping. The latter setting contains the configuration of which CustomerUser field entry should be stored in which ticket dynamic field. The fields must be present in the system and should be enabled for AgentTicketFreeText, so that they can be set manually. They mustn't be enabled for AgentTicketPhone, AgentTicketEmail and AgentTicketCustomer. If they were, they would have precedence over the automatically set values.

5.3. Backends to Authenticate Agents and Customers

OTRS предлагает опцию для проверки подлинности агентов и клиентов с использованием различных хранилищ данных (бэкендов).

5.3.1. Хранилища данных (бэк-енды) для аутентификации Агентов

5.3.1.1. База Данных (DB, по умолчанию)

The backend to authenticate agents which is used by default is the OTRS database. Agents can be added and edited via the agent management interface in the Admin page (see Example below).

Example 4.12. Проверка подлинности агентов путем использования Базы Данных (DB) в качестве хранилища информации.

```
$Self->{'AuthModule'} = 'Kernel::System::Auth::DB';
```

5.3.1.2. LDAP

If an LDAP directory has all your agent data stored, you can use the LDAP module to authenticate your users in OTRS (see Example below). This module has only read access to the LDAP tree, which means that you cannot edit your user data via the agent management interface.

Example 4.13. Проверка подлинности агентов при использовании LDAP в качестве хранилища данных

```
# This is an example configuration for an LDAP auth. backend.
# (Make sure Net::LDAP is installed!)
$Self->{'AuthModule'} = 'Kernel::System::Auth::LDAP';
$Self->{'AuthModule::LDAP::Host'} = 'ldap.example.com';
$Self->{'AuthModule::LDAP::BaseDN'} = 'dc=example,dc=com';
$Self->{'AuthModule::LDAP::UID'} = 'uid';

# Check if the user is allowed to auth in a posixGroup
# (e. g. user needs to be in a group xyz to use otrs)
$Self->{'AuthModule::LDAP::GroupDN'} = 'cn=otrsallow,ou=posixGroups,dc=example,dc=com';
$Self->{'AuthModule::LDAP::AccessAttr'} = 'memberUid';
# for ldap posixGroups objectclass (just uid)
# $Self->{'AuthModule::LDAP::UserAttr'} = 'UID';
# for non ldap posixGroups objectclass (with full user dn)
# $Self->{'AuthModule::LDAP::UserAttr'} = 'DN';

# The following is valid but would only be necessary if the
# anonymous user do NOT have permission to read from the LDAP tree
$Self->{'AuthModule::LDAP::SearchUserDN'} = '';
$Self->{'AuthModule::LDAP::SearchUserPw'} = '';

# in case you want to add always one filter to each ldap query, use
# this option. e. g. AlwaysFilter => '(mail=*)' or AlwaysFilter => '(objectclass=user)'
$Self->{'AuthModule::LDAP::AlwaysFilter'} = '';

# in case you want to add a suffix to each login name, then
# you can use this option. e. g. user just want to use user but
# in your ldap directory exists user@domain.com
# $Self->{'AuthModule::LDAP::UserSuffix'} = '@domain.com';

# Net::LDAP new params (if needed - for more info see perldoc Net::LDAP)
$Self->{'AuthModule::LDAP::Params'} = {
    port => 389,
    timeout => 120,
    async => 0,
    version => 3,
};
```

Параметры конфигурации приведенные в сценарии приведенном ниже могут быть использованы для синхронизации пользовательских данных из LDAP-каталога в локальную базу данных OTRS. Это уменьшает количество запросов к LDAP-серверу и ускоряет проверку подлинности в OTRS. Синхронизация данных завершена, когда агент аутентифицируется впервые. Несмотря на то, что данные могут быть синхронизированы в локальной базе данных OTRS, LDAP-каталог является последней инстанцией для проверки подлинности пользователей, таким образом пользователи, не активные для дерева каталогов LDAP не могут пройти аутентификацию в OTRS, даже в том случае, когда данные о пользователе уже хранятся в базе данных OTRS. Данные агентов в LDAP-директории не могут быть отредактированы с помощью веб-интерфейса OTRS, так что управление данными должно осуществляться непосредственно в дереве каталогов LDAP.

```
# defines AuthSyncBackend (AuthSyncModule) for AuthModule
# if this key exists and is empty, there won't be a sync.
# example values: AuthSyncBackend, AuthSyncBackend2
$self->{'AuthModule::UseSyncBackend'} = 'AuthSyncBackend';

# agent data sync against ldap
$self->{'AuthSyncModule'} = 'Kernel::System::Auth::Sync::LDAP';
$self->{'AuthSyncModule::LDAP::Host'} = 'ldap://ldap.example.com/';
$self->{'AuthSyncModule::LDAP::BaseDN'} = 'dc=otrs, dc=org';
$self->{'AuthSyncModule::LDAP::UID'} = 'uid';
$self->{'AuthSyncModule::LDAP::SearchUserDN'} = 'uid=sys, ou=user, dc=otrs, dc=org';
$self->{'AuthSyncModule::LDAP::SearchUserPw'} = 'some_pass';
$self->{'AuthSyncModule::LDAP::UserSyncMap'} = {
    # DB -> LDAP
    UserFirstname => 'givenName',
    UserLastname  => 'sn',
    UserEmail     => 'mail',
};
[...]

# AuthSyncModule::LDAP::UserSyncInitialGroups
# (sync following group with rw permission after initial create of first agent
# login)
$self->{'AuthSyncModule::LDAP::UserSyncInitialGroups'} = [
    'users',
];
```

Сценарий: Синхронизация пользовательских данных из LDAP-директории в базу данных OTRS.

Alternatively, you can use LDAP groups to determine group memberships or roles in OTRS. For more information and examples, see `Kernel/Config/Defaults.pm`. Here is an example for synchronizing from LDAP into OTRS groups.

```
# Attributes needed for group syncs
# (attribute name for group value key)
$self->{'AuthSyncModule::LDAP::AccessAttr'} = 'memberUid';
# (select the attribute for type of group content UID/DN for full ldap name)
# $self->{'AuthSyncModule::LDAP::UserAttr'} = 'UID';
# $self->{'AuthSyncModule::LDAP::UserAttr'} = 'DN';

AuthSyncModule::LDAP::UserSyncGroupsDefinition
# (If "LDAP" was selected for AuthModule and you want to sync LDAP
# groups to otrs groups, define the following.)
$self->{'AuthSyncModule::LDAP::UserSyncGroupsDefinition'} = {
    # your ldap group
    'cn=agent,o=otrs' => {
        # otrs group(s)
        'admin' => {
            # permission
            rw => 1,
            ro => 1,
        },
    },
};
```

```

    'faq' => {
        rw => 0,
        ro => 1,
    },
},
'cn=agent2,o=otrs' => {
    'users' => {
        rw => 1,
        ro => 1,
    },
}
};

```

5.3.1.3. HTTPBasicAuth-аутентификация для Агентов

If you want to implement a "single sign on" solution for all your agents, you can use HTTP basic authentication (for all your systems) and the HTTPBasicAuth module for OTRS (see Example below).

Example 4.14. Аутентификация Агентов с помощью HTTPBasic

```

# This is an example configuration for an apache ($ENV{REMOTE_USER})
# auth. backend. Use it if you want to have a single login through
# apache http-basic-auth
$Self->{'AuthModule'} = 'Kernel::System::Auth::HTTPBasicAuth';

# Note:
#
# If you use this module, you should use as fallback
# the following configuration settings if the user is not authorized
# apache ($ENV{REMOTE_USER})
$Self->{'LoginURL'} = 'http://host.example.com/not-authorized-for-otrs.html';
$Self->{'LogoutURL'} = 'http://host.example.com/thanks-for-using-otrs.html';

```

5.3.1.4. Radius

The configuration parameters shown in Example below can be used to authenticate agents against a Radius server.

Example 4.15. Аутентификация (проверка подлинности) агентов с использованием Radius-сервера в качестве хранилища информации

```

# This is example configuration to auth. agents against a radius server
$Self->{'AuthModule'} = 'Kernel::System::Auth::Radius';
$Self->{'AuthModule::Radius::Host'} = 'radiushost';
$Self->{'AuthModule::Radius::Password'} = 'radiussecret';

```

5.3.2. Authentication Backends for Customers

5.3.2.1. База Данных (По умолчанию)

The default user authentication backend for customers in OTRS is the OTRS database. With this backend, all customer data can be edited via the web interface of OTRS (see Example below).

Example 4.16. Аутентификация Клиента в Базе Данных

```

# This is the auth. module against the otrs db
$Self->{'Customer::AuthModule'} = 'Kernel::System::CustomerAuth::DB';

```

```

$Self->{'Customer::AuthModule::DB::Table'} = 'customer_user';
$Self->{'Customer::AuthModule::DB::CustomerKey'} = 'login';
$Self->{'Customer::AuthModule::DB::CustomerPassword'} = 'pw';
#$Self->{'Customer::AuthModule::DB::DSN'} =
  "DBI:mysql:database=customerdb;host=customerdbhost";
#$Self->{'Customer::AuthModule::DB::User'} = "some_user";
#$Self->{'Customer::AuthModule::DB::Password'} = "some_password";

```

5.3.2.2. LDAP

If you have an LDAP directory with all your customer data, you can use the LDAP module to authenticate your customers to OTRS (see Example below). Because this module has only read-access to the LDAP backend, it is not possible to edit the customer data via the OTRS web interface.

Example 4.17. Аутентификация пользователей с помощью LDAP-бэкэнда

```

# This is an example configuration for an LDAP auth. backend.
# (make sure Net::LDAP is installed!)
$Self->{'Customer::AuthModule'} = 'Kernel::System::CustomerAuth::LDAP';
$Self->{'Customer::AuthModule::LDAP::Host'} = 'ldap.example.com';
$Self->{'Customer::AuthModule::LDAP::BaseDN'} = 'dc=example,dc=com';
$Self->{'Customer::AuthModule::LDAP::UID'} = 'uid';

# Check if the user is allowed to auth in a posixGroup
# (e. g. user needs to be in a group xyz to use otrs)
$Self->{'Customer::AuthModule::LDAP::GroupDN'} =
  'cn=otrsallow,ou=posixGroups,dc=example,dc=com';
$Self->{'Customer::AuthModule::LDAP::AccessAttr'} = 'memberUid';
# for ldap posixGroups objectclass (just uid)
$Self->{'Customer::AuthModule::LDAP::UserAttr'} = 'UID';
# for non ldap posixGroups objectclass (full user dn)
#$Self->{'Customer::AuthModule::LDAP::UserAttr'} = 'DN';

# The following is valid but would only be necessary if the
# anonymous user does NOT have permission to read from the LDAP tree
$Self->{'Customer::AuthModule::LDAP::SearchUserDN'} = '';
$Self->{'Customer::AuthModule::LDAP::SearchUserPw'} = '';

# in case you want to add always one filter to each ldap query, use
# this option. e. g. AlwaysFilter => '(mail=*)' or AlwaysFilter => '(objectclass=user)'
$Self->{'Customer::AuthModule::LDAP::AlwaysFilter'} = '';

# in case you want to add a suffix to each customer login name, then
# you can use this option. e. g. user just want to use user but
# in your ldap directory exists user@domain.com
#$Self->{'Customer::AuthModule::LDAP::UserSuffix'} = '@domain.com';

# Net::LDAP new params (if needed - for more info see perldoc Net::LDAP)
$Self->{'Customer::AuthModule::LDAP::Params'} = {
  port => 389,
  timeout => 120,
  async => 0,
  version => 3,
};

```

5.3.2.3. HTTPBasicAuth for Customers

If you want to implement a "single sign on" solution for all your customer users, you can use HTTPBasic authentication (for all your systems) and use the HTTPBasicAuth module with OTRS (no login is needed with OTRS any more). See Example below.

Example 4.18. Аутентификация клиентов с помощью HTTPBasic

```
# This is an example configuration for an apache ($ENV{REMOTE_USER})
# auth. backend. Use it if you want to have a single login through
# apache http-basic-auth
$Self->{'Customer::AuthModule'} = 'Kernel::System::CustomerAuth::HTTPBasicAuth';

# Note:
# If you use this module, you should use the following
# config settings as fallback, if user isn't login through
# apache ($ENV{REMOTE_USER})
$Self->{'CustomerPanelLoginURL'} = 'http://host.example.com/not-authorized-for-otrs.html';
$Self->{'CustomerPanelLogoutURL'} = 'http://host.example.com/thanks-for-using-otrs.html';
```

5.3.2.4. Radius

The settings shown in Example below can be used to authenticate your customers against a Radius server.

Example 4.19. Аутентификация клиентов с использованием Radius

```
# This is a example configuration to auth. customer against a radius server
$Self->{'Customer::AuthModule'} = 'Kernel::System::Auth::Radius';
$Self->{'Customer::AuthModule::Radius::Host'} = 'radiushost';
$Self->{'Customer::AuthModule::Radius::Password'} = 'radiussecret';
```

5.4. Customizing the Customer Self-Registration

Есть возможность настроить самостоятельную регистрацию новых клиентов, доступную через панель customer.pl. Можно добавить новые дополнительные или обязательные поля, такие как номер комнаты, адрес или состояние.

В следующем примере показано каким образом можно указать обязательные для заполнения поля в базе данных клиентов, в данном случае, для хранения номера клиента.

5.4.1. Customizing the Web Interface

To display the new field for the room number in the customer.pl web interface, the .tt file responsible for the layout in this interface has to be modified. Edit the Kernel/Output/HTML/Templates/Standard/CustomerLogin.tt file, adding the new field around line 130 (see Script below).

```
[...]
<div class="NewLine">
  <label for="Room">[% Translate("Room{CustomerUser}") | html %]</label>
  <input title="[% Translate("Room Number") | html %]" name="Room" type="text"
  id="UserRoom" maxlength="50" />
</div>
[...]
```

Сценарий: Отображение новых полей в веб-интерфейсе.

5.4.2. Customer Mapping

На следующем этапе, нужно внести изменения в маппинг (mapping), расширив его новым элементом - номером комнаты. Чтобы убедиться что изменения не потеряются после обновления, установите настройку "CustomerUser" из файла Kernel/Config/Defaults.pm в файл Kernel/Config.pm. Теперь измените MAP-массив,

добавив новое поле - номер комнаты, как это показано в нижеприведенном сценарии.

```
# CustomerUser
# (customer database backend and settings)
$self->{CustomerUser} = {
  Name => 'Database Backend',
  Module => 'Kernel::System::CustomerUser::DB',
  Params => {
    # if you want to use an external database, add the
    # required settings
    # DSN => 'DBI:odbc:yourdsn',
    # Type => 'mssql', # only for ODBC connections
    # DSN => 'DBI:mysql:database=customerdb;host=customerdbhost',
    # User => '',
    # Password => '',
    Table => 'customer_user',
  },
  # customer unique id
  CustomerKey => 'login',
  # customer #
  CustomerID => 'customer_id',
  CustomerValid => 'valid_id',
  CustomerUserListFields => ['first_name', 'last_name', 'email'],
  # CustomerUserListFields => ['login', 'first_name', 'last_name', 'customer_id', 'email'],
  CustomerUserSearchFields => ['login', 'last_name', 'customer_id'],
  CustomerUserSearchPrefix => '',
  CustomerUserSearchSuffix => '*',
  CustomerUserSearchListLimit => 250,
  CustomerUserPostMasterSearchFields => ['email'],
  CustomerUserNameFields => ['title', 'first_name', 'last_name'],
  CustomerUserEmailUniqCheck => 1,
  # # show not own tickets in customer panel, CompanyTickets
  # CustomerUserExcludePrimaryCustomerID => 0,
  # # generate auto logins
  # AutoLoginCreation => 0,
  # AutoLoginCreationPrefix => 'auto',
  # # admin can change customer preferences
  # AdminSetPreferences => 1,
  # # cache time to live in sec. - cache database queries
  # CacheTTL => 0,
  # # just a read only source
  # ReadOnly => 1,
  Map => [

    # note: Login, Email and CustomerID needed!
    # var, frontend, storage, shown (1=always,2=lite), required, storage-type, http-
    link, readonly, http-link-target
    [ 'UserTitle',      'Title',      'title',      1, 0, 'var', '', 0 ],
    [ 'UserFirstname', 'Firstname',  'first_name', 1, 1, 'var', '', 0 ],
    [ 'UserLastname',  'Lastname',   'last_name',  1, 1, 'var', '', 0 ],
    [ 'UserLogin',     'Username',   'login',      1, 1, 'var', '', 0 ],
    [ 'UserPassword',  'Password',   'pw',         0, 0, 'var', '', 0 ],
    [ 'UserEmail',     'Email',      'email',      1, 1, 'var', '', 0 ],
    [ 'UserCustomerID', 'CustomerID', 'customer_id', 0, 1, 'var', '', 0 ],
    [ 'UserPhone',     'Phone',      'phone',      1, 0, 'var', '', 0 ],
    [ 'UserFax',       'Fax',        'fax',        1, 0, 'var', '', 0 ],
    [ 'UserMobile',    'Mobile',     'mobile',     1, 0, 'var', '', 0 ],
    [ 'UserRoom',      'Room',       'room',       1, 0, 'var', '', 0 ],
    [ 'UserStreet',    'Street',     'street',     1, 0, 'var', '', 0 ],
    [ 'UserZip',       'Zip',        'zip',        1, 0, 'var', '', 0 ],
    [ 'UserCity',      'City',       'city',       1, 0, 'var', '', 0 ],
    [ 'UserCountry',   'Country',    'country',    1, 0, 'var', '', 0 ],
    [ 'UserComment',   'Comment',    'comments',   1, 0, 'var', '', 0 ],
    [ 'ValidID',       'Valid',      'valid_id',   0, 1, 'int', '', 0 ],
  ],
  # default selections
  Selections => {
    UserTitle => {
      'Mr.' => 'Mr.',
      'Mrs.' => 'Mrs.',
    }
  }
}
```

```
    },  
  },  
};
```

Сценарий: Внесение изменений в тар-массив.

5.4.3. Customizing the customer_user Table in the OTRS DB

Последним шагом является добавление нового столбца с номером комнаты в таблицу customer_user базы данных OTRS (см. нижеприведенный сценарий). В этой колонке будет храниться информация для номера комнаты.

```
linux:~# mysql -p  
Enter password:  
Welcome to the MySQL monitor.  Commands end with ; or \g.  
Your MySQL connection id is 6 to server version: 5.0.18-Debian_7-log  
  
Type 'help;' or '\h' for help. Type '\c' to clear the buffer.  
  
mysql> use otrs;  
Reading table information for completion of table and column names  
You can turn off this feature to get a quicker startup with -A  
  
Database changed  
mysql> ALTER TABLE customer_user ADD room VARCHAR (200);  
Query OK, 3 rows affected (0.01 sec)  
Records: 3  Duplicates: 0  Warnings: 0  
  
mysql> quit  
Bye  
linux:~#
```

Сценарий: Добавление новой колонки в таблицу customer_user.

Now the new field for the room should be displayed in the Customer Information panel if filled, and in the Customer User administration screens. Also, new customers should have to insert their room number if they register a new account.

6. Настройки заявок

6.1. Состояния заявок

6.1.1. Предопределенные состояния

OTRS позволяет изменять предопределенные состояния заявок и их типы, а также добавлять новые. Для состояния важны два атрибута: имя (state-name) и тип (state-type).

Предустановленные состояния в OTRS: "закрыто успешно", "закрыто неудачно", "объединено", "новая", "открытая", "в ожидании с автозакрытием+", "в ожидании с автозакрытием-", "в ожидании с напоминанием", "удаленная".

6.1.1.1. Новая

Заявки находятся в этом состоянии, когда они создаются на основе входящих сообщений электронной почты.

6.1.1.2. Открытая

Это состояние по умолчанию для заявок, которые присвоены очередям или агентам.

6.1.1.3. Ожидание с напоминанием

После того как время ожидания истекло, владелец заявки будет получать напоминание на электронную почту. Если заявка не закрыта, то напоминание о заявке будет отправлено всем агентам в очереди. Напоминание о заявках будет отправлено только в рабочее время и будет повторяться каждые 24-часа, пока агент не изменит состояние заявки. Время, которое заявка проведет с таким статусом будет добавлено к времени эскалации.

6.1.1.4. Ожидание авто-закрытие -

Если время ожидания вышло, заявки с этим статусом будут установлены в "Закрытые неуспешно". Время, проведенное заявкой в этом статусе будет добавлено к времени эскалации.

6.1.1.5. Ожидание авто-закрытие+

Если вышло время ожидания, заявки с этим статусом будут установлены в "Закрыто Успешно". Время, проведенное заявкой в этом статусе будет добавлено к времени эскалации.

6.1.1.6. Объединенные

Это состояние для заявок, которые были объединены с другими заявками.

6.1.1.7. Removed

This is the state for tickets that have been removed by the customer. Tickets will not really be deleted, they are just no longer shown as open. In order to enable this state in the customer interface you need to add the state type "removed" to the sysconfig setting "Ticket::Frontend::CustomerTicketZoom###StateType".

6.1.1.8. Закрыта Успешно

Это конечное состояние для заявок, которые были решены успешно. В зависимости от конфигурации, у вас будет или не будет возможности заново открыть ранее закрытые заявки.

6.1.1.9. Закрыта Неудачно

Это конечное состояние для заявок которые НЕ были успешно решены. В зависимости от конфигурации, у вас будет или не будет возможности заново открыть ранее закрытые заявки.

6.1.2. Настраиваемы состояния

Every state has a name (state-name) and a type (state-type). Click on the States link on the Admin page and press the button "Add state" to create a new state. You can freely choose the name of a new state. The state types can not be changed via the web interface. The database has to be directly modified if you want to add new types or change existing names. The default state types should typically not be modified as this can yield unpredictable results. For instance, escalation calculations and the unlock feature are based on specific state types.

Имя/название уже существующего состояния может быть изменено или новые состояния добавлены на этом экране. Если состояние "new" было изменено в веб-интерфейсе, это состояние также должно быть настроено в Kernel/Config.pm или через SysConfig. Параметры заданные в сценарии приведенном ниже должны быть

изменены, чтобы убедиться в том, что OTRS работает с измененным состоянием для бывшего "new".

```
[...]  
# PostmasterDefaultState  
# (The default state of new tickets.) [default: new]  
$Self->{PostmasterDefaultState} = 'new';  
  
# CustomerDefaultState  
# (default state of new customer tickets)  
$Self->{CustomerDefaultState} = 'new';  
[...]
```

Сценарий: Изменение параметров настройки в Kernel/Config.pm.

Если нужно добавить новый тип состояния, то это можно сделать с помощью клиентской программы управления базами данных, изменив таблицу `ticket_state_type` базы данных OTRS, как это показано в нижеприведенном сценарии

```
linux:~# mysql -p  
Enter password:  
Welcome to the MySQL monitor.  Commands end with ; or \g.  
Your MySQL connection id is 23 to server version: 5.0.16-Debian_1-log  
  
Type 'help;' or '\h' for help. Type '\c' to clear the buffer.  
  
mysql> use otrs;  
Reading table information for completion of table and column names  
You can turn off this feature to get a quicker startup with -A  
  
Database changed  
mysql> insert into ticket_state_type (name,comments) values ('own','Own  
state type');  
Query OK, 1 row affected (0.00 sec)  
  
mysql> quit  
Bye  
linux:~#
```

Script: Изменение базы данных OTRS.

На данный момент можно использовать новый тип состояния, который вы только что создали. Как только состояние будет связано с этим новым типом состояния, то чтобы убедиться что новое состояние используется и работает корректно нужно также изменить настройки OTRS. Используя SysConfig внесите изменения в следующие опции:

Frontend::Agent::Ticket::ViewPhoneNew > AgentTicketPhone###StateDefault - to define the default next state for new phone tickets.

Frontend::Agent::Ticket::ViewPhoneNew > AgentTicketPhone###StateType - to define the available next states for new phone tickets.

Frontend::Agent::Ticket::ViewEmailNew > AgentTicketEmail###StateDefault - to define the default next state for new email tickets.

Frontend::Agent::Ticket::ViewEmailNew > AgentTicketEmail###StateType - to define the available next states for new email tickets.

Frontend::Agent::Ticket::ViewPhoneOutbound > AgentTicketPhoneOutbound###State - to define the default next state for new phone articles.

Frontend::Agent::Ticket::ViewPhoneOutbound > AgentTicketPhoneOutbound###StateType - to define the available next states for new phone articles.

Frontend::Agent::Ticket::ViewMove > AgentTicketMove###State - to define the default next state for moving a ticket.

Frontend::Agent::Ticket::ViewMove > AgentTicketMove###StateType - to define the available next states for moving a ticket.

Frontend::Agent::Ticket::ViewBounce > StateDefault - to define the default next state after bouncing a ticket.

Frontend::Agent::Ticket::ViewBounce > StateType - to define the available next states in the bounce screen.

Frontend::Agent::Ticket::ViewBulk > StateDefault - to define the default next state in a bulk action.

Frontend::Agent::Ticket::ViewBulk > StateType - to define the available next states in the bulk action screen.

Frontend::Agent::Ticket::ViewClose > StateDefault - to define the default next state after closing a ticket.

Frontend::Agent::Ticket::ViewClose > StateType - to define the available next states in the close screen.

Frontend::Agent::Ticket::ViewCompose > StateDefault - to define the default next state in the Compose (reply) screen.

Frontend::Agent::Ticket::ViewCompose > StateType - to define the available next states in the Compose (reply) screen.

Frontend::Agent::Ticket::ViewForward > StateDefault - to define the default next state after forwarding a ticket.

Frontend::Agent::Ticket::ViewForward > StateType - to define the available next states in the Forward screen.

Frontend::Agent::Ticket::ViewForward > StateDefault - to define the default next state of a ticket in the free text screen.

Frontend::Agent::Ticket::ViewForward > StateType - to define the available next states in the free text screen.

Core::PostMaster > PostmasterDefaultState - to define the state of tickets created from emails.

Core::PostMaster > PostmasterFollowUpState - to define the state of tickets after a follow-up has been received.

Core::PostMaster > PostmasterFollowUpStateClosed - to define the state of tickets after a follow-up has been received on an already closed ticket.

Core::Ticket > ViewableStateType - to define the state types that are displayed at various places in the system, for example in the Queueview.

Core::Ticket > UnlockStateType - to define the state types for unlocked tickets.

Core::Ticket > PendingReminderStateType - to define the state type for reminder tickets.

Core::Ticket > PendingAutoStateType - to define the state type for Pending Auto tickets.

Core::Ticket > StateAfterPending - to define the state a ticket is set to after the Pending Auto timer of the configured state has expired.

6.2. Ticket Priorities

OTRS поставляется с пятью предустановленными уровнями приоритетов, которые можно изменить перейдя по ссылке "Приоритеты" на Панели Администрирования. При создании настраиваемого списка приоритетов, пожалуйста помните, что они сортируются в алфавитном порядке. Также OTRS сортирует заявки в QueueView по их внутреннему номеру (ID).

Note

Как и в случае с другими сущностями OTRS, приоритеты не могут быть удалены, а только деактивированы путем установки параметра Действительный в значение *не действительный* или *не действительный-временно*.

Important

Если был создан новый приоритет, или был изменен уже существующий, то можно также произвести изменения некоторых параметров в SysConfig:

- Core::Postmaster::PostmasterDefaultPriority - defines the default priority for all incoming emails.
- Frontend::Agent::Ticket::ViewPhoneNew:Priority - defines the default priority in the New Phone Ticket screen for agents.
- Frontend::Agent::Ticket::ViewEmailNew:Priority - defines the default priority in the New Email Ticket screen for agents.
- ExternalFrontend::TicketCreate###PriorityDefault - defines the default priority in the New Ticket screen in the external frontend.

6.3. Ответственность за Заявку & Наблюдение за Заявкой

Начиная с OTRS 2.1 и выше, в дополнение к владельцу заявки можно определить ответственного за нее агента. Кроме того, все мероприятия, связанные с заявкой могут просматриваться не только владельцем но другими людьми. Эти две возможности системы реализованы с помощью функций TicketResponsible и Ticket-Watcher и также позволяют работать в рамках иерархической структуры команды.


6.3.1. Ответственность за Заявку

The ticket responsibility feature facilitates the complete processing of a ticket by an agent other than the ticket owner. Thus an agent who has locked a ticket can pass it on to another agent, who is not the ticket owner, in order for the second to respond to a customer request. After the request has been dealt with, the first agent can withdraw the ticket responsibility from the second agent.

With the configuration parameter Ticket::Responsible, the ticket responsibility feature can be activated. This will cause 3 new links to appear in the ticket activities menu of a zoomed ticket in the agent interface.


Ответственность за заявку может быть назначена после открытия ее содержимого, нажав ссылку "Ответственность", соответствующего меню в шаблоне просмотра подробной информации о заявке агентского веб-интерфейса (см. нижеприведенный сценарий).

Figure 4.82. Changing the Responsibility of a ticket in its zoomed view



After clicking on "Responsible", a pop-up dialog to change the responsibility of that ticket will open (see figure below). This dialog can also be used to send a message to the new responsible agent.

Figure 4.83. Pop-up dialog to change a ticket's responsibility



Если активирована функция ответственности за заявку, то в шаблоне Ответственность, агентского веб-интерфейса OTRS можно просмотреть список всех заявок, за которые агент несет ответственность.


6.3.2. Просмотр Заявок

Начиная с OTRS 2.1 и выше с помощью функции TicketWatcher, выбранные агенты, такие как, например, руководители могут просматривать определенные заявки без их обработки.

The TicketWatcher feature can be activated with the configuration parameter Ticket::Watcher which adds new links to your actions toolbar. Using Ticket::WatcherGroup, one or more user groups with permission to watch tickets can also be defined.

In order to watch a ticket, go to its zoomed view and click on the "Subscribe" link in the ticket activities menu (see figure below).

Figure 4.84. Subscribing to watching a ticket in its zoomed view



Ticket#2015071510123456 – Welcome to OTRS!

Back | Print | Priority | People | Communication | Pending **Watch** | Close | Miscellaneous | - Move -

Article Overview - 1 Article(s)

NO.	☆	⇄	SENDER	VIA	SUBJECT	CREATED
1			OTRS Feedback	Email	Welcome to OTRS!	10/02/2017 11:23 (America/Mexico_City)

#1 – Welcome to OTRS! – OTRS Feedback – 10/02/2017 11:23 (America/Mexico_City) via Email

Print | Split | Bounce | Forward | Reply

Welcome to OTRS!

Thank you for installing OTRS, the world's most popular service management software available in more than 35 languages and used by 150,000 companies worldwide.


Ticket Information

- Age: 20 d 6 h
- Created: 10/02/2017 11:23 (America/Mexico_City)
- State: new
- Locked: unlock
- Priority: 3 normal
- Queue: Raw
- Customer ID:
- Accounted time: 0
- Owner: Admin OTRS

Customer Information

If you no longer want to watch a specific ticket, go to its zoomed view and click on the "Unsubscribe" link in the ticket activities menu (see figure below).

Figure 4.85. Unsubscribing from watching a ticket in its zoomed view



Ticket#2015071510123456 – Welcome to OTRS!

Back | Print | Priority | People | Communication | Pending **Unwatch** | Close | Miscellaneous | - Move -

Article Overview - 1 Article(s)

NO.	☆	⇄	SENDER	VIA	SUBJECT	CREATED
1			OTRS Feedback	Email	Welcome to OTRS!	10/02/2017 11:23 (America/Mexico_City)

#1 – Welcome to OTRS! – OTRS Feedback – 10/02/2017 11:23 (America/Mexico_City) via Email

Print | Split | Bounce | Forward | Reply

Welcome to OTRS!

Thank you for installing OTRS, the world's most popular service management software available in more than 35 languages and used by 150,000 companies worldwide.

Ticket Information

- Age: 20 d 6 h
- Created: 10/02/2017 11:23 (America/Mexico_City)
- State: new
- Locked: unlock
- Priority: 3 normal
- Queue: Raw
- Customer ID:
- Accounted time: 0
- Owner: Admin OTRS

Customer Information

The list of all watched tickets can be accessed through the Watched view of the OTRS agent interface (see figure below), as soon as the ticket watcher feature gets activated.

Figure 4.86. Watched tickets view

My Watched Tickets: All

All 1 | New Article 0 | Pending 0 | Reminder Reached 0

Bulk 1-1 of 1 | S | M | L

	TICKET#	▲ AGE	FROM / SUBJECT	STATE	LOCK	QUEUE	OWNER	CUSTOMERID
<input type="checkbox"/>	2015071510123456	172 d 18 h	OTRS Feedback Welcome to OTRS!	new	unlock	Raw	Admin OTRS	

7. Date and Time Related Functions

7.1. Настройка периода рабочего времени, праздников и часовых поясов

Some functions in OTRS, like escalations and automatic unlocking of tickets, depend on a proper configuration of business hours, time zones and holidays. You can define these via the SysConfig interface, in Core::Time. You can also specify different sets of business hours, holidays and time zones as separate 'Calendars' in Core::Time::Calendar1 through Core::Time::Calendar9. Calendars can be defined by queue settings, or on SLA levels. This means that, for example, you can specify a calendar with 5 x 8 business hours for your 'standard' SLA, but create a separate calendar with 7 x 24 support for your 'gold' SLA; as well as set a calendar for your 'Support-USA' queue with a different time window than your 'Support-Japan' queue. OTRS can handle up to 99 different calendars.

7.1.1. Time zones

OTRS needs to know which time zone should be used to store date and time related data in the database. You can set this in `Core::Time:OTRSTimeZone`. The default is UTC and if you set up a new OTRS it is strongly recommended to leave it at this. If you updated from an OTRS older than version 6, you must ensure that `OTRSTimeZone` is being set to a time zone that matches your previous setup. Otherwise new data will be stored with a different time zone than your existing data. Once you decided on a time zone and data was stored (tickets, etc.), you shouldn't change the time zone anymore because otherwise you would end up with data stored in different time zones.

You can set a default time zone for new agents and customer users via `Core::Time:UserDefaultTimeZone`. This time zone will be used for all users that don't have selected a time zone in their preferences.

7.1.2. Рабочее время

Set up the working hours for your system in SysConfig `Core::Time:TimeWorkingHours`, or for your specific calendar in the calendar's configuration. OTRS can handle a granularity of one hour. Checking the marks in the boxes 8, 9, 10 ... 17 corresponds with business hours of 8:00 AM - 6:00 PM.

Заявки эскалируются, уведомления для эскалированных и ожидающих заявок отправляются и заявки разблокируются только в рабочее время.

7.1.3. Fixed Date Holidays

Holidays that are on a fixed date every year, such as New Year's Day or the Fourth of July, can be specified in `TimeVacationDays`, or in the corresponding section for the calendars 1-9.

Заявки не будут эскалироваться, ни разблокироваться в сроки, определенные как "Специально зарезервированные дни".

Note

По умолчанию, OTRS работает по *Немецким* выходным.

7.1.4. Floating Holidays

Holidays such as Easter that do not have a yearly fixed date but instead vary each year, can be specified in `TimeVacationDaysOneTime`.

Заявки не будут эскалироваться и не будут разблокироваться в период времени определенный как `TimeVacationDaysOneTime`.

Note

OTRS поставляется без единого предустановленного One-Time-праздника. Это означает, что во время настройки системы OTRS, нужно самостоятельно добавить праздники, такие как Пасха, День Благодарения.

7.2. Автоматические Разблокировки

Заблокированные заявки могут быть разблокированы системой автоматически. Эта опция может быть полезной, если, например, агент заблокировал заявки, которые нужно обработать, но не работал с ними по определенной причине, например был в отпуске. Чтобы убедиться в том, что заблокированные заявки не будут забыты

и их обработают другие агенты, автоматическая разблокировка разблокирует заблокированные заявки при истечении определенного времени.

The amount of time before a ticket is unlocked can be specified in the queue settings for every queue. The command `bin/otrs.Console.pl Maint::Ticket::Unlock`, which is executed periodically as a cron job, performs the automated unlocking of tickets.

Уведомления о разблокированных заявках отсылаются только тем агентам, которые добавили очередь с разблокированными заявками в "Мои очереди", и активировали в своих настройках функцию уведомлений о разблокированных заявках.

Заявки будут заблокированы в том случае, если выполняются следующие условия:

- Для очереди в которой хранится заявка определяется *время разблокировки* .
- Заявке присвоен статус *заблокирована*.
- Заявке присвоен статус *открытая*.

Если агент добавляет в заявку новую статью - таймер разблокировки будет сброшен. Он может быть любым из следующих типов: *внешний-email, телефон, факс, смс, или внешнее примечание*.

Кроме этого, если последняя статья в заявке создана агентом, и клиент добавляет еще одну, либо через веб-интерфейс либо по электронной почте, таймер разблокировки также будет сброшен.

Последнее событие, которое будет сбрасывать таймер разблокировки, когда заявка передается другому агенту.

8. Customizing the PDF Output

В этом разделе приводится настройка опций для экспорта данных из OTRS в PDF.

If you use the Print action from anywhere within the OTRS interface, it will generate a formatted PDF file.

You can adjust the look of the files generated by OTRS by creating your own logo and adding it to `PDF::LogoFile`. You can use `PDF::PageSize` to define the standard page size of the generated PDF file (DIN-A4 or Letter), and also `PDF::MaxPage` to specify the maximum number of pages for a PDF file, which is useful if a user generates a huge output file by mistake.

9. Reporting

OTRS has an extensible reporting mechanism that allows to define a customized operational statistics and generate custom reports associated with OTRS usage. The OTRS system uses the term "statistic" generically to refer to a single report presenting various indicators, while "report" refers to a collection of several statistics in one PDF document that can be easily configured and automatically generated and distributed.

9.1. Отчеты

Proper configuration of the OTRS statistics module is associated with a multitude of requirements and considerations. These include the various OTRS modules to be evaluated, user permission settings, indicators to be calculated and their complexity levels, ease of configuration of the statistics module, speed and efficiency of calculations, and support of a rich set of output variants.

Statistical elements, i.e. files which supplement the functionality of the statistics module for specific requirements, can be integrated for calculating complex statistics.

9.1.1. Statistics Configuration and Usage

When signed on as an agent, the statistics module can be opened by selecting "Reports" and then "Statistics" in the main menu.

9.1.1.1. Обзор

Selecting the "Statistics" link in the navigation bar, and then the sub-menu link "Statistics", calls up the Overview screen. The Overview screen presents a list of all pre-configured reports an agent can use (see figure below).

Figure 4.87. Overview of the standard statistics.

Statistics Overview

Actions

STAT#	TITLE	OBJECT	EXPORT	DELETE	RUN
10001	List of open tickets, sorted by time left until escalation deadline expires	Ticketlist			
10002	List of open tickets, sorted by time left until response deadline expires	Ticketlist			
10003	List of open tickets, sorted by time left until solution deadline expires	Ticketlist			
10004	List of the most time-consuming tickets	Ticketlist			
10005	List of tickets closed last month	Ticketlist			
10006	List of tickets closed, sorted by response time.	Ticketlist			
10007	List of tickets closed, sorted by solution time	Ticketlist			
10008	List of tickets created last month	Ticketlist			
10009	New Tickets	TicketAccumulation			
10010	Changes of status in a monthly overview	StateAction			
10011	Overview about all tickets in the system	TicketAccumulation			

When the statistics module is installed, it comes preloaded with a few sample statistics imported into the system. These are shown as a list on the overview page. If the overview list extends to more than a single page, the agent can browse through the different pages. The list of statistics can be sorted as desired, by clicking the desired column header in the list. To generate a particular statistic, click on the statistic's "Run now" link.

9.1.1.2. Generation

The View screen provides the display for statistic's configuration settings (see figure below).

Figure 4.88. Viewing a specific statistic.

Statistics » View Stat#10001 — List of open tickets, sorted by time left until escalation deadline expires

Actions

Settings

Object: Ticketlist

Description: List of open tickets, sorted by time left until escalation deadline expires. NOTE: Please check the output and configuration of the statistics carefully to make sure that it produces the results you expect. If necessary, change the configuration before using the statistics in a production environment.

Format:

X-axis

Attributes to be printed: Number, Ticket#, Age, Title, Created, Changed, Close Time, Queue, State, Priority, Customer User, CustomerID, Service...

Y-axis

Order by: EscalationTimeWorkingTime

Sort sequence: ascending

Filter

State: new, open, pending auto close+, pending auto close-, pending reminder

or Cancel

Statistic Information

Created: 12/14/2015 09:32:45

Created by: test1450081960626627533
test1450081960626627533

Changed: 12/14/2015 09:32:45

Changed by: test1450081960626627533
test1450081960626627533

Sum rows: No

Sum columns: No

Show as: No
dashboard
widget:

Cache: No

Validity: valid

Configuration settings for a particular statistic can be set within the range of options in the View screen. Either the statistic creator or any others with the appropriate permissions can change the settings.


Pressing the "Start" button (at the bottom of the screen) is the last step to generate the statistic.

9.1.1.3. Настройка Системы

Agents with write rights can edit an existing report configuration by calling up the edit screen of the statistics module. Alternately, they may create a new report.

There are four possible steps in the configuration of a statistic: the general specification data, configuring the x-axis, y-axis and possible data filters for the reported data (or restrictions). Let's create a new statistic as an example by clicking the "Add" button in the overview screen. Our goal will be to get an overview of how many tickets with very high priority are in every queue (x-axis) and state (y-axis).

Figure 4.89. Adding a new statistic, first step.



At the beginning we have to select the type of statistic we want to add. Three types are available:

Dynamic Matrix Statistics

This type of statistics will generate a matrix of computed values (e.g. new tickets per day of month and queue). All value cells in the matrix have the same type (number, average time, etc). Values are computed from entities in the system (e.g. tickets). Some matrix statistics support a summation column and/or row (only useful for certain data).

Dynamic List Statistics

This kind of statistic will generate a table where every line (not cell) represents an entity in the system (e.g. a ticket). The columns in this row are usually configurable (x-axis, see below) and contain the data of this object (e.g. ticket attributes). All value cells in one column have the same type.

Static Statistics

This kind of statistic is not very much configurable and usually used for very special and/or complex computations.

So let's select "Dynamic Matrix" for our example. Then the "General Specifications" configuration will appear below the statistic type selection.

Figure 4.90. Adding a new statistic, second step.

General Specification

★ Title:

★ Description:

★ Object type:

★ Permissions:
You can select one or more groups to define access for different agents.

★ Result formats:

Create summation row:
Generate an additional row containing sums for all data columns.

Create summation column:
Generate an additional column containing sums for all data rows.

Cache results:
Stores statistics result data in a cache to be used in subsequent views with the same configuration.

Validity:
If set to invalid end users can not generate the stat.

Create Statistic

or

After providing a title and description for the new statistic, we have to select the statistics backend that we want to use. This is the actual backend module which is responsible to collect and analyze the data for our statistic. In our case we'll select "TicketAccumulation".

By configuring permission groups, we can facilitate a restriction of the groups (and therefore, agents) who can later view and generate the pre-configured statistics. Thus the various statistics can be allocated to the different departments and work groups who need them. It is possible to allocate one statistic to various groups.

Example 4.20. Default statistics permission group

The "stats" group was selected. The report is viewable for all users having at least RO rights for the "stats" group. This access is available by default.


Example 4.21. Customized statistics permission group

A group named "sales" was selected. All users with RO rights for the "sales" group can see the stat in the view mode and generate it. However, the statistic will not be available for viewing by other users.

Additionally, possible output formats can be selected. Here we can just keep all output formats and choose the one to use when actually generating the statistic. Let's save the statistic now.

The next screen will indicate the next step with a highlighted button: we should configure the x-axis. By clicking the button, a dialog will appear where we can select the element to be used for the x-axis. In our case that will be the queue:


Figure 4.91. Configuring the x-axis of a statistic.



We can optionally limit the queues to be shown by selecting some in the queue field. With the checkbox we can control if the agent who generates the statistic can make changes to the queue selection. We'll keep the defaults and press "Save".

Now we can configure the y-axis in the same way: select the state field.


Figure 4.92. Configuring the y-axis of a statistic.



Here it is possible to select one element or two. In the first case, every value of the element will be one element on the y-axis. If two elements are selected, their permutations will be the elements on the value series. For example you could select "state" and "priority", and the resulting elements will be "new - 1 very low", "new - 2 low", ... "open - 1 very low" and so on. Let's just use the state and press "Save".

Now in the last step we could add data filters to only include tickets belonging to a certain customer, with certain priorities and so on. We'll add a filter for very high priority tickets:

Figure 4.93. Configuring the data filter of a statistic.



Now press "Save" again. The configuration is finished.

You may already have noted that in the configuration dialog there is a preview area where we can check the effect of our configuration settings.

Figure 4.94. Configuring the data filter of a statistic.



Note


Пожалуйста, обратите внимание, что предварительный просмотр использует случайные данные и не учитывает ограничения данных.

The statistic is configured. By pressing the "Run now" button we can go to the View screen where the desired output format can be selected and the statistic can be generated in the different formats.

9.1.1.4. Импорт

The Import screen can be accessed by pressing the "Import" button on the Overview screen. RW permissions for the statistics module are required.

Figure 4.95. Statistics import



Import screen facilitates the importing of statistics, and when combined with the export function of the module, is a very handy functionality. Statistics can be created and tested conveniently on test systems, then imported into the production system.

9.1.2. Statistics System Administration

Этот раздел предоставляет информацию о задачах и функциях администратора OTRS, который работает с модулем статистики.

9.1.2.1. Настройки полномочий, Групп и Ролей

The default configuration of the module registration gives all agents with "stats" group permissions access to the statistics module.

Доступ в соответствии с разрешенными настройками:

- *rw*. Allows configuring statistics.
- *ro*. Permits generating pre-configured statistics.

The OTRS administrator decides whether agents with the permission to generate pre-configured statistics are allocated RO rights in the "stats" group, or if their respective groups are added in the module registration in SysConfig.

9.1.2.2. SysConfig Settings

The SysConfig groups Core::Stats and Frontend::Agent::View::Stats contain all configuration parameters for the basic set-up of the statistics module. Moreover, the configuration parameter `$Self->{'Frontend::Module'}->{'AgentStats'}` controls the arrangement and registration of the modules and icons within the statistics module.

9.1.2.3. Generating Statistics on the Command Line

Statistics can be generated on the command line with the command `bin/otrs.Console.pl Maint::Stats::Generate`. As an example, see the command line call in the following script.

```
shell> bin/otrs.Console.pl Maint::Stats::Generate --number 10004 --target-directory /tmp
Generating statistic number 10004...
  Writing file /tmp/List_of_the_most_time-consuming_tickets_Created_2015-09-08_14-51.csv.
Done.
```

A view from the statistic configuration "Stat#10004" is generated and saved as a CSV file in the /tmp directory.

The generated statistic can also be sent as an e-mail. More information can be called up with the command in the script below.

```
shell> bin/otrs.Console.pl Maint::Stats::Generate --help
```

It usually does not make sense to generate statistics manually via the command line, as the statistics module has a convenient graphical user interface. However, generating statistics manually does make sense when combined with a cron job.

Imagine the following scenario: On the first day of every month, the heads of department want to receive a statistic for the past month. By combining a cron job and a command line call the statistics can be sent to them automatically by e-mail. For more complex scenarios where more the one statistic is needed to be sent and/or if a more professional and executive look and feel is needed, please consider to use The Report Generator.

9.2. The Report Generator

The report generator allows to combine multiple statistics for sending/downloading. Reports can be configured to be sent automatically on specified times or run manually.


9.2.1. Report Generation Configuration and Usage

The Report Generator can be opened by selecting "Reports" and then "Reports" in the main menu.

9.2.1.1. Обзор

Selecting the "Reports" link in the navigation bar, and then the sub-menu link "Reports", calls up the Overview screen. The Overview screen presents a list of all user defined reports the agent can use (see figure below).

Figure 4.96. Overview of the defined reports.



By default the system does not have any defined reports, it is a task for the administrators to create such reports. To start with the process, click on the "Add" action button located in the sidebar.


9.2.1.2. Creating Reports

After you've entered title and description for your report in the first step, you'll be able to set up your report.

9.2.1.2.1. General Settings

Set up title, description and validity of the report. This information will not be visible in the report.

Figure 4.97. Automatic generation settings



9.2.1.2.2. Automatic Generation Settings

If the report should be generated automatically (e.g. once per day), you can set up subject, text and recipients for the email which is going to be sent and which will contain the report as an attachment. You'll also need to add information on how often the report should be sent. The configuration format is taken from the cron mechanism of UNIX-based operating systems. For more information on which settings are possible, please refer to official cron documentation sources or wikipedia.

Figure 4.98. Automatic generation settings

Automatic generation settings

Automatic generation times (cron):

Specify when the report should be automatically generated in cron format, e. g. "10 1 * * *" for every day at 1:10 am.

Automatic generation language:

The language to be used when the report is automatically generated.

Email subject:

Specify recipient email addresses (comma separated).

Email body:

Specify the text for the automatically generated email.

Email recipients:

Specify recipient email addresses (comma separated).

9.2.1.2.3. Output Settings

In this section, you can set up additional information which should be contained in the report (e.g. a preamble or an epilogue). This could be used for adding copyright or data protection information.

Figure 4.99. Output settings

Output settings

Headline:

Title:

Caption for preamble:

Preamble:

Caption for epilogue:

Epilogue:

9.2.1.3. Manually Generating Reports

To generate a report, you can use the *Run now* button from the reports overview. You'll be asked for confirmation and afterwards the report will be created and sent immediately. Please find screenshots of a generated report below.

Figure 4.100. Report: Front page




Figure 4.101. Report: Table of contents




Figure 4.102. Report: Preamble





Figure 4.103. Report: Statistics



9.2.2. Report Generation Administration

This section provides information about the tasks and responsibilities of the OTRS administrator dealing with the report generator module.

9.2.2.1. Permission settings and Groups

The default configuration of the module registration gives all agents with "stats" group permissions access to the report generator module.

Доступ в соответствии с разрешенными настройками:

- *rw*. Allows configuring, adding and deleting reports.
- *ro*. Permits generating already defined reports.

9.2.2.2. SysConfig Settings

The SysConfig navigation group Core::Stats::Reports contains all configuration parameters for the basic set-up of reports.

9.2.2.3. Generating reports manually on the Command Line

Reports can be generated on the command line with the command `bin/otrs.Console.pl Maint::Stats::Reports::Generate`. As an example, see the command line call in the following script.

```
shell> bin/otrs.Console.pl Maint::Stats::Reports::Generate --report-name Testreport --target-path /tmp/Testreport.pdf
Generating report...
Done.
```

The report "Testreport" is generated and saved as "Testreport.pdf" file in the /tmp directory.

9.2.2.4. Generating reports automatically on the Command Line

Usually OTRS daemon will generate and send by email all reports that are configured for that on their 'Automatic Generation Settings' using their preferred schedule, however if for any reason this is needed to be done at an arbitrary moment, OTRS administrators can use the command line with the command `bin/otrs.Console.pl Maint::Stats::Reports::GenerateCron`. As an example, see the command line call below:

```
shell> bin/otrs.Console.pl Maint::Stats::Reports::GenerateCron
Generating reports...
  New tickets & ticket overview...
  Sent email to someone@otrs.com.
Done.
```

10. Динамические Поля

10.1. Введение

Динамические поля - это специальный видполей в OTRS, создаваемых для расширения перечня информации, хранимой в заявке или сообщении/заметке. Эти поля не являются фиксированными в системе и они появляются иолько на

определенных экранах, они могут быть обязательными или нет, и их представление на экране зависит от типа поля, заданного при их создании. Например, поля могут содержать текст, даты, набор из нескольких выбранных значений и т.д.

Dynamic fields are the evolution of TicketFreeText, TicketFreeKey, TicketFreeTime, ArticleFreeText and ArticleFreeKey fields that were commonly used in OTRS 3.0 and before. The limitation of these "Free Fields" was that they can be defined up to 16 (text or dropdown) fields and 6 time fields for a ticket and 3 (text or dropdown) fields for each article only, not more.

Теперь, с появлением динамических полей, эти ограничения сняты, вы можете создавать любое количество динамических полей для заявок и сообщений. И, кроме того, интерфейс для управления ими, готов к расширению дальнейшего использования таких полей не только для заявок и сообщений, но и других объектов системы, например, для управления изменениями и пр.

Этот новый интерфейс описания и управления динамическими полями, использует модульную структуру, в которой каждый тип динамических полей может рассматриваться как дополнительный модуль для интерфейса. Это означает, что все множество динамических полей может быть просто расширено для публичных модулей OTRS, OTRS Feature Add-ons, пользовательских разработок и пр.

В этом релизе доступны следующие типы динамических полей:

- Text (одна строка текста)
- Textarea (несколько строк текста)
- Checkbox
- Выпадающий список (единственный выбор, несколько значений)
- Multiselect (множественный выбор, несколько значений)
- Date
- Date / Time

10.2. Настройка Системы

By default, a clean installation of OTRS comes with two pre-installed internal dynamic fields, which cannot be removed. If you plan to use such fields in tickets, articles, customer users or customer companies you need to create new, custom dynamic fields.


Please note that dynamic fields for customer users and companies need to be configured accordingly in the CustomerUser and CustomerCompany mapping, usually to find in Kernel/Config.pm of your OTRS installation. Examples for configuring them can be found in Kernel/Config/Defaults.pm.

Настройка динамических полей разделена на две части. Для создания новых или управления ранее созданными полями перейдите по ссылке "Динамические поля" в Панели Администратора. Для управления показом, обязательностью показа или скрытием полей на конкретных экранах используйте настройки Конфигурации системы/SysConfig для этих экранов.

10.2.1. Добавление Динамического Поля

Click on the "Admin" button located in the navigation bar, then click on the "Dynamic Fields" link inside "Ticket Settings" box located in the lower center of the screen. The dynamic fields overview will display as follows:

Figure 4.104. Dynamic fields overview screen.



Обратите внимание, что вид экрана изменится при добавлении динамических полей. Он также может уже иметь несколько полей, если вы провели обновление со старых версий OTRS, в которых динамические поля еще не использовались. Они теперь заменили понятие Свободные/Дополнительные поля/FreeText fields.

The Actions in the side bar at the left of the screen describes four possibilities: Article, Ticket, CustomerUser and CustomerCompany, each one has its own dropdown selection of dynamic fields.

Note

Установка некоторых дополнительных пакетов OTRS может привести к добавлению типов объектов в разделе "Действия".

Общая процедура для создания динамического поля:

- Click on the desired dynamic field object dropdown in the Actions side bar.
- Выберите в списке и нажмите на тип динамического поля, которое вы хотите добавить.
- Настройка
- Сохранить.

Диалог настройки динамических полей разделен на две части, верхняя часть является общей для всех полей, а нижняя часть может различаться в зависимости от типа динамического поля.

Общие настройки динамического поля:

- Название: Обязательное поле, уникальное, только буквы и числа в качестве допустимых символов.

Это внутреннее имя поля, используемое, например, для показа или скрытия поля на отдельных экранах. Любое изменение имени поля (не рекомендуется) потребует ручного изменения в параметрах "SysConfig", которые ссылаются на это поле.

- Метка: Обязательное.

Это имя, под которым поле будет показано на тех экранах, на которых оно активно. Оно может быть переведено на другие языки.

Note

Перевод метки должен быть добавлен в файл перевода вручную.

- Порядок Полей: Обязательно.

Определяет относительный порядок, в котором поля будут отображаться на экране, по умолчанию каждое новое поле занимает последнюю позицию,

изменение этого параметра будет влиять на порядок отображения других динамических полей.

- Срок действия: Обязательный.

Не действительное динамическое поле не будет отображаться на любом экране, независимо от того какое значение установлено в конфигурации.

- Тип поля: Обязательное, Только для чтения.

Показывает текущий выбранный тип поля.

- Тип Объекта: Обязательный, Только для чтения.

Отображает область действия для поля.

Note

Для иллюстрации каждого конкретного параметра настройки в нашем примере будет добавлено несколько полей. Ссылки на эти поля будут упоминаться в последующих разделах.

For the following examples all the dynamic fields will be created for the Ticket object. If you need to create a dynamic field for Article object, just choose the field from the Article dropdown list.

Table 4.6. В систему будут добавлены следующие поля:

Название	Метка	Type
Поле1	Мое Поле 1	Text
Поле2	Мое Поле 2	Textarea/Длинный текст
Поле3	Мое Поле 3	Checkbox
Поле4	Мое Поле 4	Dropdown
Поле5	Мое Поле 5	Multiselect (множественный выбор)
Поле6	Мое Поле 6	Date
Поле7	My Field 7	Date / Time

10.2.2. Настройка Динамического Поля типа Text

Динамические текстовые поля используются для хранения простой строки.

Настройки динамического поля типа Text:

- Значение по умолчанию: Необязательное.

Это значение, которое будет отображаться по умолчанию на экранах редактирования (например, New Phone Ticket/Новая телефонная заявка или Ticket Compose/Создать ответ).

- Показать ссылку: Необязательное.


Если установлено, то значение поля будет преобразовано в кликабельную ссылку, которая будет отображаться на экране.

Например, если "Показать ссылку" установлено в "<http://www.otrs.com>", нажатие на заполненное значение приведет к открытию веб-страницы OTRS.

Note

The use of [% Data.NameX | uri %] in the Set link value, where NameX is the name of the field, will add the field value as part of the link reference.

Figure 4.105. Окно конфигурации Динамического поля Text



Dynamic Fields Management Ticket: Add Text Field

Actions
Go back to overview

General

* Name: Validity:
 Must be unique and only accept alphabetic and numeric characters.

* Label: Field type:
 This is the name to be shown on the screens where the field is active.

* Field order: Object type:
 This is the order in which this field will be shown on the screens where is active.

Text Field Settings

Default value:
 This is the default value for this field.

Show link:
 Here you can specify an optional HTTP link for the field value in Overviews and Zoom screens.
 Example: http://some.example.com/handle?query=[% Data.Field1 | uri %]

Link for preview:
 If filled in, this URL will be used for a preview which is shown when this link is hovered in ticket zoom. Please note that for this to work, the regular URL field above needs to be filled in, too.

Check RegEx: Here you can specify a regular expression to check the value. The regex will be executed with the modifiers xms.
 Example: ^[0-9]\$

Add RegEx:

Save or Cancel

10.2.3. Настройка Динамического Поля Textarea

Динамическое поле Textarea используется для хранения строк, состоящих из нескольких линий.

Настройки динамического поля Textarea:

- Количество строк: Необязательное, Целое.

Используется для определения высоты поля на странице редактирования.


- Количество столбцов: Необязательное, Целое.

Это значение используется для задания ширины поля при редактировании.

- Значение по умолчанию: Необязательное.

Это значение будет отображаться по умолчанию (может быть текстом, состоящим из нескольких строк).

Figure 4.106. Окно конфигурации Динамического поля Textarea



The screenshot shows the 'Dynamic Fields Management' interface for adding a Textarea field. The breadcrumb trail is 'Dynamic Fields Management > Ticket: Add Textarea Field'. On the left, there is an 'Actions' panel with a 'Go back to overview' button. The main configuration area is divided into two sections: 'General' and 'Textarea Field Settings'.

General Section:

- Name:** Field2 (Must be unique and only accept alphabetic and numeric characters.)
- Label:** My Field 2 (This is the name to be shown on the screens where the field is active.)
- Field order:** 4 (This is the order in which this field will be shown on the screens where is active.)
- Validity:** valid
- Field type:** Textarea
- Object type:** Ticket

Textarea Field Settings Section:

- Number of rows:** (Specify the height (in lines) for this field in the edit mode.)
- Number of cols:** (Specify the width (in characters) for this field in the edit mode.)
- Default value:** (This is the default value for this field.)
- Check RegEx:** Here you can specify a regular expression to check the value. The regex will be executed with the modifiers xms. Example: ^[0-9]\$
- Add RegEx:** (Add RegEx)

At the bottom, there are 'Save' and 'Cancel' buttons.

10.2.4. Конфигурация Динамического Поля Checkbox


Динамическое поле Checkbox используется для хранения значений true или false, изображено как выбранный или не выбранный флажок.

Настройки динамического поля Checkbox:

- Значение по умолчанию: Обязательное.

Это значение, которое будет показано по умолчанию на страницах редактирования (например заявка, созданная на основе телефонного звонка), значение по умолчанию для этого поля недоступно для выбора и может принимать значения Выбрано/Checked или Unchecked/Не выбрано.

Figure 4.107. Диалог настройки Динамического поля Checkbox



Dynamic Fields Management Ticket: Add Checkbox Field

Actions

Go back to overview

General

* Name: Validity:
Must be unique and only accept alphabetic and numeric characters.

* Label: Field type:
This is the name to be shown on the screens where the field is active.

* Field order: Object type:
This is the order in which this field will be shown on the screens where is active.

Checkbox Field Settings

Default value:
This is the default value for this field.

Save or Cancel

10.2.5. Настройка Динамического Поля Dropdown (Выпадающий Список)

Динамическое поле Выпадающий Список (Dropdown) используется для хранения одного значения, которое выбирается из закрытого списка.

Настройки динамического поля Dropdown:

- Возможные значения: Обязательное.

Список значений для выбора. При добавлении нового значения необходимо указать Ключ (внутреннее значение) и Значение (значение, которое отображается).

- Значение по умолчанию: Необязательное.

Это значение будет отображено по умолчанию на страницах редактирования (например, на странице Заявки, созданной на основе телефонного звонка или странице создания Заявки), значение по умолчанию для этого поля - задается параметром "Значение по умолчанию" из заданного списка значений.

- Добавить пустое значени: Обязательное, (Да / Нет).

Если эта опция включена, задается возможность для отображения "-" в списке возможных значений, это специальное значение для указания на пустое значение.

- Переводимые значения: Обязательное, (Да / Нет).

Этот параметр задает возможность перевода на язык системы значений этого поля. Переводятся только отображаемые значения, внутренние значения не подлежат переводу. Перевод полей должен быть занесен вручную в соответствующий пользовательский файл локализации. Для русского языка - ru_custom.pm.

- Показать ссылку: Необязательное.


Если установлено, то значение поля будет преобразовано в кликабельную ссылку, которая будет отображаться на экране.

Например, если "Показать ссылку" установлено в "http://www.otrs.com", нажатие на заполненное значение приведет к открытию веб-страницы OTRS.

Note

The use of [% Data.NameX | uri %] in the Set link value, where NameX is the name of the field, will add the field value as part of the link reference.

Figure 4.108. Окно настройки динамического поля Dropdown



The screenshot shows the 'Dynamic Fields Management' interface for adding a new dropdown field. The main area is titled 'Ticket: Add Dropdown Field' and is divided into two sections: 'General' and 'Dropdown Field Settings'.

General Section:

- Name:** Field4 (Must be unique and only accept alphabetic and numeric characters.)
- Label:** My Field 4 (This is the name to be shown on the screens where the field is active.)
- Field order:** 6 (This is the order in which this field will be shown on the screens where is active.)
- Validity:** valid
- Field type:** Dropdown
- Object type:** Ticket

Dropdown Field Settings Section:

- Possible values:** A table with three rows:

Key: 1	Value: AAA	<input type="checkbox"/>
Key: 2	Value: BBB	<input type="checkbox"/>
Key: 3	Value: CCC	<input type="checkbox"/>
- Add value:**
- Default value:** (This is the default value for this field.)
- Add empty value:** No (Activate this option to create an empty selectable value.)
- Tree View:** No (Activate this option to display values as a tree.)
- Translatable values:** No (If you activate this option the values will be translated to the user defined language. Note: You need to add the translations manually into the language translation files.)
- Show link:** (Here you can specify an optional HTTP link for the field value in Overviews and Zoom screens. Example: http://some.example.com/handle?query=[% Data.Field1 | uri %])
- Link for preview:** (If filled in, this URL will be used for a preview which is shown when this link is hovered in ticket zoom. Please note that for this to work, the regular URL field above needs to be filled in, too.)

At the bottom, there are 'Save' and 'Cancel' buttons.

10.2.6. Конфигурация Динамического Поля Multiselect (множественный выбор)

Динамическое поле Multiselect используется для хранения нескольких значений из заданного списка.

Настройка Динамического Поля Multiselect (множественный выбор):

- Возможные значения: Обязательное.

Список значений для выбора. При добавлении нового значения в список, необходимо указать Ключ (внутреннее значение) и Значение (значение, которое отображается).

- Значение по умолчанию: Необязательное.

Это значение будет отображено по умолчанию на страницах редактирования (например, на странице Заявки, созданной на основе телефонного звонка или странице создания Заявки), значение по умолчанию для этого поля - задается параметром "Значение по умолчанию" из заданного списка значений.


- Добавить пустое значени: Обязательное, (Да / Нет).

Если эта опция включена, задается возможность для отображения "-" в списке возможных значений, это специальное значение для указания на пустое значение.

- Переводимые значения: Обязательное, (Да / Нет).

Этот параметр задает возможность перевода на язык системы значений этого поля. Переводятся только отображаемые значения, внутренние значения не подлежат переводу. Перевод полей должен быть занесен вручную в соответствующий пользовательский файл локализации. Для русского языка - ru_custom.pm.

Figure 4.109. Диалог конфигурации Динамического поля Multiselect (множественный выбор)



The screenshot shows the 'Dynamic Fields Management' interface for adding a Multiselect field. The 'General' section includes fields for Name (Field5), Label (My Field 5), Field order (7), Validity (valid), Field type (Multiselect), and Object type (Ticket). The 'Multiselect Field Settings' section includes a table of possible values (Key: 10, 11, 12; Value: X, Y, Z), an 'Add value' button, a 'Default value' field, an 'Add empty value' checkbox (set to No), a 'Tree View' checkbox (set to No), and a 'Translatable values' checkbox (set to No). A 'Save or Cancel' button is at the bottom.

10.2.7. Настройка Динамического Поля Date

Динамическое поле Date используется для хранения значения (День, Месяц и Год).

Настройки динамического поля Date (Дата):

- Разница дат по умолчанию: Опционально, Целое.

Количество секунд (положительное или отрицательное значение) между текущей датой и выбранной датой, которое будет отображаться на страницах редактирования по умолчанию (например на странице Новая Заявка на основе телефонного звонка или Создать ответ).

- Define years period: Mandatory, (Yes / No).

Used to set a defined number of years in the past and the future based on the current date of the year select for this field. If set to Yes the following options are available:

- Лет в прошлом: Опционально, положительное целое число.

Задаёт количество лет в прошлом относительно текущего дня для отображения при выборе из списка для значения в поле Год.

- Лет в будущем: Опционально, Положительное целое.

Задаёт количество лет в будущем, относительно текущего дня, при выборе значения из списка для отображения в поле Год.

- Показать ссылку: Необязательное.


Если установлено, то значение поля будет преобразовано в кликабельную ссылку, которая будет отображаться на экране.

For example, if "Show link" is set to "http://www.otrs.com", clicking on the filed value will make your browser to open the OTRS web page.

Note

The use of [% Data.NameX | uri %] in the Set link value, where NameX is the name of the field will add the field value as part of the link reference.

Figure 4.110. Окно настройки динамического поля Date



The screenshot shows the 'Dynamic Fields Management' interface for configuring a 'Date' field. The page title is 'Ticket: Add Date Field'. The interface is divided into several sections:

- Actions:** A button labeled 'Go back to overview'.
- General:**
 - Name:** Field6 (Must be unique and only accept alphabetic and numeric characters).
 - Label:** My Field 6 (This is the name to be shown on the screens where the field is active).
 - Field order:** 8 (This is the order in which this field will be shown on the screens where is active).
 - Validity:** valid
 - Field type:** Date
 - Object type:** Ticket
- Date Field Settings:**
 - Default date difference:** 0 (The difference from NOW (in seconds) to calculate the field default value (e.g. 3600 or -60)).
 - Define years period:** No (Activate this feature to define a fixed range of years (in the future and in the past) to be displayed on the year part of the field).
 - Show link:** (Here you can specify an optional HTTP link for the field value in Overviews and Zoom screens. Example: http://some.example.com/handle?query=[% Data.Field1 | uri %])
 - Link for preview:** (If filled in, this URL will be used for a preview which is shown when this link is hovered in ticket zoom. Please note that for this to work, the regular URL field above needs to be filled in, too).
 - Restrict entering of dates:** (Here you can restrict the entering of dates of tickets).

At the bottom, there are 'Save' and 'Cancel' buttons.

10.2.8. Настройка Динамического Поля Date / Time

Динамическое поле Date / Time используется для хранения значения даты и времени (Минута, Час, День, Месяц и Год).

Настройки динамического поля Date / Time:

- Разница дат по умолчанию: Опционально, Целое.

Количество секунд (положительное или отрицательное значение) между текущей датой и выбранной датой, которое будет отображаться на страницах редактирования по умолчанию (например на странице Новая Заявка на основе телефонного звонка или Создать ответ).

- Define years period: Mandatory, (Yes / No).

Used to set a defined number of years in the past and the future based on the current date of the year select for this field. If set to Yes the following options are available:

- Лет в прошлом: Опционально, положительное целое число.

Задаёт количество лет в прошлом относительно текущего дня для отображения при выборе из списка для значения в поле Год.

- Лет в будущем: Опционально, Положительное целое.

Задаёт количество лет в будущем, относительно текущего дня, при выборе значения из списка для отображения в поле Год.

- Показать ссылку: Необязательное.

Если установлено, то значение поля будет преобразовано в кликабельную ссылку, которая будет отображаться на экране.

For example, if "Show link" is set to "http://www.otrs.com", clicking on the filed value will make your browser to open the OTRS web page.

Note

The use of [% Data.NameX | uri %] in the Set link value, where NameX is the name of the field will add the field value as part of the link reference.

Figure 4.111. Диалог настройки динамического поля Date / Time

Dynamic Fields Management Ticket: Add Date / Time Field

Actions

General

★ Name: Validity:
Must be unique and only accept alphabetic and numeric characters.

★ Label: Field type:
This is the name to be shown on the screens where the field is active.

★ Field order: Object type:
This is the order in which this field will be shown on the screens where is active.

Date / Time Field Settings

Default date difference:
The difference from NOW (in seconds) to calculate the field default value (e.g. 3600 or -60).

Define years period:
Activate this feature to define a fixed range of years (in the future and in the past) to be displayed on the year part of the field.

Show link:
Here you can specify an optional HTTP link for the field value in Overviews and Zoom screens.
 Example: http://some.example.com/handle?query=[% Data.Field1 | uri %]

Link for preview:
If filled in, this URL will be used for a preview which is shown when this link is hovered in ticket zoom. Please note that for this to work, the regular URL field above needs to be filled in, too.

Restrict entering of dates:
Here you can restrict the entering of dates of tickets.

or

10.2.9. Редактирование Динамического Поля

Страница просмотра заполненного динамического поля (с предыдущими примерами) должна выглядеть так:

Figure 4.112. Страница просмотра заполненного динамического поля с тестовыми данными

Dynamic Fields Management

Actions

Ticket

Add new field for object: Ticket

Article

Add new field for object: Article

Customer

Add new field for object: CustomerCompany

Customer User

Add new field for object: CustomerUser

Filter for Dynamic Fields

Hint
To add a new field, select the field type from one of the object's list, the object defines the boundary of the field and it can't be changed after the field creation.

Dynamic Fields List 1-9 of 9

NAME	LABEL	ORDER	TYPE	OBJECT	VALIDITY	DELETE
ProcessManagementProcessID	Process	1	ProcessID	Ticket	valid	
ProcessManagementActivityID	Activity	2	ActivityID	Ticket	valid	
Field1	My Field 1	3	Text	Ticket	valid	<input type="button" value="🗑"/>
Field2	My Field 2	4	Textarea	Ticket	valid	<input type="button" value="🗑"/>
Field3	My Field 3	5	Checkbox	Ticket	valid	<input type="button" value="🗑"/>
Field4	My Field 4	6	Dropdown	Ticket	valid	<input type="button" value="🗑"/>
Field5	My Field 5	7	Multiselect	Ticket	valid	<input type="button" value="🗑"/>
Field6	My Field 6	8	Date	Ticket	valid	<input type="button" value="🗑"/>
Field7	My Field 7	9	Date / Time	Ticket	valid	<input type="button" value="🗑"/>

Чтобы изменить или редактировать динамическое поле, нужно иметь определенным хотя бы одно динамическое поле, которое находится в списке выбора динамических полей на странице просмотра.

Note

Не все настройки динамического поля могут быть изменены, тип Поля и тип Объекта не могут быть изменены.

Не рекомендуется изменять внутреннее имя поля, но внешнее название/метка, может быть изменено в любое время. Если вы все-таки изменили внутреннее имя, необходимо изменить в "SysConfig" все настройки ссылающиеся на это имя, а также в личных настройках агента (если там задано).

10.2.10. Отображение Динамического Поля на Экране

Есть два обязательных условия, которые необходимо выполнить, чтобы отобразить динамическое поле на определенных страницах:

1. Динамическое поле должно быть действительным
2. Динамическое поле должно быть установлено в 1 или 2 на странице с настройками.

Следуйте этим шагам чтобы отобразить динамическое поле на экране

- Убедитесь что значение динамического поля установлено правильно. Убедитесь в правильности значения можно просмотрев на страницу просмотра. Немедленно отредактируйте значение, чтобы сделать его правильным.
- Откройте раздел "SysConfig"/Конфигурация системы выберите подраздел "Ticket" из выпадающего списка в левой верхней части экрана - фрейм "Действия".

Note

Вы также можете искать параметры, использующие конкретное динамическое поле через окно поиска или, непосредственно параметр "sysconfig", если знаете его название.

- Найдите подгруппу параметров для экрана, который ищете и нажмите на его название. Например, "Frontend::Agent::Ticket::ViewPhoneNew".
- Поиск параметра, наименование которого заканчивается на "###DynamicField". Например, "Ticket::Frontend::AgentTicketPhone###DynamicField".
- Если параметр пустой или не содержит требуемого имени динамического поля, нажмите кнопку "+" и добавьте необходимую пару значений. Например, Ключ: Поле1, Содержание: 1.

Если параметр уже содержит описание нужного динамического поля, то убедитесь, что "Содержание" установлено в "1" для его отображения, или "2", чтобы сделать его обязательным для ввода.

- Save the configuration by clicking on the "Update" button at the bottom of the screen and navigate to the screen where you want the field to be displayed.

10.2.10.1. Показать Примеры

Далее показаны примеры настройки в "sysconfig" для отображения или скрытия показа динамических полей на разных экранах.

Example 4.22. Активировать Field1 на странице Новая Заявка на основе телефонного звонка.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Ticket::ViewPhoneNew
- *Настройка:* Ticket::Frontend::AgentTicketPhone###DynamicField
- *Значение:*

Ключ	Content
Поле1	1

Figure 4.113. Field1 in New Phone Ticket Screen

Next ticket state:

Pending date: / / :

For all pending* states.

Priority:

My Field 1:

Time units (work units):

Example 4.23. Сделать Field1 на странице просмотра Заявки созданной на базе телефонного звонка New Phone Ticket Screen as mandatory.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Ticket::ViewPhoneNew
- *Настройка:* Ticket::Frontend::AgentTicketPhone###DynamicField
- *Значение:*

Ключ	Content
Поле1	2

Figure 4.114. Field1 in New Phone Ticket Screen as mandatory

Pending date: / / :

For all pending* states.

Priority:

*** My Field 1:**

Time units (work units):


Example 4.24. Активировать несколько полей на странице просмотра Новых Телефонных Заявко.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Ticket::ViewPhoneNew

- *Настройка:* Ticket::Frontend::AgentTicketPhone###DynamicField
- *Значение:*

Ключ	Content
Поле1	1
Поле2	1
Поле3	1
Поле4	1
Поле5	1
Поле6	1
Поле7	1

Figure 4.115. Several fields in New Phone Ticket Screen as mandatory



Example 4.25. Отключить некоторые поля на странице Новой Заявки, созданной на основе телефонного звонка.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Ticket::ViewPhoneNew
- *Настройка:* Ticket::Frontend::AgentTicketPhone###DynamicField
- *Значение:*

Ключ	Content
Поле1	1
Поле2	0
Поле3	1
Поле4	0
Поле5	1
Поле6	0
Поле7	1

Figure 4.116. Some deactivated fields in New Phone Ticket Screen as mandatory

Next ticket state:

Pending date: / / :

For all pending* states.

Priority:

My Field 1:

My Field 3:

My Field 5:

My Field 7: / / :

Time units (work units):

Example 4.26. Активировать поле Field1 на странице просмотра подробной информации о Заявке.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Ticket::ViewZoom
- *Установка:* Ticket::Frontend::AgentTicketZoom###DynamicField
- *Значение:*

Ключ	Content
Поле1	1

Figure 4.117. Field1 in Ticket Zoom Screen

Article(s)

SENDER	VIA	SUBJECT	CREATED
Han Solo	Phone	Test ticket	10/20/2017 18:58 (America/Mexico_City)

Han Solo - 10/20/2017 18:58 (America/Mexico_City) via Phone by Carlos Garcia

links in the following article, you might need to press Ctrl or Cmd or Shift key while clicking the link (depending on your browser and OS).

Forward | Reply

Age: 3 m

Created: 10/20/2017 18:58 (America/Mexico_City)

Created by: Carlos Garcia

State: open

Locked: unlock

Priority: 3 normal

Queue: Junk

Customer ID: MyCompany

Accounted time: 0

Owner: Carlos Garcia

My Field 1: Text on my field 1

Customer Information

Title or salutation: Mr.

Firstname: Han

Lastname: Solo

Example 4.27. Активировать поле Field1 на странице просмотра обобщенной информации о Заявке.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::TicketOverview
- *Настройка:* Ticket::Frontend::OverviewSmall###DynamicField
- *Значение:*

Ключ	Content
Поле1	1

Figure 4.118. Field1 in Ticket Overview Small Screen

QueueView: Junk

My Queues (0) Junk (3/2) Raw (1)

All tickets 3 Available tickets 2

Bulk 1-2 of 2 [S] [M] [L]

	TICKET#	▲ AGE	SENDER	TITLE	STATE	MY FIELD 1	LOCK	QUEUE	OWNER	CUSTOMER ID
<input type="checkbox"/>	201710206000013	49 m	Han Solo	Test ticket	open	Text on my field 1	unlock	Junk	Carlos Garcia	MyCompany

Этот параметр влияет на: Escalation View, Locked View, Queue View, Responsible View, Status View, Service View и Watch View обзоры.

10.2.11. Установка Значения по Умолчанию с помощью модуля Ticket Event

Событие Заявки (например TicketCreate) может вызывать множество значений для определенного поля, если его значение еще до сих пор не установлено.

Note

При использовании этого способа, это значение по умолчанию не отображается на экране (например, Новая заявка по телефону) и будет присвоено после создания заявки.

Для активации этой возможности необходимо включить параметр: "Ticket::Event-ModulePost###TicketDynamicFieldDefault".

Example 4.28. Активировать Field1 в событии TicketCreate.

- *Группировать:* Заявку
- *Подгруппа:* Core::TicketDynamicFieldDefault
- *Настройка:* Ticket::TicketDynamicFieldDefault###Element1

Note

Эта настройка может быть установлена в любую из 16 Ticket::TicketDynamicFieldDefault###Element.

Если необходимо задать более 16 полей, пользовательский XML файл должен быть помещен в папку \$OTRS_HOME/Kernel/Config/files для расширения этой возможности.

- *Значение:*

Ключ	Content
Событие	TicketCreate
Название	Поле1
Значение	новое значение

10.2.12. Установить значение по умолчанию для Пользовательских Настроек

Значение по умолчанию для динамического поля может быть перезаписано значением, определенным пользователем, которое хранится в пользовательских настройках.

При использовании этого способа, значение поля по умолчанию будет показываться на всех экранах, для которых оно активировано (если оно уже не получило другого значения).

Параметр "sysconfig" - "PreferencesGroups###DynamicField" расположен в подгруппе "Frontend::Agent::Preferences". В этом параметре задан пример того, как создать запись для экрана личных настроек агента специального значения по умолчанию для динамического поля, для избранного пользователя. Этот параметр имеет ограничение - он разрешает задать значение только для одного динамического поля. Если это требуется сделать для двух и более полей, необходимо создать собственный XML файл конфигурации для добавления дополнительных настроек, аналогичных этой.

Note


Remember, if more settings are added in a new XML each setting name needs to be unique in the system and different than "PreferencesGroups###DynamicField". For example: PreferencesGroups###101-DynamicField-Field1, PreferencesGroups###102-DynamicField-Field2, PreferencesGroups###My-Field1, PreferencesGroups###My-Field2, etc.

Example 4.29. Активировать поле Field1 на странице Пользовательские Настройки.

- *Группировать:* Заявку
- *Подгруппа:* Frontend::Agent::Preferences
- *Настройка:* PreferencesGroups###101-DynamicField-Field1
- *Значение:*

Ключ	Content
Событие	TicketCreate
Активный	1
Block	Input
Поле	Другие настройки
Data:	[% Env("UserDynamicField_Field1") %]
Ключ:	Мое Поле 1
Метка:	Значение по умолчанию для: My Field 1
Module:	Kernel::Output::HTML::PreferencesGeneric
PrefKey:	UserDynamicField_Field1
Prio:	7000

Figure 4.119. Field1 in User preferences screen



The screenshot shows a web interface for configuring user preferences. At the top, there is a section titled "Screen after new ticket" with a "CreateTicket" button and a dropdown menu for "Configure which screen should be shown after a new ticket has been created." Below this, a section titled "My Field 1" is highlighted with a red border. It contains a text input field for "Default value for Field 1:" and a dropdown menu for "This is a Description for DynamicField on Framework." with a checkmark icon.

11. Generic Interface

The OTRS Generic Interface consists of a multiple layer framework that lets OTRS communicate with other systems via a web service. This communication could be bi-directional:

- *OTRS как Provider:* OTRS заставляет сервер отслеживать запросы от внешней системы, обрабатывать информацию, выполняя запрошенное действие, и отвечать на запрос.
- *OTRS как Requester:* OTRS работает как клиент, собирающий информацию, посылая запрос к Внешней системе, и ожидает ответа.

11.1. Слои интерфейса Generic Interface

Generic Interface is build based on a layer model, to be flexible and easy to customize.


A layer is a set of files, which control how the Generic Interface performs different parts of a web service. Using the right configuration, one can build different web services for different External Systems without creating new modules.

Note

If the Remote System does not support the current bundled modules of the Generic Interface, special modules need to be developed for that specific web service.

Перечень модулей предоставляемых Generic Interface поставляется вместе с OTRS и будет обновлен или увеличен с течением времени.

Figure 4.120. The graphical interface layers



11.1.1. Транспортная Сеть

This layer is responsible for the correct communication with the Remote System. It receives requests and generates responses when acting as provider, and generates requests and receives responses when acting as requester.

Provider communication is handled by a new web server handle called "nph-genericinterface.pl".

Requester communication could be initiated during an event triggered by a Generic Interface module or any other OTRS module. This event is caught by the event handler and depending on the configuration the event will be processed directly by the requester object or delegated to the Scheduler (a separated daemon designed to process tasks asynchronously).

11.1.2. Отображение Данных

This layer is responsible for translating data structures between OTRS and the Remote System (data internal and data external layers). Usually Remote Systems have different data structures than OTRS (including different values and names for those values), and

here resides the importance of the layer to change the received information into something that OTRS can understand and on the opposite way send the information to each Remote System using their data dictionaries.

Example: "Priority" (OTRS) might be called "Prio" in a remote system and it could be that value "1 Low" (OTRS) should be mapped to "Information" on the remote system.

11.1.3. Контроллер

Controllers are collections of similar Operations or Invokers. For example, a Ticket controller might contain several standard ticket operations. Custom controllers can be implemented, for example a "TicketExternalCompany" controller which may contain similar functions as the standard Ticket controller, but with a different data interface, or function names (to adapt to the Remote System function names) or complete different code.

One application for Generic Interface could be to synchronize information with one Remote System that only can talk with another Remote System of the same kind. In this case new controllers needs to be developed and the Operations and Invokers has to emulate the Remote System behavior in such way that the interface that OTRS exposes is similar to the Remote System's interface.

11.1.4. Операция (OTRS как поставщик услуг)

An Operation is a single action that can be performed within OTRS. All operations have the same programming interface, they receive the data into one specific parameter, and return a data structure with a success status, potential error message and returning data.

Normally operations uses the already mapped data (internal) to call core modules and perform actions in OTRS like: Create a Ticket, Update a User, Invalidate a Queue, Send a Notification, etc. An operation has full access to the OTRS API to perform the action.

11.1.5. Invoker - запрашивающая сторона (OTRS как запрашивающая сторона, клиент)

An Invoker is an action that OTRS performs against a Remote System. Invokers use the OTRS Core modules to process and collect the needed information to create the request. When the information is ready it has to be mapped to the Remote System format in order to be sent to the Remote System, that will process the information execute the action and send the response back, to either process the success or handle errors.

11.2. Поток связи Generic Interface

The Generic Interface has a defined flow to perform actions as a provider and as a requester.

Эти потоки описаны ниже:

11.2.1. OTRS как Поставщик

11.2.1.1. Удаленный Запрос:

1. HTTP-запрос

- OTRS получает HTTP-запрос и передает его через слои.
- Модуль провайдера отвечает за выполнение и управление этими действиями.

2. Транспортная Сеть

- Сетевой транспортный модуль декодирует данные запроса и отделяет Имя операции от остальных данных.
- Название операции и данные операции будут возвращены поставщику.

3. Внешние данные

- Данные отправленные из удаленной системы (Это не слой базирующийся на модуле).

4. Mapping

- Данные преобразуются из формата Внешней Системы во внутренний формат данных OTRS так, как это указано в конфигурации отображения для этой операции (Mapping для входящих данных запроса).
- Преобразованные данные возвращаются обратно поставщику.

5. Внутренние Данные

- Data as transformed and prepared to be passed to the operation (This is not a module based layer).

6. Операция

- Принимает и проверяет данные.
- Осуществляет контроль доступа пользователей.
- Выполняет действие.

11.2.1.2. OTRS Ответ:

1. Операция

- Возвращает результирующие данные поставщику.

2. Внутренние Данные

- Данные возвращаемые из операции.

3. Mapping

- The data is transformed back to the Remote system format as specified in the mapping configuration (Mapping for outgoing response data).
- Преобразованные данные возвращаются обратно поставщику.

4. Внешние данные

- Данные преобразованы и подготовлены для приема Транспортной сетью как ответ.

5. Транспортная Сеть

- Получает данные уже в формате Удаленной Системы.
- Создает правильный ответ для этого типа транспортной сети.

6. HTTP ответ

- Ответ отправляется обратно клиенту веб-сервиса.

- В случае ошибки, сообщение об ошибке отправляется удаденной системе (например SOAP-ошибка, HTTP-ошибка и т.д.).

11.2.2. OTRS как запрашиваемая сторона

11.2.2.1. OTRS Запрос:

1. Обработчки Event Trigger

- В зависимости от настройки веб-сервис определяет будет ли запрос синхронным или асинхронным.
- Синхронный
 - A direct call to the Requester is made in order to create a new request and to pass it through the layers.
- Асинхронный
 - Create a new Generic Interface (Requester) task for the OTRS Daemon (by delegating the request execution to the Scheduler Daemon, the user experience could be highly improved, otherwise all the time needed to prepare the request and the remote execution will be added to the OTRS Events that trigger those requests).
 - In its next cycle the OTRS daemon process reads the new task and creates a call to the Requester that will create a new request and then passes it through the layers.

2. Запрашивающая сторона

- Получает данные от событий.
- Проверяет полученные данные (при необходимости).
- Вызвать модули ядра для дополнения данных (при необходимости).
- Возвращает структуру данных запроса или отправляет сигнал "Остановка связи" для Запрашивающей Стороны (requester), чтобы корректно отменить запрос.

3. Внутренние Данные

- Данные передаются от запрашивающей стороны (Это не слой, основанный на модуле).

4. Mapping

- The data is transformed to the Remote system format as specified in the mapping configuration (Mapping for outgoing response data).
- Уже преобразованные данные возвращаются Запрашивающей Стороне.

5. Внешние данные

- Данные преобразованы и подготовлены для отправки удаленной системе.

6. Транспортная Сеть

- Receives the remote operation name and the data already transformed to the Remote System format from the requester.

- Создает действительный запрос для транспортной сети.
- Sends the request to the remote system and waits for the response.

11.2.2.2. Удаленный Ответ

1. Транспортная сеть

- Получает ответ и декодирует данные запроса.
- Возвращает данные запрашивающей стороне.

2. Внешние данные

- Data as received from the Remote System.

3. Mapping

- Данные преобразуются из формата внешней системы во внутренний формат данных OTRS так, как это указано в конфигурации отображения для этой операции (Mapping для входящих данных отклика).
- Уже преобразованные данные возвращаются Запрашивающей Стороне.

4. Внутренние Данные

- Data as transformed and ready to be passed back to the requester.

5. Запрашивающая сторона

- Получает возвращаемые данные.
- Handles the data as needed specifically by each Invoker (included error handling if any).
- Возврат результата Запроса и данных запрашивающей стороне.

6. Event Handler or OTRS Daemon

- Receives the data from the Requester. In the case of the OTRS Daemon this data might contain information to create a task in the future.

11.3. Веб-сервисы

Веб-сервисы это метод взаимодействия между двумя системами, в нашем случае, OTRS и удаленной системой/Remote System.

The heart of the Web Service is its configuration, where it is defined what actions the web service can perform internally (Operation), what actions the OTRS request can perform Remote System (Invokers), how data is converted from one system to the other (Mapping), and over which protocol the communication will take place (Transport).

Generic Interface - это инструмент, который позволяет создавать Web-сервисы для OTRS предопределенным образом, используя уже готовые блоки, которые независимы друг от друга и взаимозаменяемы.

11.4. Графический интерфейс веб-сервиса

Графический пользовательский интерфейс (GUI) является тем инструментом, который позволяет создавать сложные настройки веб-сервиса в дружелюбной и приятной среде интерфейса. Он позволяет:

- Создание и Удаление веб-сервисов
- Импортировать и Экспортировать настройки (в формате YAML) для существующих веб-сервисов.
- Просматривать, Возвращаться и Экспортировать устаревшие конфигурационные параметры для существующих веб-сервисов на странице истории конфигурации.
- Отслеживать все сообщения журнала для каждого из веб-сервисов на странице Отладчика.

11.4.1. Обзор Веб-интерфейса


The *Web Services* link in the main screen of Admin Interface (in the System Administration box) leads to the web services overview screen, where you are able to manage your web service configurations. You can add new web services or change the configuration of the existing ones from this screen.

Every web service configuration screen has in the upper part of the screen a *bread crumbs* style navigation path. This navigation path is useful to know exactly in which part of the web service configuration we are, and also enables the user to jump back to any part of the configuration process at any time (this action will not save any changes).

Note

To create a new web service, press the button *Add web service*, and provide the required information.

Figure 4.121. Web services overview



Web Service Management						
Web Service List						
NAME	DESCRIPTION	REMOTE SYSTEM	PROVIDER TRANSPORT	REQUESTER TRANSPORT	VALIDITY	
Webservice One	-	-	-	-	valid	
Webservice Two	-	-	-	-	valid	

11.4.2. Добавить Веб Сервис

The only required field in this part is the web service *Name* that needs to be unique in the system and can not be left empty. Other fields are also necessary for the configuration like the *Debug Threshold* and *Validity* but these fields are already populated with the default value for each list.

The default value for *Debug Threshold* is *debug*. When configured in this manner all communication logs are registered in the database. Each subsequent *Debug Threshold* value is more restrictive and discards communication logs of lower order than the one set in the system.

Отладка уровней (от нижних к верхним)

- Отладка
- Информация
- Уведомление
- Ошибка

It is also possible to define the network transport protocol for *OTRS as Provider* and *OTRS as requester*.


Click on the *Save* button to register the new web service in the database or click *Cancel* to discard this operation. You will now be returned to the web service overview screen.

If you already have a web service configuration file in YAML format you can click on the *Import web service* button on the left side of the screen. For more information on importing web services please check the next section *Web Service Change*.

Note

Нажмите на имя веб-сервиса на странице просмотра чтобы изменить или добавить больше элементов веб-сервису.

Figure 4.122. Web services add



Actions

Go to overview

Import web service

Ready-to-run Web Services

Here you can activate ready-to-run web services showcasing our best practices that are a part of OTRS Business Solution™. Please note that these web services may depend on other modules only available with certain OTRS Business Solution™ contract levels (there will be a notification with further details when importing).

Import ready-to-run web service

Hint

After you save the configuration you will be redirected again to the edit screen. If you want to return to overview please click the "Go to overview" button.

General

* Name: Debug threshold:

Description: Validity:

Remote system:

OTRS as provider

In provider mode, OTRS offers web services which are used by remote systems.

Settings

Network transport:

Error Handling Modules

Error handling modules are used to react in case of errors during the communication. Those modules are executed in a specific order, which can be changed by drag and drop.

#	NAME	DESCRIPTION	BACKEND
1	No data found.		

Operations

Operations are individual system functions which remote systems can request.

NAME	DESCRIPTION	CONTROLLER	INBOUND MAPPING	OUTBOUND MAPPING
No data found.				

OTRS as requester

In requester mode, OTRS uses web services of remote systems.

Settings

Network transport:

Error Handling Modules

Error handling modules are used to react in case of errors during the communication. Those modules are executed in a specific order, which can be changed by drag and drop.

#	NAME	DESCRIPTION	BACKEND
1	No data found.		

Invokers

Invokers prepare data for a request to a remote web service, and process its response data.

NAME	DESCRIPTION	CONTROLLER	INBOUND MAPPING	OUTBOUND MAPPING
No data found.				

Save

Save or Cancel

11.4.3. Web Service Example Import

Did you know there are example web services available in the [OTRS Business Solution™](#)?

11.4.4. Изменения веб-сервиса:

На этом экране имеется полный набор по управлению каждой частью веб-сервиса. Слева, в колонке "Действия" вы найдете несколько кнопок, позволяющих выполнить все доступные действия над веб-сервисом:

- Клонирование веб-сервиса.

- Экспортировать веб-сервис.
- Импортировать веб-сервис.
- История конфигурации.
- Удалить веб-сервис.
- Отладчик.

Note

Configuration history and Debugger will lead you to different screens.

11.4.4.1. Клонирование веб-сервиса:


To clone a web service, you need to click on the *Clone web service* button. A dialog will be shown where you can use the default name or set a new name for the (cloned) web service.

Note

Remember that the name of the web service must be unique within the system.

Click on *Clone* button to create the web service clone or *Cancel* to close the dialog.

Figure 4.123. Клонирование веб-сервиса



11.4.4.2. Экспорт веб-сервиса

The *Export web service* button gives you the opportunity to dump the configuration of the current web service into a YAML file, to download it and to store it on your file system. This can be specially useful if you want to migrate the web service from one server to another, for example from a testing environment to a production system.

Warning


Все сохраненные пароли в настройках веб-сервиса будут экспортированы в виде обычного текста.

Right after clicking the *Export web service* button a save dialog of your browser will appear, just like when you click on a file download link on a web page.

Note

Каждый браузер в каждой операционной системе имеет свои собственные экраны диалога при сохранении и их вид. В зависимости от браузера и его настроек, возможен вариант, когда диалог при сохранении не отображается и файл сохраняется в каталоге по умолчанию для вашей файловой системы. Обратитесь к документации на браузер для уточнения этих моментов.

Figure 4.124. Web services export



11.4.4.3. Импорт веб-сервиса:


A valid web service configuration YAML file is required to use the import web service feature. Click on the *Import web service* button, browse for the configuration file or provide the complete path in the input box.

Click *Import* button to create a new web service from a file or "Cancel" to close the dialog.

Note

The web service name will be taken from the configuration file name (e.g. if the file name is *MyWebservice.yml* the resulting web service will be named *MyWebservice*). If a web service is registered in the system with the same name as the web service that you want to import, the system will lead you to the web service change screen to let you change the name of the imported web service.

Figure 4.125. Web services import



11.4.4.4. История веб-сервиса

Every change to the web service configuration creates a new entry in the web service history (as a journal). The web service history screen displays a list of all configuration

versions for a web service. Each row (version) in the *Configuration History List* represents a single revision in the web service history.

Click on one of the rows to show the whole configuration as it was on that particular date / time. The configuration will be shown in the *History details* section of this screen. Here you are also able to export the selected web service configuration version or to restore that version into the current web service configuration.

The *Export web service configuration* behaves exactly as the "Export web service" feature in the web service change screen. For more information refer to that section.


If changes to the current web service configuration do not work as expected and it is not easy to revert the changes manually, you can click on the *Revert web service configuration* button. This will open a dialog to ask you if you are sure to revert the web service configuration. Click *Revert web service configuration* in this dialog to replace the current configuration with the selected version, or click *Cancel* to close the dialog.

Warning

Помните, что все пароли сохраненные в конфигурации веб-сервиса будут экспортироваться в виде обычного текста.

Please be careful when you restore a configuration because this process is irreversible.

Figure 4.126. Web service history



The screenshot shows the OTRS Web Service Management interface. The breadcrumb navigation is: Web Service Management > Webservice One > History. The main content area is divided into two sections: "Actions" and "Configuration History List".

Configuration History List

VERSION	CREATE TIME
12	2017-10-22 20:01:03
11	2017-10-22 19:59:45
10	2017-10-22 19:59:41
9	2017-10-22 19:59:17
8	2017-10-22 19:59:14

Select a single configuration version to see its details.

History Details: Version 10, 2017-10-22 19:59:41

Export web service configuration | Restore web service configuration

```

---
Debugger:
  DebugThreshold: debug
  TestMode: '0'
Description: First webservice
Provider:
  Operation:
    Ticket::Create:
      Description: ''
      IncludeTicketData: ''
      MappingInbound: {}
      MappingOutbound: {}
    Type: Ticket::TicketCreate
    Ticket::Get:
      Description: ''
      IncludeTicketData: ''
      MappingInbound: {}
      MappingOutbound: {}
    Type: Ticket::TicketGet
    Ticket::Search:
      Description: ''
      IncludeTicketData: ''
      MappingInbound: {}
      MappingOutbound: {}
    Type: Ticket::TicketSearch
    Ticket::Update:
      Description: ''
      IncludeTicketData: ''
    Type: Ticket::TicketUpdate
  Transport:
    Config:
      AdditionalHeaders: -
      MaxLength: '1000000'
      Namespace: AnyNamespace
      RequestNameFreeText: ''
      ResponseNameFreeText: ''
      ResponseNameScheme: Response
      SOAPAction: Yes
      SOAPActionFreeText: ''
      SOAPActionScheme: NamespaceSeparatorOperation
      SOAPActionSeparator: '#'
    Type: HTTP::SOAP
  RemoteSystem: Any description.
  Requester:
    Transport:
      Config: {}
      Type: ''
  
```

11.4.4.5. Удаление веб-сервиса


Sometimes it is necessary to delete a web service completely. To do this you can press on the *Delete web service* button and a new dialog will appear asking for confirmation.

Click on *Delete* to confirm the removal of the web service or on *Cancel* to close the dialog.

Warning

Операция удаления веб-сервиса не может быть отменена, пожалуйста, будьте внимательны при удалении веб-сервисов.

Figure 4.127. Удаление веб-сервиса



11.4.4.6. Отладчик веб-сервиса:

Отладчик хранит журнал веб-сервиса. На странице отладчика можно следить за всеми связями веб-сервера, когда он работает в роли поставщика и получателя.

Когда отображается эта страница начинает загружаться список запросов. После того как список будет полностью загружен, можно выбрать одну из строк (что означает последовательность связей) и просмотреть подробную информацию. Эта информация будет отображаться во всплывающем окне ниже.

Можно сузить список используя фильтр в правой части страницы. Фильтрацию можно производить по:

- Тип связи (поставщик или запрашиваемая сторона)
- Дата: до и / или после определенной даты
- Удаленный IP-адрес
- A combination of all

After filter settings are set, push the *Refresh* button and a new list will be displayed meeting your search criteria.

Note

В зависимости от критериев поиска установленных в фильтре, новый поиск может вернуть пустой список.

On the left part of the screen under the action column you can select *Go back to the web service* or clear the debugger log by pushing the *Clear* button. This will open a dialog that ask you to confirm erasing of the log. Click *Clear* in the dialog button to perform the action or click on *Cancel* to close this dialog.

In the *Request details* section you can see all the details for the selected communication. Here you can track the complete flow and check for possible errors or confirm success responses.

Figure 4.128. Web service debugger

Web Service Management
Add Web Service

Actions

Go back to web service

Clear

Request List

Provider	2016-01-04 19:09:51	127.0.0.1
Provider	2016-01-04 19:10:57	127.0.0.1
Provider	2016-01-04 19:11:20	127.0.0.1
Provider	2016-01-04 19:11:20	127.0.0.1
Provider	2016-01-04 19:13:36	127.0.0.1
Provider	2016-01-04 19:14:14	127.0.0.1

Filter by type:

Filter from: 01 / 13 / 2015

Filter to: 01 / 04 / 2016

Filter by remote IP:

Limit: 100

Refresh

Select a single request to see its details.

Request Details

Communication sequence started (2016-01-04 19:14:14, debug)

Received data by provider from remote system (2016-01-04 19:14:14, debug)

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:tic="http://www.otrs.org/TicketConnector/">
  <soapenv:Header/>
  <soapenv:Body>
    <tic:TicketGet>
      <!--You have a CHOICE of the next 3 items at this level-->
      <!--Optional:-->
      <UserLogin></UserLogin>
      <!--Optional:-->
      <CustomerUserLogin?</CustomerUserLogin>
      <!--Optional:-->
      <SessionID>14j19y84EBwLGPpeEVCs81UON6kaeRpx</SessionID>
      <ChallengeToken>L0JUK0RgS76kDwYQTh5zTNRldeYQG8yg</ChallengeToken>
      <!--Optional:-->
      <Password>test</Password>
      <!--1 or more repetitions:-->
      <TicketID>1</TicketID>

      <OperationType>TicketGet</OperationType>
      <!--Optional:-->
      <DynamicFields?</DynamicFields>
      <!--Optional:-->
      <Extended?</Extended>
      <!--Optional:-->
      <AllArticles?</AllArticles>
      <!--Optional:-->
      <ArticleSenderType?</ArticleSenderType>
      <!--Optional:-->
      <ArticleOrder?</ArticleOrder>
      <!--Optional:-->
      <ArticleLimit?</ArticleLimit>
      <!--Optional:-->
      <Attachments?</Attachments>
    </tic:TicketGet>
  </soapenv:Body>
</soapenv:Envelope>
```

Detected operation 'TicketGet' (2016-01-04 19:14:14, debug)

No data provided

Incoming data before mapping (2016-01-04 19:14:14, debug)

```
$VAR1 = {
  'AllArticles' => '?',
  'ArticleLimit' => '?',
  'ArticleOrder' => '?',
  'ArticleSenderType' => '?',
  'Attachments' => '?',
  'ChallengeToken' => 'L0JUK0RgS76kDwYQTh5zTNRldeYQG8yg',
  'CustomerUserLogin' => '?',
  'DynamicFields' => '?',
  'Extended' => '?',
  'OperationType' => 'TicketGet',
  'Password' => 'test',
  'SessionID' => '14j19y84EBwLGPpeEVCs81UON6kaeRpx',
  'TicketID' => '1',
  'UserLogin' => ''
};
```

Outgoing data before mapping (2016-01-04 19:14:15, debug)

Returning provider data to remote system (HTTP Code: 200) (2016-01-04 19:14:15, debug)

```
<?xml version="1.0" encoding="UTF-8"?><soap:Envelope soap:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
```

11.4.4.7. Изменение настроек веб-службы

Returning to the web service change screen, now we are going to review the right side of it. Here we have the possibility to modify all the general data for a web service such as name, description, debug threshold, etc. Also there are two more sections below that allows us to modify specific parameters for communication types *OTRS as Provider* and *OTRS as Requester*.

The web service configuration needs to be saved on each level. This means that if a setting is changed, links to other, deeper parts of the configuration will be disabled forcing you to save the current configuration level. After saving the disabled links will be re-enabled again allowing you to continue with the configuration.

On the *OTRS as provider* section it is possible to set or configure the network transport protocol. Only network transport back-ends that are registered are shown on the list. To

configure the network transport click on the *Configure* button. It is also possible to add new operations in this box. To do this select one of the available operations from the *Add Operation* list. This will lead you to the operation configuration screen. After saving the new operation it will be listed in the table above.

OTRS as requester is very similar to the previous one, but instead of *operations* you can add *invokers* here.

Click the *Save* button to save and continue configuring the web service, *Save and finish* to save and return to the web service overview screen, or *Cancel* to discard current configuration level changes and return to web service overview screen.

Figure 4.129. Web services change

Web Service Management
Edit Web Service: Webservice One

Actions

- Go to overview
- Clone Web Service
- Export Web Service
- Configuration History
- Delete web service
- Debugger

Hint

After you save the configuration you will be redirected again to the edit screen. If you want to return to overview please click the "Go to overview" button.

General

★ Name: Debug threshold:

Description: Validity:

Remote system:

OTRS as provider

In provider mode, OTRS offers web services which are used by remote systems.

Settings

Network transport:

Error Handling Modules

Error handling modules are used to react in case of errors during the communication. Those modules are executed in a specific order, which can be changed by drag and drop.

#	NAME	DESCRIPTION	BACKEND
1	No data found.		

Add error handling module:

Operations

Operations are individual system functions which remote systems can request.

NAME	DESCRIPTION	CONTROLLER	INBOUND MAPPING	OUTBOUND MAPPING
Ticket::Create	-	Ticket::TicketCreate	-	-
Ticket::Get	-	Ticket::TicketGet	-	-
Ticket::Search	-	Ticket::TicketSearch	-	-
Ticket::Update	-	Ticket::TicketUpdate	-	-

Add Operation:

OTRS as requester

In requester mode, OTRS uses web services of remote systems.

Settings

Network transport:

Error Handling Modules

Error handling modules are used to react in case of errors during the communication. Those modules are executed in a specific order, which can be changed by drag and drop.

#	NAME	DESCRIPTION	BACKEND
1	No data found.		

Add error handling module:

Invokers

Invokers prepare data for a request to a remote web service, and process its response data.

NAME	DESCRIPTION	CONTROLLER	INBOUND MAPPING	OUTBOUND MAPPING
No data found.				

Add Invoker:

Save

or or

Note

Like the other Generic Interface configuration screens such as Network Transport, Operation, Invoker and Mapping, the initial configuration (add) screen will only

present two options: *Save* and *Cancel*. If the configuration is re-visited, a new option *Save and Finish* will appear. The behavior of this feature is defined below.

Save will store the current configuration level in the database and it will return to the previous screen to review your changes or to configure deeper settings.

Save and Finish will store the current configuration level in the database and it will return to the previous screen in the configuration hierarchy (to the immediate upper configuration level).


Cancel will discard any configuration change to the current configuration level and will return to the previous screen in the configuration hierarchy.

11.4.4.7.1. Транспортная сеть Веб-сервиса

In future the list of available network transports will be increased. Currently only *HTTP::SOAP* and *HTTP::REST* transports are available. Each transport has different configuration options to setup and they might use different frontend modules to configure them.

It is quite simple to configure the *HTTP::SOAP* protocol as provider. There are only two settings: *Namespace* and *Maximum message length*. These fields are required. The first one is a URI to give SOAP methods a context, reducing ambiguities, and the second one is a field where you can specify the maximum size (in bytes) for SOAP messages that OTRS will process.

Figure 4.130. Web service provider network transport (HTTP::SOAP)



Web Service Management						
Web Service List						
NAME	DESCRIPTION	REMOTE SYSTEM	PROVIDER TRANSPORT	REQUESTER TRANSPORT	VALIDITY	
Webservice One	First webservice	Any description.	HTTP::SOAP	-	valid	
Webservice Two	-	-	-	-	valid	

Optionally, you may want to define additional response headers. These may be used to add static header values to every response. Just click on Add response header and fill both key and value fields. There is no limit in number of additional header lines.

For *HTTP::REST* the configuration might be a bit more complicated, as it grows dynamically for each configured operation by adding: *Route mapping for Operation '<OperationName>'*: and *Valid request methods for Operation '<OperationName>'*: settings to the default transport settings *Maximum message length:* and *Send Keep-Alive:*

- Карта маршрута для выполнения операции '<OperationName>':

In this setting a resource path is set. This path must be defined according to the needs of the web service considering that the path in conjunction with the HTTP request method determines the Generic Interface operation to be executed.

Путь может содержать переменные в виде '<ИмяПеременной>' каждая строка части пути заполняемая вместо переменной будет добавлена к запросу, используя имя переменной заданной в этом параметре.

Примеры:

Карта маршрута: /Resource

- Допустимые запросы:

<http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource>

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource?Param1=One`

- Недопустимые запросы:

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource?Param1=One`

Карта маршрута: `/Resource/:ID`

- Допустимые запросы:

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/1`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/1?Param1=One`

In both cases ID = 1 will be sent to the operation as part of the payload. In the second case also Param1 = One will be added, depending on the HTTP request method other parameters will be added if they come as a JSON string in the request header.

- Недопустимые запросы:

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource?Param1=One`

Карта маршрута: `/Resource/OtherResource/:ID/:Color`

- Допустимые запросы:

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource/1/Red`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource/123/Blue?Param1=One`

В первом примере ID = 1 and Цвет = Красный, тогда как во втором ID = 123 and Цвет = Синий.

- Недопустимые запросы:

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/1`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource/1`

`http://localhost/otrs/nph-genericinterface.pl/Webservice/Test/Resource/OtherResource/1?Param1=One`


In the first example the part of the path `'/OtherResource'` is missing as well as the `:Color` variable, on the second example just `:Color` variable is missing.

- Допустимые методы запроса для Операции '<ИмяОперации>':

The HTTP request methods to determine the operation to use together with the route mapping, possible options: CONNECT, DELETE, GET, HEAD, OPTIONS, PATCH, POST, PUT and TRACE.

Totally different operations can share exactly the same mapping path, but the request method must be unique for each operation, in order to determine correctly the operation to use on each request.

Figure 4.131. Web service provider network transport (HTTP::REST)



Web Service Management > Webservice One > Requester Transport HTTP::SOAP

Actions
Go back to web service

Network Transport
Properties

Type: HTTP::SOAP

★ Endpoint:
 URI to indicate specific location for accessing a web service.
 e.g. https://local.otrs.com:8000/Webservice/Example

★ Timeout:
 Timeout value for requests.

★ Set SOAPAction: Yes
 Set to "Yes" in order to send a filled SOAPAction header.
 Set to "No" in order to send an empty SOAPAction header.

★ SOAPAction scheme:
 Select how SOAPAction should be constructed.
 Some web services require a specific construction.

★ SOAPAction separator:
 Character to use as separator between name space and SOAP operation.
 Usually .Net web services use "/" as separator.

★ Namespace:
 URI to give SOAP methods a context, reducing ambiguities.
 e.g urn:otrs-com:soap:functions or http://www.otrs.com/GenericInterface/actions

★ Request name scheme:
 Select how SOAP request function wrapper should be constructed.
 'FunctionName' is used as example for actual invoker/operation name.
 'FreeText' is used as example for actual configured value.

★ Response name scheme:
 Select how SOAP response function wrapper should be constructed.
 'FunctionName' is used as example for actual invoker/operation name.
 'FreeText' is used as example for actual configured value.

Encoding:
 The character encoding for the SOAP message contents.
 e.g utf-8, latin1, iso-8859-1, cp1250, Etc.

Authentication:
 An optional authentication mechanism to access the remote system.

★ Use Proxy Options: No
 Show or hide Proxy options to connect to the remote system.

★ Use SSL Options: No
 Show or hide SSL options to connect to the remote system.

Sort options:

Outbound sort order for xml fields (structure starting below function name wrapper) - see documentation for SOAP transport.

or or

11.4.4.7.2. Операции веб-сервиса

The actions that can be performed when you are using OTRS as a provider are called *Operations*. Each operation belongs to a controller. Controllers are collections of operations or invokers, normally operations from the same controller need similar settings and share the same configuration dialog. But each operation can have independent configuration dialogs if needed.

Name, *Description*, *Backend* and *Mappings* are fields that normally appear on every operation, other special fields can appear in non default configuration dialogs to fulfill specific needs of the operation.


Normally there are two mapping configuration sections on each operation, one for the incoming data and another one for the outgoing data. You can choose different mapping types (backends) for each mapping direction, since their configuration is independent

from each other and also independent from the operation backend. The normal and most common practice is that the operation uses the same mapping type in both cases (with inverted configuration). The complete mapping configuration is done in a separate screen which depends on the mapping type.

The operation backend is pre-populated and is not editable. You will see this parameter when you choose the operation on the web service edit screen. The field is only informative.

In the left part of the screen on the action column you have the options: *Go back to web service* (discarding all changes since the last save) and *Delete*. If you click on the last one, a dialog will open and ask you if you like to remove the operation. Click on *Delete* button to confirm the removal of the operation and its configuration or *Cancel* to close the delete dialog.

Figure 4.132. Web service operation



11.4.4.7.3. Web Service Requester Network Transport

The network transport configuration for the requester is similar to the configuration for the provider. For the Requester *HTTP::SOAP* network transport there are more fields to be set.

Apart from the *Endpoint* (URI of the Remote System web service interface to accept requests) and *Namespace* which are required fields, you can also specify:

- Кодировка (такая как *utf-8*, *latin1*, *iso-8859-1*, *cp1250*, и т.д.) для SOAP-сообщений.
- SOAPAction Header: you can use this to send an empty or filled SOAPAction header. Set to *No* and the SOAPAction header on the SOAP message will be an empty string, or set to *Yes* to send the SOAP action in *Namespace#Action* format and define the separator (typically */* for .Net web services and *#* for the REST).
- Аутентификация: установить механизм аутентификации, установлено в *-* чтобы не использовать любую проверку подлинности или выбрать ее из списка, после чего появится поле с подробной информацией.

Note


Currently only the *BasicAuth* (HTTP) authentication mechanism is implemented. You can decide whether or not to use it depending on the Remote System configuration. If used, you must provide the User Name and the Password to access the remote system.

Warning

Если вы используете пароль для аутентификации, то при экспорте настроек веб-сервиса в YAML-файл этот пароль будет раскрыт и записан в виде

простой текстовой строки внутри файла YAML. Знайте об этом и примите меры предосторожности в случае необходимости.

Figure 4.133. Web service requester network transport (HTTP::SOAP)



In the case of HTTP::REST, this configuration also grows dynamically depending on the configured invokers by adding *Controller mapping for Invoker '<InvokerName>'*: and *Valid request command for Invoker '<InvokerName>'*: for each invoke. Authentication and SSL options are similar to the ones in HTTP::SOAP

- Сервер

Имя хоста/сервера или IP адрес и порт удаленной системы, если порт не задан, по умолчанию используется порт 80.

- Controller mapping for Invoker '<InvokerName>':

In this setting a resource path is set. This path must be defined according to the needs of the remote web service and following its definition.

Path can contain variables in the form of '<VariableName>' for each variable name that matches the current data (to be sent), will be replaced by the corresponding data value. This matched variable names and values will be removed from the current data. Depending on the HTTP request command the remaining data could be sent as a JSON string in the request body or as query parameters within the URI.

Примеры:

Для данных: Var1 = One, Var2 = Two, Var3 = Three and Var4 = Four.

Controller mapping: /Resource

- После замен:

/Resource

- Оставшиеся данные:

Var1 = One, Var2 = Two, Var3 = Three and Var4 = Four

Controller mapping: /Resource/:Var1

- После замен:

/Resource/One

- Оставшиеся данные:

Var2 = Two, Var3 = Three and Var4 = Four

Controller mapping: /Resource/:Var1?Param1=:Var2&Var3=:Var3

- После замен:

/Resource/One?Param1=Two&Var3=Three

- Оставшиеся данные:

Var4 = Four


- Допустимая команда запроса для Вызова '<ИмяВызова>':

This determine the HTTP request method to use, possible options: CONNECT, DELETE, GET, HEAD, OPTIONS, PATCH, POST, PUT and TRACE. If no command is selected, Default command is used.

- Команда по умолчанию

Used as a fall-back for all Invokers without a defined request command.

Figure 4.134. Web service requester network transport (HTTP::REST)



11.4.4.7.4. Вызов веб-сервиса:

The actions that can be performed when you are using OTRS as a requester are called *Invokers*. Each invoker belongs to a controller (controllers are collections of operations or invokers). Usually invokers from the same controller need similar settings and share the same configuration dialogs. Each invoker can have independent configuration dialogs if needed.

Name, *Description*, *Backend* and *Mappings* are fields that normally appear on every invoker. Additionally the list of event triggers and other special fields can appear on non default configuration dialogs to fulfill special needs of the invoker.

Normally there are two mapping configuration sections for each invoker, one for the incoming data and another one for the outgoing data. You can choose different mapping types (backends) for each mapping direction, since their configuration is independent from each other and also independent from the invoker backend. The normal and most common practice is that the invoker uses the same mapping type in both cases, with inverted configuration. The complete mapping configuration is done in a separate screen, which depends on the mapping type.

The invoker backend is pre-populated and can not be edited. You will see this parameter when you choose the invoker on the web service edit screen. The field is only informative.

Event triggers are events within OTRS such as *TicketCreate*, *ArticleSend*, etc. These can act as triggers to execute the invoker. Each invoker needs to have at least one event trigger registered, or the invoker will be useless, because it will never be called. Additionally a set of rules (conditions) for each event can be defined to have more control over the triggering of the events. These rules depend on the data of the object associated with the event. The asynchronous property of the event triggers define if the OTRS process will handle the invoker or if it will be delegated to the OTRS Daemon.

Note

The OTRS Daemon is a separate set of process that executes tasks in the background. Using this the OTRS process itself will not be affected if the Remote System takes a long time to respond, if it is not available or if there are network problems. If you don't use the OTRS Daemons using web services can make OTRS slow or non-responsive. Therefore it is highly recommend to use asynchronous event triggers as often as possible.


To add an Event trigger, first select the event family from the first list, then the event name from the second list, then set the asynchronous property (if unchecked means that the event trigger will not be asynchronous) and finally click on the plus button. A new event trigger will be created and it will be listed on the invoker *Event Triggers* list.

From the *Event Triggers* list each events shows if it contains conditions or not. The edit button next to the condition property allows to add or edit the current conditions of the event.

To delete an Event trigger, simply locate the event trigger to be deleted in the *Event Triggers* list and click on the trash icon at the end of the row. This will open a dialog that asks you if you are sure to delete the event trigger. Click *Delete* to remove the event trigger from the list, or *Cancel* to close the dialog.

In the left part of the screen on the action column you have the options: *Go back to web service* (discarding all changes since the last save) and "Delete". If you click on the last one, a dialog will emerge and ask you if you like to remove the invoker. Click on the *Delete* button to confirm the removal of the invoker and its configuration or *Cancel* to close the delete dialog.

Figure 4.135. Web service invoker



The screenshot shows the 'Edit Invoker: Invoker one' configuration page. On the left, there are two buttons: 'Go back to web service' and 'Delete'. The main area is titled 'Invoker Details' and contains the following fields and sections:

- Name:** 'Invoker one' (with a note: 'The name is typically used to call up an operation of a remote web service.')
- Description:** 'Testing'
- Invoker backend:** 'Generic::PassThrough' (with a note: 'This OTRS invoker backend module will be called to prepare the data to be sent to the remote system, and to process its response data.')
- Mapping for outgoing request data:** (empty field, with a note: 'The data from the invoker of OTRS will be processed by this mapping, to transform it to the kind of data the remote system expects.')
- Mapping for incoming response data:** (empty field, with a note: 'The response data will be processed by this mapping, to transform it to the kind of data the invoker of OTRS expects.')
- Event Triggers:** A table with columns: EVENT, ASYNCHRONOUS, CONDITION, EDIT, DELETE.

EVENT	ASYNCHRONOUS	CONDITION	EDIT	DELETE
TicketCreate	Yes	No		

 (with a note: 'This invoker will be triggered by the configured events.')
- Add Event Trigger:** Two dropdown menus showing 'Ticket' and 'EscalationResponseTimeNotifyBefore', followed by a checked 'Asynchronous' checkbox and a plus button.

At the bottom, there are three buttons: 'Save', 'Save and finish', and 'Cancel'.

11.4.4.7.5. Web Service Invoker Event

Sometimes defining an event to trigger an invoker could result in many unnecessary or wrong request to a remote server. Event conditions could be set to restrict the triggering of the invoker in such cases.

To access the event settings screen where the conditions can be defined is necessary to be in the invoker screen and from there click on the edit icon next to the condition status on the event where this condition should take effect.


Within the event settings screen in the action bar there is a button to go back to the invoker screen as well as a button to remove all the event conditions. By default the screen is pre-populated with the first condition. Update the Type of linkings between conditions if more than one condition is planned, then change the Type of linking from *Condition 1* if more than one field is planned. Both linking fields accept *and*, *or* or *xor* as values.

Fill the *Field* name, set the matching type (*String* for exact match, *Regex* for regular expression or *Validation Module*) and set Value to match (in case of *Validation Module* the full class name like: `Kernel::GenericInterface::Event::Validation::ValidateDemo`).

To add more fields to the condition, click on the + button in the fields header. To remove a field, click on the - button in the field row. It is necessary to keep at least one field per condition.

To add more conditions click on the button below the last condition box. To remove a condition, click on the - button in the condition header. It is necessary to keep at least one condition in the set. To remove all conditions use the button in the sidebar.

Figure 4.136. Web service invoker event



11.4.4.7.6. Веб Сервис

There are cases where you need to transform the data from one format to another (map or change data structure), because normally a web service is used to interact with a Remote System, that is highly probable that is not another OTRS system and / or could not understand the OTRS data structures and values. In these cases some or all values have to be changed, and sometimes even the names of the values (keys) or even the complete structure, in order to match with the expected data on the other end. To accomplish this task the Generic Interface Mapping Layer exists.

Each Remote System has its own data structures and it is possible to create new mapping modules for each case (e.g. there is a customized mapping module for SAP Solution Man-

ager shipped with OTRS), but it is not always necessary. The module Mapping::Simple should cover most of the mapping needs.

Note

When Mapping::Simple does not cover all mapping needs for a web service, a new mapping module should be created. To learn more about how to create new mapping modules please consult the OTRS Development Manual.

Этот модуль дает возможность установить значение для отображения по умолчанию для каждого ключа или значения для всех передаваемых данных.

At the beginning of the screen you will see a general section where you can set the default rules that will apply for all the unmapped keys and values. There are three options available, these options are listed below:

- Не изменять: не касается ключей и значений в любом случае.
- Ignore (drop key/value pair): when this is applied to the key it deletes the key and value, because when a key is deleted then in consequence its associated value is deleted too. When this is applied to the value, only the value is deleted, keeping the key, that now will be associated to an empty value.
- MapTo (use provided key or value as default): all keys and / or values without a defined map rule, will use this as default, when you select this option a new text field will appear to set this default.

Clicking on the + button for new key map, will display a new box for a single mapping configuration. You can add as many key mappings as needed. Just click on the + button again and a new mapping box will appear below the existing one. From this mapping boxes you can define a map for a single key, with the next options:


- Точное значение(я): строка со старым значением будет заменена новой в случае полного совпадения "старого" ключа.
- Regular expression: the key string will be replaced following a regular expression rule.

Pressing the new value map + button will display a new row for a value map. Here it is also possible to define rules for each value to be mapped with the same options as for the key map (Exact value and Regular expression). You can add as many values to map as needed, and if you want to delete one of them, just click on the - button for each mapping value row.

Deleting the complete key mapping section (box) is possible, just push on the - button located on the up right corner of each box that you want to delete.

If you need to delete a complete mapping configuration: go back to the corresponding operation or invoker screen, look for the mapping direction that you select before and set its value to -, and save the configuration to apply changes.

Figure 4.137. Web service mapping



11.5. Интерфейс командной строки Веб-Сервиса

The `bin/otrs.Console.pl Admin::WebService::*` commands were developed in order to create basic, but fast and powerful tools to work with web service configurations. They give you the ability to perform the following actions:

- **Add:** для создания веб-сервисов с использованием YAML-файлов в качестве источника конфигурации.
- **Update:** изменить существующий веб-сервис, конфигурация может быть изменена с использованием других или измененных YAML-файлов.
- **Dump:** to save the current web service configuration to a file.
- **List:** чтобы получить полный список всех веб-сервисов, зарегистрированных в системе.
- **Delete:** для удаления веб-сервиса из системы. Будьте осторожны при выполнении этой операции, ее невозможно отменить.

Пример: Создание новой конфигурации веб-сервиса:

```
shell> bin/otrs.Console.pl Admin::WebService::Add --name <webservice_name> --source-path /
path/to/yaml/file
```

11.6. Конфигурация Веб-сервиса

From its design the web services were conceived to be portable from one OTRS system to another, e.g. from a test or development environment to a production system. Therefore it was needed to have an easy way to extract the web service configuration from the database, and import it to another. To accomplish this task the Generic Interface uses YAML files as the web services configuration basis.

Почему YAML? YAML это язык разметки, разработанный специально человеком читаемым и удобным для написания (он более понятен чем JSON), не имеет некоторых ограничений XML, таких как числовые тэги, он открыт, стандартизован и полностью удовлетворяет задаче хранения всех настроек веб-сервисов.

Note

Чтобы узнать больше о YAML пожалуйста посетите ссылку <http://www.yaml.org/>.

Ниже приводится конфигурация веб-сервера на основе файла конфигурации в форматеYAML:

```
---
Debugger:
  DebugThreshold: debug
Description: This an example of a web service configuration
Provider:
  Operation:
    CloseIncident:
      Description: This is a test operation
      MappingInbound: {}
      MappingOutbound: {}
      RemoteSystemGuid: ''
      Type: Test::Test
    Test:
      Description: This is a test operation
      MappingInbound:
        Config:
          KeyMapDefault:
            MapTo: ''
            MapType: Keep
          KeyMapExact:
            Prio: Priority
          ValueMap:
            Priority:
              ValueMapExact:
                Critical: 5 Very High
                Information: 1 Very Low
                Warning: 3 Normal
            ValueMapDefault:
              MapTo: 3 Normal
              MapType: MapTo
          Type: Simple
        MappingOutbound:
          Config:
            KeyMapDefault:
              MapTo: ''
              MapType: Ignore
            KeyMapExact:
              Priority: Prio
            ValueMap:
              Prio:
                ValueMapExact:
                  1 Very Low: Information
                  3 Normal: Warning
                  5 Very High: Critical
            ValueMapDefault:
              MapTo: ''
              MapType: Ignore
          Type: Simple
        Type: Test::Test
      Transport:
        Config:
          MaxLength: 10000000
          NameSpace: http://www.example.com/actions
          Type: HTTP::SOAP
      RemoteSystem: remote.system.description.example.com
    Requester:
      Invoker:
        Test:
          Description: This is a test invoker
          Events:
            - Asynchronous: 1
          Condition:
```

```
Condition:
  '1':
    Fields:
      Queue:
        Match: Raw
        Type: String
      Type: and
    ConditionLinking: and
    Event: TicketCreate
  - Asynchronous: 0
    Event: ArticleUpdate
MappingInbound:
  Type: Simple
MappingOutbound:
  Type: Simple
Type: Test::Test
Transport:
Config:
  Authentication:
    Password: '*****'
    Type: BasicAuth
    User: otrs
  Encoding: utf-8
  Endpoint: http://www.example.com:8080/endpoint
  NameSpace: http://www.example.com/actions
  SOAPAction: Yes
  SOAPActionSeparator: '#'
  Type: HTTP::SOAP
```

11.6.1. Описание Конфигурации

11.6.1.1. Общий

- Description: a short text that describes the web service.
- RemoteSystem: a short description of the Remote System.
- Debugger: a container for the debugger settings.
- Provider: a container for the provider settings.
- Requester: a container for the requester settings.

11.6.1.2. Debugger

- DebugThreshold: the debugger level.

Возможные значения:

- debug: all logs are stored in the database.
- info: info, notice and error level logs are stored in the database.
- notice: notice and error level logs are stored in the database.
- error: only error level logs are stored in the database.

11.6.1.3. Provider

- Operation: a container for each operation settings.
- Transport: a container for provider network transport settings.

11.6.1.3.1. Operation

- `<OperationName>`: Unique name for the operation, container for its own operation settings (cardinality 0..n, but not duplicate).

11.6.1.3.1.1. `<OperationName>`

This section is based on operations from type `Test : : Test` other operations might contain more or different settings.

- `Description`: a short text that describes the operation.
- `MappingInbound`: a container for the mapping settings for the incoming request data.
- `MappingOutbound`: a container for the mapping settings for the outgoing response data.
- `Type`: the operation backend, in `Controller::Operation` format.

11.6.1.3.1.1.1. MappingInbound

This section is based on mappings from type `Simple`. Other mappings might contain more or different settings.

- `Config`: a container for this mapping settings.
- `Type`: the mapping backend.

11.6.1.3.1.1.1.1. Config

- `KeyMapDefault`: a container for all non mapped keys settings.
- `ValueMapDefault`: a container for all non mapped values settings.
- `KeyMapExact`: a container for all exact key mappings (cardinality 0 .. 1).
- `KeyMapRegex`: a container for all regular expression key mappings (cardinality 0 .. 1).
- `ValueMap`: a container for all value mappings (cardinality 0 .. 1).

11.6.1.3.1.1.1.1.1. KeyMapDefault

- `MapTo`: the new value to be used (only applicable if `MapType` is set to `MapTo`).
- `MapType`: the rule for the mapping.

Возможные значения:

- `Keep`: leave unchanged.
- `Ignore`: drop.
- `MapTo`: change to the `MapTo` value.

11.6.1.3.1.1.1.1.2. ValueMapDefault

Similar to `KeyMapDefault`.

11.6.1.3.1.1.1.1.3. KeyMapExact

- `<oldkey>`: `<newkey>` (cardinality 0 .. n but not duplicate).

11.6.1.3.1.1.1.1.4. KeyMapRegEx

- <oldkey(RegEx)>: <newkey> (cardinality 0 .. n but no duplicates).

11.6.1.3.1.1.1.1.5. ValueMap

- <newkey>: a container for value mappings for this new key (cardinality depends on the new keys from KeyMapExact and KeyMapRegEx).

11.6.1.3.1.1.1.1.5.1. <newkey>

- ValueMapExact: a container for all exact value mappings (cardinality 0 .. 1).
- ValueMapRegEx: a container for all regular expression value mappings (cardinality 0 .. 1).

11.6.1.3.1.1.1.1.5.1.1. ValueMapExact

- <oldvalue>: <newvalue> (cardinality 0 .. n but not duplicate).

11.6.1.3.1.1.1.1.5.1.2. ValueMapRegEx

- <oldvalue(RegEx)>: <newvalue> (cardinality 0 .. n but not duplicate).

11.6.1.3.1.1.2. MappingOutbound

Same as MappingInbound.

11.6.1.3.1.1.3. Transport

Этот раздел основана на сетевом поставщике HTTP::SOAP, другие поставщики могут содержать больше или другие настройки.

- Config: a container for the specific network transport configuration settings.
- Type: the provider network transport backend.

11.6.1.3.1.1.3.1. Config

- MaxLength: the maximum length in bytes to be read in a SOAP message by OTRS.
- NameSpace: an URI that gives a context to all operations that belongs to this web service.

11.6.1.4. Requester

- Invoker: a container for each invokers' settings.
- Transport: a container for requester network transport settings.

11.6.1.4.1. Invoker

- <InvokerName>: Unique name for the invoker, container for its own invoker settings (cardinality 0..n, but not duplicate).

11.6.1.4.1.1. <InvokerName>

This section is based on invokers from type Test::Test other invokers might contain more or different settings.

- Description: a short text that describes the invoker.

- Events: a container for a unnamed list of event trigger settings.
- MappingInbound: a container for the mapping settings for the incoming response data.
- MappingOutbound: a container for the mapping settings for the outgoing request data.
- Type: the invoker backend, in Controller::Invoker format.

11.6.1.4.1.1.1. Events

- *List Element*: (cardinality 0 .. n).
 - Asynchronous: to set if the invoker execution will be delegated to the OTRS Daemon.

Возможные значения:

- 0: not handled by the OTRS Daemon.
- 1: handled by the OTRS Daemon.
- Condition: Container for event conditions to trigger the invoker, if there are no conditions, event will always trigger the invoker.
- Event: the name of the event trigger.

Possible values (for ticket events)

- TicketCreate
- TicketDelete
- TicketTitleUpdate
- TicketUnlockTimeoutUpdate
- TicketQueueUpdate
- TicketTypeUpdate
- TicketServiceUpdate
- TicketSLAUpdate
- TicketCustomerUpdate
- TicketPendingTimeUpdate
- TicketLockUpdate
- TicketArchiveFlagUpdate
- TicketStateUpdate
- TicketOwnerUpdate
- TicketResponsibleUpdate
- TicketPriorityUpdate
- HistoryAdd
- HistoryDelete

- TicketAccountTime
- TicketMerge
- TicketSubscribe
- TicketUnsubscribe
- TicketFlagSet
- TicketFlagDelete
- TicketSlaveLinkAdd
- TicketSlaveLinkDelete
- TicketMasterLinkDelete

Possible values (for article events)

- ArticleCreate
- ArticleUpdate
- ArticleSend
- ArticleBounce
- ArticleAgentNotification
- ArticleCustomerNotification
- ArticleAutoResponse
- ArticleFlagSet
- ArticleFlagDelete

11.6.1.4.1.1.1.1. Condition

- Condition: Container to actual event conditions.
- ConditionLinking: Defines how multiple condition interacts with each other.

Possible values (for condition linking)

- and
- or
- xor

11.6.1.4.1.1.1.1.1. Condition -> Condition

- <ConditionName>: Container for the condition elements.

11.6.1.4.1.1.1.1.1.1. <ConditionName>

Unique name for the condition within the invoker and event the GUI assigns consecutive integer condition names starting from 1.

- Fields: Container for field conditions.

- Type: Define how multiple fields interact within its condition.

Possible values (for condition linking)

- and
- or
- xor

11.6.1.4.1.1.1.1.1.1.1.1. Fields

- <FieldName>: Container field attributes.

11.6.1.4.1.1.1.1.1.1.1.1. <FieldName>

The name of a field from the event object (e.g. for Ticket Events, the fields could be Queue, Priority, Type, etc).

- Match: The value to match from the selected against the event object using the Type modifier.
- Type: Modifier to the Match value.

Possible values (for type modifier)

- String: Direct compare between object field value and Match value.
- Regexp: Compare object field value with the regular expression defined in the Match value.
- Module: Use the module defined in the Match with the object data.

11.6.1.4.1.1.2. MappingInbound

Same as OperationMappingInbound.

11.6.1.4.1.1.3. MappingOutbound

Same as OperationMappingInbound.

11.6.1.4.1.1.4. Transport

Этот раздел основан на транспортной сети запрашивающей стороны HTTP::SOAP, транспортные сети могут содержать больше или другие настройки.

- Config: a container for the specific network transport configuration settings.
- Type: the requester network transport backend.

11.6.1.4.1.1.4.1. Config

- Authentication: a container for authentication settings.
- Encoding: the SOAP Message request encoding.
- Endpoint: the URI of the Remote Server web service to accept OTRS requests.
- NameSpace: an URI that gives a context to all invokers that belongs to this web service.

- SOAPAction: to send an empty or filled SOAPAction header in the SOAP message (in <NameSpace> <Separator> <Action> format).

Возможные значения:

- Yes: to send a filled SOAPAction header.
- No: to send an empty SOAPAction header.
- SOAPActionSeparator: to set the <Separator> of a filled SOAPAction header.

Возможные значения:

- '/': used for .net web services.
- '#': used for all the rest web services.

11.6.1.4.1.1.4.1.1. Authentication

- User: the privileged user name that has access to the remote web service.
- Password: the password for privileged user in plain text.
- Type: the type of authentication.

11.7. Коннекторы (Connectors)

A Connector is in essence a set of actions that are either called Operations if OTRS acts as a web service provider or Invokers if OTRS acts as a web service requester. But it can also include special Mappings or Transports.

One Connector can either have only Operations, Only Invokers or both. A connector can even use parts of other connectors like the Mappings or Transports if they are not to specific for the Connector that is trying to implement them.

In other words a Connector is not limited to just the Controller layer but it can be extended to Data Mapping or Network Transport layers if needed.

Due to the modular design of the Generic Interface a Connector can be seen as a plug-in; this means that by adding Connectors the capabilities of the generic interface can be extended using: OTRS Feature add ons, OTRS Custom modules, 3rd Party modules, and so on.

11.7.1. Комплект Коннекторов (Connectors)

Included with this version of OTRS the following connectors are ready to be used:

- FAQ (Часто Задаваемые Вопросы)
- Session
- Заявк

11.7.1.1. FAQ Connector

This connector get and search public FAQ items, as well as list FAQ languages and categories.

Поставщики:

- Операции:
 - LanguageList
 - PublicCategoryList
 - PublicFAQGet
 - PublicFAQSearch

11.7.1.1.1. Операции

11.7.1.1.1.1. LanguageList

For this operation is not necessary to send any special parameter to the server, you just need to request the web service directly indicating the "LanguageList" operation. The operation will return a list of languages including ID and the Name for each language on the system.

Возможные Атрибуты:

```
<LanguageList/>
```

11.7.1.1.1.2. PublicCategoryList

For this operation is also not necessary any special parameter, just the simple call for requesting the web service with the operation name 'PublicCategoryList' as a response you will receive a list of categories including the ID and the Name (long format) for each category.

Возможные Атрибуты:

```
<PublicCategoryList/>
```

11.7.1.1.1.3. PublicFAQGet

To be able to get one or more FAQ entries, you should send the ItemID(s) as a parameter for the FAQ entry you want to get. You will receive the entire FAQ record with all attachments included. Note that attachment contents will be transferred as base64-encoded strings.

Setting GetAttachmentContents to 0 will prevent to fetch the content of the attachment this will increase the performance of the operation when the attachment contents are not really needed.

Возможные Атрибуты:

```
<PublicFAQGet>  
  <ItemID?></ItemID>  
  <!-- optional, defaults to 1 -->  
  <GetAttachmentContents?></GetAttachmentContents>  
</PublicFAQGet>
```

11.7.1.1.1.4. PublicFAQSearch

For this operation you can specify the following optional parameters: Name, Title, What (full text search), Keyword, LanguageIDs and CategoryIDs to narrow the search results. You may also specify the order of the results by the following parameters: OrderBy and OrderByDirection.

Send a request to the web service with the operation name 'PublicFAQSearch' as a response you will receive a list of FAQ item IDs.

Note

The full FAQ item data can be retrieved for each ID by using 'PublicFAQGet' operation separately.

Возможные Атрибуты:

```
<PublicFAQSearch>
  <!--Optional:-->
  <Number?></Number>
  <!--Optional:-->
  <Title?></Title>
  <!--Optional:-->
  <What?></What>
  <!--Optional:-->
  <Keyword?></Keyword>
  <!--Zero or more repetitions:-->
  <LanguageIDs?></LanguageIDs>
  <!--Zero or more repetitions:-->
  <CategoryIDs?></CategoryIDs>
  <!--Zero or more repetitions:-->
  <SortBy?></SortBy>
  <!--Optional:-->
  <OrderBy?></OrderBy>
  <!--Optional:-->
  <OrderByDirection?></OrderByDirection>
</PublicFAQSearch>
```

11.7.1.2. Коннектор сессии

Этот коннектор может создать действительный SessionID, который в дальнейшем может быть использован в любой другой операции.

Поставщики:

- Операции:
 - SessionCreate
 - SessionGet

11.7.1.2.1. Операции

11.7.1.2.1.1. SessionCreate

Creates a new valid SessionID to be used in other operations from other connectors like TicketCreate.

Note

To use the SessionID in other operations from other connectors it is necessary that the operation implements authentication by SessionID. All the rest of the bun-

dled operations are capable of accepting a valid SessionID as an authentication method.

Возможные Атрибуты:

```
<SessionCreate>
  <!--You have a MANDATORY CHOICE of the next 2 items at this level-->
  <!--Optional:-->
  <UserLogin?></UserLogin>
  <!--Optional:-->
  <CustomerUserLogin?></CustomerUserLogin>
  <!--Optional:-->
  <Password?></Password>
</SessionCreate>
```

11.7.1.2.1.2. SessionCreate

Gathers data from a valid session excluding sensitive information such as user password or challenge token.

Note

If any of its values is a complex structure then it is automatically converted to a JSON string.

Возможные Атрибуты:

```
<SessionGet>
  <SessionID?></SessionID>
</SessionGet>
```

11.7.1.3. Коннектор Заявки

This connector supplies the basic functionality to interact with tickets.

Поставщики:

- Операции:
 - TicketCreate
 - TicketUpdate
 - TicketGet
 - TicketSearch
 - TicketHistoryGet

11.7.1.3.1. Операции

11.7.1.3.1.1. TicketCreate

Предоставляет интерфейс для создания заявки в OTRS. Заявка должна содержать сообщение и может содержать несколько вложений, все заданные динамические поля, также могут получить значения при операции "Создать заявку/TicketCreate"

Возможные Атрибуты:

```
<TicketCreate>
  <!--You have a MANDATORY CHOICE of the next 3 items at this level-->
  <!--Optional:-->
  <UserLogin?</UserLogin>
  <!--Optional:-->
  <CustomerUserLogin?</CustomerUserLogin>
  <!--Optional:-->
  <SessionID?</SessionID>
  <!--Optional:-->
  <Password?</Password>
  <Ticket>
    <Title?</Title>
    <!--You have a MANDATORY CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <QueueID?</QueueID>
    <!--Optional:-->
    <Queue?</Queue>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <TypeID?</TypeID>
    <!--Optional:-->
    <Type?</Type>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <ServiceID?</ServiceID>
    <!--Optional:-->
    <Service?</Service>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <SLAID?</SLAID>
    <!--Optional:-->
    <SLA?</SLA>
    <!--You have a MANDATORY CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <StateID?</StateID>
    <!--Optional:-->
    <State?</State>
    <!--You have a MANDATORY CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <PriorityID?</PriorityID>
    <!--Optional:-->
    <Priority?</Priority>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <OwnerID?</OwnerID>
    <!--Optional:-->
    <Owner?</Owner>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <ResponsibleID?</ResponsibleID>
    <!--Optional:-->
    <Responsible?</Responsible>
    <CustomerUser?</CustomerUser>
    <!--Optional:-->
    <CustomerID?</CustomerID>
    <!--Optional:-->
    <PendingTime>
      <!--You have a CHOICE of the next and the other 5 items at this level-->
      <Diff?</Diff>
      <Year?</Year>
      <Month?</Month>
      <Day?</Day>
      <Hour?</Hour>
      <Minute?</Minute>
    </PendingTime>
  </Ticket>
</Article>
  <!--You have a CHOICE of the next 2 items at this level-->
```

```

<!--Optional:-->
<CommunicationChannelID?></CommunicationChannelID>
<!--Optional: Possible values Email, Internal or Phone-->
<CommunicationChannel?></CommunicationChannel>
<IsVisibleForCustomer?></IsVisibleForCustomer>
<!--You have a CHOICE of the next 2 items at this level-->
<!--Optional:-->
<SenderTypeID?></SenderTypeID>
<!--Optional:-->
<SenderType?></SenderType>
<!--Optional:-->
<From?></From>
<!--Optional:-->
<To?></To>
<!--Optional:-->
<Cc?></Cc>
<!--Optional:-->
<Bcc?></Bcc>
<Subject?></Subject>
<Body?></Body>
<!--You have a CHOICE of the next 2 items at this level-->
<!--Optional:-->
<ContentType?></ContentType>
<Charset?></Charset>
<MimeType?></MimeType>
<!--Optional:-->
<HistoryType?></HistoryType>
<!--Optional:-->
<HistoryComment?></HistoryComment>
<!--Optional:-->
<AutoResponseType?></AutoResponseType>
<!--Optional:-->
<TimeUnit?></TimeUnit>
<!--Optional:-->
<NoAgentNotify?></NoAgentNotify>
<!--Zero or more repetitions:-->
<ForceNotificationToUserID?></ForceNotificationToUserID>
<!--Zero or more repetitions:-->
<ExcludeNotificationToUserID?></ExcludeNotificationToUserID>
<!--Zero or more repetitions:-->
<ExcludeMuteNotificationToUserID?></ExcludeMuteNotificationToUserID>
</Article>
<!--Zero or more repetitions:-->
<DynamicField>
  <Name?></Name>
  <!--1 or more repetitions:-->
  <Value?></Value>
</DynamicField>
<!--Zero or more repetitions:-->
<Attachment>
  <Content>cid:61886944659</Content>
  <ContentType?></ContentType>
  <Filename?></Filename>
</Attachment>
</TicketCreate>

```

11.7.1.3.1.2. TicketUpdate

Операция "Изменение заявки/TicketUpdate" добавляет возможность изменения атрибутов существующей заявки или добавить новое сообщение/заметку, включая вложения и все определенные динамические поля для заявки и нового сообщения.

Note

Нет необходимости создавать новое сообщение/заметку для изменения атрибутов заявки.

Возможные Атрибуты:

```

<TicketUpdate>
  <!--You have a MANDATORY CHOICE of the next 3 items at this level-->
  <!--Optional:-->
  <UserLogin?</UserLogin>
  <!--Optional:-->
  <CustomerUserLogin?</CustomerUserLogin>
  <!--Optional:-->
  <SessionID?</SessionID>
  <!--Optional:-->
  <Password?</Password>
  <!--You have a CHOICE of the next 2 items at this level-->
  <TicketID?</TicketID>
  <TicketNumber?</TicketNumber>
  <!--Optional:-->
  <Ticket>
    <!--Optional:-->
    <Title?</Title>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <QueueID?</QueueID>
    <!--Optional:-->
    <Queue?</Queue>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <TypeID?</TypeID>
    <!--Optional:-->
    <Type?</Type>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <ServiceID?</ServiceID>
    <!--Optional:-->
    <Service?</Service>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <SLAID?</SLAID>
    <!--Optional:-->
    <SLA?</SLA>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <StateID?</StateID>
    <!--Optional:-->
    <State?</State>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <PriorityID?</PriorityID>
    <!--Optional:-->
    <Priority?</Priority>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <OwnerID?</OwnerID>
    <!--Optional:-->
    <Owner?</Owner>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <ResponsibleID?</ResponsibleID>
    <!--Optional:-->
    <Responsible?</Responsible>
    <!--Optional:-->
    <CustomerUser?</CustomerUser>
    <!--Optional:-->
    <CustomerID?</CustomerID>
    <!--Optional:-->
    <PendingTime>
      <!--You have a CHOICE of the next and the other 5 items at this level-->
      <Diff?</Diff>
      <Year?</Year>
      <Month?</Month>
      <Day?</Day>
      <Hour?</Hour>
      <Minute?</Minute>
  
```

```

    </PendingTime>
  </Ticket>
  <!--Optional:-->
  <Article>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <CommunicationChannelID?</CommunicationChannelID>
    <!--Optional: Possible values Email, Internal or Phone-->
    <CommunicationChannel?</CommunicationChannel>
    <IsVisibleForCustomer?</IsVisibleForCustomer>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <SenderTypeID?</SenderTypeID>
    <!--Optional:-->
    <SenderType?</SenderType>
    <!--Optional:-->
    <From?</From>
    <!--Optional:-->
    <To?</To>
    <!--Optional:-->
    <Cc?</Cc>
    <!--Optional:-->
    <Bcc?</Bcc>
    <Subject?</Subject>
    <Body?</Body>
    <!--You have a CHOICE of the next 2 items at this level-->
    <!--Optional:-->
    <ContentType?</ContentType>
    <Charset?</Charset>
    <MimeType?</MimeType>
    <!--Optional:-->
    <HistoryType?</HistoryType>
    <!--Optional:-->
    <HistoryComment?</HistoryComment>
    <!--Optional:-->
    <AutoResponseType?</AutoResponseType>
    <!--Optional:-->
    <TimeUnit?</TimeUnit>
    <!--Optional:-->
    <NoAgentNotify?</NoAgentNotify>
    <!--Zero or more repetitions:-->
    <ForceNotificationToUserID?</ForceNotificationToUserID>
    <!--Zero or more repetitions:-->
    <ExcludeNotificationToUserID?</ExcludeNotificationToUserID>
    <!--Zero or more repetitions:-->
    <ExcludeMuteNotificationToUserID?</ExcludeMuteNotificationToUserID>
  </Article>
  <!--Zero or more repetitions:-->
  <DynamicField>
    <Name?</Name>
    <!--1 or more repetitions:-->
    <Value?</Value>
  </DynamicField>
  <!--Zero or more repetitions:-->
  <Attachment>
    <Content>cid:166861569966</Content>
    <ContentType?</ContentType>
    <Filename?</Filename>
  </Attachment>
</TicketUpdate>

```

11.7.1.3.1.3. TicketGet

Эта операция используется для получения всех атрибутов заявки, включая динамические поля, все сообщения и все вложения принадлежащие заявке.

Возможные Атрибуты:

```

<TicketGet>
  <!--You have a MANDATORY CHOICE of the next 3 items at this level-->
  <!--Optional:-->
  <UserLogin?></UserLogin>
  <!--Optional:-->
  <CustomerUserLogin?></CustomerUserLogin>
  <!--Optional:-->
  <SessionID?></SessionID>
  <!--Optional:-->
  <Password?></Password>
  <!--1 or more repetitions:-->
  <TicketID?></TicketID>
  <!--Optional:-->
  <DynamicFields?></DynamicFields>
  <!--Optional:-->
  <Extended?></Extended>
  <!--Optional:-->
  <AllArticles?></AllArticles>
  <!--Optional:-->
  <ArticleSenderType?></ArticleSenderType>
  <!--Optional:-->
  <ArticleOrder?></ArticleOrder>
  <!--Optional:-->
  <ArticleLimit?></ArticleLimit>
  <!--Optional:-->
  <Attachments?></Attachments>
  <!--Optional:-->
  <GetAttachmentContents?></GetAttachmentContents>
  <!--Optional:-->
  <HTMLBodyAsAttachment?></HTMLBodyAsAttachment>
</TicketGet>

```

11.7.1.3.1.4. TicketSearch

Операция "ПоискЗаявки/TicketSearch" возвращает список всех Ticket IDs/ Идентификаторов заявок, удовлетворяющих заданному критерию.

Возможные Атрибуты:

```

<TicketSearch>
  <!--You have a MANDATORY CHOICE of the next 3 items at this level-->
  <!--Optional:-->
  <UserLogin?></UserLogin>
  <!--Optional:-->
  <CustomerUserLogin?></CustomerUserLogin>
  <!--Optional:-->
  <SessionID?></SessionID>
  <!--Optional:-->
  <Password?></Password>
  <!--Optional:-->
  <Limit?></Limit>
  <!--Zero or more repetitions:-->
  <TicketNumber?></TicketNumber>
  <!--Zero or more repetitions:-->
  <Title?></Title>
  <!--Zero or more repetitions:-->
  <Queues?></Queues>
  <!--Zero or more repetitions:-->
  <QueueIDs?></QueueIDs>
  <!--Optional:-->
  <UseSubQueues?></UseSubQueues>
  <!--Zero or more repetitions:-->
  <Types?></Types>
  <!--Zero or more repetitions:-->
  <TypeIDs?></TypeIDs>
  <!--Zero or more repetitions:-->
  <States?></States>
  <!--Zero or more repetitions:-->

```

```

<StateIDs?></StateIDs>
<!--Zero or more repetitions:-->
<StateType?></StateType>
<!--Zero or more repetitions:-->
<StateTypeIDs?></StateTypeIDs>
<!--Zero or more repetitions:-->
<Priorities?></Priorities>
<!--Zero or more repetitions:-->
<PriorityIDs?></PriorityIDs>
<!--Zero or more repetitions:-->
<Services?></Services>
<!--Zero or more repetitions:-->
<ServiceIDs?></ServiceIDs>
<!--Zero or more repetitions:-->
<SLAs?></SLAs>
<!--Zero or more repetitions:-->
<SLAIDs?></SLAIDs>
<!--Zero or more repetitions:-->
<Locks?></Locks>
<!--Zero or more repetitions:-->
<LockIDs?></LockIDs>
<!--Zero or more repetitions:-->
<OwnerIDs?></OwnerIDs>
<!--Zero or more repetitions:-->
<ResponsibleIDs?></ResponsibleIDs>
<!--Zero or more repetitions:-->
<WatchUserIDs?></WatchUserIDs>
<!--Zero or more repetitions:-->
<CustomerID?></CustomerID>
<!--Zero or more repetitions:-->
<CustomerUserLogin?></CustomerUserLogin>
<!--Zero or more repetitions:-->
<CreatedUserIDs?></CreatedUserIDs>
<!--Zero or more repetitions:-->
<CreatedTypes?></CreatedTypes>
<!--Zero or more repetitions:-->
<CreatedTypeIDs?></CreatedTypeIDs>
<!--Zero or more repetitions:-->
<CreatedPriorities?></CreatedPriorities>
<!--Zero or more repetitions:-->
<CreatedPriorityIDs?></CreatedPriorityIDs>
<!--Zero or more repetitions:-->
<CreatedStates?></CreatedStates>
<!--Zero or more repetitions:-->
<CreatedStateIDs?></CreatedStateIDs>
<!--Zero or more repetitions:-->
<CreatedQueues?></CreatedQueues>
<!--Zero or more repetitions:-->
<CreatedQueueIDs?></CreatedQueueIDs>
<!--Zero or more repetitions:-->
<DynamicField>
  <Name?><Name>
    <!--You have a MANDATORY CHOICE of the next 6 items at this level-->
    <!--Optional:-->
    <Equals?></Equals>
    <!--Optional:-->
    <Like?></Like>
    <!--Optional:-->
    <GreaterThan?></GreaterThan>
    <!--Optional:-->
    <GreaterThanEquals?></GreaterThanEquals>
    <!--Optional:-->
    <SmallerThan?></SmallerThan>
    <!--Optional:-->
    <SmallerThanEquals?></SmallerThanEquals>
  </Name>
</DynamicField>
<!--Optional:-->
<Ticketflag>
  <!--Optional:-->
  <Seen?></Seen>
</Ticketflag>
<!--Optional:-->

```

```

<From>?</From>
<!--Optional:-->
<To>?</To>
<!--Optional:-->
<Cc>?</Cc>
<!--Optional:-->
<Subject>?</Subject>
<!--Optional:-->
<Body>?</Body>
<!--Optional:-->
<FullTextIndex>?</FullTextIndex>
<!--Optional:-->
<ContentSearch>?</ContentSearch>
<!--Optional:-->
<ConditionInline>?</ConditionInline>
<!--Optional:-->
<ArticleCreateTimeOlderMinutes>?</ArticleCreateTimeOlderMinutes>
<!--Optional:-->
<ArticleCreateTimeNewerMinutes>?</ArticleCreateTimeNewerMinutes>
<!--Optional:-->
<ArticleCreateTimeNewerDate>?</ArticleCreateTimeNewerDate>
<!--Optional:-->
<ArticleCreateTimeOlderDate>?</ArticleCreateTimeOlderDate>
<!--Optional:-->
<TicketCreateTimeOlderMinutes>?</TicketCreateTimeOlderMinutes>
<!--Optional:-->
<ATicketCreateTimeNewerMinutes>?</ATicketCreateTimeNewerMinutes>
<!--Optional:-->
<TicketCreateTimeNewerDate>?</TicketCreateTimeNewerDate>
<!--Optional:-->
<TicketCreateTimeOlderDate>?</TicketCreateTimeOlderDate>
<!--Optional:-->
<TicketLastChangeTimeOlderMinutes>?</TicketLastChangeTimeOlderMinutes>
<!--Optional:-->
<TicketLastChangeTimeNewerMinutes>?</TicketLastChangeTimeNewerMinutes>
<!--Optional:-->
<TicketLastChangeTimeNewerDate>?</TicketLastChangeTimeNewerDate>
<!--Optional:-->
<TicketLastChangeTimeOlderDate>?</TicketLastChangeTimeOlderDate>
<!--Optional:-->
<TicketChangeTimeOlderMinutes>?</TicketChangeTimeOlderMinutes>
<!--Optional:-->
<TicketChangeTimeNewerMinutes>?</TicketChangeTimeNewerMinutes>
<!--Optional:-->
<TicketChangeTimeNewerDate>?</TicketChangeTimeNewerDate>
<!--Optional:-->
<TicketChangeTimeOlderDate>?</TicketChangeTimeOlderDate>
<!--Optional:-->
<TicketCloseTimeOlderMinutes>?</TicketCloseTimeOlderMinutes>
<!--Optional:-->
<TicketCloseTimeNewerMinutes>?</TicketCloseTimeNewerMinutes>
<!--Optional:-->
<TicketCloseTimeNewerDate>?</TicketCloseTimeNewerDate>
<!--Optional:-->
<TicketCloseTimeOlderDate>?</TicketCloseTimeOlderDate>
<!--Optional:-->
<TicketPendingTimeOlderMinutes>?</TicketPendingTimeOlderMinutes>
<!--Optional:-->
<TicketPendingTimeNewerMinutes>?</TicketPendingTimeNewerMinutes>
<!--Optional:-->
<TicketPendingTimeNewerDate>?</TicketPendingTimeNewerDate>
<!--Optional:-->
<TicketPendingTimeOlderDate>?</TicketPendingTimeOlderDate>
<!--Optional:-->
<TicketEscalationTimeOlderMinutes>?</TicketEscalationTimeOlderMinutes>
<!--Optional:-->
<TTicketEscalationTimeNewerMinutes>?</TTicketEscalationTimeNewerMinutes>
<!--Optional:-->
<TicketEscalationTimeNewerDate>?</TicketEscalationTimeNewerDate>
<!--Optional:-->
<TicketEscalationTimeOlderDate>?</TicketEscalationTimeOlderDate>
<!--Optional:-->

```

```

<ArchiveFlags?></ArchiveFlags>
<!--Zero or more repetitions:-->
<OrderBy?></OrderBy>
<!--Zero or more repetitions:-->
<SortBy?></SortBy>
<!--Zero or more repetitions:-->
<CustomerUserID?></CustomerUserID>
</TicketSearch>

```

11.7.1.3.1.5. TicketHistoryGet

This operation is used to get all the history entries from a ticket or tickets.

Возможные Атрибуты:

```

<TicketHistoryGet>
  <!--You have a MANDATORY CHOICE of the next 2 items at this level-->
  <!--Optional:-->
  <UserLogin?></UserLogin>
  <!--Optional:-->
  <SessionID?></SessionID>
  <!--Optional:-->
  <Password?></Password>
  <!--1 or more repetitions:-->
  <TicketID?></TicketID>
</TicketHistoryGet>

```

11.7.2. Примеры:

11.7.2.1. Конфигурация Веб-сервиса

The following is a basic but complete web service configuration file in YAML format to use all the Ticket Connector operations with the SOAP network transport. In order to use it in OTRS you need to copy the content, save it into a file and call it GenericTicketConnectorSOAP.yml, and import it into OTRS in the Web Services screen in the Admin panel by clicking in the "Add web service" button from the overview screen and then clicking in the "Import web service" button in the add screen.

```

---
Debugger:
  DebugThreshold: debug
  TestMode: 0
Description: Ticket Connector SOAP Sample
FrameworkVersion: 3.4.x git
Provider:
  Operation:
    SessionCreate:
      Description: Creates a Session
      MappingInbound: {}
      MappingOutbound: {}
      Type: Session::SessionCreate
    TicketCreate:
      Description: Creates a Ticket
      MappingInbound: {}
      MappingOutbound: {}
      Type: Ticket::TicketCreate
    TicketUpdate:
      Description: Updates a Ticket
      MappingInbound: {}
      MappingOutbound: {}
      Type: Ticket::TicketUpdate
    TicketGet:

```



```

    Description: Retrieves Ticket data
    MappingInbound: {}
    MappingOutbound: {}
    Type: Ticket::TicketGet
  TicketSearch:
    Description: Search for Tickets
    MappingInbound: {}
    MappingOutbound: {}
    Type: Ticket::TicketSearch
  TicketHistoryGet:
    Description: Retrieves history of a Ticket
    MappingInbound: {}
    MappingOutbound: {}
    Type: Ticket::TicketHistoryGet
  Transport:
    Config:
      MaxLength: 100000000
      NameSpace: http://www.otrs.org/TicketConnector/
      Type: HTTP::SOAP
  RemoteSystem: ''
  Requester:
    Transport:
      Type: ''

```

Similar example can be done for the REST network transport, REST web services uses HTTP operations such as "POST", "GET", "PUT", "PATCH" etc. This operations in conjunction with a URI path called resource defines a OTRS Generic Interface Operation or Invoker (depending on the communication way).

The following example uses /Session resource for SessionCreate, /Ticket resource for TicketSearch and TicketCreate and resource /Ticket/{TicketID} for TicketGet and TicketUpdate (Where {TicketID} is the actual TicketID value of a ticket e.g. /Ticket/123). In order to use it in OTRS you need to copy the content, save it into a file and call it GenericTicketConnectorREST.yml, and import it into OTRS in the Web Services screen in the Admin panel by clicking in the "Add web service" button from the overview screen and then clicking in the "Import web service" button in the add screen.

```

---
Debugger:
  DebugThreshold: debug
  TestMode: '0'
Description: Ticket Connector REST Sample
FrameworkVersion: 3.4.x git
Provider:
  Operation:
    SessionCreate:
      Description: Creates a Session
      MappingInbound: {}
      MappingOutbound: {}
      Type: Session::SessionCreate
    TicketCreate:
      Description: Creates a Ticket
      MappingInbound: {}
      MappingOutbound: {}
      Type: Ticket::TicketCreate
    TicketGet:
      Description: Retrieves Ticket data
      MappingInbound: {}
      MappingOutbound: {}
      Type: Ticket::TicketGet
    TicketSearch:
      Description: Search for Tickets
      MappingInbound: {}
      MappingOutbound: {}
      Type: Ticket::TicketSearch
    TicketUpdate:

```

```

Description: Updates a Ticket
MappingInbound: {}
MappingOutbound: {}
Type: Ticket::TicketUpdate
TicketHistoryGet:
Description: Retrieves history of a Ticket
MappingInbound: {}
MappingOutbound: {}
Type: Ticket::TicketHistoryGet
Transport:
Config:
KeepAlive: ''
MaxLength: '100000000'
RouteOperationMapping:
  SessionCreate:
    RequestMethod:
      - POST
    Route: /Session
  TicketCreate:
    RequestMethod:
      - POST
    Route: /Ticket
  TicketGet:
    RequestMethod:
      - GET
    Route: /Ticket/:TicketID
  TicketSearch:
    RequestMethod:
      - GET
    Route: /Ticket
  TicketUpdate:
    RequestMethod:
      - PATCH
    Route: /Ticket/:TicketID
  TicketHistoryGet:
    RequestMethod:
      - GET
    Route: /TicketHistory/:TicketID
Type: HTTP::REST
RemoteSystem: ''
Requester:
Transport:
Type: ''

```

11.7.2.2. Запрашивающая сторона Perl SOAP

The following code is a Perl script that can connect to OTRS via the generic interface. In order to perform the operations provided by the Ticket Connector, it uses two Perl CPAN modules SOAP::Lite and Data::Dumper. Please make sure that your environment is capable to use these modules before you try to run the script.

```

#!/usr/bin/perl -w
# --
# otrs.SOAPRequest.pl - sample to send a SOAP request to OTRS Generic Interface Ticket
Connector
# Copyright (C) 2001-2018 OTRS AG, https://otrs.com/
# --
# This program is free software: you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
# the Free Software Foundation, either version 3 of the License, or
# (at your option) any later version.
#
# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License for more details.
#

```

```

# You should have received a copy of the GNU General Public License
# along with this program. If not, see https://www.gnu.org/licenses/gpl-3.0.txt.
# --

use strict;
use warnings;

# use ../ as lib location
use File::Basename;
use FindBin qw($RealBin);
use lib dirname($RealBin);

use SOAP::Lite;
use Data::Dumper;

# ---
# Variables to be defined.

# this is the URL for the web service
# the format is
# <HTTP_TYPE>:://<OTRS_FQDN>/nph-genericinterface.pl/Webservice/<WEB_SERVICE_NAME>
# or
# <HTTP_TYPE>:://<OTRS_FQDN>/nph-genericinterface.pl/WebserviceID/<WEB_SERVICE_ID>
my $URL = 'http://localhost/otrs/nph-genericinterface.pl/WebserviceID/GenericTicketConnector';

# this name space should match the specified name space in the SOAP transport for the web
# service.
my $Namespace = 'http://www.otrs.org/TicketConnector/';

# this is operation to execute, it could be TicketCreate, TicketUpdate, TicketGet,
# TicketSearch
# or SessionCreate. and they must to be defined in the web service.
my $Operation = 'TicketCreate';

# this variable is used to store all the parameters to be included on a request in XML
# format. Each
# operation has a determined set of mandatory and non mandatory parameters to work
# correctly. Please
# check the OTRS Admin Manual in order to get a complete list of parameters.
my $XMLData = '
<UserLogin>some user login</UserLogin>
<Password>some password</Password>
<Ticket>
  <Title>some title</Title>
  <CustomerUser>some customer user login</CustomerUser>
  <Queue>some queue</Queue>
  <State>some state</State>
  <Priority>some priority</Priority>
</Ticket>
<Article>
  <Subject>some subject</Subject>
  <Body>some body</Body>
  <ContentType>text/plain; charset=utf8</ContentType>
</Article>
';

# ---

# create a SOAP::Lite data structure from the provided XML data structure.
my $SOAPData = SOAP::Data
  ->type( 'xml' => $XMLData );

my $SOAPObject = SOAP::Lite
  ->uri($Namespace)
  ->proxy($URL)
  ->$Operation($SOAPData);

# check for a fault in the soap code.
if ( $SOAPObject->fault ) {
  print $SOAPObject->faultcode, " ", $SOAPObject->faultstring, "\n";
}

```

```
# otherwise print the results.
else {

    # get the XML response part from the SOAP message.
    my $XMLResponse = $SOAPObject->context()->transport()->proxy()->http_response()-
>content();

    # deserialize response (convert it into a perl structure).
    my $Deserialized = eval {
        SOAP::Deserializer->deserialize($XMLResponse);
    };

    # remove all the headers and other not needed parts of the SOAP message.
    my $Body = $Deserialized->body();

    # just output relevant data and no the operation name key (like TicketCreateResponse).
    for my $ResponseKey ( keys %{$Body} ) {
        print Dumper( $Body->{$ResponseKey} );
    }
}
```

11.7.2.3. Perl REST Requester

The following code is a Perl script that can connect to OTRS via the generic interface. In order to perform the operations provided by the Ticket Connector, it uses three Perl CPAN modules JSON, REST::Client and Data::Dumper. Please make sure that your environment is capable to use these modules before you try to run the script.

```
#!/usr/bin/perl
# --
# Copyright (C) 2001-2018 OTRS AG, https://otrs.com/
# --
# This program is free software: you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
# the Free Software Foundation, either version 3 of the License, or
# (at your option) any later version.
#
# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License for more details.
#
# You should have received a copy of the GNU General Public License
# along with this program. If not, see https://www.gnu.org/licenses/gpl-3.0.txt.
# --

use strict;
use warnings;
use utf8;

## nofilter(TidyAll::Plugin::OTRS::Perl::Dumper)

# use ../ as lib location
use File::Basename;
use FindBin qw($RealBin);
use lib dirname($RealBin);

use JSON;
use REST::Client;

# This is the HOST for the web service the format is:
# <HTTP_TYPE>:://<OTRS_FQDN>/nph-genericinterface.pl
my $Host = 'http://localhost/otrs/nph-genericinterface.pl';

my $RestClient = REST::Client->new(
    {
        host => $Host,
```

```

    }
  );

# These are the Controllers and Providers the format is:
# /Webservice/<WEB_SERVICE_NAME>/<RESOURCE>/<REQUEST_VALUE>
# or
# /WebserviceID/<WEB_SERVICE_ID>/<RESOURCE>/<REQUEST_VALUE>
#
# See the documentation on how to setup Providers.
#
# This example will retrieve the Ticket with the TicketID = 1 (<REQUEST_VALUE>)
my $GetControllerAndRequest = '/Webservice/GenericTicketConnectorREST/Ticket/1';

# This example is the base URL for Ticket Create
my $CreateControllerAndRequest = '/Webservice/GenericTicketConnectorREST/Ticket';

# This example will update the Ticket with the TicketID = 1 (<REQUEST_VALUE>)
my $UpdateControllerAndRequest = '/Webservice/GenericTicketConnectorREST/Ticket/1';

# This is the base URL for Ticket Search
my $SearchControllerAndRequest = '/Webservice/GenericTicketConnectorREST/Ticket';

# This is the base URL for Ticket history with the TicketID = 1 (<REQUEST_VALUE>)
my $HistoryControllerAndRequest = '/Webservice/GenericTicketConnectorREST/TicketHistory/1';

# TicketGet Example
# See the documentation of OTRSGenericInterfaceREST on how to setup
# - webservice
# - transport
# - operations
my $GetParams = {
    UserLogin => "some agent user login",      # to be filled with valid agent login
    Password  => "some agent user password",   # to be filled with valid agent password
};

# Build GetParams as part of the URL for REST-GET requests
my $QueryParams = $RestClient->buildQuery( %{$GetParams} );
$GetControllerAndRequest .= $QueryParams;

$RestClient->GET($GetControllerAndRequest);

my $GetResponseCode = $RestClient->responseCode();

if ( $GetResponseCode ne '200' ) {
    print "Get request failed, response code was: $GetResponseCode\n";
}
else {

    # If the request was answered correctly, we receive a JSON string here.
    my $ResponseContent = $RestClient->responseContent();

    my $Data = decode_json $ResponseContent;

    # Just to print out the returned Data structure:
    use Data::Dumper;
    print "Get response was:\n";
    print Dumper($Data);
}

# TicketSearch Example
# See the documentation of OTRSGenericInterfaceREST on how to setup
# - webservice
# - transport
# - operations
my $SearchParams = {
    UserLogin => "some agent user login",      # to be filled with valid agent login
    Password  => "some agent user password",   # to be filled with valid agent password
    Queues    => ['Raw'],
};

# Build SearchParams as part of the URL for REST-GET requests

```

```

$queryParams = $RestClient->buildQuery( %{$SearchParams} );
$searchControllerAndRequest .= $queryParams;

$RestClient->GET($searchControllerAndRequest);

# If the host isn't reachable, wrong configured or couldn't serve the requested page:
my $searchResponseCode = $RestClient->responseCode();

if ( $searchResponseCode ne '200' ) {
    print "Search request failed, response code was: $searchResponseCode\n";
}
else {

    # If the request was answered correctly, we receive a JSON string here.
    my $responseContent = $RestClient->responseContent();

    my $data = decode_json $responseContent;

    # Just to print out the returned Data structure:
    use Data::Dumper;
    print "Search Response was:\n";
    print Dumper($data);
}

# TicketCreate Example
# See the documentation of OTRSGenericInterfaceREST on how to setup
# - webservice
# - transport
# - operations
my $createOrUpdateParams = {
    UserLogin => "some agent user login",      # to be filled with valid agent login
    Password  => "some agent user password",  # to be filled with valid agent password
    Ticket    => {
        Title      => 'some ticket title',
        Queue      => 'Raw',
        Lock       => 'unlock',
        Type       => 'Unclassified',
        State      => 'new',
        Priority    => '3 normal',
        Owner      => 'some agent user login',
        CustomerUser => 'customer-1',
    },
    Article => {
        Subject    => 'some subject',
        Body       => 'some body',
        ContentType => 'text/plain; charset=utf8',
    },
};

my $createJSONParams = encode_json $createOrUpdateParams;

my @createRequestParam = (
    $createControllerAndRequest,
    $createJSONParams
);

# We have to use REST-POST requests in order to send UserLogin and Password correctly
# though other REST methods would fit better.
$RestClient->POST(@createRequestParam);

# If the host isn't reachable, wrong configured or couldn't serve the requested page:
my $createResponseCode = $RestClient->responseCode();

if ( $createResponseCode ne '200' ) {
    print "Create request failed, response code was: $createResponseCode\n";
}
else {

    # If the request was answered correctly, we receive a JSON string here.
    my $responseContent = $RestClient->responseContent();

```

```

    my $Data = decode_json $ResponseContent;

    # Just to print out the returned Data structure:
    use Data::Dumper;
    print "Create Response was:\n";
    print Dumper($Data);
}

# TicketUpdate Example
# See the documentation of OTRSGenericInterfaceREST on how to setup
# - webservice
# - transport
# - operations
my $UpdateJSONParams = encode_json $CreateOrUpdateParams;

my @UpdateRequestParam = (
    $UpdateControllerAndRequest,
    $UpdateJSONParams
);

# We have to use REST-PATCH requests in order to send UserLogin and Password correctly
# though other REST methods would fit better.
$RestClient->PATCH(@UpdateRequestParam);

# If the host isn't reachable, wrong configured or couldn't serve the requested page:
my $UpdateResponseCode = $RestClient->responseCode();
if ( $UpdateResponseCode ne '200' ) {
    print "Update request failed, response code was: $UpdateResponseCode\n";
}
else {

    # If the request was answered correctly, we receive a JSON string here.
    my $ResponseContent = $RestClient->responseContent();

    my $Data = decode_json $ResponseContent;

    # Just to print out the returned Data structure:
    use Data::Dumper;
    print "Update response was:\n";
    print Dumper($Data);
}

# TicketHistoryGet Example
# See the documentation of OTRSGenericInterfaceREST on how to setup
# - webservice
# - transport
# - operations
my $HistoryParams = {
    UserLogin => "some agent user login",      # to be filled with valid agent login
    Password  => "some agent user password",  # to be filled with valid agent password
    TicketID  => [1],
};

# Build SearchParams as part of the URL for REST-GET requests
$queryParams = $RestClient->buildQuery( %{$HistoryParams} );
$HistoryControllerAndRequest .= $queryParams;

$RestClient->GET($HistoryControllerAndRequest);

# If the host isn't reachable, wrong configured or couldn't serve the requested page:
my $HistoryResponseCode = $RestClient->responseCode();

if ( $HistoryResponseCode ne '200' ) {
    print "History request failed, response code was: $HistoryResponseCode\n";
}
else {

    # If the request was answered correctly, we receive a JSON string here.
    my $ResponseContent = $RestClient->responseContent();

```

```
my $Data = decode_json $ResponseContent;

# Just to print out the returned Data structure:
use Data::Dumper;
print "History Response was:\n";
print Dumper($Data);
}
```

11.7.2.4. cURL Примеры для REST запросов

В приведенном выше примере настройки REST для Generic Ticket Connector имеем следующее:

Для Ticket Create: используйте POST метод в /Ticket path.

Для Ticket Search: используйте GET метод в /Ticket path.

Для Ticket Update: используйте метод PATCH в /Ticket/{TicketID} пути (где {TicketID} является шаблоном представленным :TicketID в настройке транспорта)

Для Ticket Get: используйте метод Get в /Ticket/{TicketID} пути (где {TicketID} является шаблоном представленным :TicketID в настройке транспорта)

For Ticket History Get: use GET method on /TicketHistory/{TicketID} path (where {TicketID} is a template represented by :TicketID in the transport configuration)

11.7.2.4.1. Создать новую заявку

cURL Command:

```
shell> curl "http://localhost/otrs/nph-genericinterface.pl/Webservice/
GenericTicketConnectorREST/Ticket?UserLogin=agent&Password=123" -H "Content-Type:
application/json" -d "{\"Ticket\":{\"Title\":\"REST Create Test\", \"Type\": \"Unclassified
\", \"Queue\":\"Raw\", \"State\":\"open\", \"Priority\":\"3 normal\", \"CustomerUser\":
\"customer\"}, \"Article\":{\"Subject\":\"Rest Create Test\", \"Body\":\"This is only a test
\", \"ContentType\":\"text/plain; charset=utf8\"}}" -X POST
```

Ответ:

```
{
  "ArticleID":5484,
  "Номер заявки":"1001936",
  "TicketID":"1686"
}
```

11.7.2.4.2. Получить подробности заявки

cURL Command:

```
curl "http://localhost/otrs/nph-genericinterface.pl/Webservice/GenericTicketConnectorREST/
Ticket/1686?UserLogin=agent&Password=123"
```

Ответ:


```
{
  "Ticket": [
    {
      "Age": 777,
      "PriorityID": 3,
      "ServiceID": "",
      "Type": "Unclassified",
      "Responsible": "root@localhost",
      "StateID": 4,
      "ResponsibleID": 1,
      "ChangeBy": 2,
      "EscalationTime": 0,
      "Changed": "2014-06-30 19:08:14",
      "OwnerID": 2,
      "RealTillTimeNotUsed": 0,
      "GroupID": 1,
      "Owner": "agent",
      "CustomerID": "OTRS",
      "TypeID": 1,
      "Created": "2014-06-30 19:08:12",
      "Priority": "3 normal",
      "UntilTime": 0,
      "EscalationUpdateTime": 0,
      "QueueID": 2,
      "Queue": "Raw",
      "State": "open",
      "Title": "REST Create Test",
      "CreateBy": 2,
      "TicketID": 1686,
      "StateType": "open",
      "EscalationResponseTime": 0,
      "UnlockTimeout": 0,
      "EscalationSolutionTime": 0,
      "LockID": 1,
      "TicketNumber": "1001936",
      "ArchiveFlag": "n",
      "Lock": "unlock",
      "CreateTimeUnix": 1404173292,
      "SLAID": "",
      "CustomerUserID": "customer"
    }
  ]
}
```

11.7.2.4.3. Обновить заявку

cURL Command:

```
curl "http://localhost/otrs/nph-genericinterface.pl/Webservice/GenericTicketConnectorREST/Ticket/1686?UserLogin=agent&Password=123" -H "Content-Type: application/json" -d '{"Ticket": {"Queues": "Postmaster"}}' -X PATCH
```

Ответ:

```
{
  "TicketNumber": "1001936",
  "TicketID": "1686"
}
```

11.7.2.4.4. Поиск заявок

cURL Command:

```
curl "http://localhost/otrs/nph-genericinterface.pl/Webservice/GenericTicketConnectorREST/Ticket?UserLogin=agent&Password=123&Queue=Postmaster"
```

Ответ:

```
{
  "TicketID": [
    "1686",
    "102",
    "100",
    "1"
  ]
}
```

11.7.2.4.5. Get Ticket History Details

cURL Command:

```
curl "http://localhost/otrs/nph-genericinterface.pl/Webservice/GenericTicketConnectorREST/TicketHistory/1686?UserLogin=agent&Password=123"
```

Ответ:

```
{
  "TicketHistory": [
    {
      "History": [
        {
          "CreateBy": 1,
          "HistoryType": "NewTicket",
          "TicketID": "1",
          "CreateTime": "2017-06-08 22:44:48",
          "TypeID": 1,
          "OwnerID": 1,
          "QueueID": 1,
          "Name": "New Ticket [2015071510123456] created.",
          "StateID": 1,
          "PriorityID": 3,
          "ArticleID": "1",
          "HistoryTypeID": 1
        }
      ],
      "TicketID": "1"
    }
  ]
}
```

12. The OTRS Daemon

The OTRS Daemon is an independent set of system processes that plan and execute tasks in background, either on a recurrent basis or triggered by events. OTRS Daemon is fundamental for the correct system operation.

In previous versions of OTRS (from 3.1 to 4) there was another process called OTRS Scheduler that does part of the work that the OTRS Daemon do in OTRS 5. This old process is replaced by the OTRS Daemon which was re-written from the ground to make it more stable, scalable and robust than its predecessor.

The OTRS Daemon is capable to handle up to 10 tasks at the same time and it can work cooperatively with other OTRS Daemons on different frontend servers in a cluster environment.

When idle OTRS Daemon consist in six processes:

- The main daemon (`bin/otrs.Daemon.pl`)

This process is in charge to start and keep running the other children daemons.

- Task worker daemon (`Kernel/System/Daemon/DaemonModules/SchedulerTaskWorker.pm`)

This daemon executes all tasks that have in a list, in a first in first out basis. It can handle simultaneous tasks by creating its own children processes and it checks the task list several times per second. The task list can be filled by task manager daemons, event handlers, and other parts of the system.

Its main mission is to handle all the tasks in the list as soon as possible.

- Future task manager daemon (`Kernel/System/Daemon/DaemonModules/Scheduler-FutureTaskManager.pm`)

This daemon checks for non recurring tasks that are set to be executed in the future (e.g. when a Generic Interface invoker tries to reach a server and it can't, a task could be set to schedule for execution in the next 5 minutes). At the correct time it sends it the task worker daemon.

- Cron task manager daemon (`Kernel/System/Daemon/DaemonModules/Scheduler-CronTaskManager.pm`)

This daemon calculates when is the next execution time of all recurring tasks (e.g. a cache cleanup one time per week). This kind of tasks are specified in the SysConfig. At the right time for each task it sends the required information to the task worker daemon to execute them.

Note

If a task execution time definition is changed in SysConfig, it might take up to an hour for the daemon to pick up the change automatically. Alternatively the OTRS Daemon can be restarted to apply the change immediately.

- Generic Agent task manager daemon (`Kernel/System/Daemon/DaemonModules/SchedulerGenericAgentTaskManager.pm`)

This daemon scans for Generic Agent jobs stored in the database that have a time schedule (discarding all other Generic Agent jobs that are set to executed by events). When is time to run a Generic Agent job it sends the task information to the task worker daemon to handle the task.

- System Configuration sync manager daemon (`Kernel/System/Daemon/DaemonModules/SystemConfigurationSyncManager.pm`)

This daemon verifies that the configuration files `Kernel/Config/Files/ZZZAAuto.pm`, `Kernel/Config/Files/ZZZACL.pm` and `Kernel/Config/Files/ZZZProcessManagement.pm` are up to date with the deployment information from the database, otherwise the files are updated. and signal the main daemon to restart all daemon modules with the updated configuration.

Additionally if any other `.pm` file in `Kernel/Config/Files/` is modified while the daemon is running, it will also signal the main daemon to restart all daemon modules.

Note

The number of active processes depends on the number of tasks that the OTRS Daemon is executing simultaneously in a time frame.

By default the each daemon logs all error messages on a separated file located in `/opt/otrs/var/log/Daemon/*.log`. These logs are kept in the system for a defined period. To change this behavior and/or to also log the non error messages, please update SysConfig settings in Daemon -> Core: :Log.

When a task could not be executed successfully for any reason, an email is sent to a predefined recipient reporting the issue. The content of the email includes the error messages and trace (if available).

The OTRS Daemon is an automated process that normally does not require human interaction. However it is possible to query its status and start or stop it if needed.

To be sure that the OTRS Daemon is running there is a Cron job that constantly checks that the process is alive. The main daemon is prepared to work even without a database connection, so is perfectly safe if the Cron task to start it is executed even before the database process in the system startup, and it is also tolerant to database disconnections.

If for any reason the OTRS Daemon needs to be stop (for example during a system maintenance), all unhandled tasks are saved, and as soon as the process is started again it continues with all pending tasks. For recurring tasks it will only execute the last instance of the task (if its due time was during the downtime).

12.1. OTRS Daemon Graphical Interface

The OTRS Daemon is not visible in the OTRS Graphical User Interface unless it stops running.

When the system detects that the OTRS Daemon is not running, a notification is presented to a defined group of users ("admin" by default).


To disable the notification (not recommended), change or add the notification groups, please edit the Frontend: :NotifyModule###800-Daemon-Check setting in the SysConfig.

Figure 4.138. Daemon notification



Clicking the notification the system presents an overlay window explaining the steps to bring the OTRS Daemon up and running.

Figure 4.139. Start Daemon



12.2. OTRS Daemon Command Line Interface

The OTRS Daemon command line tools let you control the main daemon process (Start / Stop) or query its status. There are also tools to get more detailed information about the other four children daemons.

12.2.1. Main Daemon Tools

To start, stop or query daemon status `bin/otrs.Daemon.pl` script is used.

Example 4.30. Example to start the OTRS Daemon

```
shell> cd /opt/otrs/  
shell> OTRS_HOME/bin/otrs.Daemon.pl start
```

Доступные Опции

- **start** - to start the OTRS Daemon process.
- **stop** - to stop the OTRS Daemon process.
- **status** - to query the OTRS Damon process status.
- **start --debug** - to start the OTRS Daemon process in debug mode.

In this mode each daemon reports different messages depending on the actions that are been executed. This mode is not recommended for production environments.

- **stop --force** - to stop the OTRS Daemon process in reducing the wait for children processes to finish.

A forced stop reduces the amount of time the main daemon waits to successful stop the other children processes from 30 seconds (normal) to 5 seconds (forced).

12.2.2. Other Daemon Tools

To list all configured child daemons that the main daemon should start and keep running use the console command: `Maint::Daemon::List`.

Example 4.31. Example to list all configured daemons

```
shell> cd /opt/otrs/  
shell> bin/otrs.Console.pl Maint::Daemon::List
```

To list detailed information of all daemons use the console command: `Maint::Daemon::Summary`.

Example 4.32. Example to a summary of all daemon tasks

```
shell> cd /opt/otrs/  
shell> bin/otrs.Console.pl Maint::Daemon::Summary
```

Chapter 5. Настройка

1. Списки Контроля Доступа (ACLs)

1.1. Введение

Начиная с OTRS 2.0, Access Control Lists (ACLs) могут использоваться для управления доступом к заявкам, модулям, очередям и пр., или для влияния на действия по заявкам (закрытие, перемещение и т.д. д.) в определенных ситуациях. ACL могут быть использованы в дополнение к существующей системе разрешений/прав Роли и Группы. С использованием ACL могут быть построены элементарные work-flows, основанные на атрибутах заявки.

В основном, ACL используются для ограничения возможных действий над заявками, основанные на заданном наборе правил.

ACL могут быть непосредственно вставлены в файл Kernel/Config.pm file, однако, теперь, мы не рекомендуем этот способ, так как в OTRS теперь существует специальный раздел Списки управления доступом ACL в панели администратора, позволяющий сохранять ACL в базе данных на первом шаге создания и, затем, синхронизировать их в файл, по готовности.

Этот раздел содержит ряд примеров ACL, который показывает процесс задания параметров ACL и краткое справочное руководство по наиболее важным параметрам ACL.

Warning

К пользователю по умолчанию 'root@localhost' ACL не применяется

1.2. Описание

Текст ACL состоит из двух больших разделов, 'Matching/Условия' и 'Change/Действия'. В разделе Условия указываются атрибуты которые проверяются на соответствие заданным образцам и при несовпадении, ACL не применяется. Раздел Действий, содержит правила, ограничивающие возможные опции заявки при выполнении заданных условий.

Разделы Условий

- Properties

Этот раздел содержит опции, которые могут меняться "на лету", например, при создании заявки, ее данные изменяются динамически по мере ввода информации, если ACL содержит проверку значения атрибута заявки, то только при совпадении введенного/выбранного значения с образцом в ACL, он может быть активирован и повлиять/отменить на значения других атрибутов заявки, в противном случае, этого не произойдет.

- PropertiesDatabase

This section is similar to Properties but does not take changes in ticket attributes that are not saved into the DataBase, this means that changing an attribute without submit will not make any effect. This section is not use for ticket creation screens (as tickets are not yet created in the Database).

Раздел Действий

- Possible

Секция Possible сужает список доступных действий или значений до указанных в этой секции.

- PossibleAdd

Элементы в секции PossibleAdd добавляет пропущенные элементы, которые были ограничены другими ACL. PossibleAdd используется только вместе с другими ACL, в которых есть секции Possible или PossibleNot .

- PossibleNot

Эта секция используется для удаления отдельных элементов/значений из списка доступных в текущий момент. Она может использоваться самостоятельно или вместе с другими ACL с секциями Possible или PossibleAdd.

Чтобы сделать разработку ACL проще и более развитой, имеется набор, так называемых модификаторов для атрибутов в каждой секции. Эти модификаторы объяснены ниже:

Модификаторы

- [Not]

Он используется для исключения значения, например: '[Not]2 low' в данном случае речь идет о приоритетах заявки и будет иметь тот же результат, что и перечисление: '1 very low', '3 normal', '4 high', '5 very high'.

- [RegExp]

Служит для задания регулярного выражения для проверки соответствия нескольким значениям, например '[RegExp]low' для приоритетов будет аналогично списку '1 very low', '2 low'.

- [regexr]

Аналогично по действию с [RegExp] но нечувствителен к регистру символов.

- [NotRegExp]

Отрицательное регулярное выражение, например, '[NotRegExp]low' для списка приоритетов аналогично списку из '3 normal', '4 high', '5 very high'.

- [Notregexr]

Аналогично [NotRegExp], но нечувствительно к регистру.

1.3. Примеры

Следующие примеры показывают оба способа представления ACL - в графическом и текстовом виде.


Example 5.1. Списки прав доступа (ACL) позволяют перемещать в очереди только заявки с приоритетом 5.

Этот пример показывает базовую структуру ACL. Во-первых, необходимо указать имя. В данном случае это "100-Example-ACL". Помните, что ACL будут численно отсортированы по именам перед выполнением, т.е. задавайте имена аккурратно.

Затем, следует секция "Properties", которая отфильтровывает ваши заявки. Все критерии, заданные здесь, применяются к заявке для определения должен ли ACL применяться для нее. В нашем примере, заявка проверяется на принадлежность к очереди "Raw" и наличии приоритета "5 very high". Это также зависит от изменений в форме ввода (т.е. если заявка в очереди "raw" и имеет приоритет "3 normal" - в этот момент соответствия нет, но, затем, при выборе поля Приоритет и из выпадающего списка выбирается "5 very high", то соответствие наступает).

Наконец, раздел "Возможные" определяет изменения экрана. В нашем случае из имеющихся очередей только очередь "Alert" может быть выбрана на странице Заявки.

Figure 5.1. ACL 100-Example-ACL




```
# ticket acl
$self->{TicketAcl}->{'100-Example-ACL'} = {
  # match properties
  Properties => {
    # current ticket match properties
    Ticket => {
      Queue => ['Raw'],
      Priority => ['5 very high'],
    }
  },
  # return possible options (white list)
  Possible => {
    # possible ticket options (white list)
    Ticket => {
      Queue => ['Alert'],
    },
  },
};
```

Example 5.2. ACL позволяют перемещать в другие очереди только заявки с приоритетом 5, уже имеющиеся в базе данных.

Этот пример очень похож на предыдущий, но в этом случае только заявки в очереди "Raw" и с приоритетом "5 very high", уже имеющиеся в базе данных

будут соответствовать критерию. Такой тип ACL не учитывает изменения в формах изменения заявки, до того как заявка будет действительно обновлена в базе данных.

Figure 5.2. ACL 102-Example-ACL



```
# ticket acl
$self->{TicketAcl}->{'102-Example-ACL'} = {
  # match properties
  PropertiesDatabase => {
    # current ticket match properties
    Ticket => {
      Queue => ['Raw'],
      Priority => ['5 very high'],
    }
  },
  # return possible options (white list)
  Possible => {
    # possible ticket options (white list)
    Ticket => {
      Queue => ['Alert'],
    },
  },
};
```

Example 5.3. Списки прав доступа (ACL) делают невозможным закрытие заявок в очереди raw и скрывают кнопку "закрыть".

Здесь вы можете увидеть как поле заявки (состояние), может проверяться на более чем возможное для ввода значение. Можно также ограничить возможные действия, выполняемые над конкретной заявкой. В этом случае, заявка не может быть закрыта.

Figure 5.3. ACL 102-Second-Example-ACL

▼ Edit ACL structure

Match settings

- ▼ Properties
 - ▼ Ticket
 - Queue:
 - Raw Exact match
 -
 -
 -

Change settings

- ▼ Possible
 - ▼ Ticket
 - State:
 - new open pending reminder Exact match
 -
 -
 - ▼ PossibleNot
 - Action
 - AgentTicketClose Exact match
 -
 -

```

$Self->{TicketAcl}->{'102-Second-Example-ACL'} = {
  # match properties
  Properties => {
    # current ticket match properties
    Ticket => {
      Queue => ['Raw'],
    }
  },
  # return possible options (white list)
  Possible => {
    # possible ticket options (white list)
    Ticket => {
      State => ['new', 'open', 'pending reminder'],
    },
  },
  # return also not possible options (black list)
  PossibleNot => {
    # not possible action options
    Action => [ 'AgentTicketClose' ],
  },
};

```

Example 5.4. ACL удаляет навсегда возможность установить состояние "closed successful".

Этот пример показывает как можно использовать "негативные" фильтры (состояние "closed successful" будет удалено из списков выбора). Вы также можете видеть, что не заданные условия для "properties" для заявки будет означать, что оно верно для всех заявок, т.е. ACL применяется всегда. Это может быть полезно, если вы желаете скрыть определенные значения по умолчанию и допустить ввод других значений только в заданных обстоятельствах (например, если агент принадлежит определенной группе).

Figure 5.4. ACL 103-Third-ACL-Example

▼ Edit ACL structure

Match settings

-

Change settings

- ▼ PossibleNot
 - ▼ Ticket
 - State:
 - closed successful x Exact match
 -
 -
 -
 -

```
$Self->{TicketAcl}->{'103-Third-ACL-Example'} = {
  # match properties
  Properties => {
    # current ticket match properties (match always)
  },
  # return possible options
  PossibleNot => {
    # possible ticket options
    Ticket => {
      State => ['closed successful'],
    },
  },
};
```

Example 5.5. ACL только отображает Hardware-сервисы для заявок, которые были созданы в очередях, начинающихся с "HW".

Этот пример также показывает как можно использовать регулярные выражения для сопоставления заявок и фильтрации доступных опций.

Figure 5.5. ACL 104-Only-Hardware-Services-for-HW-Queues-ACL

▼ Edit ACL Structure

Match settings

- ▼ Properties
 - ▼ Ticket
 - Queue:
 - [RegExp]HW x Regular expression
 -
 -
 -
 -

Change settings

- ▼ Possible
 - ▼ Ticket
 - Service:
 - [RegExp]^Hardware x Regular expression
 -
 -
 -
 -


```

$Self->{TicketAcl}->{'104-Only-Hardware-Services-for-HW-Queues-ACL'} = {
  # match properties
  # note we don't have "Ticket => {" because there's no ticket yet
  Properties => {
    Queue => {
      Name => ['[RegExp]HW'],
    }
  },
  # return possible options
  Possible => {
    # possible ticket options
    Ticket => {
      Service => ['[RegExp]^(Hardware)'],
    },
  },
};

```

Example 5.6. ACL для ограничения доступа к Процессу в интерфейсе клиента по CustomerID.

Figure 5.6. ACL 105-Disallow-Process-For-CustomerID - Запретить Процессы для этого CustomerID



The screenshot shows the 'Edit ACL structure' interface. It is divided into two main sections: 'Match settings' and 'Change settings'.

Match settings:

- Properties:**
 - CustomerUser:**
 - UserCustomerID:** A text input field containing 'TheCustomerID', followed by a dropdown menu set to 'Exact match' and an empty text input field.

Change settings:

- PossibleNot:**
 - Process:** A text input field containing 'P14', followed by a dropdown menu set to 'Exact match' and an empty text input field.

```

$Self->{TicketAcl}->{"105-Disallow-Process-For-CustomerID"} = {
  'Possible' => {},
  'PossibleNot' => {
    'Process' => [
      'P14'
    ]
  },
  'Properties' => {
    'CustomerUser' => {
      'UserCustomerID' => [
        'CustomerID'
      ]
    }
  },
  'PropertiesDatabase' => {},
  'StopAfterMatch' => 0
};

```

1.4. Ссылка

В нижеприведенном Сценарии представлен список всех параметров, которые могут быть использованы для списка прав доступа (ACLs).

Смотрите секция ACL в ProcessManagement документации для детального рассмотрения использования ACL для процессных заявок.

Example 5.7. Ссылка отображает все возможные важные настройки ACL

```
# ticket acl
$self->{TicketAcl}->{'200-ACL-Reference'} = {
  # match properties (current values from the form)
  Properties => {

    # the used frontend module
    Frontend => {
      Action => ['AgentTicketPhone', 'AgentTicketEmail'],

      # or

      # (not to be used together with 'Action')
      Endpoint => ['ExternalFrontend::TicketCreate'],
    },

    # the logged in agent
    User => {
      UserLogin => ['some login'],
      Group_rw => [
        'hotline',
      ],
      Role => [
        'admin',
      ],
      # ...
    },

    # the logged in customer
    CustomerUser => {
      UserLogin => ['some login'],
      UserCustomerID => ['some customer id'],
      Group_rw => [
        'hotline',
      ],
      # ...
    },

    # process properties
    Process => {
      ProcessEntityID => ['Process-9c378d7cc59f0fce4cee7bb9995ee3eb'],
      # the Process that the current ticket is part of
      ActivityEntityID => ['Activity-f8b2fdebe54eeb7b147a5f8e1da5e35c'],
      # the current Activity of the ticket
      ActivityDialogEntityID => ['ActivityDialog-aff0ae05fe6803f38de8fff6cf33b7ce'],
      # the current ActivityDialog that the Agent/Customer is using
    },

    # ticket properties
    Queue => {
      Name => ['Raw'],
      QueueID => ['some id'],
      GroupID => ['some id'],
      Email => ['some email'],
      RealName => ['OTRS System'],
      # ...
    },
    Service => {
      ServiceID => ['some id'],
```

```

    Name      => ['some name'],
    ParentID => ['some id'],
    # ...
  },
  Type => {
    ID      => ['some id'],
    Name    => ['some name'],
    # ...
  },
  Priority = {
    ID      => ['some id'],
    Name    => ['some name'],
    # ...
  },
  SLA = {
    SLAID   => ['some id'],
    Name    => ['some name'],
    Calendar => ['some calendar'],
    # ...
  },
  State = {
    ID      => ['some id'],
    Name    => ['some name'],
    TypeName => ['some state type name'],,
   TypeID  => ['some state type id'],
    # ...
  },
  Owner => {
    UserLogin => ['some login'],
    Group_rw => [
      'some group',
    ],
    Role => [
      'admin',
    ],
    # ...
  },
  Responsible => {
    UserLogin => ['some login'],
    Group_rw => [
      'some group',
    ],
    Role => [
      'admin',
    ],
    # ...
  },
  DynamicField => {
    # Names must be in DynamicField_<field_name> format.
    # Values in [ ... ] must always be the untranslated internal data keys
    #   specified in the dynamic field definition and
    #   not the data values shown to the user.
    DynamicField_Field1      => ['some value'],
    DynamicField_OtherField  => ['some value'],
    DynamicField_TicketFreeText2 => ['some value'],
    # ...
  },
  # alternatively, ticket properties can be specified in the ticket hash
  Ticket => {
    Queue          => ['Raw'],
    State          => ['new', 'open'],
    Priority       => ['some priority'],
    Lock          => ['lock'],
    CustomerID    => ['some id'],
    CustomerUserID => ['some id'],
    Owner         => ['some owner'],
    DynamicField_Field1 => ['some value'],
    DynamicField_MyField => ['some value'],
    # ...
  },
},

```

```

# match properties (existing values from the database)
PropertiesDatabase => {
  # See section "Properties", the same config can be used here.
  # ...
}

# reset possible options (white list)
Possible => {
  # possible ticket options (white list)
  Ticket => {
    Queue => ['Hotline', 'Coordination'],
    State => ['some state'],
    Priority => ['5 very high'],
    DynamicField_Field1 => ['some value'],
    DynamicField_MyField => ['some value'],
    # ...
    NewOwner => ['some owner'],
    OldOwner => ['some owner'],
    # ...
  },

  # Limit the number of possible ActivityDialogs the Agent/Customer
  # can use in a process ticket.
  ActivityDialog => ['AD1', 'AD3'],

  # Limit the number of possible Processes that can be started
  Process => ['Process-9c378d7cc59f0fce4cee7bb9995ee3eb',
'Process-12345678901234567890123456789012'],

  # possible action options (white list)
  Action => [
    'AgentTicketBounce',
    'AgentTicketPhone',      # only used to show/hide the Split action
    'AgentLinkObject',      # only used to show/hide the Link action
    # ...
  ],
},
# add options (white list)
PossibleAdd => {
  # See section "Possible"
  # ...
},
# remove options (black list)
PossibleNot => {
  # See section "Possible"
  # ...
},
};

```

Note

При проверке ACLs, если CustomerUserID параметр отправлен, механизм ACL сравнивает заданный ACL используя представленный CustomerUserID для сбора данных CustomerUser для заполнения CustomerUser hash, а также перекрывает информацию о клиенте в hash заявки для проверки в Properties. С другой стороны эти вычисления также используются в PropertiesDatabase разделе, но с использованием клиента заявки как основу для сбора данных.

Обратите внимание, что в Пользовательском Интерфейсе, CustomerUserID всегда отправляется с залогиненным Клиентом.

Помните, что на экранах поиска (AgentTicketSearch и CustomerTicketSearch) - единственно доступные атрибуты для ACL это динамические поля. Это означает, что для этих экранов вы не можете ограничить любые другие атрибуты, такие как Тип заявки, Состояние, Очередь и т.д.

Начиная с OTRS 3.4.x, параметр 'Action' теперь является не hash, а ссылкой на массив и может быть использован в любой секции Изменения, используя различные модификаторы/Modifiers.

2. Управление Процессами

2.1. Введение

This feature of OTRS allows you to model processes (work-flows) in the ticket system. The basic idea is to be able to define recurring processes, and to delegate work items to different people, as well as leading the progress of a process in different directions based on certain criteria.

2.2. Пример процесса

Давайте рассмотрим некий пример чтобы все было более наглядно и понятно. Мы будем рассматривать процесс покупки книги:

2.2.1. Запись спроса

Before an order can be placed, the demand for literature by an employee will be recorded. The following book is needed in our example:

Title: Prozessmanagement für Dummies
Autor: Thilo Knuppertz
ISBN: 3527703713

2.2.2. Утверждение менеджером

Начальник отдела где работает работник должен решить что делать с заказом. В случае отказа, причина отказа должна быть записана старшим по должности. В случае одобрения заказ передается в отдел закупок.

2.2.3. Обрабатывается отделом закупок

Закупка, в данном случае, состоит в том, чтобы найти, где книга может быть заказана на лучших условиях. Если ее нет на рынке, это должно быть записано в заказе. В случае успешного размещения заказа, закупщик записывает поставщика, цену и дату поставки.

2.2.4. Обрабатывается почтовым отделом

Посылка будет доставлена в компанию. Отдел приемки, проверяет посылку и записывает дату приема. Теперь работник - заявитель будет извещен, что его заказ прибыл и готов к выдаче.

2.3. Выполнение примера

If we assume that a ticket acts in this workflow like an accompanying document that can receive change notes, we already have a clear picture of process tickets.

Проанализировав предыдущий пример мы можем выделить следующие пункты:

- Possibilities to record data, let's call them *User Task Activity Dialogs*,

- Checks which can react to changed data automatically, let's call them *Sequence Flows*,
- Changes which can be applied to a process ticket after successful moving between the activities of a process ticket, let's call them *Sequence Flow Actions*.

Также нам необходим дополнительный элемент, который не так очевиден:

- A possibility to offer more than just one User Task Activity Dialog to be available. In our example this is needed when the manager must have the choice between "Approve" and "Deny". Let's call this *User Task Activity*.

Now, with User Task Activities, User Task Activity Dialogs, Sequence Flows and Sequence Flow Actions we have the necessary tools to model the individual steps of our example. What's still missing is an area where for each work-flow the order of the steps can be specified. Let's call this *Process*. To be able to refer to all these entities later, we will assign to them an abbreviation in parentheses. This abbreviation is based on an internal identification mechanism called EntityIDs.

EntityIDs согласовываются с одной или двумя буквами (в зависимости от части процесса), а затем порядковый номер, например:

- Процесс: 'P1', 'P2' ... 'Pn'.
- Деятельность: 'A1', 'A2' ... 'An'.
- User Task Activity Dialog: 'AD1', 'AD2' ... 'ADn'.
- Sequence Flow: 'SF1', 'SF2' ... 'SFn'.
- Sequence Flow Action: 'SFA1', 'SFA2' ... 'SFAn'.

Before the creation of the process and its parts, it is necessary to prepare the system, we will need to define some Queues, Users and Dynamic Fields as well as set some SysConfig options.

Создать следующие Очереди:

- Управление
- Сотрудники
- Покупка
- Почтовое отделение

Создает следующих Пользователей:

- Менеджер
- Сотрудник

Создать следующие Динамически Поля:

- Название

Метка	Название
Тип	Text
Объект	Заявк

- Автор

Метка	Автор
Тип	Text
Объект	Заявк

- ISBN

Метка	ISBN
Тип	Text
Объект	Заявк

- Состояние

Метка	Состояние
Тип	Dropdown
Объект	Заявк
Возможные значения	<ul style="list-style-type: none"> • Утверждение • Отказано в утверждении • Утвержденный • Заказ отменен • Заказ размещен • Псылка получена

Note: Please use exactly these possible values for "Key" and "Value" in the Dynamic Field setup.

- Поставщик

Метка	Поставщик
Тип	Text
Объект	Заявк

- Цена

Метка	Цена
Тип	Text
Объект	Заявк

- DeliveryDate

Метка	Дата доставки
Тип	Date
Объект	Заявк

- DateOfReceipt

Метка	Дата получения
Тип	Date

Объект	Заявк
--------	-------

Устанавливает следующие параметры SysConfig:

- 'Ticket::Responsible': Yes
- 'Ticket::Frontend::AgentTicketZoom###ProcessWidgetDynamicFieldGroups':

Ключ:	Содержание:
Книга	Название, Автор, ISBN
Общий	Состояние
Заказ	Цена, Поставщик, Дата доставки
Отгрузка	DateOfReceipt

- 'Ticket::Frontend::AgentTicketZoom###ProcessWidgetDynamicField':

Ключ:	Содержание:
Автор	1
DateOfReceipt	1
DeliveryDate	1
ISBN	1
Цена	1
Состояние	1
Поставщик	1
Название	1

Теперь давайте перейдем к описанию реального процесса. На следующем шаге мы определим конкретные объекты, которые нам необходимы.


2.3.1. Процесс (в качестве контейнера)

To create a new process it is necessary to click on the "Process Management" link in the 'Processes & Automation' section in the Admin panel, which will lead to the Process Management Overview screen. After the creation of the process, we can create all other entities (or process parts).

Note

Activities, User Task Activity Dialogs, Sequence Flows and Sequence Flow Actions defined in one process will be available for all the processes in the system.

Figure 5.7. Страница Администратора OTRS - Администрирование системы




Нажмите на действие "Создать Новый Процесс" в окне Действий.

Figure 5.8. Создать Новую кнопку Процесса



Fill the process information, set Process Name and the Description, but leave the process State as "inactive", until we finish all the tasks. Save the process.


Figure 5.9. Добавить новый процесс



2.3.2. User Task Activity Dialogs


Click on the new process name in the Process Management Overview Screen, then in the "Available Process Elements" click on "User Task Activity Dialogs" (this action will expand the user task activity dialog options and will collapse all others doing an accordion like effect). Finally, click on "Create New User Task Activity Dialog".

Figure 5.10. Create New User Task Activity Dialog button



In the opened popup screen fill the "Dialog Name" as well as the "Description (short)" field. For this example, we will leave all other fields as the default. To assign fields to the User Task Activity Dialog, simply drag the required field from the "Available Fields" pool and drop it into the "Assigned Fields" pool. The order in the "Assigned Fields" pool is the order that the fields will have in the screen: in order to modify the order simply drag and drop a field within the pool to rearrange it in the correct place.

Figure 5.11. Add new User Task Activity Dialog



▼ User Task Activity Dialog

★ Dialog Name:

Available in:

★ Description (short):

Description (long):

Permission:

Required Lock:

Submit Advice Text:

Submit Button Text:

▼ Fields

You can assign Fields to this User Task Activity Dialog by dragging the elements with the mouse from the left list to the right list. Ordering the elements within the list is also possible by drag 'n' drop.


Filter available fields...

AVAILABLE FIELDS

Article

As soon as the fields are dropped into the "Assigned Fields" pool another popup screen is shown with some details about the field. We will leave the default options and only for Article fields we should make sure that the CommunicationChannel field is set to "Internal" and that the IsVisibleForCustomer is not active.

Figure 5.12. Редактировать элементы поля (Article)



Edit Field Details: Article ✕

Description (short):

Description (long):

Default value:

Communication Channel:

Is visible for customer:

Time units:

Если все поля привязаны, нажмите на кнопку отправить в главном всплывающем окне чтобы изменения вступили в силу.

In this example we will use Article field for comments, but another option could be to create a TextArea type Dynamic Field. The rest of the mentioned fields in the lines below are the Dynamic Fields that we already defined before.

Please be aware that in this screen all the Dynamic Fields have the prefix "DynamicField_" as in "DynamicField_Title". Do not confuse this with the field "Title" that is actually the Ticket Title.

Create the following User Task Activity Dialogs:

- "Запись спроса" (AD1)

A user task activity dialog that contains all the required fields for the data to be collected for the order (Title, Author and ISBN), and a Status field with the possibility to choose "Approval".

- "Отказать" (AD2)

A user task activity dialog with a comment field (Article) and a Status field with the option "Approval denied".

- "Утвержден" (AD3)

Здесь нам просто нужно поле статуса с опцией "Approved/Утверждено".

- "Заказ отменен" (AD4)

A user task activity dialog which makes it possible for purchasing to reject an impossible order (book out of stock). Here we also need a comment field and the Status field with the option "Order denied".

- "Заказ размещен" (AD5)

A user task activity dialog with the fields Supplier, Price and Delivery date for purchasing and the Status field with the option "Order placed".

- "Поставка получена" (AD6)

A user task activity dialog for the mail room with a field for the Date of receipt and the Status field with the option "Shipment received".

To restrict the Status field for each user task activity dialog, we need to add some ACLs in the Kernel/Config.pm or to a new Perl file located in Kernel/Config/Files.

```
$Self->{TicketAcl}->{'P1-AD1-1'} = {
    Properties => {
        Process => {
            ActivityDialogEntityID => ['AD1'],
        },
    },
    Possible => {
        Ticket => {
            DynamicField_Status => ['Approval'],
        },
    },
};

$Self->{TicketAcl}->{'P1-AD2-1'} = {
    Properties => {
        Process => {
            ActivityDialogEntityID => ['AD2'],
        },
    },
    Possible => {
        Ticket => {
            DynamicField_Status => ['Approval denied'],
        },
    },
};
```

```

    },
  };

$self->{TicketAcl}->{'P1-AD3-1'} = {
  Properties => {
    Process => {
      ActivityDialogEntityID => ['AD3'],
    },
  },
  Possible => {
    Ticket => {
      DynamicField_Status => ['Approved'],
    },
  },
};

$self->{TicketAcl}->{'P1-AD4-1'} = {
  Properties => {
    Process => {
      ActivityDialogEntityID => ['AD4'],
    },
  },
  Possible => {
    Ticket => {
      DynamicField_Status => ['Order denied'],
    },
  },
};

$self->{TicketAcl}->{'P1-AD5-1'} = {
  Properties => {
    Process => {
      ActivityDialogEntityID => ['AD5'],
    },
  },
  Possible => {
    Ticket => {
      DynamicField_Status => ['Order placed'],
    },
  },
};


$self->{TicketAcl}->{'P1-AD6-1'} = {
  Properties => {
    Process => {
      ActivityDialogEntityID => ['AD6'],
    },
  },
  Possible => {
    Ticket => {
      DynamicField_Status => ['Shipment received'],
    },
  },
};

```

2.3.3. Sequence Flows


In the "Available Process Elements" click on "Sequence Flows", then click on "Create New Sequence Flow".

Figure 5.13. Create New Sequence Flow button



In the opened popup screen fill the "Sequence Flow Name", then in the sequence flow condition expressions, for this example, we will add just one condition expression and just one field. For both we can leave the Type of Linking as "and" and we will use the filled match type value as "String".

Figure 5.14. Add new Sequence Flow



After all sequence flow condition expressions are set, click on the submit button to save the changes.

Create the following Sequence Flows:

- "Approval" (SF1)
A sequence flow which checks if the Status field is set to "Approval".
- "Approval denied" (SF2)
A sequence flow which checks if the Status field is set to "Approval denied".
- "Approved" (SF3)
A sequence flow which checks if the Status field is set to "Approved".
- "Order denied" (SF4)
A sequence flow which checks if the Status field is set to "Order denied".
- "Order placed" (SF5)
A sequence flow which checks if the Status field is set to "Order placed".


- "Shipment received" (SF6)

A sequence flow which checks if the Status field is set to "Shipment received".

2.3.4. Sequence Flow Actions

Click on "Sequence Flow Actions" in the "Available Process Elements", then click on "Create New Sequence Flow Action".

Figure 5.15. Create New Sequence Flow Action button



In the opened popup screen, fill the "Sequence Flow Action Name", and the "Sequence Flow Action module", then add the required and optional parameter names and values.

All the Sequence Flow Action Modules are shared with the Script Task Activities and they are located in Kernel/System/ProcessManagement/Modules. Following is the list of all bundled Sequence Flow Action Modules included in this release:

- DynamicFieldSet
- TicketArticleCreate
- TicketCreate
- TicketCustomerSet
- TicketLockSet
- TicketOwnerSet
- TicketQueueSet
- TicketResponsibleSet
- TicketSendEmail
- TicketServiceSet
- TicketSLASet
- TicketStateSet
- TicketTitleSet
- TicketTypeSet

Each module has its own specific parameters. Please review the module documentation to learn all required and optional parameters.

Note

Начиная с OTRS 4.0.1, параметры теперь необязательно имеют фиксированные значения, но, вместо этого, они могут наследовать их из оригинальной заявки используя формат: <OTRS_Ticket_property>.

Начиная с версии OTRS 4.0.6, поддерживается формат <OTRS_TICKET_property>, старый формат тоже может использоваться, но не рекомендуется, так как будет отменен в будущих версиях.


Note

From OTRS 7.0.1, you can use new OTRS smart tags in the "Body" parameter of TicketCreate and TicketArticleCreate modules: <OTRS_AGENT_BODY_RICHTEXT> and <OTRS_CUSTOMER_BODY_RICHTEXT>.

For both tags you can specify a set of parameters to influence the content of the body, please check the TicketCreate module documentation and TicketArticleCreate module documentation.


As already mentioned, both OTRS smart tags are only supported in TicketCreate and TicketArticleCreate modules.

Figure 5.16. Add new Sequence Flow Action



After setting the sequence flow action name and module, click on 'Save' button, and after a reload, 'Configure' button next to the selected module will appear. Click on it to set all parameters.

Figure 5.17. Configure Sequence Flow Action



After all parameters and values are set click on the 'Save and Finish' button to save the parameters and return to the sequence flow action screen again, then click on 'Save and Finish' (again) to save all data and return to the main process screen.

Create the following Sequence Flow Actions:

- "Move the process ticket into the 'Management' queue" (SFA1)

This action is supposed to be executed when the sequence flow "Approval" (SF1) is applied.

- "Change ticket responsible to 'manager'" (SFA2)

To be executed when the sequence flow "Approval" (SF1) is applied.

- "Move process ticket into the 'Employees' queue" (SFA3)

Будет выполнено когда:

- The sequence flow "Approval denied" (SF2) is applied
- The sequence flow "Order denied" (SF4) is applied
- The sequence flow "Shipment received" (SF6) is applied
- "Change ticket responsible to 'Employee'" (SFA4)

Будет выполнено когда:

- The sequence flow "Approval denied" (SF2) is applied
- The sequence flow "Order denied" (SF4) is applied
- The sequence flow "Shipment received" (SF6) is applied
- "Move process ticket into the 'Purchasing' queue" (SFA5)
To be executed when the sequence flow "Approved" (SF3) is applied.
- "Move process ticket into the 'Post office' queue" (SFA6)
To be executed when the sequence flow "Order placed" (SF5) is applied.
- "Close ticket successfully" (SFA7)

Будет выполнено когда:

- The sequence flow "Shipment received" (SF6) is applied
- "Close ticket unsuccessfully" (SFA8)

Будет выполнено когда:

- The sequence flow "Approval denied" (SF2) is applied
- The sequence "Order denied" (SF4) is applied

As you can see, there are places where the same Sequence Flow Actions should be executed. Therefore it is reasonable to make it possible to link Sequence Flow Actions freely with Sequence Flow to be able to reuse them.

2.3.5. Деятельность

There are three types of activities:

- Script Task Activities

This tasks executes a script module automatically when the activity is reached, these modules are shared with the Sequence Flow Actions.

- Service Task Activities


Triggers an invoker from a Generic Interface web service when the activity is reached.

- User Task Activities

They could be seen as a bundle which can contain one or more User Task Activity Dialogs.

Кликните на "Деятельности" в меню "Доступные Элементы Процесса", а затем кликните на "Создать новую Деятельность".

Figure 5.18. Создать Новую кнопку Деятельности



In the opened popup screen fill the "Activity Name", and be sure that "User task activity" is set in the "Activity type" field, then drag the required User Task Activity Dialogs from the "Available User Task Activity Dialogs" pool, and drop them into to the "Assigned User Task Activity Dialogs" pool. This dialog will be presented (in the ticket zoom screen) in the same order as it is defined on this screen translating from top to bottom, from left to right.

This order is especially important in the first Activity, since the first User Task Activity Dialog for this activity is the only one that is presented when the process starts.

Note

Script and Service task activities at the very beginning of the processes will present a default dialog to trigger the process start by executing the script or invoker.

Create the following User Task Activities:

- "Recording the demand/Запись запроса" (A1)
Contains the User Task Activity Dialog "Recording the demand" (AD1)
- "Approval/Утверждение" (A2)
Contains the User Task Activity Dialogs "Approval denied" (AD2) as well as "Approved" (AD3)
- "Заказ" (A3)
Contains the User Task Activity Dialogs "Order rejected" (AD4) as well as "Order placed" (AD5)
- "Входящие" (A4)
Contains the User Task Activity Dialog "Shipment received" (AD6)
- "Process complete" (A5)
This is a User task Activity without possible User Task Activity Dialogs. It will be set after "Approval denied", "Order denied" or "Shipment received" and represents the end of the process.

Now we can clearly see that Activities are precisely defined states of a process ticket. After a successful Sequence flow a process ticket moves from one Activity to another.

2.3.6. Схема процесса заказа книги


Let us conclude our example with the last missing piece in the puzzle, the Process as the a flow describer. In our case this is the whole ordering work-flow. Other processes could be office supply ordering or completely different processes.

The process has a starting point which consists of the start User Task Activity and the start User Task Activity Dialog. For any new book order, the start User Task Activity Dialog (first User Task Activity Dialog for the first User Task Activity) is the first screen that is displayed. If this is completed and saved, the Process ticket will be created and can follow the configured work-flow.

The process also contains the directions for how the process ticket can move through the Process. Let's call this the "Path". It consists of the start Activity, one or more Sequence Flows (possibly with Sequence Flow Actions), and other Activities.


Assuming that the User Task Activities have already assigned their User Task Activity Dialogs, drag an Activity from the accordion (in the left part of the screen) and drop it into the canvas area (below process information). Notice that an arrow from the process start (green circle) to the Activity is placed automatically. (This is the first User Task Activity and its first User Task Activity Dialog is the first screen that will be shown when the process starts).

Figure 5.19. Перетащите первую Активность на полотно схемы.



Next, drag another Activity into the canvas too. Now we will have two Activities in the canvas. The first one is connected to the start point and the second has no connections. You can hover the mouse over each activity to reveal their own User Task Activity Dialogs (in case of other type of activities, relative information is shown such as the selected script or web service and invoker).


Figure 5.20. Перетащите вторую Активность на полотно схемы.



Then let's create the "Path" (connection) between these two Activities, for this we will use the Sequence Flows. Click on Sequence Flows in the accordion, drag a Sequence Flow


and drop it inside the first Activity. Notice that the Activity changes its color indicating that the Sequence Flow is attached. As soon as the Sequence Flow is dropped, the end point of the Sequence Flow arrow will be placed next to the process start point. Drag the Sequence Flow arrow end point and drop it inside the other Activity to create the connection between the Activities.

Figure 5.21. Drag a Sequence Flow into the canvas




Now that the "Path" between the Activities is defined, we need to assign the Sequence Flow Actions to the Sequence Flows. Double click the Sequence Flow label (on the canvas), this will open a new popup window.

Figure 5.22. Connect Activities using Sequence Flows



Drag the needed Sequence Flow Actions from Available Sequence Flow Actions pool and drop them into the Assigned Sequence Flow Actions pool and click on submit button.

Figure 5.23. Assign Sequence Flow Actions



▼ Path

Recording the demand — Approval — Approval

Edit this sequence flow

▼ Sequence Flow Actions

You can assign Sequence Flow Actions to this Sequence Flow by dragging the elements with the mouse from the left list to the right list. Ordering the elements within the list is also possible by drag 'n' drop.

Filter available Sequence Flow Actions...

AVAILABLE SEQUENCE FLOW ACTIONS	ASSIGNED SEQUENCE FLOW ACTIONS
Change ticket responsible to "Employee" (SequenceFlowAction-107...	Change ticket responsible to "manager" (SequenceFlowAction-c79...
Move process ticket into the "Purchasing" queue (SequenceFlowAc...	Move the process ticket into the "Management" queue (SequenceFI...
Close ticket unsuccessfully (SequenceFlowAction-2fb3ec6d896ec8...	
Move the process ticket into the "Employees" queue (SequenceFlo...	
Move process ticket into the "Post office" queue (SequenceFlowAct...	
Close ticket successfully (SequenceFlowAction-83f9dcefe20a497b...	

Create New Sequence Flow Action

Затем, вернитесь к главному окну редактирования Процесса и нажмите кнопку Сохранить под схемой и сохраните все сделанные изменения.

Complete the "path" adding the following Activities, Sequence Flows and Sequence Flow Actions:

Запись спроса до значения "Approval"

- Начальная точка: Activity: Запись запроса (A1)
- Possible Sequence Flow: "Approval" (SF1)
 - If the sequence flow condition expression of this activity is fulfilled, the ticket will move to Activity: "Approval" (A2)
 - Additionally, the following Sequence Flow Actions are executed:
 - "Move the process ticket into the 'Management' queue" (SFA1)
 - "Change ticket responsible to 'manager'" (SFA2)

The Activity: "Recording the demand" (A1) is a defined step of the process ticket, where there is the possibility for the Sequence Flow: "Approval" (SF1). If this applies, the ticket will move to the next Activity: "Approval" (A2), and the Sequence Flow Actions: "Move the process ticket into the 'Management' queue" (SFA1) and "Change ticket responsible to 'manager'" (SFA2) are executed. In the Activity: "Approval" (A2), the User Task Activity Dialogs: "Approval denied" (AD2) and "Approved" (AD3) are available.

Утверждение

- Начальная точка: Activity/Активность "Approval/Утверждение" (A2)
- Possible Sequence Flows:
 - "Approval denied" (SF2)
 - Если верно, процесс заявки перейдет к Activity: "Процесс завершен" (A5).
 - Additionally, the following Sequence Flow Actions are executed:

- "Move process ticket into the 'Employees' queue" (SFA3)
- "Change ticket responsible to 'Employee'" (SFA4)
- "Close ticket unsuccessfully" (SFA8)
- "Approved" (SF3)
- Если верно, процессная заявка перейдет к Activity/Действию: "Order/Заказ" (A3).
- Additionally, the following Sequence Flow Action is executed:
 - "Move process ticket into the 'Purchasing' queue" (SFA5)

We can see that from the current Activity, which defines a step of the process ticket, there are one or more possibilities for moving to other Activities using a Sequence Flow which has exactly one target Activity (and possibly one or more Sequence Flow Actions).

Заказ


- Начальная точка: Activity/Активность "Order/Заказ" (A3)
- Possible Sequence Flows:
 - "Order denied" (SF4)
 - Если верно, процесс заявки перейдет к Activity: "Процесс завершен" (A5).
 - Additionally, the following Sequence Flow Actions are executed:
 - "Move process ticket into the 'Employees' queue" (SFA3)
 - "Set ticket responsible to 'Employee'" (SFA4)
 - "Close ticket unsuccessfully" (SFA8)
 - "Order placed" (SF5)
 - Если верно, процесс заявки перейдет к Activity: "Поступление" (A4).
 - Additionally, the following Sequence Flow Action is executed:
 - "Move process ticket into the 'Post office' queue" (SFA6)

Входящие

- Начальная точка: Activity/Действие: "Incoming/Поступление" (A4).
- Possible Sequence Flows:
 - "Shipment received" (SF6)
 - Если верно, процесс заявки перейдет к Activity: "Процесс завершен" (A5).
 - Additionally, the following Sequence Flow Actions are executed:
 - "Move process ticket into the 'Employees' queue" (SFA3)
 - "Set ticket responsible to 'Employee'" (SFA4)
 - "Close ticket successfully" (SFA7)

The complete Path for the book ordering Process will then looks like this:

Figure 5.24. Законченная/полная схема процесса заказа книги.



After you finish the process path please click on "Save and Finish" button in the lower part of the canvas and then click on "Synchronize All Processes" button. This will gather all processes information form the Database and create a cache file (in Perl language). This cache file is actually the processes configuration that the system will use to create or use process tickets.

Все изменения сделанные в Процессе (в интерфейсе админа) потребуют пересинхронизации файла кэша, чтобы изменения были отражены в системе.

Также, возможно импортировать процесс целиком из YAML файла, но обязательно до этого создать все динамические поля, пользователей, очереди и пр. необходимые для каждого процесса.

Обратите внимание, что если процесс требует использования ACL, они также должны быть созданы вручную.

Ниже приведен полный текст YAML файла для процесса заказа книги из примера:

```

---
Activities:
  A1:
    ActivityDialogs:
      - AD1
    ChangeTime: 2012-11-23 14:49:22
    Config:
      ActivityDialog:
        1: AD1
    CreateTime: 2012-11-23 11:49:38
    EntityID: A1
    ID: 151
    Name: Recording the demand
    Type: UserTask
  A2:
    ActivityDialogs:
      - AD2
      - AD3
    ChangeTime: 2012-12-13 00:55:12
    Config:
      ActivityDialog:
        1: AD2
        2: AD3

```

```
CreateTime: 2012-11-23 11:50:11
EntityID: A2
ID: 152
Name: Approval
Type: UserTask
A3:
  ActivityDialogs:
    - AD4
    - AD5
  ChangeTime: 2012-11-23 18:12:14
  Config:
    ActivityDialog:
      1: AD4
      2: AD5
  CreateTime: 2012-11-23 11:50:35
  EntityID: A3
  ID: 153
  Name: Order
  Type: UserTask
A4:
  ActivityDialogs:
    - AD6
  ChangeTime: 2012-11-23 18:12:35
  Config:
    ActivityDialog:
      1: AD6
  CreateTime: 2012-11-23 11:51:00
  EntityID: A4
  ID: 154
  Name: Incoming
  Type: UserTask
A5:
  ActivityDialogs: []
  ChangeTime: 2012-11-23 11:51:33
  Config: {}
  CreateTime: 2012-11-23 11:51:33
  EntityID: A5
  ID: 155
  Name: Process complete
  Type: UserTask
ActivityDialogs:
  AD1:
    ChangeTime: 2012-12-06 02:16:21
    Config:
      DescriptionLong: ''
      DescriptionShort: Recoding the demand
      FieldOrder:
        - DynamicField_Author
        - DynamicField_ISBN
        - DynamicField_Title
        - DynamicField_Status
      Fields:
        DynamicField_Author:
          DefaultValue: ''
          DescriptionLong: ''
          DescriptionShort: ''
          Display: 1
        DynamicField_ISBN:
          DefaultValue: ''
          DescriptionLong: ''
          DescriptionShort: ''
          Display: 1
        DynamicField_Status:
          DefaultValue: ''
          DescriptionLong: ''
          DescriptionShort: ''
          Display: 1
        DynamicField_Title:
          DefaultValue: ''
          DescriptionLong: ''
          DescriptionShort: ''
          Display: 1
```

```
Interface:
- AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: ''
CreateTime: 2012-11-23 14:34:43
EntityID: AD1
ID: 154
Name: Recording the demand
AD2:
ChangeTime: 2012-11-23 14:57:41
Config:
DescriptionLong: ''
DescriptionShort: Approval denied
FieldOrder:
- Article
- DynamicField_Status
Fields:
Article:
Config:
CommunicationChannel: 'Internal'
IsVisibleForCustomer: '0'
DefaultValue: ''
DescriptionLong: ''
DescriptionShort: ''
Display: 1
DynamicField_Status:
DefaultValue: ''
DescriptionLong: ''
DescriptionShort: ''
Display: 1
Interface:
- AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: Deny Request
CreateTime: 2012-11-23 14:36:39
EntityID: AD2
ID: 155
Name: Approval denied
AD3:
ChangeTime: 2012-12-14 03:14:23
Config:
DescriptionLong: ''
DescriptionShort: Approved
FieldOrder:
- DynamicField_Status
Fields:
DynamicField_Status:
DefaultValue: ''
DescriptionLong: ''
DescriptionShort: ''
Display: 1
Interface:
- AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: Approve Request
CreateTime: 2012-11-23 14:37:35
EntityID: AD3
ID: 156
Name: Approved
AD4:
ChangeTime: 2012-11-23 14:58:52
Config:
DescriptionLong: ''
DescriptionShort: Order rejected
FieldOrder:
- Article
```

```
- DynamicField_Status
Fields:
Article:
  Config:
    CommunicationChannel: 'Internal'
    IsVisibleForCustomer: '0'
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
  DynamicField_Status:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
Interface:
  - AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: Reject Order
CreateTime: 2012-11-23 14:38:48
EntityID: AD4
ID: 157
Name: Order rejected
AD5:
ChangeTime: 2012-12-06 02:20:12
Config:
  DescriptionLong: ''
  DescriptionShort: Order placed
  FieldOrder:
    - DynamicField_DeliveryDate
    - DynamicField_Price
    - DynamicField_Supplier
    - DynamicField_Status
Fields:
  DynamicField_DeliveryDate:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
  DynamicField_Price:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
  DynamicField_Status:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
  DynamicField_Supplier:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
Interface:
  - AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: Place Order
CreateTime: 2012-11-23 14:41:28
EntityID: AD5
ID: 158
Name: Order placed
AD6:
ChangeTime: 2012-11-23 14:42:43
Config:
  DescriptionLong: ''
  DescriptionShort: Shipment received
  FieldOrder:
```

```
- DynamicField_DateOfReceipt
- DynamicField_Status
Fields:
  DynamicField_DateOfReceipt:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
  DynamicField_Status:
    DefaultValue: ''
    DescriptionLong: ''
    DescriptionShort: ''
    Display: 1
Interface:
  - AgentInterface
Permission: ''
RequiredLock: 0
SubmitAdviceText: ''
SubmitButtonText: ''
CreateTime: 2012-11-23 14:42:43
EntityID: AD6
ID: 159
Name: Shipment received
Process:
  Activities:
    - A1
    - A2
    - A3
    - A4
    - A5
  ChangeTime: 2012-12-06 02:31:59
  Config:
    Description: The process to order a book
    Path:
      A1:
        SF1:
          ActivityEntityID: A2
          SequenceFlowAction:
            - SFA2
            - SFA1
        A2:
          SF2:
            ActivityEntityID: A5
            SequenceFlowAction:
              - SFA3
              - SFA4
              - SFA8
        SF3:
          ActivityEntityID: A3
          SequenceFlowAction:
            - SFA5
        A3:
          T4:
            ActivityEntityID: A5
            SequenceFlowAction:
              - SFA3
              - SFA4
              - SFA8
        SF5:
          ActivityEntityID: A4
          SequenceFlowAction:
            - SFA6
        A4:
          SF6:
            ActivityEntityID: A5
            SequenceFlowAction:
              - SFA3
              - SFA4
              - SFA7
        A5: {}
    StartActivity: A1
    StartActivityDialog: AD1
```

```
CreateTime: 2012-11-23 11:45:12
EntityID: P1
ID: 94
Layout:
  A1:
    left: 172
    top: 63
  A2:
    left: 402
    top: 156
  A3:
    left: 649
    top: 255
  A4:
    left: 774
    top: 391
  A5:
    left: 194
    top: 410
Name: Book ordering
State: Active
StateEntityID: S1
SequenceFlowActions:
- SFA1
- SFA2
- SFA3
- SFA4
- SFA8
- SFA5
- SFA3
- SFA4
- SFA8
- SFA6
- SFA3
- SFA4
- SFA7
SequenceFlows:
- SF1
- SF2
- SF3
- SF4
- SF5
- SF6
SequenceFlowActions:
SFA1:
  ChangeTime: 2012-11-23 16:01:37
  Config:
    Queue: Management
    Module: TicketQueueSet
  CreateTime: 2012-11-23 15:50:59
  EntityID: SFA1
  ID: 61
  Name: Move the process ticket into the "Management" queue
SFA2:
  ChangeTime: 2012-11-23 16:02:12
  Config:
    Responsible: manager
    Module: TicketResponsibleSet
  CreateTime: 2012-11-23 15:58:22
  EntityID: TA2
  ID: 62
  Name: Change ticket responsible to "manager"
SFA3:
  ChangeTime: 2012-11-24 14:27:02
  Config:
    Queue: Employees
    Module: TicketQueueSet
  CreateTime: 2012-11-23 16:02:54
  EntityID: TA3
```

```
ID: 63
Name: Move the process ticket into the "Employees" queue
SFA4:
  ChangeTime: 2012-11-23 16:04:06
  Config:
    Config:
      Responsible: Employee
      Module: TicketResponsibleSet
    CreateTime: 2012-11-23 16:04:06
    EntityID: TA4
  ID: 64
  Name: Change ticket responsible to "Employee"
SFA5:
  ChangeTime: 2012-12-06 02:18:34
  Config:
    Config:
      Queue: Purchasing
      Module: TicketQueueSet
    CreateTime: 2012-11-23 16:04:54
    EntityID: TA5
  ID: 65
  Name: Move process ticket into the "Purchasing" queue
SFA6:
  ChangeTime: 2012-12-06 02:18:48
  Config:
    Config:
      Queue: Post office
      Module: TicketQueueSet
    CreateTime: 2012-11-23 16:06:20
    EntityID: TA6
  ID: 66
  Name: Move process ticket into the "Post office" queue
SFA7:
  ChangeTime: 2012-12-06 02:29:55
  Config:
    Config:
      State: closed successful
      Module: TicketStateSet
    CreateTime: 2012-12-06 02:29:27
    EntityID: TA7
  ID: 67
  Name: Close ticket successfully
SFA8:
  ChangeTime: 2012-12-06 02:31:12
  Config:
    Config:
      State: closed unsuccessful
      Module: TicketStateSet
    CreateTime: 2012-12-06 02:31:12
    EntityID: TA8
  ID: 68
  Name: Close ticket unsuccessfully
SequenceFlows:
SF1:
  ChangeTime: 2012-11-23 15:12:20
  Config:
    Condition:
      1:
        Fields:
          DynamicField_Status:
            Match: Approval
            Type: String
        Type: and
      ConditionLinking: and
    CreateTime: 2012-11-23 11:53:52
    EntityID: T1
  ID: 94
  Name: Approval
SF2:
  ChangeTime: 2012-11-23 15:12:50
  Config:
    Condition:
```

```
1:
  Fields:
    DynamicField_Status:
      Match: Approval denied
      Type: String
    Type: and
  ConditionLinking: and
  CreateTime: 2012-11-23 11:54:26
  EntityID: T2
  ID: 95
  Name: Approval denied
SF3:
  ChangeTime: 2012-11-23 15:13:29
  Config:
    Condition:
      1:
        Fields:
          DynamicField_Status:
            Match: Approved
            Type: String
          Type: and
        ConditionLinking: and
        CreateTime: 2012-11-23 11:54:54
        EntityID: T3
        ID: 96
        Name: Approved
SF4:
  ChangeTime: 2012-11-23 15:14:08
  Config:
    Condition:
      1:
        Fields:
          DynamicField_Status:
            Match: Order denied
            Type: String
          Type: and
        ConditionLinking: and
        CreateTime: 2012-11-23 11:55:25
        EntityID: T4
        ID: 97
        Name: Order denied
SF5:
  ChangeTime: 2012-11-23 18:30:33
  Config:
    Condition:
      1:
        Fields:
          DynamicField_Status:
            Match: Order placed
            Type: String
          Type: and
        ConditionLinking: and
        CreateTime: 2012-11-23 11:56:15
        EntityID: T5
        ID: 98
        Name: Order placed
SF6:
  ChangeTime: 2012-11-23 15:15:30
  Config:
    Condition:
      1:
        Fields:
          DynamicField_Status:
            Match: Shipment received
            Type: String
          Type: and
        ConditionLinking: and
        CreateTime: 2012-11-23 11:56:48
        EntityID: T6
        ID: 99
        Name: Shipment received
```


2.4. Эталонная последовательность настройки процесса

2.4.1. Процесс

A Process models the path of a workflow/process. The waypoints on this path can be Activities or Sequence Flows, we'll talk about these later.

2.4.1.1. Настройка Процесса

While the Process configuration can be done directly in a perl file such as Kernel/Config.pm this practice is discouraged since the GUI offers the majority of the needed features and is easier to maintain.

In case that is absolutely required to create a process directly in a perl file then it is strongly recommended to create new files like Kernel/Config/Files/MyProcess.pm. Notice that the GUI generates the file Kernel/Config/Files/ZZZProcessManagement, so please avoid using that specific filename, otherwise it will be overwritten when you sync processes.

Let's see an example process configuration (from the process cache file):

```
$Self->{'Process'} = {
  'P1' => {
    Name           => 'Book order',
    CreateTime     => '16-02-2012 13:37:00',
    CreateBy      => '1',
    ChangeTime    => '17-02-2012 13:37:00',
    ChangeBy     => '1',
    State         => 'Active',
    StartActivity => 'A1',
    StartActivityDialog => 'AD1',
    Path => {
      'A1' => {
        'T1' => {
          ActivityEntityID => 'A2',
        },
      },
      'A2' => {
        'T2' => {
          ActivityEntityID => 'A3',
        },
      },
    },
  },
  'P2' => {
    Name           => 'IT order',
    CreateTime     => '26-02-2012 13:37:00',
    CreateBy      => '1',
    ChangeTime    => '27-02-2012 13:37:00',
    ChangeBy     => '1',
    State         => 'Active',
    StartActivity => 'A2',
    StartActivityDialog => 'AD2',
    Path => {
      'A2' => {
        'T3' => {
          ActivityEntityID => 'A4',
        },
      },
    },
  },
};
```

2.4.1.2. Название

Имя Процесса, оно может быть выбрано агентом при создании новой процессной заявки.

2.4.1.3. CreateTime

Время, когда процесс был создан.

2.4.1.4. CreateBy

UID пользователя, создавшего этот Процесс

2.4.1.5. ChangeTime

Время, когда процесс был изменен.

2.4.1.6. ChangeBy

UID пользователя, который вносил последние изменения в процесс.

2.4.1.7. State

Задаёт состояние процесса. Возможные значения:

- 'Active' / Активный - все процессы, которые могут быть использованы в новых процессных заявках.
- 'FadeAway' / Исчезающие - это процессы, которые нельзя выбрать более для новых заявок, но существующие заявки могут продолжать их использовать.
- 'Inactive' / Неактивные - деактивированные процессы. Они не могут быть более использованы ни в новых, ни в существующих заявках.

2.4.1.8. StartActivity

When creating a new process ticket, a StartActivity must be defined. As soon as the ticket is created, this Activity will be set and used as the base for the first sequence flow checks.

2.4.1.9. StartActivityDialog

For new process tickets, if the initial activity is of the type 'User task activity' then a StartActivityDialog must be defined. This will be shown when creating a new process ticket (after the process was selected). At this point, the ticket does not exist yet, it will be created after submitting the StartActivityDialog. In case of a non 'User task activity' a default activity dialog will be presented to start the process.

2.4.1.10. Путь

The Path contains the structure of the Activities, and the possible Sequence Flows between them, for the current process. Additionally, path also contains the Sequence Flow Actions that happen when moving from one activity to another. They control the way that a process ticket can take. Example:

```
'A1' => {  
  'SF1' => {
```

```

    ActivityEntityID => 'A2',
  },
  'SF2' => {
    ActivityEntityID => 'A3',
  },
  'SF3' => {
    ActivityEntityID => 'A4',
    SequenceFlowAction => ['SFA1', 'SFA2'],
  },
},

```

If a process ticket is in Activity A1, it has three possible ways to get to another Activity. In the Sequence Flows SF1 to SF3, sequence flow condition expressions are defined, that a process ticket must fulfill to move (transit) to another Activity.

If in this case all the values of the process ticket and its dynamic fields that are needed for the Sequence Flow SF2 are correct, the ticket will be moved from Activity A1 to A3. After a User Task Activity Dialog is submitted, or any other change is made to the ticket, it will be checked for possible Sequence Flows from the current Activity. If multiple Sequence Flows are possible, the first one will be used (based on numerical sorting of the Sequence Flow EntityIDs).

Additionally, it is possible to assign Sequence Flow Actions to Sequence Flows in the Path configuration. These are modules which are executed after a successful move from one activity to the next one. They have to be specified in array form as in the example, we'll talk about the details later.

2.4.2. АКТИВНОСТЬ

An Activity can contain one or more Activity Dialogs, a module or a web service ID and an invoker depending on the activity type. Activities models a step in the process. For User Task Activities all their User Task Activity Dialogs of the current Activity are displayed in the ticket zoom and can be used until the Sequence Flow Condition Expressions of a Sequence Flow are fulfilled. For non User Task Activities a notification is shown to indicate that the Activity is a self executing task.

2.4.2.1. Настройка Активности

Давайте рассмотрим пример конфигурации активности:

```

$Self->{'Process::Activity'} =
{
  'A1' => {
    Name      => 'Activity 1 optional',
    CreateTime => '16-02-2012 13:37:00',
    CreateBy  => '1',
    ChangeTime => '17-02-2012 13:37:00',
    ChangeBy  => '1',
    ActivityDialog => {
      1 => 'AD1',
    },
    Config => '',
    Type  => 'UserTask',
  },
  'A2' => {
    Name      => 'Activity 2 optional',
    CreateTime => '16-02-2012 13:37:00',
    CreateBy  => '1',
    ChangeTime => '17-02-2012 13:37:00',
    ChangeBy  => '1',
    ActivityDialog => {
      1 => 'AD5',
      2 => 'AD6',
      3 => 'AD1',
    },
  },
}

```

```

    },
    Config => '',
    Type => 'UserTask',
  },
  'A3' => {
    Name => 'Activity 3 optional',
    CreateTime => '2018-01-30 03:44:30',
    CreateBy => '1',
    ChangeTime => '2018-01-30 03:44:30',
    ChangeBy => '1',
    ActivityDescription => 'This Activity fires an Invoker form a Web Service',
    ActivityErrorCode => '',
    ActivityDialog => '',
    WebserviceID => '1'
    Invoker => 'test_operation',
    Interface => [
      'AgentInterface',
    ],
    Config => '',
    Type => 'ServiceTask',
  },
  'A4' => {
    Name => 'Activity 4 optional',
    CreateTime => '2018-01-30 03:44:30',
    CreateBy => '1',
    ChangeTime => '2018-01-30 03:44:30',
    ChangeBy => '1',
    ActivityDialog => '',
    ActivityDescription => 'This Activity executes a script module',
    ActivityErrorCode => '',
    Module => 'DynamicFieldSet',
    Config => {
      'DynamicField_NameX' => 'Hello',
    },
    Interface => [
      'AgentInterface',
      'CustomerInterface',
    ],
    Type => 'ScriptTask',
  },
};

```

2.4.2.2. Название

Название активности.

2.4.2.3. CreateTime

Время создания.

2.4.2.4. CreateBy

UID пользователя, создавшего эту Активность.

2.4.2.5. ChangeTime

Время последнего изменения.

2.4.2.6. ChangeBy

UID пользователя, последним изменявшего эту Активность.

2.4.2.7. ActivityDialog

Activity Dialog contains the list of User Task Activity Dialogs which are available in this Activity (only for User Task Activities). All Activity Dialogs of the current Activity are dis-

played in the ticket zoom. Their order is set by the order in the configuration, here AD5 is shown before AD6 and AD1.

2.4.2.8. ActivityDescription

Field used to store the purpose of an activity is only available for "Script Task" and "Service Task" Activities.

2.4.2.9. ActivityErrorCode

It's used to send a custom error code in case of a failure, and if it's not defined error code '1' is used by default. This is only available for "Script Task" and "Service Task" Activities.

2.4.2.10. WebServiceID

Holds the ID of the Web Service used by the activity. This is only available for "Service Task" Activities.

2.4.2.11. Запрашивающая сторона

Stores the name of an Invoker from the selected Web Service used by the activity. This is only available for "Service Task" Activities.

2.4.2.12. Модуль

The name of a script module used by the activity, (located in Kernel/System/Process-Management/Modules). This is only available for "Script Task" Activities.

2.4.2.13. Config

Configuration parameters for the selected script used by the activity. This is only available for "Script Task" Activities.

2.4.2.14. Interface

List of interfaces where the activity can start a processes (if it's the first activity). If value does not contain the name of the current interface, the process is not listed for selection. This is only available for "Service Task" and "Script Task" Activities.

2.4.2.15. Type

Defines the type of the activity, possible values are: 'User task activity', 'Service task activity' and 'Script task activity'.

2.4.3. ActivityDialog

A User Task Activity Dialog is a representation or render of a User Task Activity as a screen. User Task Activity Dialogs can be shared among the User Task Activities.

2.4.3.1. Настройка ActivityDialog/Диалога Активности

Давайте рассмотрим пример конфигурации:

```
$Self->{'Process::ActivityDialog'} = {  
  'AD1' => {  
    Name           => 'ActivityDialog 1 optional',  
    DescriptionShort => 'Basic info',  
    DescriptionLong => 'Please insert the necessary basic information for IT orders',  
    CreateTime     => '28-02-2012 13:37:00',  
    CreateBy       => '1',  
    ChangeTime     => '29-02-2012 13:37:00',
```

```

ChangeBy      => '1',
Fields => {
  PriorityID => {
    DescriptionShort => 'Priority ID',
    DescriptionLong  => 'Enter the priority here',
    Display          => 2,
  },
},
FieldOrder    => [ 'PriorityID' ],
SubmitAdviceText => 'Note: If you submit the form...',
SubmitButtonText => 'Send request',
},
'AD2' => {
  Name         => 'ActivityDialog 2 optional',
  DescriptionShort => 'Basic info',
  DescriptionLong  => 'Please insert the necesesary basic information for Book
orders',
  CreateTime     => '28-02-2012 13:37:00',
  CreateBy       => '1',
  ChangeTime     => '29-02-2012 13:37:00',
  ChangeBy       => '1',
  Fields => {
    StateID => {
      DescriptionShort => 'State ID',
      DescriptionLong  => 'Enter the state here',
      Display          => 2,
      DefaultValue    => '2',
    },
    Queue => {
      DescriptionShort => 'Queue ID',
      DescriptionLong  => 'Enter the queue here',
      Display          => 2,
      DefaultValue    => 'Raw',
    },
    Title => {
      DescriptionShort => 'Title',
      DescriptionLong  => 'Enter the title here',
      Display          => 1,
      DefaultValue    => 'Default Title',
    },
    DynamicField_Anzahl => {
      DescriptionShort => 'Amount',
      DescriptionLong  => 'Enter the amount here',
      Display          => 2,
      DefaultValue    => '4',
    },
  },
  FieldOrder    => [ 'DynamicField_Anzahl', 'StateID', 'Queue', 'Title' ],
  SubmitAdviceText => 'Note: If you submit the form...',
  SubmitButtonText => 'Send request',
},
};

```

2.4.3.2. Название

Имя Диалога Активности.

2.4.3.3. CreateTime

Время создания.

2.4.3.4. CreateBy

UID пользователя, создавшего этот Диалог Активности.

2.4.3.5. ChangeTime

Время последнего изменения.

2.4.3.6. ChangeBy

UID пользователя, последним изменявшего этот Диалог Активности.

2.4.3.7. Поля

Содержит все поля, которые могут быть отображены в этом Диалоге Активности. Следующие поля могут быть использованы в данный момент:

```
Title
State
StateID
Priority
PriorityID
Lock
LockID
Queue
QueueID
Customer
CustomerID
CustomerNo
CustomerUserID
Owner
OwnerID
Type
TypeID
SLA
SLAID
Service
ServiceID
Responsible
ResponsibleID
PendingTime
DynamicField_$FieldName # for all dynamic fields
```

Пример настройки отдельного поля:

```
StateID => {
  DescriptionShort => 'State ID',
  DescriptionLong  => 'Enter the state here',
  Display          => 2,
  DefaultValue     => '2',
},
```

The field Article is a special case. If it is present in the Fields configuration, the Activity Dialog will contain a complete Rich-text editor with subject field and attachment handling. The entered text will then be added to the ticket as an article. Let's see an example Article field configuration:

```
Article => {
  DescriptionShort => 'Please insert your comment here.',
  DescriptionLong  => '',
  Display          => 1,
  Config           => {
    CommunicationChannel => 'Internal'
    isVisibleForCustomer => '0'
    LabelSubject         => '',
    LabelBody            => '',
  },
},
```

Рассмотрим опции конфигурации полей:

2.4.3.7.1. Краткое описание

Необязательное краткое описание, которое может отображаться вместе с заголовком поля.

2.4.3.7.2. Полное описание

Необязательное полное описание поля, отображаемое при наведении мыши на поле, например, указания по заполнению этого поля.

2.4.3.7.3. Отобразить

Controls if the field is shown and/or mandatory. Possible values:

- 0: field is invisible. This can be helpful if field values should automatically be set. The configured DefaultValue will be stored in this case.
- 1: field is visible, but optional.
- 2: field is visible and mandatory. The following fields can only be invisible or mandatory:

```
QueueID
Queue
State
StateID
Lock
LockID
Priority
PriorityID
Type
TypeID
```

Если поля заданы как необязательные, и никакие значения не вводятся пользователем, умалчиваемое значение будет присвоено этому полю, когда пользователь нажимает Отправить для этого Диалога Активности.

2.4.3.7.4. Значение по умолчанию

For fields with ID (like QueueID, OwnerID), this refers to the database ID of the value. For other fields without ID (like Queue, Owner), the DefaultValue must contain the value itself. Example:

```
Queue => {
  DescriptionShort => 'Queue',
  DescriptionLong  => 'Enter the queue here',
  Display          => 2,
  DefaultValue     => 'Raw',
},
```

2.4.3.8. Порядок полей

Здесь задается порядок отображения полей. ВАЖНО: Неотображаемые поля также должны быть заданы здесь, т.к. только описанные поля учитываются при сохранении. Значения полей не указанных здесь, не сохраняются.

2.4.3.9. Текст подсказки для кнопки

Необязательный текст, отображаемый поверх указателя мыши при наведении на кнопку, содержит дополнительную подсказку или поясняющий текст.

2.4.3.10. Текст надписи на кнопке

Необязательный/альтернативный пользовательский текст/название для кнопки Отправить.

2.4.4. SequenceFlow

A Sequence Flow decides, based on configurable Sequence Flow Condition Expressions, which path in the Process is taken, i.e. to which Activity a Process ticket can be moved.

2.4.4.1. Sequence Flow configuration

Давайте рассмотрим пример:

```
$Self->{'Process::SequenceFlow'} = {
  'SF1' => {
    Name => 'Sequence Flow 1',
    CreateTime => '14-03-2012 13:37:00', # optional
    CreateBy => '1', # optional
    ChangeTime => '15-03-2012 13:37:00', # optional
    ChangeBy => '15-03-2012 13:37:00', # optional
    Condition => {
      Cond1 => {
        Fields => {
          StateID => {
            Type => 'String',
            Match => '1',
          },
        },
      },
    },
  },
  'SF2' => {
    Name => 'SequenceFlow 2 optional',
    CreateTime => 'DATE', # optional
    CreateBy => 'USERID', # optional
    ChangeTime => 'DATE', # optional
    ChangeBy => 'USERID', # optional
    Condition => {
      Cond1 => {
        Queue => 'Raw',
        DynamicField_Farbe => '2',
        DynamicField_Anzahl => '1',
      },
    },
  },
};
```

2.4.4.2. Название

Name of the sequence flow.

2.4.4.3. CreateTime

Время, когда он был создан.

2.4.4.4. CreateBy

UID of the user who created this Sequence Flow.

2.4.4.5. ChangeTime

Время последнего изменения.

2.4.4.6. ChangeBy

UID of the last user who changed this Sequence Flow.

2.4.4.7. Условие

Contains all sequence flow condition expressions that are necessary for this Sequence Flow to take effect. Example:

```
Condition => {
  Type => 'and',
  Cond1 => {
    Type => 'and',
    Fields => {
      StateID => {
        Type => 'String',
        Match => '1',
      },
      DynamicField_Marke => {
        Type => 'String',
        Match => 'VW',
      },
    },
  },
  Cond2 => {
    Type => 'and',
    Fields => {
      Queue => {
        Type => 'String',
        Match => 'Raw',
      },
    },
  },
},
```

Let's look at the Sequence Flow Condition Expression configuration in detail.

2.4.4.7.1. Type (Condition Expression Linking)

Specifies the way the different condition expression elements are connected to each other. Possible values:

- and: This is the default. All condition expressions must be met for the sequence flow to take effect.
- or: At least one condition expression must match.
- xor: Exactly one condition expression must match, not more.

2.4.4.7.2. Cond1

This is the name of an example condition expression. It can be freely chosen. Conditions are evaluated in sorted order.

2.4.4.7.3. Type (Field)

Specifies the way how the individual field tests of this condition expression are connected to each other. Possible values:

- and: This is the default. All field tests must match for this condition expression to match.
- or: At least one field test must match.
- xor: Exactly one field test must match, not more.

2.4.4.7.4. Поля

Указывает отдельные поля, значения которых должны быть проверены. В нашем примере:

```
Fields => {  
  StateID => {  
    Type => 'String',  
    Match => '1',  
  },  
}
```

2.4.4.7.5. StateID

Пример имени поля. Следующие имена полей заявки могут использоваться:

```
Title  
State  
StateID  
Priority  
PriorityID  
Lock  
LockID  
Queue  
QueueID  
Customer  
CustomerID  
CustomerNo  
CustomerUserID  
Owner  
OwnerID  
Type  
TypeID  
SLA  
SLAID  
Service  
ServiceID  
Responsible  
ResponsibleID  
DynamicField_FieldName # for all DynamicFields
```

Когда проверяются поля с ID в имени (такие как SLAID), используется ID поля из базы данных, для других полей (таких как SLA), используется его текущее значение.

2.4.4.7.6. Type

Определяет тип проверяемого поля. Возможные значения:

- **String**: Compares the field value with the string specified in Match. Matches if they are exactly the same.
- **Hash**: Compares the field value (hash) with the hash specified in Match. All hash values must be the same.
- **Array**: Compares the field value (array) with the array specified in Match. Both lists must be the same.
- **Regex**: The field value can be tested with a regular expression. It is important to understand that Match contains *qr{ }xms* as a base condition. Between the braces the actual regular expression will be inserted.
- **Module**: Allows you to use a perl module for condition expression checking. If it returns 1, the check was positive. You can find an example module in `Kernel/System/Process-Management/SequenceFlow/ConditionExpression/Validation/ValidateDemo.pm`.

2.4.5. Sequence Flow Actions

Sequence Flow Actions are actions which can be triggered after successfully applied sequence flows (when a process ticket moves from one activity to another). These Sequence Flow Actions can be used to perform different changes on the ticket, e.g. change the Queue or the Owner of the ticket. You can also create your own Sequence Flow Actions to perform other complex changes.

2.4.5.1. Sequence Flow Action configuration

Давайте рассмотрим пример:

```
$Self->{'Process::SequenceFlowAction'} = {
  'SFA1' => {
    Name    => 'Queue Move',
    Module => 'TicketQueueSet',
    Config => {
      Queue => 'Junk',
      UserID => 123,
    },
  },
};
```

2.4.5.2. Название

The name of the Sequence Flow Action.

2.4.5.3. Модуль

Specifies the Perl module to be used (from the list in Kernel/System/ProcessManagement/ Modules).

2.4.5.4. Config

This parameter contains all settings which are required for the module. Its content depends on the particular Sequence Flow Action module which is used, some modules might require even more complex configurations than just simple key - value pairs. Please see the documentation of the individual modules for details. In our example, only the Queue must be specified. Nevertheless we are also sending UserID parameter, by using the UserID value. The sequence flow action will be executed impersonating the user with the given UserID.

The use of UserID inside the Config parameter of a Sequence Flow Action is accepted by all Sequence Flow Actions Modules (since OTRS 3.2.4). In this example it could be particularly important if the user that triggers the Sequence Flow does not have permissions to move the ticket to the queue Junk, while the user with the UserID 123 might have.

2.4.5.5. Reusing Sequence Flow Action modules

To use Sequence Flow Action modules multiple times, just specify several Sequence Flow Actions in your configuration. Example:

```
$Self->{'Process::SequenceFlowAction'} = {
  'SFA1' => {
    Name    => 'Queue Move Junk',
    Module => 'TicketQueueSet',
    Config => {
      Queue => 'Junk',
    },
  },
  'SFA2' => {
    Name    => 'Queue Move Raw',
```

```

    Module => 'TicketQueueSet',
    Config => {
      Queue => 'Raw',
    },
  },
};

```

Here the same module is used to move a process ticket into the Raw queue, and another time to move it into the Junk queue. The Sequence Flow Action which must be used for a particular Sequence Flow is determined from the Path setting of the Process configuration.

2.4.5.6. Available Sequence Flow Actions

OTRS comes with several Sequence Flow Actions that can be used in your processes. Here you can find their documentation and how they need to be configured.

2.4.5.6.1. DynamicFieldSet

Задаёт одно или несколько динамических полей в процессной заявке. Пример:

```

$self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name   => 'Set DynamicField MasterSlave to Master and Approved to 1',
    Module => 'DynamicFieldSet',
    Config => {
      MasterSlave => 'Master',
      Approved    => '1',
    },
  },
};

```

Name specifies the name of the configured Sequence Flow Action.

MasterSlave and Approved are given as examples of DynamicField names. The values of the fields (Master and 1) will be set by this Sequence Flow Action.

2.4.5.6.2. TicketArticleCreate

Creates an article, the %DataPayload parameters depends on the given communication channel, by default Internal is used. Example:

```

$self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name   => 'Article Create Note',
    Module => 'TicketArticleCreate',
    Config => {
      Config => {
        SenderType => 'agent', # (required) agent|system|
customer
        isVisibleForCustomer => 1, # 0 or 1
        CommunicationChannel => 'Internal', # Internal|Phone|Email|...
        default: Internal
        %DataPayload, # some parameters depending of
each communication channel
        # specific for <OTRS_AGENT_BODY_RICHTEXT> / <OTRS_CUSTOMER_BODY_RICHTEXT> OTRS
smart tags:
        AgentBodyRichTextQuote => 0, # optional, 0 or 1, insert the
last agent article as quote like 'AgentTicketCompose' frontend
        CustomerBodyRichTextQuote => 0, # optional, 0 or 1, insert the
last customer article as quote like 'AgentTicketCompose' frontend

```

```

        AgentBodyRichTextInlineImagesInclude => 0, # optional, 0 or 1, inline
        attachments of the last agent article are taken over to the new article
        CustomerBodyRichTextInlineImagesInclude => 0, # optional, 0 or 1, inline
        attachments of the last customer article are taken over to the new article

        AgentBodyRichTextAttachmentsInclude => 0, # optional, 0 or 1, all
        attachments of the last agent article are taken over to the new article
        CustomerBodyRichTextAttachmentsInclude => 0, # optional, 0 or 1, all
        attachments of the last customer article are taken over to the new article
    },
},
};

```

The following is the %DataPayload for MIME based Communication channels (Email, Internal and Phone).

```

        SenderType          => 'agent', #
agent|system|customer
        ContentType        => 'text/plain; charset=ISO-8859-15', # or
optional Charset & MimeType (e.g. 'text/html; charset=UTF-8')
        Subject            => 'some short description', #
required
        Body               => 'the message text', #
required
        HistoryType        => 'OwnerUpdate', #
EmailCustomer|Move|AddNote|PriorityUpdate|WebRequestCustomer|...
        HistoryComment     => 'Some free text!', #
        From               => 'Some Agent <email@example.com>', #
not required but useful
        To                 => 'Some Customer A <customer-a@example.com>', #
not required but useful
        Cc                 => 'Some Customer B <customer-b@example.com>', #
not required but useful
        ReplyTo           => 'Some Customer B <customer-b@example.com>', #
not required
        InReplyTo         => '<asdasdasd.12@example.com>', #
not required but useful
        References         => '<asdasdasd.1@example.com> <asdasdasd.12@example.com>', #
not required but useful
        NoAgentNotify     => 0, # if
you don't want to send agent notifications
        AutoResponseType  => 'auto reply', #
auto reject|auto follow up|auto reply/new ticket|auto remove

        ForceNotificationToUserID => '1,43,56', #
if you want to force somebody
        ExcludeNotificationToUserID => '43,56',
        # if you want full exclude somebody from notifications,
        # will also be removed in To: line of article,
        # higher prio as ForceNotificationToUserID
        ExcludeMuteNotificationToUserID => '43,56',
        # the same as ExcludeNotificationToUserID but only the
        # sending gets muted, agent will still shown in To:
        # line of article

```

Name specifies the name of the configured Sequence Flow Action. It can be freely chosen, but should reflect the purpose of the configured action.

SenderType defines the sender type of the article. Possible values: agent, system, customer.

IsVisibleForCustomer defines if the article should be displayed in the customer interface.

CommunicationChannel defines the type of the article to be created. Possible values: Email, Internal and Phone. This list could be extended by installing new communication channels via an OTRS Package.

ContentType defines the content type of the article. Possible values: text/plain; charset=ISO-8859-15 or any other valid charset and mime type.

Subject defines the article title. Mandatory.

Body defines the article content. Mandatory.

HistoryType defines the type of the history entry. Possible values: AddNote, ArchiveFlagUpdate, Bounce, CustomerUpdate, EmailAgent, EmailCustomer, EscalationResponseTimeNotifyBefore, EscalationResponseTimeStart, EscalationResponseTimeStop, EscalationSolutionTimeNotifyBefore, EscalationSolutionTimeStart, EscalationSolutionTimeStop, EscalationUpdateTimeNotifyBefore, EscalationUpdateTimeStart, EscalationUpdateTimeStop, FollowUp, Forward, Lock, LoopProtection, Merged, Misc, Move, NewTicket, OwnerUpdate, PhoneCallAgent, PhoneCallCustomer, PriorityUpdate, Remove, ResponsibleUpdate, SendAgentNotification, SendAnswer, SendAutoFollowUp, SendAutoReject, SendAutoReply, SendCustomerNotification, ServiceUpdate, SetPendingTime, SLAUpdate, StateUpdate, Subscribe, SystemRequest, TicketDynamicFieldUpdate, TicketLinkAdd, TicketLinkDelete, TimeAccounting, TypeUpdate, Unlock, Unsubscribe, WebRequestCustomer.

HistoryComment defines the content of the history entry.

From, To, Cc and ReplyTo take email addresses in the notation specified above.

InReplyTo and References take email message IDs.

NoAgentNotify - if set to 1, the email notification for an agent will not be sent.

AutoResponseType can take the following values: auto follow up, auto reject, auto remove, auto reply, auto reply/new ticket.

ForceNotificationToUserID, ExcludeNotificationToUserID, ExcludeMuteNotificationToUserID can take a list of UserIDs that are either always notified, not notified or listed as notified but not actually sent a notification email.

OTRS smart tags like <OTRS_CUSTOMER_BODY> or <OTRS_AGENT_BODY> are now supported in the Sequence Flow Action TicketArticleCreate. Those smart tags could be used to create a new article and insert data from the process ticket to this article. The usage of the OTRS smart tags is identical to the text templates in *Ticket Notifications*.

2.4.5.6.3. TicketCreate

Создает заявку с сообщением, новая заявка может быть связана с процессной заявкой. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name => 'Ticket Create',
    Module => 'TicketCreate',
    Config => {

      # ticket required:
      Title => 'Some Ticket Title',
      Queue => 'Raw', # or QueueID => 123,
      Lock => 'unlock',
      Priority => '3 normal', # or PriorityID => 2,
      State => 'new', # or StateID => 5,
      CustomerID => '123465',
      CustomerUser => 'customer@example.com',
      OwnerID => 'someuserlogin', # or OwnerID => 123,

      # ticket optional:
      TN => $TicketObject->TicketCreateNumber(), # optional
      Type => 'Incident', # or TypeID => 1, not required
      Service => 'Service A', # or ServiceID => 1, not required
    }
  }
}
```

```

SLA => 'SLA A', # or SLAID => 1, not required
ResponsibleID => 123, # not required
ArchiveFlag => 'y', # (y|n) not required
PendingTime => '2011-12-23 23:05:00', # optional (for pending states)
PendingTimeDiff => 123, # optional (for pending states)

# article required:
SenderType => 'agent', # agent|system|customer
CommunicationChannel => 'Internal' # Internal|Phone|Email|..., default:

Internal
IsVisibleForCustomer => '0'

%DataPayload, # some parameters depending of each
communication channel

# article optional:
TimeUnit => 123

# other:
DynamicField_NameX => $Value,
LinkAs => $LinkType, # Normal, Parent,
Child, etc. (respective original ticket)
UserID => 123, # optional, to
override the UserID from the logged user

# specific for <OTRS_AGENT_BODY_RICHTEXT> / <OTRS_CUSTOMER_BODY_RICHTEXT> OTRS
smart tags:
AgentBodyRichTextQuote => 0, # optional, 0 or 1,
insert the last agent article as quote like 'AgentTicketCompose' frontend
CustomerBodyRichTextQuote => 0, # optional, 0 or 1,
insert the last customer article as quote like 'AgentTicketCompose' frontend

AgentBodyRichTextInlineImagesInclude => 0, # optional, 0 or 1,
inline attachments of the last agent article are taken over to the new article
CustomerBodyRichTextInlineImagesInclude => 0, # optional, 0 or 1,
inline attachments of the last customer article are taken over to the new article

AgentBodyRichTextAttachmentsInclude => 0, # optional, 0 or 1,
all attachments of the last agent article are taken over to the new article
CustomerBodyRichTextAttachmentsInclude => 0, # optional, 0 or 1,
all attachments of the last customer article are taken over to the new article
},
},
};

```

Name specifies the name of the configured Sequence Flow Action. It can be freely chosen, but should reflect the purpose of the configured action.

Title The ticket title.

Queue or QueueID specifies the name or id of the queue to be used in the new ticket.

Lock or LockID sets the lock status of the ticket.

Priority or PriorityID specifies the name or ID of the priority to be used in the new ticket.

State or StateID specifies the name or ID of the state to be used in the new ticket.

CustomerID, the customer ID to be set for the new ticket.

CustomerUser, the login of the customer that will be assigned in the ticket.

OwnerID or OwnerID, specifies the login or ID of the agent that will be the new ticket owner.

TN, custom number for the new ticket.

Type or TypeID specifies the name or ID of the ticket type to be used in the new ticket.

Service or ServiceID specifies the name or ID of the service to be used in the new ticket.

SLA or SLAID specifies the name or ID of the SLA to be used in the new ticket.

ResponsibleID, the ID of the agent that will be the new ticket responsible.

PendingTime, a predefined date to set the Ticket Pending Times, when the ticket state belongs to a pending state type.

PendingTimeDiff, a dynamically date (expressed in seconds from current date/time) to set the Ticket Pending Times, when the ticket state belongs to a pending state type.

SenderType defines the sender type of the article. Possible values: agent, system, customer.

IsVisibleForCustomer defines if the article should be displayed in the customer interface.

CommunicationChannel defines the type of the article to be created. Possible values: Email, Internal and Phone. This list could be extended by installing new communication channels via an OTRS Package.

Please check the additional parameters for different article channels.

TimeUnit the time invested in the current ticket article expressed in seconds, minutes, hours, etc.

DynamicField_NameX where DynamicField_ is a required prefix and NameX is the name of a Dynamic Field to be set in the new ticket (on ticket level, not article levels).

LinkAs to define the new ticket relation with originator ticket, from the new ticket point of view, for example Normal, Parent, Child etc.

OTRS smart tags like <OTRS_CUSTOMER_BODY> or <OTRS_CUSTOMER_REALNAME> are now supported in the Sequence Flow Action TicketCreate. Those smart tags could be used to create a new ticket and insert data from the process ticket to this child ticket. The usage of the OTRS smart tags is identical to the text templates in *Ticket Notifications*.

2.4.5.6.4. TicketCustomerSet

Задает клиента процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name    => 'Customer Set Customer to test',
    Module => 'TicketCustomerSet',
    Config => {
      No      => 'test',
      User    => 'client-user-123',
      # or in other words
      # CustomerID    => 'client123',
      # CustomerUserID => 'client-user-123',
    },
  },
};
```

Name specifies the name of the configured Sequence Flow Action.

No or CustomerID set the Customer ID of the customer.

User or CustomerUserID set the Username of the customer.

2.4.5.6.5. TicketLockSet

Устанавливает состояние блокирования процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {  
  'TA1' => {  
    Name => 'Set Lock to lock',  
    Module => 'TicketLockSet',  
    Config => {  
      Lock => 'lock',  
      # or  
      LockID => 2,  
    },  
  },  
};
```

Name specifies the name of the configured Sequence Flow Action.

Lock defines the new lock of the process ticket.

LockID defines the internal ID of the new lock.

2.4.5.6.6. TicketOwnerSet

Изменяет владельца этой процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {  
  'TA1' => {  
    Name => 'Owner Set root@localhost',  
    Module => 'TicketOwnerSet',  
    Config => {  
      Owner => 'root@localhost',  
      # or  
      OwnerID => 1,  
    },  
  },  
};
```

Name specifies the name of the configured Sequence Flow Action.

Owner specifies the login name of the new owner.

OwnerID specifies the internal ID of the new owner.

2.4.5.6.7. TicketQueueSet

Перемещает заявку в указанную очередь. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {  
  'TA1' => {  
    Name => 'Queue Move Raw',  
    Module => 'TicketQueueSet',  
    Config => {  
      Queue => 'Raw',  
      # or  
      # QueueID => '2',  
    },  
  },  
};
```

Name specifies the name of the configured Sequence FlowAction.

Queue specifies the name of the target queue.

QueueID specifies the internal ID of the target queue.

2.4.5.6.8. TicketResponsibleSet

Изменяет владельца процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name    => 'Responsible Set root@localhost',
    Module => 'TicketResponsibleSet',
    Config => {
      Responsible => 'root@localhost',
      # or
      ResponsibleID => 1,
    },
  },
};
```

Name specifies the name of the configured Sequence Flow Action.

Responsible specifies the login name of the new responsible.

ResponsibleID specifies the internal ID of the new responsible.

2.4.5.6.9. TicketServiceSet

Assigns a service to a process ticket. The ticket requires to have a customer and the service must be assigned to that customer. Example:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name    => 'Set MyService service',
    Module => 'TicketServiceSet',
    Config => {
      Service    => 'MyService',
      # or
      ServiceID => 123,
    },
  },
};
```

Name specifies the name of the configured Sequence Flow Action.

Service defines the new service of the process ticket. The full name is required (e.g. GrandFatherService::FatherService::SonService).

ServiceID defines the internal ID of the new service.

2.4.5.6.10. TicketSLASet

Assigns a service level agreement to a process ticket. The ticket requires to have a service and the SLA must be assigned to that service. Example:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name    => 'Set MySLA SLA',
    Module => 'TicketSLASet',
    Config => {
      SLA    => 'MySLA',
      # or
      SLAID => 123,
    },
  },
};
```

```
    },  
};
```

Name specifies the name of the configured Sequence Flow Action.

SLA defines the new service level agreement of the process ticket.

SLAID defines the internal ID of the new SLA.

2.4.5.6.11. TicketStateSet

Изменяет состояние процессной заявки. Пример:

```
$Self->{'Process::Sequence Flow Action'} = {  
  'TA1' => {  
    Name    => 'Set State to open',  
    Module => 'TicketStateSet',  
    Config => {  
      State    => 'open',  
      # or  
      StateID => 4,  
  
      PendingTimeDiff => 123,  
    },  
  },  
};
```

Name specifies the name of the configured Sequence Flow Action.

State defines the new state of the process ticket.

StateID defines the internal ID of the new state.

PendingTimeDiff used only for pending type states, defines the time difference in seconds relative (relative to the Sequence Flow Action execution time) to set ticket pending time (e.g. 3600 means that the pending time is 1 hr after the Sequence Flow Action is executed).

2.4.5.6.12. TicketTitleSet

Задает Тему процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {  
  'TA1' => {  
    Name    => 'Set Ticket Title to Ticket-title',  
    Module => 'TicketTitleSet',  
    Config => {  
      Title => 'Ticket-title',  
    },  
  },  
};
```

Name specifies the name of the configured Sequence Flow Action.

Title specifies the new title of the ticket.

2.4.5.6.13. TicketTypeSet

Задает Тип процессной заявки. Пример:

```
$Self->{'Process::SequenceFlowAction'} = {
  'TA1' => {
    Name => 'Set Ticket Type to default',
    Module => 'TicketTypeSet',
    Config => {
      Type => 'default',
      # or
      # TypeID => '1',
    },
  },
};
```

Name specifies the name of the configured Sequence Flow Action.

Type specifies the name of the ticket type.

TypeID specifies the internal ID of the ticket type.

2.4.6. Списки Контроля Доступа (ACLs)

With the help of ACLs, you can limit selectable values in process tickets. Please also see the ACL reference for a description of the full ticket ACL syntax.

2.4.6.1. Настройка ACL

ACL могут быть заданы только в Kernel/Config.pm. /Правильнее с помощью редактора ACL в SysConfig/. Пример:

```
$Self->{TicketAcl}->{'001-ACL-ProcessProperties'} = {
  Properties => {
    Process => {
      ProcessEntityID => ['P1'],
      ActivityEntityID => ['A1'],
      ActivityDialogEntityID => ['AD1'],
    }
  },
  Possible => {
    ActivityDialog => ['AD1', 'AD3'],
  },
  PossibleNot => {
    ActivityDialog => ['AD3'],
  },
};
```

2.4.6.2. 001-ACL-ProcessProperties

Имя правила ACL. Для более полной информации обратитесь к the ACL manual.

2.4.6.3. Процесс

Эта секция предназначена для проверки может ли правило ACL быть применено. Если параметр имеет заданное значение, правило применяется. Могут быть использованы следующие значения:

2.4.6.3.1. ProcessEntityID

ID процесса для текущего процесса. Совпадает, если заявка назначена этому процессу.

2.4.6.3.2. ActivityEntityID

ID Активности, которой назначена процессная заявка в текущий момент.

2.4.6.3.3. ActivityDialogEntityID

The ID of the User Task Activity Dialog that is currently open for a process ticket.

2.4.6.4. Possible/PossibleNot User Task Activity Dialog

Here you can specify a list of User Task Activity Dialog IDs. This list will limit the possible User Task Activity Dialogs that are offered to the user in the ticket zoom mask.

Possible lists the User Task Activity Dialogs that are allowed. The setting above will only allow AD1 and AD3 of the list of configured User Task Activity Dialogs.

PossibleNot lists the User Task Activity Dialogs that are not allowed. In the example above, the setting will remove AD3 from the list of configured User Task Activity Dialogs.

If both Possible and PossibleNot are specified, the list of configured User Task Activity Dialogs will first be filtered by Possible, leaving only AD1 and AD3 in our example. Then PossibleNot will be applied and filter out AD3, so that only AD1 remains and is shown as a possible User Task Activity Dialog that the user can use.

If multiple ACL rules match, the intersection of all matching rules will be calculated to determine the possible User Task Activity Dialogs. Example:

Configured User Task Activity Dialogs: AD1, AD2, AD3, AD4, AD5, AD6, AD7.

```

$Self->{TicketAcl}->{'001-ACL-Status'} = {
  Properties => {
    Ticket => {
      Status => 'new',
    }
  },
  Possible => {
    ActivityDialog => ['AD1', 'AD2', 'AD3', 'AD6', 'AD7'],
  },
};
$Self->{TicketAcl}->{'002-ACL-Queue'} = {
  Properties => {
    Ticket => {
      Queue => ['Raw']
    }
  },
  Possible => {
    ActivityDialog => ['AD2', 'AD3', 'AD4', 'AD7'],
  },
};
$Self->{TicketAcl}->{'003-ACL-Priority'} = {
  Properties => {
    Ticket => {
      Priority => ['3 normal']
    }
  },
  PossibleNot => {
    ActivityDialog => ['AD3', 'AD4'],
  },
};

```

If a process ticket has the state new, is in the Raw queue and has a priority 3 normal, then all three ACL rules will match.

The first rule reduces the User Task Activity Dialogs from AD1, AD2, AD3, AD4, AD5, AD6, AD7 to AD1, AD2, AD3, AD6, AD7 and forbids AD4 and AD5.

The second rule will now further reduce the remaining User Task Activity Dialogs. In our example, AD2, AD3, AD7 will remain.

Now the third rule will further reduce the list by PossibleNot. AD3 is removed from the list. AD4 is not removed, since it was not on the list in the first place. At the end, AD2 and AD7 remain as possible User Task Activity Dialogs that the user can utilize.

It is also possible to limit the processes that can be displayed in the New process ticket screen. The functionality is similar to limiting the User Task Activity Dialogs with one exception: The ACLs could only be based on Users.

Смотрите примеры ниже:

```
$Self->{TicketAcl}->{'200-ACL-Process'} = {
  # match properties
  Properties => {
    User => {
      UserID => [2, 3],
    },
  },
  Possible => {
    Process => ['P1', 'P2', 'P3'],
  },
  PossibleNot => {
    Process => ['P4'],
  },
};
```

```
$Self->{TicketAcl}->{'201-ACL-Process'} = {
  # match properties
  Properties => {
    User => {
      Group_rw => [ 'MyGroup' ],
    },
  },
  Possible => {
    Process => ['P1', 'P2', 'P3'],
  },
  PossibleNot => {
    Process => ['P4'],
  },
};
```

```
$Self->{TicketAcl}->{'202-ACL-Process'} = {
  # match properties
  Properties => {
    User => {
      Role => [ 'MyRole' ],
    },
  },
  Possible => {
    Process => ['P1', 'P2', 'P3'],
  },
  PossibleNot => {
    Process => ['P4'],
  },
};
```


2.5. Import Ready2Adopt process

2.5.1. Импорт

On the *AdminProcessManagement* screen you can find an *Ready2Adopt Processes* widget, where you can find best practice Ready2Adopt processes. Currently, there is only an

Application for leave process available, but you can find additional Ready2Adopt processes in the **OTRS Business Solution™**.

Figure 5.25. Import Ready2Adopt Processes widget




Example processes

Here you can activate best practice example processes. Please note that some additional configuration may be required.

Application for leave x

Overwrite existing entities

 Import example process

Select process from the drop-down menu and click on the *Import Ready2Adopt process* button. After the process is imported, don't forget to deploy changes.

3. Локализация интерфейса OTRS

Информацию о том, как локализовать OTRS-фреймворк, какие шаги нужно выполнить чтобы создать перевод для нового языка, или как можно создать настройки для перевода можете найти, перейдя по ссылке "Локализация" раздел в руководстве разработчика на <http://otrs.github.io/doc>.

Chapter 6. Особенности и функциональные возможности

1. The Appointment Calendar

1.1. Введение

1.1.1. Особенности и функциональные возможности

Appointment calendar feature provides a calendar implementation that allows agents to manage and display multiple calendars and their appointments.

1.1.1.1. Management of multiple calendars

Via a management interface it is possible to add and edit calendars.

Beside calendar names, it is possible to assign colors and access groups, as well as the current validity of the calendars.

1.1.1.2. Exports and imports

Once different calendars are created, it is possible to export either the complete calendar definition (including the calendar appointments) in the well-known YAML format or just export the related appointments of a calendar to ICS format.

It is also possible to import complete calendar structures using previously exported YAML files to restore calendar definitions or import just calendar appointments to an existing calendar using ICS file uploads.

That offers the possibility to backup and restore single calendars or transfer them to a different OTRS installation or an external calendar tool.

1.1.1.3. Management of calendar appointments

If at least one calendar is created and accessible by a certain agent, new or already existing appointments can be managed via a calendar overview and an agenda overview.

Within the calendar overview, an agent is able to display, create, edit and/or delete appointments of different calendars, depending on their permission level to the related calendars. Such appointments can be created or edited via drag and drop within this screen.

The visibility of single calendars can be enabled or disabled through the calendar list within the screen.

To have a good overview of available appointments within different calendars and the related dates they start or end, it is possible to select different view modes, like weekly view, monthly view, different timeline related views etc.

Within the agenda overview, an agent is able to display the appointments of all available (accessible) calendars in a table-like overview. This overview is designed to have a detailed list of upcoming appointments in a structured table. Like in the calendar overview, appointments can be created, edited or deleted. This view supports a monthly, weekly and daily point of view on available appointments.

1.1.1.4. Repeating appointments

If recurring appointments need to be archived, it is possible to setup detailed information about the occurrences of a single appointment.

Beside pre-defined frequencies like daily, weekly, monthly etc. it is possible to setup custom repeats and exclude weekdays or dates of months, define the amount of recurrences and/or the end date after the appointment stops to repeat.

1.1.1.5. Уведомления

Within the edit screen of an appointment, it is possible to setup a date to notify about the appointment.

As in the settings for appointment repeat, it is possible to use pre-defined templates for notifications (i.e. 5 minutes before, 15 minutes before etc.) or setup a custom point of time.

The custom settings for notifications allows to setup a relative point of time (like 5 minutes after the appointment has been started) or an explicit date/time expression.

1.1.1.6. Event-based appointment/calendar notifications

As in the well-known ticket notifications, this package comes up with an event based notification mechanism, that can be handled using an administration interface. Within that interface, notification event entries can be created, updated and/or deleted to react on different OTRS events with related filters, recipients and content templates.

The content of notifications can be dynamically filled-up using OTRS smart tags, like in the event based ticket notifications.

1.1.1.7. Managed ticket appointments

This package offers the possibility to automatically create and update appointments in calendars based on ticket data, using special rules defined within the calendar edit screen. Any ticket date/time value (i.e. pending time, escalation times or dynamic fields) can be used to define appointment start and end dates.

1.1.1.8. Link tickets to appointments

Within the edit screen of an appointment, it is possible link existing tickets.

Tickets can be searched by their ticket numbers and/or titles.

Links between tickets and appointments appear in the ticket zoom like every other linked objects in a related table.

Those links can either be created through an existing appointment, using the overviews or via the link feature in the ticket zoom.

It's also possible to create a new appointment out of the ticket zoom, which links the related ticket automatically to the new appointment.

1.1.1.9. Dashboard widget for upcoming appointments

Every agent can activate a dashboard widget *Appointments* in the dashboard.


This widget shows the upcoming appointments of the different calendars for today, tomorrow and the next 5 days.

1.2. Использование

1.2.1. Управление календарями


Via a management interface it is possible to add and edit calendars.

Figure 6.1. Calendar management overview




If a new calendar needs to be created or edited, it's necessary to define a calendar name, a color and the permission group the calendar belongs to. This is needed for agents to access the calendar properly with the related permissions.

Figure 6.2. Calendar edit screen



The color can be selected with the built-in color picker, like in the following screenshot. There are three ways to select a color with the color picker. After clicking on the preselected color, a window opens with a set of pre-defined colors ready to be used. If your preferred color is not available, you can click on the *More* button to open the advanced mode.

Figure 6.3. Color picker in calendar edit screen



Within that mode, you can either select a certain color by using the color bar and the color field with your mouse or you're able to directly use a hexadecimal code of a desired color. By clicking on the *Less* button, you can shrink the color picker back again to the standard mode. Right after a click on the *Confirm* button, the new color is selected and visible in the preview field. Even if you selected a certain color within the advanced mode, the previous color will be selected again (and visible in the preview field) if you click on the *Cancel* button, but this just works if you didn't confirmed your selection yet. If that's the case (but you did not save the calendar yet), you may just reload your screen and see you current color setting again.

For the selected permission group of your calendar, an agent who should have access to, needs at least a read permission within the related group. Enclosed is a list of permissions to access certain feature-levels within the different calendars:

RO

The related agent can see the calendar and its appointments, but can't do any changes.

MOVE_INTO

The related agent can update existing appointments, but can't create new ones or delete existing ones.

CREATE

The related agent can create new appointments.

RW

The related agent is able to delete appointments.

The validity field indicates if a calendar is valid. Invalid calendars won't show up in the different overviews, even if agents have access to it.

1.2.2. Exporting calendars and/or appointments

Once different calendars are created, it is possible to export either the complete calendar definition (including the calendar appointments) in the well-known YAML format or just export the related appointments of a calendar to ICS format.

To export a complete calendar structure to the YAML format, the calendar list in the calendar management screen can be used. By clicking on the related link within column *Export*, a YAML structure named `Export_Calendar_CalendarName.yml`, including the calendar meta-data (calendar name, color, permission group, validity state) can be downloaded. The structure also includes all calendar appointments. This functionality can be used to simply backup a certain calendar and/or transfer it to a foreign OTRS instance.

To export just the calendar appointments in ICS format, the link within column *Download* can be used. After clicking on the related link, an ICS file named `CalendarName.ics` can be downloaded, including all appointments of the related calendar. This file can be used to backup just the appointments of a certain calendar and/or transfer it to either an existing calendar on a foreign OTRS instance or any other calendar tool, which supports the ICS standard, to display the appointments.


1.2.3. Importing calendars and/or appointments

As an equivalent to the export function, it is possible to either import a complete calendar structure including related appointments in the YAML format, or just a set of appointments to an already existing calendar in the ICS format.

To import a complete calendar structure, the related *Calendar Import* widget on the left side of the calendar management screen can be used. Within this widget, a YML file can be selected and uploaded to import the calendar. The checkbox *Overwrite existing entities* indicates if a calendar with the same name as the imported one should be overwritten. If a calendar with the same name exists, but the checkbox is empty during the upload, a related error message will be displayed.

To import a set of appointments to an already existing calendar, the *Import Appointments* button can be clicked to access the appointment import screen.

Figure 6.4. Appointment import in calendar management overview




Here it's needed to select an ICS file to be used for the import. Right after that, a calendar needs to be selected from the related list to import the new appointments in. The checkbox *Update existing appointments* indicates, if already existing appointments with the same UniqueID shall be overwritten or not. Appointments with the same UniqueID but already existing in the related calendar won't be omitted during the import process. They will be inserted again and will be available multiple times in case of doubt, if the option to overwrite appointments is not enabled.

1.2.4. Обзор календарей

If at least one calendar is created and accessible by a certain agent, new or already existing appointments can be managed via a calendar overview and an agenda overview.

Within the calendar overview, an agent is able to display, create, edit and/or delete appointments of different calendars, depending on their permission level to the related calendars, as described above.

Figure 6.5. Calendar overview screen





As visible in the following screenshot, the calendar overview contains the management tools for the calendars and appointments on the left side and the calendar view on the right side. With the buttons in the *Actions* widget it's possible to either access the calendar management directly or add a new appointment (if the agent has the permission).

Figure 6.6. Sidebar in calendar overview screen

Calendar Overview











Actions

 Manage Calendars

 Add Appointment

Calendars

Just start typing to filter...

		NAME	URL
<input type="checkbox"/>		Public Holidays	
<input type="checkbox"/>		GSD	
<input type="checkbox"/>		GMS	
<input type="checkbox"/>		GCS	
<input checked="" type="checkbox"/>		MyNewCalendar	

Description

This is an overview page for the Appointment Calendar.


The *Calendars* widget contains all calendars accessible by the agent. The checkboxes are used to enable or disable the view of certain calendars, like it's the case in many foreign calendar tools.

Since all appointments of any active calendar for every agent will be provided by the server (and not stored or cached on the client), it can result in heavy load on the server if too many calendars are active at the same time. Therefore a system configuration option `AppointmentCalendar::CalendarLimitOverview` limits the maximum number of active calendars per agent. If the limit is reached by an agent, a related error message will be displayed, indicating there are too many active calendars.

The URL column provides an external link to the calendar, which is used to subscribe. This functionality is described later in this document.

To have a good overview of available appointments within different calendars and the related dates the appointments start or end, we provide different view modes to be used by the agents.

Figure 6.7. View modes in calendar overview screen




They are separated in timeline modes and non-timeline modes with different time ranges, to have the best view on different appointments for the related situations. On most of the view modes, a red line indicates the current time of the current day.

The information in the middle of the top-bar shows the current time range the agent is in, for the current view. Within the timeline views, the current calendar week will be displayed in light gray, when possible. Within the non-timeline views, the current calendar week is displayed as a single column on the left side, if possible.


Enclosed a screenshot of the non-timeline weekly view:

Figure 6.8. Weekly view in calendar overview screen




and the non-timeline monthly view:

Figure 6.9. Monthly view in calendar overview screen



On the upper right side, the agents can access the navigation controls.


Figure 6.10. Navigation controls in calendar overview screen



The left- and right-arrow buttons are used to navigate through the dates of the current time range. The *Today* button brings the agent back to the current date to save time.


The *Jump* button is used to access a certain date directly without a need to go every date in between to access a certain date (maybe one year earlier or later). A click on the button opens a date picker, which highlights all dates which have already appointments stored. A mouseover shows the number of appointments with to the current date. A click on a date brings the agent to the related time range and displays all appointments.

Figure 6.11. Today and Jump buttons in calendar overview screen



On the right side of the main widget (on top of the navigation buttons) a gear wheel appears on mouse over, which is used to access a visibility filter:

Figure 6.12. User preferences for calendar overview screen



Here you can choose, if you want to see all available appointments, or just the ones that are directly assigned to you.

1.2.5. Обзор повестки дня

Within the agenda overview, an agent is able to display the appointments of all available (accessible) calendars in a table-like overview. This overview is designed to have a detailed list of upcoming appointments in a structured table. Like in the calendar overview appointments can be created, edited or deleted. This view supports a monthly, weekly and daily point of view on available appointments.

Figure 6.13. Agenda overview screen

Agenda Overview

Month | Week | Day

Manage Calendars | Add Appointment

10/10/2016 – 10/16/2016 #41

CALENDAR	TITLE	START DATE	END DATE	ALL-DAY	REPEAT
10/12/2016 MyNewCalendar	TestAppointment	10/12/2016 08:00:00	10/12/2016 20:00:00	No	Yes
10/13/2016 MyNewCalendar	TestAppointment	10/13/2016 08:00:00	10/13/2016 20:00:00	No	No
10/14/2016 MyNewCalendar	TestAppointment	10/14/2016 08:00:00	10/14/2016 20:00:00	No	No
10/15/2016 MyNewCalendar	TestAppointment	10/15/2016 08:00:00	10/15/2016 20:00:00	No	No

Powered by OTRS

1.2.6. Management of calendar appointments

Within the calendar overview, to add new appointments it's either possible to click on the *Add Appointment* button or click on the overview widget. It's also possible to drag over a range of the widget to setup a rough time span. Right after that, a modal dialog appears where the data can be inserted:


Figure 6.14. Appointment edit screen

Appointment
✕

Basic information

* Title:

Description:

Location: 


* Calendar: ✕


Resource

This feature is currently not available.

[↗ Upgrade to OTRS Business Solution™](#)

Date/Time

Start date: / /  - :

End date: / /  - :

All-day:

Repeat:

Notification

Notification:

Link

Ticket:

Save
 Copy

The only mandatory fields of the basic information are the appointment title and the related calendar to assign the appointment to. The description and location are optional fields. If the location contains a value, a related link icon will show up next to the field which by default links to Google map to get a better picture of the location. This link is configurable through the system configuration option `AgentAppointmentEdit::Location::Link`.

Within the *Date/Time section*, the related start date and end date needs to be selected.

The *All-day* checkbox indicates that the appointment takes place on the whole day. If it's activated, time of the start date and the end date will be disabled and set to 00:00.

The *Repeat* option is used to define appointment recurrences and will be described separately, see section *Repeating appointments* below.


The *Notification* option is used to define appointment notifications and will be described separately, see section *Notifications* below.

The *Link* option is used to define appointment links to foreign objects (like tickets) and will be described separately, see section *Link tickets to appointments* below.

If the appointment already exists, the *Copy* and *Delete* buttons appear at the bottom of the modal dialog, provided that the current agent has the related permissions. The *Copy* button will just ignore the changes in the dialog and create a copy of the current appointment at the same time range with same information. The *Delete* button will delete related appointment, but the agent will face a question if they are really sure they want to delete the appointment, for security reasons.

Once the appointment has been saved, it appears in the overview of the page:


Figure 6.15. Appointment display in calendar overview screen



With a click on the appointment, the modal dialog opens again and appointment can be edited. If the agent has the correct permission, the appointment can also be edited via drag and drop to either move the complete appointment to another place (date/time) or just increase/decrease the start- and/or the end-time by dragging the appointment on the related handles on the left or the right end.

If the cursor of the mouse hovers over a certain appointment, a tooltip with the related appointment information appears:

Figure 6.16. Appointment tooltip



1.2.7. Repeating appointments

If appointments needs to be created in a recurring manner, it is possible to setup detailed information about the occurrences of an appointment.

For this to work it is either possible to use pre-defined frequencies of the occurrences, or to define custom settings:

Figure 6.17. Edit screen of a repeating appointment

Date/Time

Start date:

End date:

All-day:

Repeat:


Frequency:

Every: day(s)

After the selection is finished, it's necessary to define the runtime of the recurrences. It's possible to choose either a date to repeat until, or an amount of times to repeat.


After all decisions are made and the settings are saved successfully, the appointment will be marked a recurring appointment. The parent appointment will be marked with circle-arrow-symbol and the child appointments with a chain-symbol.

Figure 6.18. Repeating appointments in calendar overview screen



Future changes to the parent appointment will affect the children automatically, without any further message. If an agent is about to change one of the child appointments, a message will ask what would they like to update:

Figure 6.19. Edit screen of a repeating child appointment



If the update affects all appointments, the behavior will be the same as with the update of the parent appointment. All options (including the recurring settings) are changeable.

If just the current (child) occurrence is affected, it's not possible to change the repeating settings, but a related message and a link to the parent appointment will be provided:

Figure 6.20. Repeating settings of a child appointment


Repeat: This an occurrence of a repeating appointment.
[Click here to edit the parent appointment.](#)

The enabled repeating option will be additionally displayed in the tooltip of the related appointment(s).

1.2.8. Уведомления

Within the edit screen of an appointment, it is possible to setup a date to notify about the appointment. As in the settings for appointment repeat, it is possible to use pre-defined templates for notifications (i.e. 5 minutes before, 15 minutes before etc.) or to setup a custom point of time:

Figure 6.21. Notification settings in appointment edit screen



The custom settings for notifications are split into a relative point of time (like 5 minutes after the appointment has been started, 2 hours before the appointment ends etc.) and an explicit date time value, which can additionally be selected with a date picker. The related section needs to be enabled with a radio button, hence the disabled section will be ignored.

If an appointment has an active notification setting, the date/time string of the notification will be displayed in the tooltip. In addition to that, the appointment will be marked with a bell-symbol to indicate that there is an active notification set, without any mouse over actions.

1.2.9. Event-based appointment/calendar notifications

As in the well-known ticket notifications, this package comes up with an event based notification mechanism, that can be handled using an administration interface. Within that interface, notification event entries can be created, updated and/or deleted to react on different OTRS events with related filters, recipients and content templates.

During the installation of the package, one default entry *Appointment reminder notification* will be installed.


The management frontend for notification templates can be reached using the administration menu:

Figure 6.22. Calendar/Appointment notification management link

Appointment Notifications
Create and manage appointment notifications.

In the notification overview, all available notification templates can be displayed. Within that overview, such templates can be created, edited, imported/exported and, of course, deleted.

Figure 6.23. Calendar/Appointment notification management overview




The screenshot shows the 'Appointment Notification Management' interface. On the left sidebar, there are sections for 'Actions' (Add notification, Export Notifications), 'Filter for Notifications' (Just start typing to filter...), and 'Configuration Import' (Browse... No file selected., Overwrite existing notifications?, Import Notification configuration). The main area displays a table with the following data:

NAME	COMMENT	VALIDITY	CHANGED	CREATED	EXPORT	COPY	DELETE
Appointment reminder notification		valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)			




From the left sidebar, notification entries can either be created, exported or imported. The complete set of available entries can be exported, or an already exported file can be used to import notification entries.

Figure 6.24. Sidebar in calendar/appointment notification overview



The main table on the right side will display the available appointment notifications. For each line, the related entry can be edited by clicking on the name column, exported with a click on the export icon, copied with a click on the copy icon or even deleted. All icons relates just to the single entries (not like the export notifications button in the sidebar).

Figure 6.25. Table in calendar/appointment notification overview

List							
NAME	COMMENT	VALIDITY	CHANGED	CREATED	EXPORT	COPY	DELETE
Appointment reminder notification		valid	10/02/2017 11:23 (America/Mexico_City)	10/02/2017 11:23 (America/Mexico_City)			


In order to create a new or update an existing entry, edit screen can be used, same as in the ticket notifications. Within that screen, it is needed to define some basic parameters, like a name, which needs to be unique for the OTRS system (it cannot even conflict with a name from the ticket notifications).

Each notification entry can be made selectable as an option in the agent preferences. Optionally, a tooltip message for the related notification entry in the user preferences can be inserted, which will be displayed to the user on mouse over.

If needed, a comment for the entry can be added which will be displayed in the overview screen of the administration interface. Last but not least, the validity state can be selected (valid by default).

To let the template react on OTRS events, at least one of the available events need to be selected from the list in *Events* widget.

Figure 6.26. Event definition for calendar/appointment notifications



Enclosed is a list of possible events with description:

AppointmentCreate

Executed after an appointment has been created.

AppointmentUpdate

Executed after an appointment has been updated.

AppointmentDelete

Executed after an appointment has been deleted.

AppointmentNotification

This is a special appointment event that will be executed by the OTRS daemon in time. If an appointment contains a date/time value for notifications, as already described in this documentation, and such a notification date is reached, the OTRS daemon will execute the event `AppointmentNotification` for every related appointment separately.

CalendarCreate


Executed after a calendar has been created.

CalendarUpdate

Executed after a calendar has been updated.

The appointment filter widget can optionally be used to narrow the list of appointments by matching configured values:


Figure 6.27. Filter settings in calendar/appointment notifications



For example, here it's possible to select which calendar the related appointment needs to be part of, or a part or complete title or location of the appointment. Also, it's possible to choose from a list of teams or resources assigned to the appointments (available only with **OTRS Business Solution™**).

Within the *Recipient* widget, the related recipients can be selected which would receive generated notifications.

Figure 6.28. Recipient settings in calendar/appointment notifications



▼ Recipients

Send to:

Send to these agents:

Send to all group members:

Send to all role members:


Send on out of office: Also send if the user is currently out of office.

Once per day: Notify user just once per day about a single appointment using a selected transport.

All resource related list entries are available only with **OTRS Business Solution™**.

Within the *Notification Methods* widget, an available transport can be selected (*Email*, *SMS* or *Web View*), as well as additional recipients and email templates.

Figure 6.29. Notification methods in calendar/appointment notifications



▼ Notification Methods

These are the possible methods that can be used to send this notification to each of the recipients. Please select at least one method below.

Email

Enable this notification method:

Active by default in agent preferences:

This is the default value for assigned recipient agents who didn't make a choice for this notification in their preferences:

Additional recipient email addresses:

Email template:

Use this template to generate the complete email (only for HTML emails).

Web View

This feature is currently not available.

[Upgrade to OTRS Business Solution™](#)


SMS (Short Message Service)

This feature is currently not available.

[Upgrade to OTRS Business Solution™](#)

The main content of a notification can be defined in the localized subject and the body fields. Here it's possible to define static text content mixed with OTRS smart tags, if needed. The default notification entry shows how such a body and subject can look like.


Figure 6.30. Notification body in calendar/appointment notifications



A full list of available smart tags is provided in the *Tag Reference* widget at the bottom of the page.

For every added notification entry which has the option *Show in agent preferences* enabled, a new option will be displayed in the related user preferences widget of every agent. With these options, every agent can select which types of notifications and by which available transport method they want to receive.

Figure 6.31. Show in agent preferences option in calendar/appointment notifications



1.2.10. Link tickets to appointments


The appointment calendar comes with an abstraction layer to link external objects with appointments, using the OTRS internal link object. Those additional objects can come up with external packages without any further need to update the code of the calendar directly.

Basically, within the edit screen of an appointment it is possible to link existing tickets. Tickets can be searched by their ticket numbers and/or ticket titles via an autocompletion field. Once the agent clicks on a result, the related ticket will be saved in a result box and after the appointment has been saved, the ticket will be linked to the appointment.

Figure 6.32. Ticket link option in appointment edit screen

Link

Ticket:

2016081054000014 Test 

Additionally, it's possible to link multiple tickets to one appointment. Since the normal OTRS link object is used to create the connection between both objects, the link will be displayed in the ticket zoom screen as well.

Figure 6.33. Linked appointments table in ticket zoom screen

▼ Linked: Appointment				
TITLE	DESCRIPTION	START TIME	END TIME	LINKED AS
TestAppointment	This is a description for my test appointment!	10/10/2016 16:00:00	10/11/2016 04:00:00	Normal

Those links can either be created through an existing appointment in the related edit dialog, using the overviews or via the link feature in the ticket zoom.

Figure 6.34. Appointment linking from ticket zoom screen

Select Target Object

Link object Ticket#2016081054000014 with:

Search

Title:

Description:


Calendar:

- GCS
- GMS
- GSD
- MyNewCalendar
- Public Holidays

|
 |
 Confirm

Via the ticket zoom screen, it's additionally possible to create a new appointment, which links the related ticket automatically to the newly created appointment. There is a new option *New Appointment* located in the ticket action menu *Miscellaneous*.

Figure 6.35. New appointment link in ticket zoom screen



After a click on the link, the agent will be forwarded to the calendar overview, which automatically opens a new appointment dialog, that has the related ticket pre-linked and can be filled out as usual.


1.2.11. Managed ticket appointments

To make a step back to the calendar management, the package offers the possibility to automatically create and update appointments in calendars, using a special ticket search rule within the calendar edit screen.

Tickets can have special date/time entries like pending times, escalation times (first response time, update time etc.) or assigned dynamic field from type date/time. Logically, the calendars are able to show those date/time entries, but since the calendar appointments needs to have time ranges consisting of a start time and an end time, it's needed to define a related end time for managed appointments, as times like the pending time points to just a single date/time value.

Below the basic calendar configuration in the calendar edit screen, a special widget called *Ticket Appointments* takes care about the rules to be used for automatic appointment creation.

Figure 6.36. Ticket appointments configuration in calendar edit screen



It's necessary to define rules to describe a ticket search for tickets, which will result in automatically created and managed appointments in the related calendar. It's possible to define multiple rules with different parameters to combine several types of tickets within the same calendar.

A rule consists of the following parameters to generate proper ticket searches:

Дата начала

A dropdown list, that indicates the special date/time value of the related tickets. This can be either the pending time, the different escalation times or a dynamic field from type date/time assigned to the ticket.

Дата окончания

This can be a relative time value, counted from the selected start time (like +5 minutes, +1 hour etc.) or a dynamic field from type date/time, pointing to an absolute date and time value.

Очереди


A multi-selectable dropdown list, that indicates the queues the related tickets needs to be located in. This field is mandatory and can't be left unfilled.

Атрибуты поиска

This is a list of additional (optional) search attributes to provide more detailed filter possibilities to the agent. It acts like the search attributes in ticket search screen of the agent interface. Single attributes can be selected, added to the form and filled out with filter values.

An overview of the configuration for such a rule looks as follows:

Figure 6.37. Ticket appointment rule in calendar edit screen



▼ Ticket Appointments

Rule 1

Start date: Pending time

End date: +1 hour

Use options below to narrow down for which tickets appointments will be automatically created.

* Queues: Raw

Search attributes: Title

Define rules for creating automatic appointments in this calendar based on ticket data.

+ Add Rule


Submit

Save or Cancel

The rule in the screenshot will find all tickets that have a pending time and would add one hour to the related pending time to generate the end time and create appointments for the set of found tickets during the search. The tickets additionally needs to be located in queue *Raw*.

An example of an automatically added appointment looks as follows:

Figure 6.38. Ticket appointment in calendar overview screen



The *P* symbol indicates that this appointment includes a pending time as the start time value. The end time value is a dynamic field from type date/time in this example to display a bigger appointment for that test purpose.

Special appointments of different types will be marked with related symbols:

P

Appointments of tickets with pending time as the start time.

E

Appointments of tickets with escalation times as the start time (first response time, update time, solution time).

D

Appointments of tickets with a dynamic field from type date/time as the start time.

The edit screen of such a special appointment looks as follows:

Figure 6.39. Edit screen of a ticket appointment

Appointment
✕

Basic information

* Title: [Ticket#2016081054000014] Test

Description:

Location:

Calendar: MyNewCalendar

Resource

This feature is currently not available.

[↗ Upgrade to OTRS Business Solution™](#)

Date/Time

Start date: / / - :

End date: / / - :

All-day: No

Repeat: Never

Notification

Notification:

Link

Ticket:

Save

The appointment title will be displayed as ticket number and title and cannot be changed, since it's automatically created, updated and removed, depending on the related ticket. Title will be displayed as a link to the related ticket zoom screen.

Of course, it's still possible to define basic information like a description and a location, which will be stored for that single appointment. For such appointments it's also possible to define notification times and link additional tickets.

Some of those start time values are variable and therefore updatable by the related agent and some are not.

For instance the pending time is a value that can be changed using the pending ticket action in the ticket zoom of the related ticket. Dynamic field values can be changed easily, too.

An escalation value like first response time or the update time are special values which will be computed using a Service / SLA entry assigned to the related ticket.

If, for instance, an automatically created appointment of type pending time is changed using the calendar overview, the related value will be updated in the ticket as well, which is the same behavior as for special appointments of type dynamic field. Therefore it's either possible to update the related ticket using the ticket zoom, or by just updating the appointment that writes back all needed changes to the ticket.


Appointments from type escalation time cannot be updated using the related appointments, as those values are not changeable directly by the agent. Such appointments are simply read-only on the related values, as well as on the drag and drop features/handles.

On every update on the calendar definition or the related tickets, the automatically created appointments will be updated as well. This work will be done by the OTRS daemon in the background. Therefore, it's necessary to have the daemon running for this feature to work properly!

1.2.12. Dashboard widget for upcoming appointments

To have a quick overview about upcoming appointments, it's possible to enable a dashboard widget called *Appointments*.

Figure 6.40. Today filter in upcoming appointments dashboard widget



This widget displays upcoming appointments of every accessible calendar by the agent in a simplified manner.

It offers the possibility to create new appointments with a click on the *New Appointment* button, which forwards the agent to the calendar overview screen and opens a new appointment dialog.

The widget content consists of three filter entries:

Сегодня

Displays upcoming appointments for the current date.

Завтра


Displays upcoming appointments for the next day.

Скоро

Soon means the next five days, excluding today and tomorrow.

Like in the other dashboard widgets, the agent can switch between the filters by clicking on the filter name:

Figure 6.41. Soon filter in upcoming appointments dashboard widget



Since the appointment information is simplified and needs to be compact in order to be displayed properly in the small widget, it's possible to show more detailed information about every value in the related tooltip while hovering over the column, as visible in the previous screenshot.

Basically just the color of the related calendar, the start time of the appointment and the appointment title will be displayed to the agent. On hovering over the related column, further information will be displayed if needed. If the agent clicks on such an appointment, the browser redirects to the calendar overview screen and opens the related appointment to show the full set of information.

2. The Ticket Timeline View

2.1. Описание

The ticket timeline view provides a chronological view of all actions which happened on a ticket (which includes articles, owner changes, incoming mails, etc). With the ticket timeline view, agents are able to get a good overview of a ticket in less time.

2.2. Настройка Системы

Настройка Системы


NoTimelineViewAutoArticle

Navigation: Frontend::Agent

Disables automatic opening of the last customer article in the timeline view in AgentTicketZoom.

2.3. Использование


Figure 6.42. Switching to the Ticket Timeline View



To access the ticket timeline view, use the gear icon in the top right corner of the article widget in the ticket zoom screen. You will be redirected to the timeline view and this view will be kept as a preference until you change back to another view.

In the ticket timeline view, you can work on the ticket as you're used to. You can inspect the time of each event in the timeline by hovering the little square next to each event with your mouse cursor. You can view the full content of articles by using the zoom icon on top of the certain articles box, where you will find all common article actions such as Reply, Split, Forward, etc.

Figure 6.43. Using the Ticket Timeline View



3. The Article Attachment Overview

3.1. Описание


The article attachment overview enables you to view a list of all attachments in a ticket. Attachments will be listed by attributes such as file name, file type, file size, date of addition and which article they belong to. From the overview screen, you can download certain attachments or create an archive file which contains multiple or all attachments of the ticket you're viewing.

3.2. Настройка Системы

No further configuration needed.


3.3. Использование

Figure 6.44. Switching to the article attachment overview



Once a ticket has at least one attachment, a new menu entry, *Attachments*, will appear under the 'Miscellaneous' menu cluster. Clicking it will open a popup which contains a list of all attachments.

Figure 6.45. Using the article attachment overview



4. System Configuration User Specific Settings

4.1. Описание

This functionality allows agent users to define their own values for some system configuration settings. These values can be defined in the user preferences section in the new *Advanced* pane.

Administrators are able to review the user defined values for those settings and reset them if necessary and to forbid or allow user modifications on specific settings.

4.2. Настройка Системы


No further configuration needed.

4.3. Использование

4.3.1. Set user specific value

Every agent can define a value for a setting using the *Personal preferences* screen. Once you are in this screen, select the *Advanced* option in the preferences panel.


Figure 6.46. Accessing the user specific settings



Using the navigation widget in the left side bar, select the desired group of settings. Then you can change the value for a specific setting and save it using the *check mark* button in the right side of the setting widget.

Once you modified a value, it is possible to revert this change using the *Reset to default* icon button present in the right top corner of the modified setting widget.

Figure 6.47. Reverting a setting to default value




4.3.2. Review user specific settings

When a setting is available for user modification, all users are able to set their own values. Depending on the nature of the setting, values can be very different among users, and

also compared to the original global value. OTRS includes an administrative tool to review and delete user set values if needed.


Click on the *Show user settings* button from the alternative menu on the settings that are enabled to show the *Review users setting values* screen.

Figure 6.48. Access to user values of a particular setting



On this screen all of the user specific values for the selected setting will be shown. To delete a single value click on the trash can icon in the right corner of every setting widget, or delete all user values for this setting by clicking on the trash icon in the outer setting widget.


Figure 6.49. Usage of the user specific values screen



4.3.3. Reset globally and locally


For the settings that are enabled to hold user values *Reset setting* button will either reset the setting completely or just the user values.

Figure 6.50. Access to the setting reset dialog



Clicking on the *Reset setting* button will display a dialog showing the possible reset options.

Figure 6.51. Choosing the reset scope



5. Notification Methods

5.1. Описание

Ticket and appointment calendar notifications can be sent to their recipients using one or multiple methods. Every notification can activate its preferred method to be sent, and by default all notifications are sent using the email method, where the information about the notification is embedded into an email for the recipient.

However, OTRS offers more transportation methods to send the notifications, please take a look below for their configuration and usage.


5.2. Notification Web View

This transportation method is only intended for agents and instead of actually sending the notifications in any form, they are stored in the system database in order to be displayed in an special screen in the agent interface.

5.2.1. Setting up and Using the Notification Web View


To set up the notification web view for agents, it's just as simple as clicking on its activation check-box for every notification.

Figure 6.52. Enabling the Notification Web View



Once you've enabled the notification web view for a certain notification, agents will see a new icon on top of their screen in OTRS (within the tool-bar) every time a new notification arrives.

Figure 6.53. Notification Web View Icon on the Tool-bar



Clicking this icon, agents will get an overview of all of their notifications where they can read and dismiss them.

Figure 6.54. Notification Web View Overview





Figure 6.55. Notification Web View Detail



5.3. SMS Notifications

SMS notification is technically a notification method besides the existing email method and can be activated for each notification (e.g. *Ticket new note notification* or *Ticket create notification*) on the *Notification Event* screen in the Admin interface.

5.3.1. Setting up SMS Notifications

Before taking advantage of SMS notification transport method, you must first activate the SMS cloud service.

In order to use SMS as a way of notification for users and customers, you have to buy an SMS unit package. Please get in touch with sales@otrs.com on this matter. Once you've bought a package, you will be able to look up your current contingent of remaining SMS units on the admin screen for the SMS cloud service.


To make SMS available for notifications, you have to enable it for the notification of your choice in *Ticket Notification* or *Appointment Notification* screen in the Admin interface.

Besides the existing Email notification method, you can enable SMS notifications by enabling the checkbox as to be seen in the screenshot below.

Please be careful using the *Send by default* checkbox on SMS notifications. Enabling this checkbox will cause this notification to be sent by SMS to all agents with a phone number stored in the configured field. This could cause a high usage of your available SMS units!

On this screen, you can also add more generic phone numbers (e.g. for archiving purposes) which will receive all of the relevant notifications (besides the addressed agents). Please note that all of these recipients will be treated as customers (regarding article creation).

Figure 6.56. Enabling SMS Notifications



SMS (Short Message Service)

Enable this notification method:

Recipient SMS numbers:


Article visible for customer:
An article will be created if the notification is sent to the customer or an additional recipient.

Send as flash message:
Send the message for this notification as Flash SMS.

* In case the SMS text message is too long it may be split up into multiple messages at the end.

If you configured a notification to be visible in the agent preferences, agents will now be able to enable/disable SMS notifications manually on their own for this notification.

Figure 6.57. Agent Preferences SMS Notification Settings




NOTIFICATION	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket create notification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket follow-up notification (locked)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket follow-up notification (unlocked)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket lock timeout notification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket new note notification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket queue update notification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ticket service update notification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Choose for which kind of ticket changes you want to receive notifications. Please note that you can't completely disable notifications marked as mandatory.

SMS notification text will be constructed on fly by combining both *Subject* and *Text* fields of the corresponding language. You can of course use supported OTRS tags in these fields, and additionally URLs can be shortened by activating URL shortening option in cloud service configuration.

Figure 6.58. SMS Notification Text Fields



* Subject: This is a

* Text: **B I U S** |

Short Message Service text.

6. The SLA Field Selection Dialog

6.1. Описание

The field selection dialog enables you to configure alert messages customers should see when they select specific SLAs on ticket creation on the customer frontend. These popup messages could contain information about the SLA the customer is about to select and to give them the possibility to re-think their decision.


6.2. Настройка Системы

No further configuration needed.

6.3. Использование

6.3.1. Configuring the SLA message

Figure 6.59. SLA configuration




The screenshot shows the 'Add SLA' configuration form. It includes fields for SLA name, Service, Calendar, and three escalation time fields (first response, update, and solution) with 'Notify by' buttons. There are also fields for Validity, Comment, and Dialog message. A checkbox at the bottom indicates 'Is being displayed if a customer chooses this SLA on ticket creation.' Buttons for 'Save' and 'Cancel' are at the bottom.

You can configure the message on each SLA by using the SLA administration screen.

6.3.2. How the message looks in the customer front-end

Figure 6.60. SLA message



This is what the customer will see once he selects the SLA this message is configured for. He can either confirm or deny his selection, the latter one will reset the SLA selection afterwards.

7. SMS Communication Channel

7.1. Описание

This feature brings another communication channel to your OTRS instance: SMS (Short Message Service). It allows you to leverage SMS cloud service to send out messages and store them as article in tickets.

7.2. Activating SMS Cloud Service

Before taking advantage of SMS cloud service, you must first activate it. To do so, please visit the *Cloud Services* screen in Admin interface, and click on SMS entry in table.

Figure 6.61. Cloud Services Screen in Admin Interface




Available Cloud Services	
NAME	DESCRIPTION
Support data collector	Configure sending of support data to OTRS Group for improved support.
SMS	This will allow the system to send text messages via SMS.

Note

In order to use SMS cloud service, you have to buy an SMS unit package. Please get in touch with sales@otrs.com on this matter. Once you've bought a package, you will be able to look up your current contingent of remaining SMS units in the sidebar of the cloud service configuration screen.

To activate SMS cloud service, make sure to accept the Data Protection agreement by selecting the checkbox.

Figure 6.62. Activating SMS Cloud Service



On this screen, you can also set up some additional parameters of the SMS cloud service, e.g. the sender string which should be used for the SMS text messages or the agent/customer preference field name which should be used to take the mobile phone number from.

Note

If you change value for the customer preference field, make sure to update the configuration options of the address book in the system configuration to reflect this change:

- CustomerUser::Frontend::AgentCustomerUserAddressBook###SearchParameters###SMS
- CustomerUser::Frontend::AgentCustomerUserAddressBook###DefaultFields###SMS
- CustomerUser::Frontend::AgentCustomerUserAddressBook###ShowColumns###SMS

This will make sure your configuration stays in sync and phone numbers can be found/copied from correct fields.

Allowed role members is an optional white list of agent roles whose members will be able to receive SMS notifications. If undefined, all agents will have a possibility of receiving SMS notifications.


Perform URL shortening checkbox controls the feature of shortening links in SMS texts. If enabled, any link submitted as part of SMS text will be shortened by using OTRS cloud URL shortening service. Links will be shortened only if their length is larger than resulting shortened URL, in order to keep SMS costs down.

By adding specific phone numbers to the *Phone black list*, you can make sure these numbers will never receive any SMS text via cloud service (whether it's a notification or an article). Make sure to input phone numbers in international format, complete with plus sign (+) and country code, without any spaces.

7.3. Configuring SMS Templates

In order to benefit from SMS templates, you must first configure them for specific screens and assign them to correct queues. You can find *SMS template management* screen in the Admin interface.

Figure 6.63. Manage SMS Templates



SMS templates behave similar to regular email templates. You define them first, and then assign to queues with which you would like to use them.

Template Type field determines for which screen the template will be visible:

Answer

Template will be visible for *Reply via SMS article* action.

Create

Template will be visible in *New SMS ticket* screen.

SMSOutbound


Template will be visible in *SMS Outbound* screen.

Note

Create type templates only supports these smart tags: `<OTRS_CURRENT_*>` and `<OTRS_CONFIG_*>`.

When you define an SMS template, don't forget to add them to queues. You can do this by following link in the sidebar or via *SMS Templates* ↔ *Queues* link in the admin interface.


Figure 6.64. Manage SMS Templates



7.4. Creating SMS Tickets

To create a ticket with SMS article as a first one, please go to the *New SMS ticket* screen accessible via *Tickets* menu on the main tool-bar.

Figure 6.65. New SMS Ticket Screen



This screen behaves similar to new email and phone screens, with some notable exceptions. Instead of email addresses, *Recipients* field accepts only phone numbers in international format, complete with plus sign (+) and country code. You can also search for customer users via this field, provided they have a valid phone number stored in preference field which is configured in cloud service configuration screen.

You may also utilize address book by clicking on small icon next to the recipients field. Search form will allow you to find customer user you are looking for, and add their phone number to the list of recipients.

Note

Ticket Title field will not be included in SMS and is for internal use only. Customer will receive message based exclusively on the contents of the *Text* field.

If you have configured SMS templates of type Create, and you have them assigned to currently chosen *Queue*, you will have the option of populating the *Text* field with pre-configured message.

Flash message checkbox controls if message will be showed directly on the device without user interaction and not stored automatically.

Note

Support for flash messages (also known as *Class 0* messages) may vary by device and provider. OTRS cannot guarantee if this flag will be honored by service provider or supported by receiving device.

By clicking *Send SMS* button, ticket will be created with an SMS article, provided SMS cloud service accepted the message. If any errors were encountered, you will be notified, and ticket will not be created.

7.5. Creating SMS Articles

To add an SMS to an existing ticket, you can use *SMS Outbound* action on the main ticket tool-bar (*Communication* section).

Figure 6.66. New SMS Ticket Screen

Outbound SMS for Ticket#2018052260000018 – TEst

All fields marked with an asterisk (*) are mandatory.

[Cancel & close](#)

Sender: Master

* Recipients:

Search for a customer or enter phone number in international format, i.e. +49 (0) 123 4567-890.

Text Template:

Setting a template will overwrite any text.

* Text:

1584 characters left

Flash message:

Show message directly without user interaction and do not store it automatically (support may vary by device and provider).

Next ticket state:

If you already have an article, you can also use *Reply via SMS* action on the article toolbar. Simply select the article in question, and either click on the button, or choose name of the template (if you have it configured for this screen).

Figure 6.67. New SMS Ticket Screen

#1 – Welcome to OTRS! – OTRS Feedback – 09/19/2017 12:30 (Europe/London) via Email

Mark | Print | Split | Bounce | Forward | Reply: | [Reply via SMS](#)

Welcome to OTRS! [Reply to this article via SMS](#)

If customer user has defined phone number, it will be automatically inserted in the recipients list. It doesn't matter if article was created in a different communication channel (e.g. Email), it should be correctly recognized and substituted with valid phone number.

Note

Please note that SMS character counter might not be reflecting the final message size. This is especially true if message text contains OTRS tags or links and URL shortening feature is turned on. Since text replacement will occur during sending of the message, there is no way to guarantee final size, and counter should be taken only for informative purposes.


7.6. Displaying SMS Articles

SMS articles can be displayed as they were sent out right in the ticket zoom screen. Their contents will reflect the final state of the message as queued by the SMS cloud service for sending (with all tags replaced and links shortened).

Recipients of an SMS article are listed inside the *Recipients* field. They can be shown in two formats: just phone numbers or phone numbers with name of corresponding customer

users. In addition to this field, *Transaction Numbers* will contain a reference message ID mapped to the recipients phone number. These numbers can be used for debugging purposes, since they can be connected to specific messages handled by the cloud service.

Figure 6.68. SMS Article Display



The screenshot shows the OTRS interface for ticket #2017091954000012. The main content area displays an SMS article with the following details:


- Sender:** OTRS
- Recipients:** +49987654321 (customer-1 customer-1)
- Transaction Numbers:** ddd87dc3146d6e4d5da2cc06494879f8 (+49987654321)
- Flash:** Yes

Metadata on the right includes:

- Ticket Information:** Age: 0 m, Created: 09/19/2017 12:30 (Europe/London), Created by: agent-1 agent-1, State: open, Locked: unlock, Priority: 3 normal, Queue: Raw, Customer ID: customer-1, Accounted time: 0, Owner: agent-1 agent-1
- Customer Information:** Firstname: customer-1, Lastname: customer-1, Username: customer-1, Email: customer-1@example.com, Mobile: +49987654321, Open tickets (customer-1): 0
- Linked Objects:** none

In addition to the article header field, transaction numbers can also be found in *Ticket History* screen. This screen will contain an entry for every message sent out via SMS cloud service, with corresponding transaction and phone number in it.

Figure 6.69. SMS Ticket History Entries



AGENT	ACTION	ARTICLE
agent-1 agent-1	Created ticket [2017091954000012] in "Raw" with priority "3 normal" and state "open".	
agent-1 agent-1	Changed customer to "CustomerID=customer-1;CustomerUser=customer-1".	
agent-1 agent-1	Added SMS for "+49987654321".	Q
agent-1 agent-1	Sent SMS to +49987654321 (ddd87dc3146d6e4d5da2cc06494879f8).	
agent-1 agent-1	Reset of unlock time.	
agent-1 agent-1	Changed owner to "agent-1" (2).	

8. The Dynamic Field *Contact with Data*

This feature allows to add contacts with data to tickets.

8.1. Описание

8.1.1. Definition of Data Sources

The data sources for this feature reside on the Dynamic Fields of the new *Contact with data* type, this mean that each dynamic field of this type is a new data source. The name of the dynamic field will become the name of the data source, as they are both the same.

For each data source (dynamic field) a list of contact attributes can be defined (each attribute can contain only one text based value). The contact attributes can be set as mandatory and searchable if needed. The sort order of the attributes can be also defined.

Contact attributes for each data source could contain any information about the contact as needed, such as different addresses, telephone, birthday, anniversaries, favorite food, hobbies, etc.

Note

The attributes Name and ValidID are always mandatory and they are not automatically added, so for each new data source these attributes must be added manually.

Within the data source definition (or dynamic field configuration) they must be represented by the keys Name and ValidID respectively while the values could be Name and Validity for example.

8.1.2. Contact Management

After having at least one data source (Contact with data Dynamic Field) defined, contacts information can be added to the source to populate it.

Apart from the Name and ValidID, each data source could contain different contact information as defined by the data source (e.g. a data source could have an E-mail field while another could contain Telephone and/or Mobile fields).

The management (adding or updating) contact for the data sources is done by an special screen that can be called from the Ticket menu (*Edit contacts with data*) in the main navigation bar.

8.1.3. Adding Contacts to Tickets

For each configured contact with data dynamic field, a contact created specifically for this dynamic field (or data source) can be chosen from any ticket create or ticket action screen where the dynamic field has been previously configured.

The contact attributes will be shown in the ticket zoom screen.

8.1.4. Usage of Contacts in Search and Statistics

Tickets can be found in search and statistics via the required attribute Name.

The Name can also be returned as a field value.

8.2. Настройка Системы

Настройка Системы

AdminContactWithData::RunInitialWildcardSearch

Navigation: Frontend::Admin::View::ContactWithData

Defines if a search with placeholder should be executed when initially calling the contact management.

Frontend::Module###AdminContactWithData

Navigation: Frontend::Admin::ModuleRegistration

Allows to distribute contact and contact detail management permissions via group definition.

8.3. Использование

An exemplary usage of contacts with data is as follows:

1. Create a new dynamic field of type *Contact with data*.
2. Set the possible contact attributes (possible values). Name and ValidID are required for any Contact with data Dynamic Field.
 - Add Name attribute (Key: Name, Value: *Name*).
 - Add ValidID attribute (Key: ValidID, Value: *Validity*).
 - Add any other attribute such as Telephone attribute (Key: Telephone, Value: *Phone*).
3. Add the list of mandatory attribute keys comma separated (Name and ValidID are not needed).
4. Set the attribute key order list comma separated as: Name,Telephone,ValidID.
5. Add the list of searchable attribute keys comma separated (Name is not needed).
6. Populate the data source by adding at least one contact in the newly created data source by using *Tickets → Edit contacts with data* screen from the main navigation bar.
7. Add the new dynamic field to the screen's configuration where it should be shown. For example in *New Phone Ticket* screen by updating the system configuration setting: `Ticket::Frontend::AgentTicketPhone###DynamicField` and do the same for `Ticket::Frontend::AgentTicketZoom###DynamicField`.
8. Go to *New phone ticket* screen, and notice that the new field is there. Add all ticket needed information.
9. Select an existing contact using autocomplete and choosing a contact.
- 10The assigned contact and its attributes will be shown in the ticket zoom screen.
- 11It is possible to update the attributes of the contact by clicking the *Edit contact data* button that appears in the right side of the title of the contact data box (if the current user is a member of the groups defined in system configuration setting `Frontend::Module###AdminDynamicFieldContactWithData`).
- 12If is necessary to change the contact for this ticket, it can be done via any other ticket action where the dynamic field is configured for display.

9. The Chat

9.1. Описание

The chat feature allows for chats between agents and customers using the OTRS frontend. Once enabled, customers (or public users) can start chats with agents and vice versa. Finished chats can be archived and attached to tickets, or can be downloaded as PDF by agents, customers and public users.

Each chat is assigned to a chat channel. Chat channels are like chat rooms. Each chat channel is assigned to a certain group which controls the permissions for this channel. If no chat channel is selected when a chat is created, this chat will be created in a default channel (which is automatically created if it doesn't exist).

9.2. Настройка Системы

The following system configuration options are relevant for this feature. Please note that you can also define a list of fixed texts which are being displayed to public users and

customers in the chat module. For more information on which texts can be changed, please have a look at the system configuration (Core::Chat).

ChatEngine::Active

Controls whether or not the chat feature is enabled.

ChatEngine::ChatDirection::PublicToAgent

Controls whether or not public users should be able to start chats (please note that the frontend module configuration for the public chat frontend in PublicFrontend::Module###PublicChat has to be enabled, too).

ChatEngine::ChatDirection::CustomerToAgent

Controls whether or not customers should be able to start chats (please note that the frontend module configuration for the customer chat frontend in CustomerFrontend::Module###CustomerChat has to be enabled, too).

ChatEngine::ChatDirection::AgentToCustomer

Controls whether or not agents should be able to start chats with customers directly.

ChatEngine::ChatDirection::AgentToAgent

Controls whether or not agents should be able chat with each other.

ChatEngine::PermissionGroup::ChatReceivingAgents, ChatEngine::PermissionGroup::ChatNotificationAgents, ChatEngine::PermissionGroup::ChatStartingAgents

Defines groups for the certain features. Receiving: Groups which can receive and accept chat requests. Notification: Groups which can receive notifications about new/pending chat requests. Starting: Groups which are allowed to start new chats at all.

ChatEngine::DefaultAgentName

A default name which should be displayed to customers and public users instead of the real name of the chatting agents. If empty or disabled, the real agent name will be shown.

ChatEngine::DefaultAgentNameNumbers

Controls whether or not numbers should be added to the agents default name in case more than one agent is in a chat to allow customers/public users to distinguish between the different agents (e.g. "Support Agent 1", "Support Agent 2" etc.).

ChatEngine::PublicInterface::AllowChatChannels

Defines, if chat channel selection should be enabled for public users. If set to "no", chats from public users will go to the default channel automatically (ChatEngine::DefaultChatChannel).

ChatEngine::PublicInterface::AvailabilityCheck

Defines, if chat channels should only be selectable in the public interface if at least one agent with sufficient permissions is available in this channel.

ChatEngine::CustomerInterface::AllowChatChannels

Defines, if chat channel selection should be enabled for customer users. If set to "no", chats from customer users will go to the default channel automatically (ChatEngine::DefaultChatChannel).

ChatEngine::CustomerInterface::AvailabilityCheck

Defines, if chat channels should only be selectable in the customer interface if at least one agent with sufficient permissions is available in this channel.

ChatEngine::CustomerThreshold

Amount of minutes which need to pass before a *no agent is available* message is being displayed to the customer/public user who started the chat request. The message can be configured using ChatEngine::Texts::CustomerFrontend::NoAgentsAvailable::NewTicket or ChatEngine::Texts::CustomerFrontend::NoAgentsAvailable::AddToExisting (customer interface) and ChatEngine::Texts::PublicFrontend::NoAgentsAvailable (public interface).

ChatEngine::AgentOnlineThreshold

If an agent is not active in OTRS within this threshold, they will be automatically set to *unavailable for chat* (see Agents: Set up availability).

ChatEngine::DefaultChatChannel

Name of the default chat channel. This channel must not be created manually and can't be deleted. This channel is taken as target chat channel in case chat channel selection is disabled for any interface.

ChatEngine::ChatTTL

After how many hours a closed chat should be deleted from the database. Closed chats can still be viewed and downloaded by customers. After a chat has been deleted from the database, it will no longer be possible for customers to view or download it.

ChatEngine::ChatDecayTime

After how many days chats which are not closed should be deleted from the database automatically in order to keep the database clean. Please note that this setting can possibly delete chats which are still in use if they are older than the configured amount of days.

ChatEngine::ChatOrder

Defines, if new chats should be prepended or appended to the list of active chats in the active chats widget in the chat manager.

9.3. Setup

In order to be able to create your first chat, you need to setup certain things in your OTRS instance.

9.3.1. Admin: Create chat channels and assign permissions

In the admin area in OTRS, you'll find a new entry *Chat Channel* (AdminChatChannel). Use this screen to add new channels. You'll need to assign an existing agent group to each channel you'll create. You can use the screens *Agents ↔ Groups* or *Agents ↔ Roles* to assign permissions. There are new chat-specific permissions which are described below.

Available Chat Permissions

CHAT_OBSERVER

Users with this permission type will only be able to observe chats in this channel after they have been invited to them. They will not be able to accept or observe chats in

this channel on their own and if they are the only agents currently available in this channel, customers/public users will not be able to create a new chat in this channel. Observers can still invite other agents to a chat they currently observe.

CHAT_PARTICIPANT

Users with this permission type will be able to take part in a chat, but only after they get invited to it. After they're in a chat, they can change the chat channel, discard the chat etc. They will not be able to accept a customer/public user chat request on their own.

CHAT_OWNER


Users with this permission type will be able to accept chat customer/public requests and do all kinds of observer and participant actions on a chat.

Note

To use the chat in general, agents still need to have at least `ro` permissions to the groups set up in `ChatEngine::PermissionGroup::ChatReceivingAgents` and `ChatEngine::PermissionGroup::ChatStartingAgents`.

9.3.2. Agents: Select Active Chat Channels

Figure 6.70. Setting up preferred chat channels



As an agent, you'll need to select in which chat channels you want to be available. Customers will only be able to create a new chat request on a certain channel if at least one agent with owner permissions has selected this channel in their preferences and is set as available for external chats (see next section).

9.3.3. Agents: Set up Availability

Figure 6.71. Setting up Chat Availability



To be available for any chats, you'll need to use the chat tool-bar switch. It's a three-way switch with these states: unavailable for chats (empty circle), available for internal (agent-to-agent) chats (empty circle with tick sign), available for internal and external (customer-to-agent, public-to-agent) chats (filled circle with tick sign). Just click the toggle in order to change your availability.


Note

Your availability will be reset to *internal chats only* each time you log in to OTRS again.

9.4. General Usage

9.4.1. The Chat Manager

Figure 6.72. The Chat Managing Screen



The chat manager is the central point of the chat feature. As an agent, here you can manage your chats and see and accept open requests. The chat manager provides a list of chat requests from customers, public users and other agents, as well as an overview over all active chats. Open the chat manager by using *Chat* in the main navigation of OTRS.

9.4.2. Starting New Chats

- *Agent to agent*


To start a chat with another agent, you can use the user on-line widget from the dashboard. Agents who are able to use the chat, will have a chat icon next to their name which you can click on. Once clicked, a chat form will open which you can use to enter your first chat message to this agent. After the chat request has been sent to the other agent, you can watch the chat in the chat manager.

- *Agent to customer*

To start a chat with a customer, you can use the customer user widget from the customer information center when viewing a certain customer. On-line customers will have a chat icon next to their name which you can click on. Once clicked, a chat form will open which you can use to enter your first chat message to this customer user. After the chat request has been sent to the customer, you can watch the chat in the chat manager.


Another possibility is to create a chat from the ticket zoom. If the customer user who is selected in this ticket is currently on-line, you'll be able to use a chat icon next to their user name in the customer information box in right sidebar (see figure below).

Figure 6.73. Starting an A2C chat from ticket zoom



Additionally, you will be able to start chat with customer users by clicking on chat icons next to their name in the user on-line widget on the dashboard.

Figure 6.74. Starting an A2C chat from dashboard



- *Customer to agent*

Customers are not able to start a chat directly with a certain agent, but only to create generic chat requests. To do this, customers can use the item *Chats* → *Create new chat* from the customer interface main navigation.

Figure 6.75. Starting a C2A chat



- *Public to agent*

Users of the public interface are also not able to start a chat directly with a certain agent, but only to create generic chat requests using the public chat module (`public.pl?Action=PublicChat`). If you would like to integrate the public chat module into your website, you can use the `IsIframe` parameter. The OTRS header and footer will then be removed from the view (`public.pl?Action=PublicChat;IsIframe=1`).

9.4.3. Handling Chat Requests

If there is a new chat request in one of the channels you (as an agent) have permissions for, you'll receive a browser notification which allows you to go directly to the chat manager. After you've opened the chat manager, you can see a list of open requests of all types (see figure below).

Figure 6.76. An Open Chat Request

General Chat Requests From Customers					
CREATED	TYPE	CHANNEL	REQUESTER	DESCRIPTION	ACTION
16/10/2017 10:23:54 (Europe/London)	Customer	General Requests	John Doe	Hi there! I've got a general request.	Open chat

Use the *Open chat* button from the list to see the details of the request. Clicking the button will open an overlay which provides several actions on this request. Given that you've got sufficient permissions, you can accept the request or change the channel for this request. Changing the channel will follow the same rules as creating new request: you can only move the request to a channel which has active agents in it.

Changing the chat channel without accepting the request could be used to dispatch chats to the right department for example.

Figure 6.77. Open Chat Request Details

Chat preview ✕

Chat protocol

[16/10/2017 10:23:54 (Europe/London)] John Doe has joined this chat.
 [16/10/2017 10:23:54 (Europe/London)] John Doe Hi there! I've got a general request.

Change chat channel

Current chat channel: General Requests


Available channels: ↻

Update Channel Accept Cancel

If you want to enter a chat, you can use the *Accept* button from the chat detail overlay box. The chat will then be removed from the list of requests, added to the list of your active chats and the customer/public user will receive a message that you've entered the chat.

9.4.4. The Chat Widget

Figure 6.78. The chat widget



The chat widget is the main component you'll use when chatting with other people. It provides a history of all messages in the chat as well as list of possible actions (depending on your permission level).

To send messages, you can use the text field in the chat widget in your list of active chats. Once you are done with typing your message, submit it by either clicking the send icon next to the text field, or using tab and enter (consecutively). When the message has been sent, the cursor will jump back to the text field to allow for easily continuing to type.

Following you'll find a list of possible actions in the chat widget.

- *Action: Monitor & close*


From the chat widget head top right hand side, you can close the chat by clicking the "x" icon. Clicking the circle icon right next to the close icon, allows you to set up a personal monitoring for this chat, which is again a three-way switch (no monitoring = empty circle, only monitor customer activity = empty circle with tick icon, monitor all actions = filled circle with tick icon). When monitoring a chat, browser notifications will show up each time there is a new action in this chat.

Also from the header, you can expand a tool-bar of advanced chat actions for this chat using the triangle icon. The tool-bar also shows you the channel this chat takes place in and which role you have in this chat (e.g. Owner).

Figure 6.79. Monitor a chat



Figure 6.80. Advanced chat actions



- *Action: Phone ticket*

Using the *Phone ticket* link from the advanced tool-bar, allows you to create a phone ticket to which the current chat will be appended to as an article. After you've successfully created the ticket, the chat will get closed automatically.

- *Action: Append*

Allows you to append this chat as an article to a selected ticket. After the article has been created, the chat will get closed automatically.

- **Action: Invite**

Allows you to invite another agent to this chat. You can select from a list of available agents who you want to invite. Once you've invited the agent, a new agent-to-agent chat request will be sent to this agent. After the request has accepted, a new internal chat will be established between you and the invited agent. In this internal chat, the invited agent has two more actions available in the advanced actions tool-bar: Observer and Participant.

- **Action: Channel change**

Using this link, you can change the channel for this chat. For the selection of the target channel the same rules apply as for initially selecting a chat channel.

- **Action: Download**

Lets you download the complete history of this chat as PDF.

- **Action: New window**

Opens this chat in a separate popup window. You can use this window in the same way as the chat widget and both the widget and the popup can be used at the same time.

- **Action: Observer**


When you have been invited to a chat by another agent, you can decide if you want to join the chat as observer or participant (depending on your permission level). Once you click the action from your tool-bar, a new chat widget will be added to the list of your active chats which is the chat you have been invited to. If you join the chat as observer, you will only be able to read what others are contributing to the chat and you will be invisible to customers or public users. Agents will still receive a message that you joined the chat as observer. As an observer, you have the possibility to become a participant anytime by using the advanced action tool-bar in your chat widget (depending on your permission level).

- **Action: Participant**

If you want to contribute something to the chat you have been invited to, you can join it as a participant. Customers/public users and agents will receive a message that you have entered the chat. As a participant, you can become an observer anytime by using the advanced action tool-bar in your chat widget.

9.4.5. User availability

Figure 6.81. The chat widget



Every chat participant has colored icon (circle) before his/her name in the *Chat widget* header, which represents participant availability. Icon color represents participant state as follows:


- *Active* - participant is active (available and on-line).
- *Away* - participant is away (available, but there was no request sent to the server from this user for some time - default 5 minutes, see `ChatEngine::AgentOnlineThreshold`).
- *Inactive* - participant is inactive (chat request is not accepted yet or participant left the chat).
- *Unavailable* - participant is unavailable (set via *Availability* button).
- *Off-line* - participant has logout or session has expired.

9.5. Advanced Usage

9.5.1. Chat Integration in Web Pages

You can easily integrate the public chat into a website. In the chat manager, administrators can access a button to open public chat integration configuration and snippet generator.

Figure 6.82. Configure Chat Integration Button



9.5.1.1. Настройка Системы

Configuration tab contains several parameters that can be tweaked to suit your needs. While most of them are self-explanatory, *General Settings* section contains several important options:

Display Chat if no agent is available

If enabled, this option controls whether the chat will be displayed regardless of agent's presence in the system. If not enabled, if there are no agents currently on-line and available for chat, widget will be hidden.

Fall-back URL

This option is taken into account only if above option is enabled. If there are no agents present and after some time, users of the public chat will be presented with a message containing this link.

Pre-selected channel

Default chat channel selection for public chat requests. This chat channel will be pre-selected in the chat widget, but users will be able to change it if needed.

Figure 6.83. Configuration Tab

Chat Integration ✕

You can easily integrate the public chat into a website. Just copy the code snippets from here. If you would like to make any adaptations, please switch to the configuration tab. All changes are applied immediately to the snippet, so you can make your changes and copy the snippet to your clipboard afterwards. Please note that changes made on this page are not remembered.

Configuration Integration Code Preview

General Settings

Display Chat if no agent is available

Fall-back URL (only applies if above is set to "Yes")

Pre-selected channel

Layout & Colors

Position of the chat widget

Delay (in milliseconds) until the chat shows up

Height in pixels to which the chat should expand

Should the chat already be maximized when it shows up?

Background color of the inner chat window

Background color of the headline on top of the chat

Text color of the headline on top of the chat

Background color of the send button

Text color of the send button

Text color of the chatter Name in the chat

Texts

Headline

Placeholder for the channel selection

Placeholder for the name input

Placeholder for the message input

Confirmation message if the user decides to close the chat

Message which is displayed after the chat was ended by an agent

All other options pertains layout, colors and texts used by the chat widget. You can tweak them to match your overall website theme.

Note

Please note that changes made in the configuration tab will not be saved. Every time you open this dialog, all fields will be reset to default values.

9.5.1.2. Integration Code

Integration Code tab contains necessary code snippets for insertion in a website, so public chat can work. All changes in the *Configuration* tab are applied immediately to the snippets, so you can make your changes and copy the code to your clipboard right afterwards.

Figure 6.84. Integration Code Tab

Chat Integration ✕

You can easily integrate the public chat into a website. Just copy the code snippets from here. If you would like to make any adaptations, please switch to the configuration tab. All changes are applied immediately to the snippet, so you can make your changes and copy the snippet to your clip board afterwards. Please note that changes made on this page are not remembered.

Configuration Integration Code Preview

Integration Code

Integrate this into the <head> section of your page:

Integrate this into the bottom of your page (after jQuery has been loaded):

```
<link rel="stylesheet" href="https://otrs-devel/otrs6-ob-web/skins/Custom/default/css/Core.Pt
<script type="text/javascript" src="https://otrs-devel/otrs6-ob-web/js/c
<script type="text/javascript">
Core.Public.Chat.Init({
  OTRSURL : "https://otrs-devel/otrs6-ob/",
  ShowIfNoAgentAvailable : "0",
  iFrameURLFallback : "",
  PreselectedChannelID : "0",
  Position : "right",
  FadeInDelay : "1000",
  ExpandHeight : "36px",
  ExpandToFullHeight : "0",
  BackgroundColor : "#fff",
  HeadlineBackground : "#999",
  HeadlineTextColor : "#fff",
  SendButtonBackground : "#333",
  SendButtonTextColor : "#fff",
  ChatterNameColor : "#f92",
  Headline : "How can we help you?",
  PlaceholderChannel : "Please select a topic for your request...",
  PlaceholderName : "Your name...",
  PlaceholderText : "Your message...",
  CloseConfirmMessage : "Are you sure you would like to end the chat?",
  ChatClosedMessage : "Thank you! The chat was ended."
});
</script>
```

Close

Code from the first field should be added to the <HEAD> section of your web page.

Code from the second field should be inserted into the bottom of the page: before closure of the <BODY> tag, but after the line that loads *jQuery* library.


Note

Please note that your web page must also include *jQuery* library for the code snippets to work. This can be recognized by reference to the `jquery.js` or `jquery.min.js` file somewhere in the page.

9.5.1.3. Preview

Using the *Preview* tab you can see the chat widget in action. In the browser simulator below, you can see the chat widget look based on current configuration.

Figure 6.85. Preview Tab



By clicking on the reload icon, you can refresh the simulation at any time.

Note

Please note that the preview uses the real chat module. If the chat widget doesn't show up after the configured amount of time, there are probably no agents available for chatting and you have configured the chat shouldn't show up in this case.

9.5.1.4. Troubleshooting

- If you cannot see the chat widget, but everything seems in order, make sure you have at least one agent who is externally available for chat. Or switch on the *Display Chat if no agent is available* option in the *Configuration* tab, and refresh the code.
- If you get mixed-content warnings in your browser console, make sure that OTRS configuration option `HttpType` is properly set. For example, if you are running OTRS on SSL, this configuration option must be set to `https`. Your website must run on the same protocol for chat widget to work.
- If you get errors saying that `$` variable is undefined, make sure that *jQuery* library is included in your web page, and that chat related code is placed below it.

10. Video and Audio Calls

10.1. Описание

The video and audio calls feature provides real-time calls between two users right from the comfort of the OTRS frontend. The calls will be provided over a direct peer-to-peer connection established between two users, where possible. This feature depends heavily on the chat, which must be active for video and audio calls to be possible.

Note

Video and audio calls are based on a quite young technology called WebRTC. The implementation of WebRTC APIs in modern browsers is an ongoing effort. Currently, OTRS video and audio calls are supported only in the latest versions of Mozilla Firefox and Google Chrome (for Chrome a HTTPS Enabled Web Server is required).

To use this feature correctly the OTRS system must have a valid contract with the OTRS group.

10.2. Настройка Системы

The following system configuration options are relevant for this feature.

`ChatEngine::Active`

Controls whether or not the video and audio calling feature is enabled. Please note that the same switch will control the chat feature too.

`ChatEngine::PermissionGroup::VideoChatAgents`

Defines the group for the video and audio calling features. Only agents with permission in this group will be able to make video and audio calls.

10.3. Setup

In order to be able to start video and audio calls, you need to setup certain things in your OTRS instance.

10.3.1. Chat Setup

You need a working chat setup in your system. Make sure to carefully read the Setup section of the chat feature.

10.3.2. HTTPS Enabled Web Server

Currently, Google Chrome will allow access to a user's media streams only to web applications served over the HTTPS protocol (SSL) with valid signed certificates. Make sure you have set the **HttpType** config option to *https*, too. Setting up a web server to be accessible via HTTPS is outside of the scope of this manual.

10.3.3. Availability for calls


To be available for video and audio calls, you have to make sure you are available for chats too. Please refer to the instructions in Agents: Set up Availability for more information.

10.3.4. On-line User Dashboard Widget

For a convenient way to start the calls, please activate the *On-line* widget on the Dashboard.

1. Go to the Dashboard and expand the *Settings* widget.
2. Check the *On-line* widget and make sure to click *Save settings*.

Figure 6.86. Setting up the On-line widget on Dashboard



10.4. Использование

10.4.1. Chat Requirement


Video and audio calls are tied to existing chats. As an agent, you will be able to initiate calls inside and outside of chats. Customer users will be able to initiate calls only from an active chat.

If a chat does not yet exist, it will be created when the call is initiated. In these "ad-hoc" chats, the chat parties are joined automatically. When a call is terminated, these chats will remain active until they are closed manually.

10.4.2. Making the Video Calls


To make a call inside of an active chat, simply click on the small video camera button in the chat header.

Figure 6.87. Making a call inside the chat




A popup window will open, and depending on your browser, you will be asked to share your video and audio streams. On systems with several cameras and microphones, you will be able to choose exactly the one you would like to use from the drop down list.

Figure 6.88. Media Permission Request




Once you confirm your choice, an invitation will be sent to the other party asking them to join. You will be notified of the progress via a message in the center of the screen.

Figure 6.89. Waiting for the other party




Please just wait a little while until the connection is established. Then you will be able to see and hear the other party.

Figure 6.90. Established Connection



To control your streams, simply toggle the mute buttons on the left side.

Figure 6.91. Mute Buttons




To leave a call, simply click on the big red *Close* button. The other party will be notified.

10.4.3. Audio Calls

The only difference between video and audio calls is that audio calls will mute your video stream initially (which you will be able to turn on later in the call). The video stream will be muted for both parties by default, but they will be able to control it.

If the other party has muted their video stream, instead of the video you will see a large microphone icon in the center, along with their name. The icon will reflect the state of their audio stream, and if they mute it too, it will be crossed.


Figure 6.92. Audio Only



10.4.4. Call Invitations


If you have made yourself available for chats (either internal or external), video and audio call invitations are received automatically by one of the active tabs in the same user session. When you receive an invitation, a modal dialog will be displayed on your screen, allowing you to accept or decline the invitation.

Figure 6.93. Call Invitation



Your browser may also present you a notification with sound. This heavily depends on the used browser and operating system settings, and if permission has been granted to OTRS to trigger such notifications. A permission request will be displayed the first time you change your chat availability.

Figure 6.94. Notification Permission Request




10.4.5. Other ways to start Video and Audio Calls

- *Agent to Agent*

To start a video or audio call with another agent, with whom you do not have an active chat, you can use the *On-line* widget on the dashboard.


Figure 6.95. Online widget on the Dashboard



Agents who are able to receive calls will have a video camera and microphone icon next to their name which you can click on. Once clicked, a popup window will open, asking you to share your media streams. The connection will be established afterwards.

Calling other agents is possible also via Owner and Responsible fields in ticket zoom. In this case, check will also be done to make sure the other agent is available, before allowing the call to be initiated.

Figure 6.96. Calling other agents from Ticket Zoom



- *Agent to Customer*

To start a video or audio call with a customer, with whom you do not have an active chat, you can use the customer user widget in the Customer Information Center when viewing a certain customer. Available customers will have call icons next to their name

which you can click on. Once clicked, a popup window will open asking you to share your media streams. The connection will be established afterwards.

Figure 6.97. Making a call from Customer Information Center

Customer Information Center – customer-1

CUSTOMER USER ID	CUSTOMER USER INFORMATION	OPEN	CLOSED	PHONE TICKET	EMAIL TICKET	EDIT
customer-1	*customer-1 customer-1* <customer-1@example.com>	1	0	Create	Create	⌵

Another possibility is to make a call directly from the ticket zoom. If the customer user who is assigned to this ticket is currently on-line, you'll be able to use call buttons next to their user name in customer information box in right sidebar.




Figure 6.98. Making a call from Ticket Zoom

▼ Customer Information

Firstname: customer-1

Lastname: customer-1

Username: ● customer-1

Email: customer-1@example.com

! [Open tickets \(customer\) \(1\)](#)

- *Customer to Agent*

Customer users will be able to initiate calls from an active chat only. To do this, customers can use the video and audio call links in the header of an active chat to initiate calls.

Figure 6.99. Starting a Video Call from Customer interface

Active Chat Video Call Audio Call Download Chat

10/18/2017 10:51:17 customer-1 customer-1 has joined this chat.

10/18/2017 10:51:17 customer-1 customer-1 Hello!

10/18/2017 10:51:25 agent-1 agent-1 has joined this chat.

10/18/2017 10:51:32 agent-1 agent-1 Hi there!

When customers click on a link, they will be asked for permission to their media streams, similar to agents. An invitation will be sent and the connection will be established if the agent on the other side accepts the request.

The difference between video and audio calls in the customer interface compared to the agent interface is minimal. Customers will see their calls inside the same window as the chat. Only one additional button is provided: Fullscreen. It will resize the video to the extent of the browser window. Other than that, everything as in the agent interface applies.

- *Public to Agent*

Users of the public interface are not able to make audio and video calls.

10.5. Connection

In the best case scenario, video and audio calls will be streamed over a direct peer-to-peer connection between users' browsers. The requirement is that the user's network allows connection over a high port that WebRTC uses, and can advertise this to the other party. To this end, there are several mechanisms in place to aid in connecting.

- *STUN (Session Traversal Utilities for NAT)*

STUN is a standardized set of methods and a network protocol to allow an end host to discover its public IP address if it is located behind a NAT. OTRS provides a cloud service with STUN to all systems with a valid contract, and this data is shared with the other party to allow the connection to be established.

In case of a connection via STUN, only the connection data is stored on the OTRS servers, the connection itself is still directly between two users.

- *TURN (Traversal Using Relays around NAT) over UDP*

TURN is a protocol that assists in traversal of network address translators or firewalls for multimedia applications. OTRS also provides TURN cloud service which can help clients on networks masqueraded by symmetric NAT devices and it supports the connection of a user behind a NAT.

In case of a connection established via TURN server, media streams will be routed through the server (like a proxy). In this situation, all packets are securely transmitted to the other side. The access to the TURN server is encrypted and secured by often changed credentials, which are provided automatically.

- *TURN over TCP*

In case all UDP traffic is blocked between two users, the TURN server over TCP is a last resort for a successful connection. While TCP is not an ideal protocol for transmitting media packets, it's a last resort in an effort to connect two users and share their streams.

Same as with TURN over UDP, media streams will be routed through the server and sent to the other side. The infrastructure for all STUN and TURN services is highly scalable based on demand and can even be provided for different geographic locations, in order to provide the best possible throughput.

11. FAQ (Часто Задаваемые Вопросы)

11.1. Описание

The FAQ functionality provides an FAQ or rather a knowledge database.

It facilitates speeding-up the knowledge transfer between agents or (using a public web interface) between organizations and their customers, therefore effectively saving time.

11.2. Настройка Системы

The following system configuration options are relevant for this feature.

```
DynamicFields::ObjectType###FAQ
```

DynamicField object registration.

`FAQ::CacheTTL`

Cache Time To Leave for FAQ items.

`FAQ::Default::Language`

Default language for FAQ articles on single language mode.

`FAQ::Default::RootCategoryComment`

Default category name.

`FAQ::Default::RootCategoryName`

Default category name.

`FAQ::Default::State`

Default state for FAQ entry.

`FAQ::FAQHook`

The identifier for a FAQ, e.g. `FAQ#`, `KB#`, `MyFAQ#`. The default is `FAQ#`.

`FAQ::MultiLanguage`

Enable multiple languages on FAQ module.

`FAQ::TitleSize`

Default maximum size of the titles in a FAQ article to be shown.

`FAQ::Voting`

Enable voting mechanism on FAQ module.

`FAQ::ApprovalGroup`

Group for the approval of FAQ articles.

`FAQ::ApprovalQueue`

Queue for the approval of FAQ articles.

`FAQ::ApprovalRequired`

New FAQ articles need approval before they get published.

`FAQ::ApprovalTicketBody`

Ticket body for approval of FAQ article.

`FAQ::ApprovalTicketDefaultState`

Default state of tickets for the approval of FAQ articles.

`FAQ::ApprovalTicketPriority`

Default priority of tickets for the approval of FAQ articles.

`FAQ::ApprovalTicketSubject`

Ticket subject for approval of FAQ article.

`FAQ::ApprovalTicketType`

Default type of tickets for the approval of FAQ articles.

FAQ::Explorer::ItemList::VotingResultColors

CSS color for the voting result.

FAQ::Explorer::ItemList::VotingResultDecimalPlaces

Decimal places of the voting result.

FAQ::Explorer::LastChange::Limit

Number of shown items in last changes.

FAQ::Explorer::LastChange::Show

Show last change items in defined interfaces.

FAQ::Explorer::LastChange::ShowSubCategoryItems

Show items of subcategories.

FAQ::Explorer::LastCreate::Limit

Number of shown items in last created.

FAQ::Explorer::LastCreate::Show

Show last created items in defined interfaces.

FAQ::Explorer::LastCreate::ShowSubCategoryItems

Show items of subcategories.

FAQ::Explorer::Path::Show

Show FAQ path yes/no.

FAQ::Explorer::QuickSearch::Show

Interfaces where the quick search should be shown.

FAQ::Explorer::Top10::Limit

Number of shown items in the top 10 feature.

FAQ::Explorer::Top10::Show

Show top 10 items in defined interfaces.

FAQ::Explorer::Top10::ShowSubCategoryItems

Show items of subcategories.

FAQ::Item::Field1

Definition of FAQ item free text field.

FAQ::Item::Field2

Definition of FAQ item free text field.

FAQ::Item::Field3

Definition of FAQ item free text field.

FAQ::Item::Field4

Definition of FAQ item free text field.

FAQ::Item::Field5

Definition of FAQ item free text field.

FAQ::Item::Field6

Definition of FAQ item free text field.

FAQ::Item::HTML

Show FAQ Article with HTML.

FAQ::Item::Voting::Rates

Rates for voting. Key must be in percent.

FAQ::Item::Voting::Show

Show voting in defined interfaces.

FAQ::Agent::RelatedArticles::Enabled

Enable the related article feature for the agent frontend.

FAQ::Customer::RelatedArticles::Enabled

Enable the related article feature for the customer frontend.

FAQ::KeywordArticleList::SearchLimit

Limit for the search to build the keyword FAQ article list.

FAQ::TicketCompose###IncludeInternal

Include internal fields on a FAQ based Ticket.

FAQ::TicketCompose###InsertMethod

Defines the information to be inserted in a FAQ based Ticket. "Full FAQ" includes text, attachments and inline images.

FAQ::TicketCompose###ShowFieldNames

Include the name of each field in a FAQ based Ticket.

FAQ::TicketCompose###ShowInsertLinkButton

Show "Insert FAQ Link" Button in AgentFAQZoomSmall for public FAQ Articles.

FAQ::TicketCompose###ShowInsertTextAndLinkButton

Show "Insert FAQ Text & Link" / "Insert Full FAQ & Link" Button in AgentFAQZoomSmall for public FAQ Articles.

FAQ::TicketCompose###ShowInsertTextButton

Show "Insert FAQ Text" / "Insert Full FAQ" Button in AgentFAQZoomSmall.

FAQ::TicketCompose###UpdateArticleSubject

Define if the FAQ title should be concatenated to article subject.

LinkObject::PossibleLink###8301

This setting defines that a 'FAQ' object can be linked with other 'FAQ' objects using the 'Normal' link type.

LinkObject::PossibleLink###8302

This setting defines that a 'FAQ' object can be linked with other 'FAQ' objects using the 'ParentChild' link type.

LinkObject::PossibleLink###8303

This setting defines that a 'FAQ' object can be linked with other 'Ticket' objects using the 'Normal' link type.

LinkObject::PossibleLink###8304

This setting defines that a 'FAQ' object can be linked with other 'Ticket' objects using the 'ParentChild' link type.

FAQ::Agent::StateTypes

List of state types which can be used in the agent interface.

Frontend::HeaderMetaModule###3-FAQSearch

Module to generate html OpenSearch profile for short FAQ search.

FAQ::Frontend::JournalOverview###Small

Defines an overview module to show the small view of a FAQ journal.

FAQ::Frontend::Overview###Small

Defines an overview module to show the small view of a FAQ list.

FAQ::Frontend::OverviewSmall###DynamicField

Dynamic fields shown in the FAQ small format overview screen of the agent interface.

FAQ::Frontend::AgentFAQRelatedArticles###DefaultLanguages

The default languages for the related FAQ articles.

FAQ::Frontend::AgentFAQRelatedArticles###Position

Defines the position where the related FAQ articles widget is located.

FAQ::Frontend::AgentFAQRelatedArticles###QueuesEnabled

List of queue names for which the related article feature is enabled.

FAQ::Frontend::AgentFAQRelatedArticles###ShowLimit

Output limit for the related FAQ articles.

LinkObject::ComplexTable###FAQ

Define which columns are shown in the linked FAQs widget (LinkObject::ViewMode = "complex"). Note: Only FAQ attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns. Possible settings: 0 = Disabled, 1 = Available, 2 = Enabled by default.

LinkObject::ComplexTable::SettingsVisibility###FAQ

Define Actions where a settings button is available in the linked objects widget (LinkObject::ViewMode = "complex"). Please note that these Actions must have registered the following JS and CSS files: Core.AllocationList.css, Core.UI.AllocationList.js, Core.UI.Table.Sort.js, Core.Agent.TableFilters.js and Core.Agent.LinkObject.js.

Frontend::Module###AgentFAQAdd

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQCategory

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQDelete

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQEdit

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQExplorer

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQHistory

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQJournal

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQLanguage

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQPrint

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQRelatedArticles

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQRichText

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQSearch

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQSearchSmall

Frontend module registration for the agent interface.

Frontend::Module###AgentFAQZoom

Frontend module registration for the agent interface.

Loader::Module::AgentFAQAdd###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQCategory###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQEdit###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQExplorer###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQJournal###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQLanguage###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQSearch###002-FAQ

Loader module registration for the agent interface.

Loader::Module::AgentFAQZoom###002-FAQ

Loader module registration for the agent interface.

Frontend::Navigation###AgentFAQAdd###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQCategory###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQExplorer###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQJournal###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQLanguage###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQSearch###002-FAQ

Main menu item registration.

Frontend::Navigation###AgentFAQSearchSmall###002-FAQ

Main menu item registration.

Frontend::Search###FAQ

FAQ search backend router of the agent interface.

Frontend::ToolBarModule###90-FAQ::AgentFAQAdd

Toolbar Item for a shortcut.

DashboardBackend###0398-FAQ-LastChange

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually.

DashboardBackend###0399-FAQ-LastCreate

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually.

FAQ::Frontend::AgentFAQAdd###DynamicField

Dynamic fields shown in the FAQ add screen of the agent interface.

FAQ::Frontend::AgentFAQAdd###RichTextHeight

Defines the height for the rich text editor component for this screen. Enter number (pixels) or percent value (relative).

FAQ::Frontend::AgentFAQAdd###RichTextWidth

Defines the width for the rich text editor component for this screen. Enter number (pixels) or percent value (relative).

FAQ::Frontend::AgentFAQEdit###DynamicField

Dynamic fields shown in the FAQ edit screen of the agent interface.

FAQ::Frontend::AgentFAQEdit###RichTextHeight

Defines the height for the rich text editor component for this screen. Enter number (pixels) or percent value (relative).

FAQ::Frontend::AgentFAQEdit###RichTextWidth

Defines the width for the rich text editor component for this screen. Enter number (pixels) or percent value (relative).

FAQ::Frontend::AgentFAQExplorer###Order::Default

Defines the default FAQ order in the FAQ Explorer result of the agent interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::AgentFAQExplorer###SearchLimit

Maximum number of FAQ articles to be displayed in the FAQ Explorer result of the agent interface.

FAQ::Frontend::AgentFAQExplorer###ShowColumns

Defines the shown columns in the FAQ Explorer. This option has no effect on the position of the column.

FAQ::Frontend::AgentFAQExplorer###ShowInvalidFAQItems

Show invalid items in the FAQ Explorer result of the agent interface.

FAQ::Frontend::AgentFAQExplorer###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in the FAQ Explorer of the agent interface.

FAQ::Frontend::AgentFAQExplorer###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Explorer in the agent interface.

FAQ::Frontend::AgentFAQJournal###JournalLimit

Maximum number of FAQ articles to be displayed in the FAQ journal in the agent interface.

FAQ::Frontend::AgentFAQJournal###ShowColumns

Defines the shown columns in the FAQ journal. This option has no effect on the position of the column.

FAQ::Frontend::AgentFAQJournal###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ journal in the agent interface.

FAQ::Frontend::AgentFAQPrint###DynamicField

Dynamic fields shown in the FAQ print screen of the agent interface.

FAQ::Frontend::AgentFAQSearch###Defaults###ApprovedSearch

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###CategoryIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###CreatedUserIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###Fulltext

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###ItemChangeTimePoint

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###ItemChangeTimeSlot

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###ItemCreateTimePoint

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###ItemCreateTimeSlot

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###Keyword

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###LanguageIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###LastChangedUserIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###Number

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###RateSearchType

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###StateIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###Title

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###ValidIDs

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###Defaults###VoteSearchType

Defines the default shown FAQ search attribute for FAQ search screen.

FAQ::Frontend::AgentFAQSearch###DynamicField

Dynamic fields shown in the FAQ search screen of the agent interface.

FAQ::Frontend::AgentFAQSearch###Order::Default

Defines the default FAQ order of a search result in the agent interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::AgentFAQSearch###SearchCSVDynamicField

Dynamic Fields used to export the search result in CSV format.

FAQ::Frontend::AgentFAQSearch###SearchLimit

Maximum number of FAQ articles to be displayed in the result of a search in the agent interface.

FAQ::Frontend::AgentFAQSearch###ShowColumns

Defines the shown columns in the FAQ search. This option has no effect on the position of the column.

FAQ::Frontend::AgentFAQSearch###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in a FAQ search of the agent interface.

FAQ::Frontend::AgentFAQSearch###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Search in the agent interface.

FAQ::Frontend::AgentFAQZoom###DynamicField

Dynamic fields shown in the FAQ zoom screen of the agent interface.

FAQ::Frontend::AgentHTMLFieldHeightDefault

Set the default height (in pixels) of inline HTML fields in AgentFAQZoom.

FAQ::Frontend::AgentHTMLFieldHeightMax

Set the maximum height (in pixels) of inline HTML fields in AgentFAQZoom.

FAQ::Frontend::MenuModule###000-Back

Shows a link in the menu to go back in the FAQ zoom view of the agent interface.

FAQ::Frontend::MenuModule###010-Edit

Shows a link in the menu to edit a FAQ in the its zoom view of the agent interface.

FAQ::Frontend::MenuModule###020-History

Shows a link in the menu to access the history of a FAQ in its zoom view of the agent interface.

FAQ::Frontend::MenuModule###030-Print

Shows a link in the menu to print a FAQ in the its zoom view of the agent interface.

FAQ::Frontend::MenuModule###040-Link

Shows a link in the menu that allows linking a FAQ with another object in the zoom view of such FAQ of the agent interface.

FAQ::Frontend::MenuModule###050-Delete

Shows a link in the menu that allows to delete a FAQ in its zoom view in the agent interface.

PreferencesGroups###FAQJournalOverviewSmallPageShown

Parameters for the pages (in which the FAQ items are shown) of the small FAQ journal overview.

PreferencesGroups###FAQOverviewSmallPageShown

Parameters for the pages (in which the FAQ items are shown) of the small FAQ overview.

Loader::Agent::CommonCSS###200-FAQ

List of CSS files to always be loaded for the agent interface.

Loader::Agent::CommonJS###200-FAQ

List of JS files to always be loaded for the agent interface.

Frontend::Output::OutputFilterTextAutoLink###FAQ

A filter for HTML output to add links behind a defined string. The element Image allows two input kinds. First the name of an image (e.g. faq.png). In this case the OTRS image path will be used. The second possibility is to insert the link to the image.

CustomerFrontend::HeaderMetaModule###3-FAQSearch

Module to generate HTML OpenSearch profile for short FAQ search in the customer interface.

FAQ::Customer::StateTypes

List of state types which can be used in the customer interface.

FAQ::Frontend::CustomerFAQOverview###DynamicField

Dynamic fields shown in the FAQ overview screen of the customer interface.

FAQ::Frontend::CustomerFAQRelatedArticles###DefaultLanguages

The default languages for the related FAQ articles.

FAQ::Frontend::CustomerFAQRelatedArticles###QueuesEnabled

List of queue names for which the related article feature is enabled.

FAQ::Frontend::CustomerFAQRelatedArticles###ShowLimit

Output limit for the related FAQ articles.

FAQ::Frontend::CustomerFAQRelatedArticles###VoteStarsVisible

Show the stars for the articles with a rating equal or greater like the defined value (set value '0' to deactivate the output).

CustomerFrontend::Module###CustomerFAQExplorer

Frontend module registration for the customer interface.

CustomerFrontend::Module###CustomerFAQPrint

Frontend module registration for the customer interface.

CustomerFrontend::Module###CustomerFAQRelatedArticles

Frontend module registration for the customer interface.

CustomerFrontend::Module###CustomerFAQSearch

Frontend module registration for the customer interface.

CustomerFrontend::Module###CustomerFAQZoom

Frontend module registration for the customer interface.

Loader::Module::CustomerFAQExplorer###002-FAQ

Loader module registration for the agent interface.

Loader::Module::CustomerFAQSearch###002-FAQ

Loader module registration for the agent interface.

Loader::Module::CustomerFAQZoom###002-FAQ

Loader module registration for the agent interface.

Loader::Module::CustomerTicketMessage###002-FAQ

Loader module registration for the agent interface.

CustomerFrontend::Navigation###CustomerFAQExplorer###002-FAQ

Main menu item registration.

CustomerFrontend::Navigation###CustomerFAQSearch###002-FAQ

Main menu item registration.

FAQ::Frontend::CustomerFAQExplorer###Order::Default

Defines the default FAQ order in the FAQ Explorer result of the customer interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::CustomerFAQExplorer###SearchLimit

Maximum number of FAQ articles to be displayed in the FAQ Explorer result of the customer interface.

FAQ::Frontend::CustomerFAQExplorer###SearchPageShown

Number of FAQ articles to be displayed in the FAQ Explorer of the customer interface.

FAQ::Frontend::CustomerFAQExplorer###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in the FAQ Explorer of the customer interface.

FAQ::Frontend::CustomerFAQExplorer###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Explorer in the customer interface.

FAQ::Frontend::CustomerFAQPrint###DynamicField

Dynamic fields shown in the FAQ print screen of the customer interface.

FAQ::Frontend::CustomerFAQSearch###DynamicField

Dynamic fields shown in the FAQ search screen of the customer interface.

FAQ::Frontend::CustomerFAQSearch###Order::Default

Defines the default FAQ order of a search result in the customer interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::CustomerFAQSearch###SearchCSVDynamicField

Dynamic Fields used to export the search result in CSV format.

FAQ::Frontend::CustomerFAQSearch###SearchLimit

Maximum number of FAQ articles to be displayed in the result of a search in the customer interface.

FAQ::Frontend::CustomerFAQSearch###SearchPageShown

Number of FAQ articles to be displayed on each page of a search result in the customer interface.

FAQ::Frontend::CustomerFAQSearch###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in a FAQ search of the customer interface.

FAQ::Frontend::CustomerFAQSearch###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Search in the customer interface.

FAQ::Frontend::CustomerFAQZoom###DynamicField

Dynamic fields shown in the FAQ zoom screen of the customer interface.

FAQ::Frontend::CustomerHTMLFieldHeightDefault

Set the default height (in pixels) of inline HTML fields in CustomerFAQZoom (and PublicFAQZoom).

FAQ::Frontend::CustomerHTMLFieldHeightMax

Set the maximum height (in pixels) of inline HTML fields in CustomerFAQZoom (and PublicFAQZoom).

FAQ::Public::StateTypes

List of state types which can be used in the public interface.

PublicFrontend::CommonParam###Action

Default value for the Action parameter for the public frontend. The Action parameter is used in the scripts of the system.

PublicFrontend::HeaderMetaModule###3-FAQSearch

Module to generate HTML OpenSearch profile for short FAQ search in the public interface.

FAQ::Frontend::PublicFAQOverview###DynamicField

Dynamic fields shown in the FAQ overview screen of the public interface.

Loader::Module::PublicFAQExplorer###002-FAQ

Loader module registration for the public interface.

Loader::Module::PublicFAQRSS###002-FAQ

Loader module registration for the public interface.

Loader::Module::PublicFAQSearch###002-FAQ

Loader module registration for the public interface.

Loader::Module::PublicFAQZoom###002-FAQ

Loader module registration for the public interface.

PublicFrontend::Module###PublicFAQ

Frontend module registration for the public interface.

PublicFrontend::Module###PublicFAQExplorer

Frontend module registration for the public interface.

PublicFrontend::Module###PublicFAQPrint

Frontend module registration for the public interface.

PublicFrontend::Module###PublicFAQRSS

Frontend module registration for the public interface.

PublicFrontend::Module###PublicFAQSearch

Frontend module registration for the public interface.

PublicFrontend::Module###PublicFAQZoom

Frontend module registration for the public interface.

PublicFrontend::Navigation###PublicFAQExplorer###002-FAQ

Main menu item registration.

PublicFrontend::Navigation###PublicFAQSearch###002-FAQ

Main menu item registration.

FAQ::Frontend::PublicFAQExplorer###Order::Default

Defines the default FAQ order in the FAQ Explorer result of the public interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::PublicFAQExplorer###SearchLimit

Maximum number of FAQ articles to be displayed in the FAQ Explorer result of the public interface.

FAQ::Frontend::PublicFAQExplorer###SearchPageShown

Number of FAQ articles to be displayed in the FAQ Explorer of the public interface.

FAQ::Frontend::PublicFAQExplorer###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in the FAQ Explorer of the public interface.

FAQ::Frontend::PublicFAQExplorer###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Explorer in the public interface.

FAQ::Frontend::PublicFAQPrint###DynamicField

Dynamic fields shown in the FAQ print screen of the public interface.

FAQ::Frontend::PublicFAQSearch###DynamicField

Dynamic fields shown in the FAQ search screen of the public interface.

FAQ::Frontend::PublicFAQSearch###Order::Default

Defines the default FAQ order of a search result in the public interface. Up: oldest on top. Down: latest on top.

FAQ::Frontend::PublicFAQSearch###SearchCSVDynamicField

Dynamic Fields used to export the search result in CSV format.

FAQ::Frontend::PublicFAQSearch###SearchLimit

Maximum number of FAQ articles to be displayed in the result of a search in the public interface.

FAQ::Frontend::PublicFAQSearch###SearchPageShown

Number of FAQ articles to be displayed on each page of a search result in the public interface.

FAQ::Frontend::PublicFAQSearch###SortBy::Default

Defines the default FAQ attribute for FAQ sorting in a FAQ search of the public interface.

FAQ::Frontend::PublicFAQSearch###TitleSize

Maximum size of the titles in a FAQ article to be shown in the FAQ Search in the public interface.

FAQ::Frontend::PublicFAQZoom###DynamicField

Dynamic fields shown in the FAQ zoom screen of the public interface.

GenericInterface::Operation::Module###FAQ::LanguageList

GenericInterface module registration for the operation layer.

GenericInterface::Operation::Module###FAQ::PublicCategoryList

GenericInterface module registration for the operation layer.

GenericInterface::Operation::Module###FAQ::PublicFAQGet

GenericInterface module registration for the operation layer.

GenericInterface::Operation::Module###FAQ::PublicFAQSearch

GenericInterface module registration for the operation layer.

11.3. Included Features

11.3.1. FAQ Explorer

Intuitive navigation and flexible mapping of theme hierarchies within the FAQ Explorer enable easy navigation through the database.

11.3.2. WYSIWYG Editor

Using the WYSIWYG Editor you can change the formatting of articles and include screenshots or images.

11.3.3. FAQ Articles

FAQ articles with various attributes like "Symptom", "Problem", "Solution", "Title", "Language", "Category", "Keywords", "State", "Created" and "Changed"

11.3.4. FAQ Attachments

You can add attachments to FAQ articles, which are available in the customer interface, too (e. g. user guides in pdf format).

11.3.5. Agent And Customer Interfaces

Using the FAQ state you can determine the interface(s), in which an FAQ article should be displayed. Articles with their state set to "internal" are only visible for agents via the Agent Interface; Articles whose state is set to "external" are also displayed in the protected customer section, and articles tagged as "public" are available in the non-protected public area as well.

11.3.6. Comfortable Navigation / Clickable Keywords

The key words feature enables comfortable navigation to alternative articles using clickable key words.

11.3.7. Linked Objects

FAQ articles can be linked to other objects such as tickets, FAQ articles or (CMDB) configuration items.

11.3.8. Full-text And Quick Search

You can execute a full-text and quick search in the entire knowledge database. You can also use OTRS operators for "AND" or "OR" relations.

11.3.9. Top 10 Articles

An overview showing the Top 10 most often accessed, most recently generated and most recently changed articles.

11.3.10. Ranking / Voting Of FAQ Articles

A personal ranking / voting of FAQ articles providing other users with information about the quality of FAQ articles.

11.3.11. This might be helpful (agent and customer ticket creation)

An additional widget for the customer ticket creation providing you helpful faq article related for the insert subject and text.

11.3.12. Inserting FAQ Articles In OTRS Replies

You can insert FAQ articles (including images and attachments) in new tickets or replies you generate in OTRS.

11.3.13. Release Workflow

Workflow to release FAQ articles that have been newly generated or changed.

11.3.14. RSS Feeds For Public FAQ Articles

In the public area, an option is provided to subscribe to RSS Feeds providing information about changes in FAQ articles.

11.3.15. OpenSearch Format

The FAQ Module supports Open Search format (enabling quick searches directly from the browser).

11.3.16. Create Links Using The Category Name

It is possible to refer to FAQ items by creating a link for web browser using the category name instead of just the category ID

Category parameter is the full category path, each sub-category is separated by "::" (which is also called the "Category Long Name"). Imagine the following category tree:

```
| --GrandParent
|   |--Parent
|   |   |--|Son
```

To create a link to the "Son" category we need to specify the following path: Category=GrandParent::Parent::Son.

See the link examples below:

from: <http://localhost/otrs/index.pl?Action=AdminFAQExplorer;CategoryID=1>

to: <http://localhost/otrs/index.pl?Action=AdminFAQExplorer;Category=Misc>

Other Examples:

<http://localhost/otrs/index.pl?Action=AdminFAQExplorer;Category=My%20Category>

<http://localhost/otrs/index.pl?Action=CustomerFAQExplorer;Category=GrandParent::Parent::Son>

<http://localhost/otrs/index.pl?Action=PublicFAQExplorer;Category=My%20Category::Subcategory>

11.3.17. Generic Interface FAQ Connector For Public Interface

Allow you to use the functions for FAQ public interface via OTRS Generic Interface by adding the following operations.

- LanguageList

This operation returns the list of all FAQ languages available in the system. The response of this operation is a list of languages including the ID and Name for each language.

- PublicCategoryList

This operation is used to get the system FAQ categories that have at least one public FAQ item, as a consequence also the category ancestors are also listed even if they don't have any public FAQ item. The output of this operation is a list of categories including ID and Name for each category.

- PublicFAQSearch

By using this operation is possible to perform a FAQ search for the public FAQ items using the same search parameters as in the public web interface. It will return a list of IDs for matched FAQ items.

- PublicFAQGet

This operation can be used to easily obtain one or more FAQ items. The response will one or more main containers called 'FAQItem' that has all the FAQ item information, including attachments, each attachment is represented by an 'Attachment' sub-containers and they could be more than one.

11.3.18. Dynamic Fields for FAQ

Basic Dynamic Fields (Text, TextArea, Checkbox, Dropdown, Multiselect, Date and Date/Time) has been implemented for FAQ items. Its creation, behavior and configuration is similar to the Dynamic Fields for Ticket.

Already created Dynamic Fields can not be used for FAQ, new Dynamic Fields for FAQ (exclusively) has to be created (Same as Ticket and Article Dynamic Fields).

Dynamic Fields extend FAQ by adding multiple options to store and present information on FAQ Items, beyond the normal fields (e.g. Symptom, Problem, Solution, etc.).

11.4. Использование

This functionality use default system groups:

- All users are able to:
 - Use FAQ Explorer.

- Add, Edit, Delete, Zoom, Print and Link FAQ Articles.
- Use FAQ Journal.
- Use FAQ Search.
- admin.

Users in this group are able to:

- Add, Edit and Delete FAQ Categories.
- Add, Edit and Delete FAQ Languages.
- users.

Users in this group are able to:

- Approve FAQ Articles.

Note

The group to approve FAQ Articles can be changed using SysConfig.

All users regardless of their group membership will have a new menu called "FAQ" in the navigation bar that is in the top of the screen (after re-login), similar to the "Ticket" menu.

11.4.1. Create A New FAQ Article

This example shows how to create a new FAQ article.

1. From the Navigation Bar, click on "FAQ" and then on "New" (from the opened FAQ menu option).
2. Fill the required information.

There are three possible FAQ states: "internal": only agents can see the FAQ article, "external": agents and registered customer can see the FAQ article and "public": this FAQ articles are accessible from the OTRS public interface.

By default the system has the Category "Misc" and the Languages "en" for English and "de" for German. (more Categories and Languages can be added to the system).

On a clean system there are four multiple line fields (with other two more than can be added if needed), their names and visibility can be changed in the system configuration.

3. Click on the "Create" button.

This will create a new FAQ article that can be accessed from the FAQ Explorer

Note

By default the FAQ article does not need an approval procedure, if this functionality is enabled and the user is also a member of the FAQ Approval group, a selection to set the approval state is also shown in this screen.

11.4.2. Create a New Category

This example shows how to create a new FAQ category.

Note

Be sure that the logged user is a member of "admin" group.

1. From FAQ menu click on "Category Management".

A list of available categories is shown (from there is also possible to edit or delete them)

2. Click on "Add Category" from the Actions side bar.


3. Fill the required information.

Notice that a category can be a sub item from a wider category, this is helpful to organize FAQ articles in a hierarchical way (this hierarchies can be drilled down from the FAQ Explorer).


4. Click on "Submit" button, and the new category will be ready to use.

11.4.3. Related Articles (This might be helpful during the customer ticket creation)

A new widget in the customer ticket creation will be visible. The widget should help the customer to get directly a helpful solution without a ticket creation. The user must type a subject or text to get a list of helpful resources.




For the output of the helpful article list all external and public FAQ article will be considered (but only FAQ article with the default language or the user language).



11.4.4. Related Articles (This might be helpful during the agent ticket creation)

A widget in the agent ticket phone and email creation will be visible. The widget should help the agent to get directly a helpful solution for the current situation. The agent must type a subject or text to get a list of helpful resources.

For the output of the helpful article list all internal, external and public FAQ article will be considered (but only FAQ article with the default language or the user language).



11.4.5. Collection/Sorting for the related (helpful) articles

For the related FAQ article collection the insert content in the subject and text will be used. After every whitespace (for the subject only after 10 characters or if already some text in the text field exists) a check in the background collect possible new helpful FAQ article for the list. The keywords (every single word) from the insert subject and text will be compared with all keywords from the FAQ articles and all matched articles will be added to the result list. The matched articles will be ordered with a keyword quantifier, the last change time and the create time.

The occurrence of the words in the text and title will be counted and the quantifier will be calculated with the defined keywords in the FAQ articles. If the word is a keyword in a FAQ article the quantifier for this FAQ article will be increased (word counter + current FAQ article quantifier). Here is a example for the related FAQ article ordering:

```

We have some FAQ Article with the following keywords:
- FAQArticle 1 with keywords: 'itsm', 'changemanagement', 'ticket'
- FAQArticle 2 with keywords: 'itsm', 'changemanagement'
- FAQArticle 3 with keywords: 'ticket'
Some example words from the subject and text (with a counter for the occur in the
subject and text):
- changemanagement (5)
- ticket (4)
- itsm (1)
Result for the collection (FAQArticleID => Calculated Quantifier):
- FAQArticle 1 => 11 - ( changemanagement (5) + ticket (4) + itsm (1) = Quantifier
(11) )
- FAQArticle 2 => 6 - ( changemanagement (5) + itsm (1) = Quantifier (6) )
- FAQArticle 3 => 4 - ( ticket (4) = Quantifier (4) )

```

If two articles have the same keyword quantifier the last change time and create time will also be used for the sorting.

To provide good helpful FAQ article for the ticket creation, you need good maintained keywords in the FAQ articles.

12. Share Search Templates

12.1. Описание

This functionality allows agent users to share their own search templates with all agents.

12.2. Настройка Системы

Настройка Системы

```
Ticket::Frontend::AgentTicketSearch###GlobalProfileGroup
```

```
Navigation: Frontend::Agent::View::TicketSearch
```

Defines the groups whose agents can set up global search templates.


12.3. Использование

12.3.1. AgentTicketSearch - Add share search profile

Switch to the ticket search area (AgentTicketSearch). Now select a name for your search template and press "Add". You can then configure the search parameters as usual.

You will now also see the new option "Deploy template for each agent". If this option is set and you then perform your search, your search template is then available for every other agent.

Figure 6.100. Deploy template for each agent



The screenshot shows the 'Search' configuration page in OTRS. At the top, there is a title bar with 'Search' and a close button. Below this, the 'Templates' section contains a 'Search template:' dropdown menu currently set to 'Shared Template'. To the right of the dropdown are three buttons: 'Create New', 'Delete', and 'Profile link'. Below the dropdown is a checkbox labeled 'Deploy template for each agent:' which is currently unchecked. The 'Filters in use' section has a 'Fulltext:' input field with a search icon on the right. The 'Additional filters' section includes an 'Add another attribute:' input field and an 'Output:' dropdown menu set to 'Normal'. At the bottom of the form is a 'Run search' button with a magnifying glass icon.

Groups can be defined using the SysConfig option "Ticket::Frontend::AgentTicketSearch####GlobalProfileGroup". Only agents in these groups can create "Global" search templates.

Global search templates can only be revoked by the agent who created the template.

Chapter 7. Настройка Производительности

Ниже представлен перечень различных техник, которые можно использовать для получения максимально возможной производительности системы OTRS: настройка, кодирование, использование памяти и многое другое.

1. OTRS

Есть несколько возможных вариантов улучшения производительности OTRS.

1.1. TicketIndexModule

Есть два типа модулей для индексирования заявок в обзоре очередей:

```
Kernel::System::Ticket::IndexAccelerator::RuntimeDB
```

This is the default option, and will generate each queue view on the fly from the ticket table. You will not have performance trouble until you have about 60,000 open tickets in your system.

```
Kernel::System::Ticket::IndexAccelerator::StaticDB
```

The most powerful module, should be used when you have above 80,000 open tickets. It uses an extra `ticket_index` table, which will be populated with keywords based on ticket data. Use `bin/otrs.Console.pl Maint::Ticket::QueueIndexRebuild` for generating an initial index after switching backends.

You can change the used `IndexAccelerator` module via `SysConfig`.

1.2. Ticket Search Index

OTRS uses a special search index to perform full-text searches across fields in articles from different communication channels.

To create an initial index, use `bin/otrs.Console.pl Maint::Ticket::FulltextIndex --rebuild`.

Note

Actual article indexing happens via an OTRS daemon job in the background. While articles which were just added in the system are marked for indexing immediately, it could happen their index is available within a few minutes.

There are some options available for fine tuning the search index:

```
Ticket::SearchIndex::IndexArchivedTickets
```

Defines if archived tickets will be included in the search index (off by default). This is advisable to keep the index small on large systems with archived tickets. If this is turned off, archived tickets will not be found by full-text searches.

```
Ticket::SearchIndex::Attribute
```

The attribute `WordCountMax` defines the maximum number of words which will be processed to build up the index. For example only the first 1000 words of an arti-

cle body are stored in the article search index. The attributes `WordLengthMin` and `WordLengthMax` are used as word length boundaries. Only words with a length between these two values are stored in the article search index.

`Ticket::SearchIndex::Filters`

There are three default filters defined:

- The first filter strips out special chars like: `, & < > ? " ! * | ; [] () + $ ^=`
- The second filter strips out words which begin or ends with one of following chars: `' : .`
- The third filter strips out words which do not contain a word-character: `a-z, A-Z, 0-9, _`

`Ticket::SearchIndex::StopWords`

There are so-called stop-words defined for some languages. These stop-words will be skipped while creating the search index.

1.3. Article Storage (Email, Phone and Internal Articles)

There are two different backend modules for the article storage of phone, email and internal articles (configured via `Ticket::Article::Backend::MIMEBase::ArticleStorage`):

`Kernel::System::Ticket::Article::Backend::MIMEBase::ArticleStorageDB`

This default module will store attachments in the database.

Note

Don't use it with large setups.

Pro: works with multiple front end servers.

Con: requires much storage space in the database.

`Kernel::System::Ticket::Article::Backend::MIMEBase::ArticleStorageFS`

Use this module to store attachments on the local file system.

Note

Recommended for large setups.

Pro: Это быстро!

Con: If you have multiple front end servers, you must make sure the file system is shared between the servers. Place it on an NFS share or preferably a SAN or similar solution.

Note

You can switch from one back-end to the other on the fly. You can switch the back-end in the `SysConfig`, and then run the command line utility `bin/otrs.Console.pl Admin::Article::StorageSwitch` to put the articles from the database onto the

filesystem or the other way around. You can use the `--target` option to specify the target backend. Please note that the entire process can take considerable time to run, depending on the number of articles you have and the available CPU power and/or network capacity.

```
shell> bin/otrs.Console.pl Admin::Article::StorageSwitch --target ArticleStorageFS
```

Сценарий Переключение хранилища данных с базы данных на файловую систему.

If you want to keep old attachments in the database, you can activate the SysConfig option `Ticket::Article::Backend::MIMEBase::CheckAllStorageBackends` to make sure OTRS will still find them.

1.4. Архивирование Заявок

Поскольку OTRS может использоваться в качестве системы аудита доказательств, то удаление закрытых заявок не очень хорошая идея. Именно по этому мы реализовали функцию архивирования заявок.

Заявки, которые удовлетворяют определенным критериям, могут быть отмечены как "архивированные". При обычном поиске заявок или при поиске заявок с помощью задания Generic Agent, они будут недоступны. Сама собой система не будет иметь дела с огромным количеством заявок, до тех пор, пока не понадобится обратиться к "очень старой" заявке. Это приводит к огромному приросту производительности на больших системах.

Для использования функции архивации выполните следующие действия:

1. Включение архивирования системы в SysConfig

В Панели Администрирования перейдите в SysConfig и выберите группу Заявка. В `Core::Ticket` найдите опцию `Ticket::ArchiveSystem`, по умолчанию установленную в значение "нет". Измените значение этой настройки на "да" и сохраните изменения.

2. Определение работы GenericAgent

В Панели Администратора выберите GenericAgent и добавьте новое задание (работу).

a. Настройки Задания

Введите имя для работы архивирования, и выберите надлежащие опции для планирования этой работы.

b. Ticket Filter

Фильтр заявок производит поиск заявок, которые отвечают выбранным критериям. Хорошей идеей будет заархивировать закрытые заявки, которые были закрыты за несколько месяцев до этого.

c. Действия над заявками

В этой части установите поле "Архивировать выбранные заявки" в "архив заявок".

d. Сохранить работу

В конце страницы у вас будет возможность сохранить работу (задание).

е. Обработанные заявки

Система отобразит все заявки, которые будут заархивированы при выполнении задания Generic Agent-ом.

3. Поиск Заявок

При поиске заявок, система по умолчанию производит поиск среди не архивированных заявок. Установите критерий поиска "поиск в архивах", если нужно чтобы поиск происходил также и в архивированных заявках.

1.5. Кэш

OTRS caches a lot of temporary data in `/opt/otrs/var/tmp`. Please make sure that this uses a high performance file system/storage. If you have enough RAM, you can also try to put this directory on a ramdisk like this:

```
shell> /opt/otrs/bin/otrs.Console.pl Maint::Session::DeleteAll
shell> /opt/otrs/bin/otrs.Console.pl Maint::Cache::Delete
shell> sudo mount -o size=16G -t tmpfs none /opt/otrs/var/tmp
```

добавить постоянную точку монтирования в `/etc/fstab`

Note

Please note that this will be a non-permanent storage that will be lost on server reboot. All your sessions (if you store them in the filesystem) and your cache data will be lost.

There is also a centralized memcached based cache backend available for purchase from OTRS Group.

2. База данных

Решения зависят от используемой базы данных. Изучайте документацию к используемой базе данных или же обратитесь за помощью к администратору.

2.1. MySQL

Если для MySQL-таблиц используется MyISAM (а по умолчанию так и есть) и из таблицы была удалена большая часть данных, или же производилось множество действий над таблицей, которая содержит строки переменной длины (таблицы, которые содержат поля типов VARCHAR, BLOB или TEXT), то нужно дефрагментировать файл (таблицу), или другими словами выполнить команду "оптимизировать".

Нужно попытаться сделать это, если сервер `mysqld` использует много процессорного времени. Оптимизация таблиц `ticket_history` и `article` (см Сценарий ниже).

```
shell> mysql -u user -p database
mysql> optimize table ticket;
mysql> optimize table ticket_history;
mysql> optimize table article;
```

Сценарий: Оптимизация таблиц базы данных.

2.2. PostgreSQL


PostgreSQL лучше настраивается путем изменений в файле `postgresql.conf`, который находится в директории с установленным PostgreSQL. За советом, как это сделать, обратитесь к следующим статьям:

- <http://www.revsys.com/writings/postgresql-performance.html>
- <http://varlena.com/GeneralBits/Tidbits/perf.html>
- http://varlena.com/GeneralBits/Tidbits/annotated_conf_e.html

If performance is still not satisfactory, we suggest that you join the PostgreSQL Performance mailing list (<http://www.postgresql.org/community/lists/>), and ask questions there. The folks on the PostgreSQL list are very friendly and can probably help.

3. Web Server

OTRS comes with a built-in web server that is correctly preconfigured for many production use cases. Please see the file `Kernel/WebApp.conf` for further tuning possibilities in high-load environments, where for example the number of active worker processes needs to be increased.



Appendix A. Дополнительные ресурсы

otrs.com

The OTRS website with source code, documentation and news is available at www.otrs.com. Here you can also find information about professional services and OTRS Administrator training seminars from OTRS Group, the creator of OTRS.

Почтовые рассылки

Table A.1. Почтовые рассылки

Name & URL	Описание
announce@otrs.org	Низкий трафик, на английском языке, для объявлений о новых релизах OTRS и решениях о безопасности.
otrs@otrs.org	От среднего до высокого объема трафика, на английском языке, где вы можете найти все виды вопросов, касающихся поддержки и продукта.
otrs-de@otrs.org	От среднего до высокого объема трафика, на немецком языке, где вы можете найти все виды вопросов, касающихся поддержки и продукта.
dev@otrs.org	Средний трафик на английском языке, где OTRS-разработчики обсуждают различные планы и вопросы реализации.


Перевод

Вы можете помочь перевести OTRS на ваш язык через [Transifex](#).

Трекинг ошибок

To report software defects, please visit <http://bugs.otrs.org/> (see figure below). Please take note of the difference between a bug and a configuration issue. Configuration issues are problems that you encounter when setting a system, or general questions regarding the use of OTRS. Bug reports should only be used for issues with the source code of OTRS or other open source OTRS modules itself. For configuration issues, you should either use the [commercial support, available from OTRS](#), or the public mailing lists.

Figure A.1. Инструмент отслеживания информации об ошибках



The screenshot shows the OTRS Portal interface for bug tracking. At the top right, the OTRS logo and 'OTRS Portal' text are visible. Below this is a navigation bar with links: Home, New, Browse, Search, Reports, New Account, Log In, and Forgot Password. The main heading reads 'Welcome to the OTRS bugtracker'. Below the heading are four circular icons with labels: 'File a Bug' (bug icon), 'Search' (magnifying glass icon), 'Open a New Account' (gear icon), and 'Documentation' (book icon). A search input field is present with the placeholder text 'Enter a bug # or some search terms'. Below the search field is a 'Common Queries' section with two links: 'Bugs reported in the last 24 hours' and 'last 7 days', and 'Bugs changed in the last 24 hours' and 'last 7 days'. At the bottom of the page, a secondary navigation bar contains the same links as the top bar.

Appendix B. Справочник опций конфигурации

1. CloudService

CloudServices::Disabled

Defines if the communication between this system and OTRS Group servers that provide cloud services is possible. If set to 'Disable cloud services', some functionality will be lost such as system registration, support data sending, upgrading to and use of OTRS Business Solution™, OTRS Verify™, OTRS News and product News dashboard widgets, among others.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

2. CloudService → Admin → ModuleRegistration

CloudService::Admin::Module###200-SMS

Регистрация модуля администрирования облачных сервисов для транспортного уровня.

Значение по умолчанию:

```
---  
ConfigDialog: AdminCloudServiceSMS  
Description: This will allow the system to send text messages via SMS.  
Icon: fa fa-mobile  
Name: SMS
```

3. Core

ConfigImportAllowed

Управляет возможностью для администратора загружать сохраненную конфигурацию системы в SysConfig.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DemoSystem

Runs the system in "Demo" mode. If enabled, agents can change preferences, such as selection of language and theme via the agent web interface. These changes are only valid for the current session. It will not be possible for agents to change their passwords.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

FQDN

Задаёт полный доменный адрес системы. Он используется в качестве тэга OTRS_CONFIG_FQDN при написании текстов сообщений для ссылки на заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- yourhost.example.com

Organization

Имя Компании, включаемое в исходящее письмо как X-Header.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Example Company

ProductName

Имя приложения, показываемое в веб - интерфейсе, вкладке и заголовке браузера.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- OTRS 7

Secure::DisableBanner

If enabled, the OTRS version tag will be removed from the Webinterface, the HTTP headers and the X-Headers of outgoing mails. NOTE: If you change this option, please make sure to delete the cache.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

SystemID

Задаёт идентификатор системы. Каждый номер заявки и http-сеанса содержит его. Это даёт уверенность в том, что заявки только вашей системы будут обработаны как ответы (дополнения) (может быть полезно при связи между двумя установками OTRS).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '10'

4. Core → AppointmentCalendar

AgentAppointmentEdit::Location::Link###1-GoogleMaps

Задаёт иконку со ссылкой на страницу текущего местоположения в Google Map на экране редактирования мероприятий.

Значение по умолчанию:

```
---  
CSSClass: GoogleMaps  
IconName: fa-globe fa-lg  
Target: _blank  
Text: Location  
URL: http://maps.google.com/maps?z=7&q=
```

AppointmentCalendar::CalendarColors

Список цветов в шестнадцатеричном RGB доступных для выбора при создании календаря. Убедитесь при выборе, что цвет фона достаточно темный, чтобы белый текст был на нем виден/читаем.

Значение по умолчанию:

```
---  
- '#000000'  
- '#1E1E1E'  
- '#3A3A3A'  
- '#545453'  
- '#6E6E6E'  
- '#878687'  
- '#888787'  
- '#A09FA0'  
- '#B8B8B8'  
- '#D0D0D0'  
- '#E8E8E8'  
- '#FFFFFF'  
- '#891100'  
- '#894800'  
- '#888501'  
- '#458401'  
- '#028401'  
- '#018448'  
- '#008688'  
- '#004A88'  
- '#001888'  
- '#491A88'  
- '#891E88'  
- '#891648'  
- '#FF2101'  
- '#FF8802'  
- '#FFFA03'  
- '#83F902'  
- '#05F802'  
- '#03F987'  
- '#00FDFF'  
- '#008CFF'  
- '#002EFF'  
- '#8931FF'  
- '#FF39FF'  
- '#FF2987'  
- '#FF726E'  
- '#FFCE6E'  
- '#FFFB6D'  
- '#CEFA6E'  
- '#68F96E'  
- '#68FDFF'  
- '#68FBD0'  
- '#6ACFFF'
```

```
- '#6E76FF'
- '#D278FF'
- '#FF7AFF'
- '#FF7FD3'
```

AppointmentCalendar::CalendarLimitOverview

Максимальное количество активных календарей на экранах обзора. Помните, что большое число активных календарей может оказать влияние на производительность сервера, делая слишком много одновременных вызовов.

Значение по умолчанию:

```
--- '10'
```

AppointmentCalendar::Import::RecurringMonthsLimit

OTRS doesn't support recurring Appointments without end date or number of iterations. During import process, it might happen that ICS file contains such Appointments. Instead, system creates all Appointments in the past, plus Appointments for the next N months (120 months/10 years by default).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '120'
```

5. Core → AppointmentCalendar → Plugin

AppointmentCalendar::Plugin###0100-Ticket

Задаёт плагин обработки заявок для мероприятий календаря.

Значение по умолчанию:

```
---
Module: Kernel::System::Calendar::Plugin::Ticket
Name: Ticket
URL: <OTRS_CONFIG_HttpType>://<OTRS_CONFIG_FQDN>/<OTRS_CONFIG_ScriptAlias>index.pl?
Action=AgentTicketZoom;TicketID=%s
```

6. Core → AppointmentCalendar → TicketAppointments

AppointmentCalendar::TicketAppointmentSearchParam

Задаёт перечень атрибутов, которые могут использоваться при поиске заявок.

Значение по умолчанию:

```
---
CustomerID: CustomerID
CustomerUserLogin: Customer user
Locks: Lock state
MIMEBase_AttachmentName: Attachment Name
MIMEBase_Body: Body
MIMEBase_Cc: Cc
MIMEBase_From: From
```

```
MIMEBase_Subject: Subject
MIMEBase_To: To
OwnerIDs: Owner
Priorities: Priority
ResponsibleIDs: Responsible
SLAs: SLA
Services: Service
StateType: State type
States: State
Title: Title
Types: Type
```

AppointmentCalendar::TicketAppointmentType###0100-FirstResponseTime

Задает модуль обработки для мероприятий заявки по ticket escalation time.

Значение по умолчанию:

```
---
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|TicketCreate|ArticleCreate
Key: FirstResponseTime
Mark: E
Module: Kernel::System::Calendar::Ticket::EscalationTime
Name: First response time
```

AppointmentCalendar::TicketAppointmentType###0200-UpdateTime

Задает модуль обработки для мероприятий заявки по ticket escalation time.

Значение по умолчанию:

```
---
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|TicketCreate|ArticleCreate
Key: UpdateTime
Mark: E
Module: Kernel::System::Calendar::Ticket::EscalationTime
Name: Update time
```

AppointmentCalendar::TicketAppointmentType###0300-SolutionTime

Задает модуль обработки для мероприятий заявки по ticket escalation time.

Значение по умолчанию:

```
---
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|TicketCreate|ArticleCreate
Key: SolutionTime
Mark: E
Module: Kernel::System::Calendar::Ticket::EscalationTime
Name: Solution time
```

AppointmentCalendar::TicketAppointmentType###0400-PendingTime

Задает модуль обработки для мероприятий заявки по ticket pending time.

Значение по умолчанию:

```
---
Event: TicketPendingTimeUpdate
Key: PendingTime
Mark: P
Module: Kernel::System::Calendar::Ticket::PendingTime
Name: Pending time
```

AppointmentCalendar::TicketAppointmentType###0500-DynamicField

Задает модуль обработки для мероприятий заявки для динамических полей типа дата/время / date time.

Значение по умолчанию:

```
---  
Event: TicketDynamicFieldUpdate_.*  
Key: DynamicField_%s  
Mark: D  
Module: Kernel::System::Calendar::Ticket::DynamicField  
Name: DynamicField_%s
```

7. Core → Auth → Agent → TwoFactor

AuthTwoFactorModule

Задает модуль для двухфакторной аутентификации агентов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- Kernel::System::Auth::TwoFactor::GoogleAuthenticator
```

AuthTwoFactorModule::AllowEmptySecret

Задает возможность входа для агента, если для него не задан секретный ключ хранимый в его личных настройках, т.е. не используется двух-факторная аутентификация.

Значение по умолчанию:

```
--- '1'
```

AuthTwoFactorModule::AllowPreviousToken

Определяет, должен ли предыдущий правильный token должен быть принят для проверки подлинности. Это немного менее безопасно, но дает пользователям на 30 секунд больше времени для ввода их одноразового пароля.

Значение по умолчанию:

```
--- '1'
```

AuthTwoFactorModule::SecretPreferencesKey

Задает ключ личных настроек агента в котором хранится общий секретный ключ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- UserGoogleAuthenticatorSecretKey
```

8. Core → Auth → Customer

Customer::AuthModule

Задает модуль аутентификации клиентов

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::CustomerAuth::DB
```

Customer::AuthModule::DB::CryptType

If "DB" was selected for Customer::AuthModule, the encryption type of passwords must be specified.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- sha2
```

Customer::AuthModule::DB::CustomerKey

Если "DB" выбрано для Customer::AuthModule, имя колонки для CustomerKey в таблице клиентов должно быть задано.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- login
```

Customer::AuthModule::DB::CustomerPassword

Если "DB" выбрано для Customer::AuthModule, имя колонки для CustomerPassword (пароль клиента) в таблице клиентов должно быть указано.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- pw
```

Customer::AuthModule::DB::DSN

Если "DB" выбрано для Customer::AuthModule, имя файла для доступа к таблице клиентов должно быть указано.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- DBI:mysql:database=customerdb;host=customerdbhost
```

Customer::AuthModule::DB::Password

Если "DB" выбрано для Customer::AuthModule, пароль для доступа к таблице клиентов должен быть указан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- some_password
```

Customer::AuthModule::DB::Table

Если "DB" выбрано для Customer::AuthModule, имя таблицы где будут храниться данные клиентов должно быть задано.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- customer_user
```

Customer::AuthModule::DB::Type

Если "DB" выбрано для Customer::AuthModule, драйвер СУБД (обычно используется автоопределение) должен быть задан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- mysql
```

Customer::AuthModule::DB::User

Если "DB" выбрано для Customer::AuthModule, имя пользователя для доступа к таблице клиентов должно быть указано.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- some_user
```

Customer::AuthModule::DB::bcryptCost

If "bcrypt" was selected for CryptType, use cost specified here for bcrypt hashing. Currently max. supported cost value is 31.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '12'
```

Customer::AuthModule::HTTPBasicAuth::Replace

Если "HTTPBasicAuth" было выбрано для Customer::AuthModule, вы можете задать удаление части имени пользователя (т.е. для домена типа example_domain\user получится user).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- example_domain\\
```

Customer::AuthModule::HTTPBasicAuth::ReplaceRegExp

Если "HTTPBasicAuth" было выбрано для Customer::AuthModule, вы можете задать (используя RegExp) удаление части REMOTE_USER (т.е. для удаления имени домена). RegExp-Note, \$1 будет новый Login.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ^(.+?)@.+?$
```

Customer::AuthModule::LDAP::AccessAttr

Если "LDAP" было выбрано для Customer::AuthModule, вы можете задать атрибуты доступа здесь.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- memberUid
```

Customer::AuthModule::LDAP::AlwaysFilter

Если "LDAP" было выбрано, вы можете добавить фильтр для каждого LDAP запроса, например (mail=*), (objectclass=user) или (!objectclass=computer).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- (!objectclass=computer)
```

Customer::AuthModule::LDAP::BaseDN

Если "LDAP" было выбрано для Customer::AuthModule, BaseDN должен быть указан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- dc=example,dc=com
```

Customer::AuthModule::LDAP::Die

Если "LDAP" было выбрано для Customer::AuthModule, вы можете задать должно ли приложение быть остановлено если, например, соединение с сервером не может быть установлено из-за проблем с сетью.

Значение по умолчанию:

```
--- '1'
```

Customer::AuthModule::LDAP::GroupDN

Если "LDAP" было выбрано для Customer::AuthModule, вы можете проверять позволено ли клиенту входить, т.к. он член posixGroup, например, пользователь должен быть в группе хуз длч работы в OTRS. Задайте группу, которая имеет доступ к системе.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- cn=otrsallow,ou=posixGroups,dc=example,dc=com
```

Customer::AuthModule::LDAP::Host

Если "LDAP" было выбрано для Customer::AuthModule, хост для LDAP должен быть указан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ldap.example.com
```

Customer::AuthModule::LDAP::Params

Если "LDAP" было выбрано для Customer::AuthModule и специальные параметры необходимы для Net::LDAP perl module, вы можете задать их здесь. См. "perldoc Net::LDAP" для дополнительной информации о параметрах.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
async: '0'  
port: '389'  
timeout: '120'  
version: '3'
```

Customer::AuthModule::LDAP::SearchUserDN

Если "LDAP" было выбрано для Customer::AuthModule и ваши пользователи имеют только анонимный доступ к LDAP, но вы желаете осуществлять поиск данных в нем, вы можете осуществить это с учетной записью пользователя, имеющего доступ к LDAP. Задайте его username такого пользователя здесь.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- cn=binduser,ou=users,dc=example,dc=com
```

Customer::AuthModule::LDAP::SearchUserPw

Если "LDAP" было выбрано для Customer::AuthModule и ваши пользователи имеют только анонимный доступ к LDAP, но вы желаете осуществлять поиск данных в нем, вы можете осуществить это с учетной записью пользователя, имеющего доступ к LDAP. Задайте пароль такого пользователя здесь.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- some_password
```

Customer::AuthModule::LDAP::UID

Если "LDAP" было выбрано для Customer::AuthModule, идентификатор пользователя должен быть указан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- uid
```

Customer::AuthModule::LDAP::UserAttr

Если "LDAP" было выбрано для Customer::AuthModule, атрибуты пользователя должны быть указаны. для LDAP posixGroups используйте UID, для не LDAP posixGroups используйте полный DN пользователя.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- UID
```

Customer::AuthModule::LDAP::UserSuffix

Если "LDAP" было выбрано для Customer::AuthModule и вы желаете добавить суффикс к каждому логину пользователя, задайте его здесь, т.е. вы хотите имя пользователя user, но в вашем LDAP существует user@domain.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '@domain.com'
```

Customer::AuthModule::Radius::Die

Если "Radius" было выбрано для Customer::AuthModule, вы можете указать, должно ли приложение быть остановлено, если, например, соединение с сервером не может быть установлено из-за проблем с сетью.

Значение по умолчанию:

```
--- '1'
```

Customer::AuthModule::Radius::Host

Если "Radius" выбрано для Customer::AuthModule, сервер radius должен быть задан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- radiushost
```

Customer::AuthModule::Radius::Password

Если "Radius" выбрано для Customer::AuthModule, пароль для аутентификации на сервере radius должен быть задан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- radiussecret
```

9. Core → Auth → Customer → TwoFactor

Customer::AuthTwoFactorModule

Задает модуль для двухфакторной аутентификации клиентов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- Kernel::System::CustomerAuth::TwoFactor::GoogleAuthenticator
```

Customer::AuthTwoFactorModule::AllowEmptySecret

Задает возможность входа для клиента, если для него не задан секретный ключ хранимый в его личных настройках, т.е. не используется двух-факторная аутентификация.

Значение по умолчанию:

```
--- '1'
```

Customer::AuthTwoFactorModule::AllowPreviousToken

Определяет, должен ли предыдущий правильный token должен быть принят для проверки подлинности. Это немного менее безопасно, но дает пользователям на 30 секунд больше времени для ввода их одноразового пароля.

Значение по умолчанию:

```
--- '1'
```

Customer::AuthTwoFactorModule::SecretPreferencesKey

Задает ключ личных настроек клиента в котором хранится общий секретный ключ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- UserGoogleAuthenticatorSecretKey
```

10. Core → Autoload

AutoloadPerlPackages###1000-Test

Example package autoload configuration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- Kernel::Autoload::Test
```

11. Core → Cache

Cache::InBackend

If enabled, the cache data will be stored in cache backend.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Cache::InMemory

If enabled, the cache data be held in memory.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Cache::Module

Выберите бэкэнд под кэш.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Cache::FileStorable
```

Cache::SubdirLevels

Задает количество уровней подкаталога для кэш файлов. параметр предотвращает от создания большого количества файлов в одном каталоге.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '2'

12. Core → Chat

ChatEngine::Active

Включить поддержку обсуждений/chat.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ChatEngine::ChatDecayTime

Number of days after chat will be deleted.

Значение по умолчанию:

--- '365'

ChatEngine::ChatDirection::AgentToAgent

Дает возможность начать обсуждение с агентом из интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatDirection::AgentToCustomer

Дает возможность начать обсуждение с клиентом из интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatDirection::CustomerToAgent

Makes it possible to start a chat with an agent from the external interface as authenticated user.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatDirection::PublicToAgent

Makes it possible to start a chat with an agent from the external interface as unauthenticated user.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatIntegration::VideoChatEnabled

Defines if the video and audio calling feature is enabled for integrated chat.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatOrder

Defines the order of chat windows.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::ChatTTL

Number of hours after closed chat will be deleted.

Значение по умолчанию:

--- '24'

ChatEngine::DefaultAgentName

Default agent name in the external interface. If enabled, the real name of the agent will not be visible to users while using the chat.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- Support Agent

ChatEngine::DefaultAgentNameNumbers

Defines if numbers should be appended to DefaultAgentName. If enabled, together with DefaultAgentName will be numbers (e.g. 1,2,3,...).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

ChatEngine::DefaultChatChannel

Name of default chat channel. If this channel does not exist, it will be created automatically. Please do not create a chat channel with the same name as default chat channel. The default channel won't be displayed, if chat channels are enabled in Customer interface and Public interface. All agent to agent chats will be in the default channel.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Default channel

ChatEngine::ExternalFrontend::AllowChatChannels

Defines if users in the external interface are able to select Chat Channel. If not, chat will be created in default Chat Channel.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

ChatEngine::ExternalFrontend::AvailabilityCheck

Allow users to select only channels that have available agent(s) in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

ChatEngine::ExternalFrontend::NoAnswerThreshold

Defines the period of time (in minutes) before no answer message is displayed to the users in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5'
```

ChatEngine::ExternalFrontend::VideoChatEnabled

Defines if the video and audio calling feature is enabled for users of the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

ChatEngine::PermissionGroup::ChatReceivingAgents

Группа агентов, которые могут принимать запросы на обсуждение и участвовать в них.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- users
```

ChatEngine::PermissionGroup::ChatStartingAgents

Группы агентов, которые могут создавать запросы на обсуждение.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- users
```

ChatEngine::PermissionGroup::VideoChatAgents

Agent group that can use video calling feature in chats.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- users

Ticket::Agent::DisplayNotificationIfUnavailable

If enabled, a notification will be displayed on each page if the current agent is not available for chat.

Значение по умолчанию:

--- '1'

Ticket::Agent::StartChatFromTicket###AllowChatOnlyIfCustomerAvailable

If enabled, starting a chat from agent ticket zoom view will only be possible, if the ticket customer is on-line.

Значение по умолчанию:

--- '1'

Ticket::Agent::StartChatFromTicket###Allowed

Sets if a chat request can be sent out from agent ticket zoom view.

Значение по умолчанию:

--- '1'

Ticket::Agent::StartChatFromTicket###PermissionLevel

Permission level to start a chat with customer from agent ticket zoom view.

Значение по умолчанию:

--- 0

Ticket::Agent::StartChatFromTicket###RequiredLock

Defines if locking a ticket is required to start a chat with the customer from the ticket zoom view.

Значение по умолчанию:

--- 0

Ticket::Agent::StartChatWOTicket

If enabled, agents can start a chat with a customer without a ticket.

Значение по умолчанию:

--- '1'

Ticket::Agent::UnavailableForExternalChatsOnLogin

If enabled it will check agents availability on login. If user is available for external chats, it will reduce availability to internal chats only.

Значение по умолчанию:

```
--- '1'
```

13. Core → CommunicationChannel

CommunicationChannel###Chat

Defines chat communication channel.

Значение по умолчанию:

```
---  
Description: Chat communication channel.  
Icon: fa-comment  
Module: Kernel::System::CommunicationChannel::Chat  
Name: Chat
```

CommunicationChannel###Email

Defines email communication channel.

Значение по умолчанию:

```
---  
Description: Email communication channel.  
Icon: fa-envelope  
Module: Kernel::System::CommunicationChannel::Email  
Name: Email
```

CommunicationChannel###Internal

Defines internal communication channel.

Значение по умолчанию:

```
---  
Description: Internal communication channel.  
Icon: fa-cloud  
Module: Kernel::System::CommunicationChannel::Internal  
Name: OTRS
```

CommunicationChannel###Phone

Defines phone communication channel.

Значение по умолчанию:

```
---  
Description: Phone communication channel.  
Icon: fa-phone  
Module: Kernel::System::CommunicationChannel::Phone  
Name: Phone
```

CommunicationChannel###SMS

Defines SMS communication channel.

Значение по умолчанию:

```
---  
Description: SMS communication channel.  
Icon: fa-mobile  
Module: Kernel::System::CommunicationChannel::SMS  
Name: SMS
```

14. Core → CommunicationChannel → MIMEBase

Ticket::Article::Backend::MIMEBase::ArticleDataDir

Задает каталог для сохранения данных, если "FS" выбрано в ArticleStorage.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/article
```

Ticket::Article::Backend::MIMEBase::ArticleStorage

Сохраняет вложения из сообщений/заметок. "DB" - сохраняет их в БД (не рекомендуется для больших вложений). "FS" - сохраняет данные в файловой системе; это быстрее, но веб-сервер должен запускаться от имени пользователя OTRS. Вы можете переключать это значение в процессе работы без потери данных. Примечание: Поиск по именам вложений не поддерживается при использовании "FS".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Ticket::Article::Backend::MIMEBase::ArticleStorageDB
```

Ticket::Article::Backend::MIMEBase::CheckAllStorageBackends

Определяет, должны ли все виды хранилищ проверяться при просмотре вложений. Это необходимо лишь в случае, когда часть вложений хранится в файловой системе, а остальные в базе данных.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Article::Backend::MIMEBase::IndexAttachmentNames

Определяет, будут ли вложения сообщений (MIMEBase) проиндексированы и доступны для поиска.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

15. Core → CommunicationLog

CommunicationLog::PurgeAfterHours::AllCommunications

Defines the number of hours a communication will be stored, whichever its status.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '744'
```

CommunicationLog::PurgeAfterHours::SuccessfulCommunications

Defines the number of hours a successful communication will be stored.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '168'
```

CommunicationLog::Transport###CloudService

Registers a log module, that can be used to log communication related information.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::CommunicationLog::Transport::CloudService  
Name: CloudService
```

CommunicationLog::Transport###Email

Registers a log module, that can be used to log communication related information.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::CommunicationLog::Transport::Email  
Name: Email
```

16. Core → Crypt → PGP

PGP

Включает поддержку PGP, когда она включается для возможности подписи и дешифровки почты, настоятельно рекомендуется, чтобы веб-сервер запускался от имени пользователя OTRS. Иначе, возможны проблемы с привилегиями при доступе к папке .gnupg.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

PGP::Bin

Задаёт путь к PGP binary.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /usr/bin/gpg
```

PGP::Key::Password

Устанавливает пароль для частного ключа PGP.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
488A0B8F: SomePassword  
D2DF79FA: SomePassword
```

PGP::Log

Настроить свой собственный текст журнала для PGP.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
BADSIG: The PGP signature with the keyid has not been verified successfully.  
ERRSIG: It was not possible to check the PGP signature, this may be caused by a missing  
public key or an unsupported algorithm.  
EXPKEYSIG: The PGP signature was made by an expired key.  
GOODSIG: Good PGP signature.  
KEYREVOKED: The PGP signature was made by a revoked key, this could mean that the  
signature is forged.  
NODATA: No valid OpenPGP data found.  
NO_PUBKEY: No public key found.  
REVKEYSIG: The PGP signature was made by a revoked key, this could mean that the  
signature  
is forged.  
SIGEXPIRED: The PGP signature is expired.  
SIG_ID: Signature data.  
TRUST_UNDEFINED: This key is not certified with a trusted signature!.  
VALIDSIG: The PGP signature with the keyid is good.
```

PGP::Method

Sets the method PGP will use to sign and encrypt emails. Note Inline method is not compatible with RichText messages.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Detached
```

PGP::Options

Задаёт настройки для модуля PGP.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- --homedir /opt/otrs/.gnupg/ --batch --no-tty --yes
```

PGP::Options::DigestPreference

Sets the preferred digest to be used for PGP binary.

Значение по умолчанию:

```
--- sha256
```

PGP::TrustedNetwork

Enable this if you trust in all your public and private pgp keys, even if they are not certified with a trusted signature.

Значение по умолчанию:

```
--- 0
```

17. Core → Crypt → SMIME

SMIME

Включить поддержку S/MIME

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

SMIME::Bin

Задаёт путь к ssl binary. Может понадобиться переменная HOME - ($\$ENV\{HOME}$ = '/var/lib/wwwrun';).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /usr/bin/openssl
```

SMIME::CacheTTL

Cache time, в сек, для SSL certificate атрибутов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '86400'
```

SMIME::CertPath

Задаёт каталог для хранения SSL сертификатов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /etc/ssl/certs
```

SMIME::FetchFromCustomer

Enables fetch S/MIME from CustomerUser backend support.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

SMIME::PrivatePath

Задаёт каталог для хранения частных SSL сертификатов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:


```
--- /etc/ssl/private
```

18. Core → Customer

Customer::DefaultUserID

Defines the (agent) user identifier for actions triggered by customers.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

CustomerDisableCompanyTicketAccess

Этот параметр запрещает доступ к заявкам Компании клиента, которые не созданы этим клиентом.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

CustomerGroupAlwaysGroups

Задает список групп, в которые включаются все пользователи (если CustomerGroupSupport включена и вы не желаете делать это для каждого пользователя по отдельности).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- users
```

CustomerGroupCompanyAlwaysGroups

Задает список групп, в которые включаются все клиенты/компании (если CustomerGroupSupport включена и вы не желаете делать это для каждого клиента/компании по отдельности).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- users
```

CustomerGroupPermissionContext###001-CustomerID-same

Задает перечень прав для назначения группам клиентов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Description: Gives customer users group based access to tickets from customer users  
of the same customer (ticket CustomerID is a CustomerID of the customer user).  
Name: Same Customer  
Value: Ticket::CustomerID::Same
```

CustomerGroupPermissionContext###100-CustomerID-other

Задает перечень прав для назначения группам клиентов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Description: Provides customer users access to tickets even if the tickets are not  
  assigned to a customer user of the same customer ID(s), based on permission groups.  
Name: Other Customers  
Value: Ticket::CustomerID::Other
```

CustomerGroupSupport

Включить поддержку компаний и групп клиентов

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

CustomerPreferences

Задает параметры личных настроек для клиента

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::CustomerUser::Preferences::DB  
Params:  
  Table: customer_preferences  
  TableKey: preferences_key  
  TableUserID: user_id  
  TableValue: preferences_value
```

19. Core → DB → Mirror

Core::MirrorDB::AdditionalMirrors###1

Укажите любые дополнительные, доступные только для чтения зеркальные базы данных, которые желаете использовать.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
DSN: DBI:mysql:database=mirrordb;host=mirrordbhost  
Password: some_password  
User: some_user
```

Core::MirrorDB::AdditionalMirrors###2

Укажите любые дополнительные, доступные только для чтения зеркальные базы данных, которые желаете использовать.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
```

```
DSN: DBI:mysql:database=mirrordb;host=mirrordbhost  
Password: some_password  
User: some_user
```

Core::MirrorDB::AdditionalMirrors###3

Укажите любые дополнительные, доступные только для чтения зеркальные базы данных, которые желаете использовать.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
DSN: DBI:mysql:database=mirrordb;host=mirrordbhost  
Password: some_password  
User: some_user
```

Core::MirrorDB::AdditionalMirrors###4

Укажите любые дополнительные, доступные только для чтения зеркальные базы данных, которые желаете использовать.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
DSN: DBI:mysql:database=mirrordb;host=mirrordbhost  
Password: some_password  
User: some_user
```

Core::MirrorDB::AdditionalMirrors###5

Укажите любые дополнительные, доступные только для чтения зеркальные базы данных, которые желаете использовать.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
DSN: DBI:mysql:database=mirrordb;host=mirrordbhost  
Password: some_password  
User: some_user
```

Core::MirrorDB::DSN

OTRS может использовать одну или более зеркальных БД, в режиме только для чтения, для ресурсоёмких операций, типа полнотекстового поиска или генерации отчетов. Здесь вы можете указать имя/DSN для первой зеркальной БД.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- DBI:mysql:database=mirrordb;host=mirrordbhost
```

Core::MirrorDB::Password

Задайте пароль для аутентификации для первой зеркалируемой БД.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- some_password
```

Core::MirrorDB::User

Задайте имя пользователя для аутентификации в первой зеркалируемой БД.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- some_user
```

20. Core → DocumentSearch → Driver

DocumentSearch::Drivers::Appointment::Enabled

It controls availability for Appointment search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::ArticleChat::Enabled

It controls availability for ArticleChat search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::ArticleMIME::Enabled

It controls availability for ArticleMIME search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::ArticleSMS::Enabled

It controls availability for ArticleSMS search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::CustomPageContent::Enabled

It controls availability for Custom Page Content search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::FAQ::Enabled

It controls availability for FAQ search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::ServiceCatalogueContent::Enabled

It controls availability for Customer Service Catalogue Content search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

DocumentSearch::Drivers::Ticket::Enabled

It controls availability for Ticket search driver.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

21. Core → Draft

FormDraftTTL###Ticket

Defines time in minutes since last modification for drafts of specified type before they are considered expired.

Значение по умолчанию:

```
--- '10080'
```

22. Core → DynamicFields → Driver-Registration

DynamicFields::Driver###ActivityID

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldText  
DisabledAdd: '1'  
DisplayName: ActivityID  
Module: Kernel::System::DynamicField::Driver::ProcessManagement::ActivityID
```

DynamicFields::Driver###Checkbox

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldCheckbox  
DisplayName: Checkbox  
Module: Kernel::System::DynamicField::Driver::Checkbox
```

DynamicFields::Driver###ContactWithData

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldContactWithData  
DisplayName: Contact with data  
Module: Kernel::System::DynamicField::Driver::ContactWithData
```

DynamicFields::Driver###Date

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldDateTime  
DisplayName: Date  
Module: Kernel::System::DynamicField::Driver::Date
```

DynamicFields::Driver###DateTime

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldDateTime  
DisplayName: Date / Time  
Module: Kernel::System::DynamicField::Driver::DateTime
```

DynamicFields::Driver###Dropdown

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldDropdown  
DisplayName: Dropdown  
Module: Kernel::System::DynamicField::Driver::Dropdown
```

DynamicFields::Driver###Multiselect

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---  
ConfigDialog: AdminDynamicFieldMultiselect  
DisplayName: Multiselect  
ItemSeparator: ', '  
Module: Kernel::System::DynamicField::Driver::Multiselect
```

DynamicFields::Driver###ProcessID

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---
ConfigDialog: AdminDynamicFieldText
DisabledAdd: '1'
DisplayName: ProcessID
Module: Kernel::System::DynamicField::Driver::ProcessManagement::ProcessID
```

DynamicFields::Driver###Text

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---
ConfigDialog: AdminDynamicFieldText
DisplayName: Text
Module: Kernel::System::DynamicField::Driver::Text
```

DynamicFields::Driver###TextArea

Регистрация типов используемых динамических полей (dropdown, text, checkbox...).

Значение по умолчанию:

```
---
ConfigDialog: AdminDynamicFieldText
DisplayName: Textarea
Module: Kernel::System::DynamicField::Driver::TextArea
```

23. Core → DynamicFields → Object-TypeRegistration

DynamicFields::ObjectType###Article

Регистрация объектов для динамических полей (поле заявки или сообщения/заметки).

Значение по умолчанию:

```
---
DisplayName: Article
Module: Kernel::System::DynamicField::ObjectType::Article
Prio: '110'
```

DynamicFields::ObjectType###CustomerCompany

Регистрация объектов для динамических полей (поле заявки или сообщения/заметки).

Значение по умолчанию:

```
---
DisplayName: Customer
Module: Kernel::System::DynamicField::ObjectType::CustomerCompany
Prio: '120'
UseObjectName: '1'
```

DynamicFields::ObjectType###CustomerUser

Регистрация объектов для динамических полей (поле заявки или сообщения/заметки).

Значение по умолчанию:

```
---  
DisplayName: Customer User  
Module: Kernel::System::DynamicField::ObjectType::CustomerUser  
Prio: '130'  
UseObjectName: '1'
```

DynamicFields::ObjectType###FAQ

Регистрация объектов для динамических полей (поле заявки или сообщения/заметки).

Значение по умолчанию:

```
---  
DisplayName: FAQ  
Module: Kernel::System::DynamicField::ObjectType::FAQ  
Prio: '200'
```

DynamicFields::ObjectType###Ticket

Регистрация объектов для динамических полей (поле заявки или сообщения/заметки).

Значение по умолчанию:

```
---  
DisplayName: Ticket  
Module: Kernel::System::DynamicField::ObjectType::Ticket  
Prio: '100'
```

24. Core → Email

AdminEmail

Задаёт почтовый адрес системного администратора. Он будет отображаться в сообщениях об ошибках.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- support@<OTRS_CONFIG_FQDN>
```

CheckEmailAddresses

Включает проверку синтаксиса адреса электронной почты.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

CheckEmailInvalidAddress

Задать регулярное выражение для для фильтрации всех почтовых адресов, которые не будут использоваться в системе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '@(example)\.(..|...)$'
```

CheckEmailValidAddress

Задать регулярное выражение для исключения некоторых адресов из проверки правописания (если "CheckEmailAddresses" установлено в "Да"). Введите regex в это поле для почтовых адресов, которые синтаксически неверны, но необходимы в системе (напр. "root@localhost").

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ^(root@localhost|admin@localhost)$
```

CheckMXRecord

Включает проверку MX record почтовых адресов клиента до отправки почты или приема почтовой или телефонной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

CheckMXRecord::Nameserver

Задать адрес выделенного DNS сервера , если необходимо, для проверки "CheckMXRecord".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ns.example.com
```

Fetchmail::Bin

Задаёт путь к расположению модуля приема почты. Обратите внимание - имя модуля должно быть 'fetchmail', если оно отличается - используйте символьную ссылку.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /usr/bin/fetchmail
```

NotificationSenderEmail

Задаёт email address, который должен использоваться при отсылке уведомлений. Он используется построения полного отображаемого имени для мастера уведомлений (например, "OTRS Notifications" otrs@your.example.com). Вы можете использовать переменную OTRS_CONFIG_FQDN заданную в конфигурации или выбрать другой адрес.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- otrs@<OTRS_CONFIG_FQDN>
```

NotificationSenderName

Задает имя, которое будет использоваться при отсылке уведомлений. Оно используется для построения полного отображаемого имени для мастера уведомлений (например, "OTRS Notifications" otrs@your.example.com).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- OTRS Notifications
```

Sendmail::DefaultHeaders

Задает заголовки по умолчанию для исходящих писем.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
'Auto-Submitted': auto-generated  
'Precedence': bulk
```

SendmailBcc

Отсылать всю исходящую почту через bcc на заданные адреса. Используйте эту опцию только резервного копирования.

Значение по умолчанию:

```
--- ''
```

SendmailEncodingForce

Устанавливает кодировку исходящей почты (7bit|8bit|quoted-printable|base64).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- base64
```

SendmailEnvelopeFrom

If set, this address is used as envelope sender in outgoing messages (not notifications - see below). If no address is specified, the envelope sender is equal to queue e-mail address.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

SendmailModule

Задает модуль для отправки почты. "Sendmail" непосредственно использует sendmail сервис вашей ОС. Любой из "SMTP" механизмов использует заданный (внешний) почтовый сервер. "DoNotSendEmail" отключает отправку почты, это может быть полезно при тестировании системы.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Email::Sendmail
```

SendmailModule::AuthPassword

Если любой из "SMTP" механизмов был выбран для SendmailModule, и аутентификация на почтовом сервере необходима, пароль должен быть задан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- MailserverPassword
```

SendmailModule::AuthUser

Если любой из "SMTP" механизмов был выбран для SendmailModule, и аутентификация на почтовом сервере необходима, username должно быть задано.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- MailserverLogin
```

SendmailModule::CMD

Если "Sendmail" было выбрано для SendmailModule, расположение модулей sendmail и требуемых параметров должно быть задано.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- /usr/sbin/sendmail -i -f
```

SendmailModule::Host

Если любой из "SMTP" механизмов был выбран для SendmailModule, mailhost, который отправляет почту, должен быть задан

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- mail.example.com
```

SendmailModule::Port

Если любой из "SMTP" механизмов был выбран для SendmailModule, порт, на котором, почтовый сервер проверяет входящие соединения, должен быть задан.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '25'
```

SendmailNotificationEnvelopeFrom

If set, this address is used as envelope sender header in outgoing notifications. If no address is specified, the envelope sender header is empty (unless SendmailNotificationEnvelopeFrom::FallbackToEmailFrom is set).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

SendmailNotificationEnvelopeFrom::FallbackToEmailFrom

If no SendmailNotificationEnvelopeFrom is specified, this setting makes it possible to use the email's from address instead of an empty envelope sender (required in certain mail server configurations).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

25. Core → Email → PostMaster

AutoResponseForWebTickets

If this option is enabled, tickets created via the web interface, via external or agent interface, will receive an autoresponse if configured. If this option is not enabled, no autoresponses will be sent.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

KeepStateHeader

Задаёт PostMaster заголовок, используемый при фильтрации для получения текущего состояния заявки.

Значение по умолчанию:

```
--- X-OTRS-FollowUp-State-Keep
```

LoopProtectionLog

Путь к лог файлу (применяется только если выбран атрибут "FS" для LoopProtectionModule и он обязателен).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/log/LoopProtection
```

LoopProtectionModule

Стандартный модуль защиты от закливания.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::PostMaster::LoopProtection::DB
```

PostMaster::CheckFollowUpModule###0000-BounceEmail

Executes follow-up checks on OTRS Header 'X-OTRS-Bounce'.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::BounceEmail
```

PostMaster::CheckFollowUpModule###0100-Subject

Проверяет, является ли письмо дополнением к существующей заявке путем поиска в теме письма правильного номера заявки.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::Subject
```

PostMaster::CheckFollowUpModule###0200-References

Выполняет проверку ответа клиента в In-Reply-To или References заголовках для писем, не содержащих в Теме номер заявки.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::References
```

PostMaster::CheckFollowUpModule###0300-Body

Выполняет проверку тела сообщения в почтовых ответах клиента, не имеющих в Теме номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::Body
```

PostMaster::CheckFollowUpModule###0400-Attachments

Выполняет проверку вложения к почтовым ответам клиента, не имеющим в Теме номера заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::Attachments
```

PostMaster::CheckFollowUpModule###0500-RawEmail

Выполняет проверку тела сообщения в исходном формате/raw в почтовых ответах клиента, не имеющих в Теме номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::FollowUpCheck::RawEmail
```

PostMaster::NewTicket::AutoAssignCustomerIDForUnknownCustomers

Управляет автоматическим присвоением CustomerID из адреса отправителя для незарегистрированных пользователей.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

PostMaster::PreCreateFilterModule###000-FollowUpArticleVisibilityCheck

Module to check if arrived emails should be marked as internal (because of original forwarded internal email). IsVisibleForCustomer and SenderType define the values for the arrived email/article.

Значение по умолчанию:

```
---  
IsVisibleForCustomer: '0'  
Module: Kernel::System::PostMaster::Filter::FollowUpArticleVisibilityCheck  
SenderType: customer
```

PostMaster::PreFilterModule###000-DecryptBody

Модуль для фильтрации зашифрованных тел во входящих сообщениях.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::Filter::Decrypt  
StoreDecryptedBody: '0'
```

PostMaster::PreFilterModule###000-DetectAttachment

Module used to detect if attachments are present.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::Filter::DetectAttachment
```

PostMaster::PreFilterModule###000-DetectBounceEmail

Module to check if a incoming e-mail message is bounce.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::Filter::DetectBounceEmail
```

PostMaster::PreFilterModule###000-ExternalTicketNumberRecognition1

Распознает, что ответ/дополнение к существующей заявке использует внешний номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
DynamicFieldName: Name_X  
FromAddressRegExp: \s*@example.com  
IsVisibleForCustomer: '1'  
Module: Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition  
Name: Some Description  
NumberRegExp: \s*Incident-(\d.*)\s*  
SearchInBody: '1'  
SearchInSubject: '1'  
SenderType: system  
TicketStateTypes: new;open
```

PostMaster::PreFilterModule###000-ExternalTicketNumberRecognition2

Распознает, что ответ/дополнение к существующей заявке использует внешний номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
DynamicFieldName: Name_X
FromAddressRegExp: \s*@example.com
IsVisibleForCustomer: '1'
Module: Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition
Name: Some Description
NumberRegExp: \s*Incident-(\d.*)\s*
SearchInBody: '1'
SearchInSubject: '1'
SenderType: system
TicketStateTypes: new;open
```

PostMaster::PreFilterModule###000-ExternalTicketNumberRecognition3

Распознает, что ответ/дополнение к существующей заявке использует внешний номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
DynamicFieldName: Name_X
FromAddressRegExp: \s*@example.com
IsVisibleForCustomer: '1'
Module: Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition
Name: Some Description
NumberRegExp: \s*Incident-(\d.*)\s*
SearchInBody: '1'
SearchInSubject: '1'
SenderType: system
TicketStateTypes: new;open
```

PostMaster::PreFilterModule###000-ExternalTicketNumberRecognition4

Распознает, что ответ/дополнение к существующей заявке использует внешний номер заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
DynamicFieldName: Name_X
FromAddressRegExp: \s*@example.com
IsVisibleForCustomer: '1'
Module: Kernel::System::PostMaster::Filter::ExternalTicketNumberRecognition
Name: Some Description
NumberRegExp: \s*Incident-(\d.*)\s*
SearchInBody: '1'
SearchInSubject: '1'
SenderType: system
TicketStateTypes: new;open
```

PostMaster::PreFilterModule###000-MatchDBSource

Module to use database filter storage.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::Filter::MatchDBSource
```

PostMaster::PreFilterModule###000-SMIMEFetchFromCustomer

Module to fetch customer users SMIME certificates of incoming messages.

Значение по умолчанию:

```
---  
Module: Kernel::System::PostMaster::Filter::SMIMEFetchFromCustomer
```

PostMaster::PreFilterModule###1-Match

Модуль фильтрации и управления входящими сообщениями. Блокировать/Игнорировать весь спам от отправителей: noreply@ address.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Match:  
  From: noreply@  
Module: Kernel::System::PostMaster::Filter::Match  
Set:  
  X-OTRS-Ignore: yes
```

PostMaster::PreFilterModule###2-Match

Модуль для фильтрации и управления входящими сообщениями. Получите 4-х значный номер в свободное поле заявки, используйте регулярное выражение в Match т.е. From => '(.+?)@.+?', и используйте () как [***] в Set =>.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Match:  
  Subject: SomeNumber:(\d\d\d\d)  
Module: Kernel::System::PostMaster::Filter::Match  
Set:  
  X-OTRS-DynamicField-TicketFreeKey1: SomeNumber  
  X-OTRS-DynamicField-TicketFreeText1: '[***]'
```

PostMaster::PreFilterModule###3-NewTicketReject

Блокирует все входящие письма, не содержащие в поле Тема правильного номера заявки и имеющих в поле From(от): @example.com

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Match:  
  From: '@example.com'  
Module: Kernel::System::PostMaster::Filter::NewTicketReject  
Set:  
  X-OTRS-Ignore: yes
```

PostMaster::PreFilterModule###4-CMD

Пример настройки CMD. Игнорирует письма, если внешняя CMD возвращает некоторый вывод на STDOUT (письмо будет направлено в STDIN в некий .bin).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
CMD: /usr/bin/some.bin  
Module: Kernel::System::PostMaster::Filter::CMD  
Set:  
X-OTRS-Ignore: yes
```

PostMaster::PreFilterModule###5-SpamAssassin

Пример настройки Spam Assassin. Игнорирует почту помеченную с его помощью.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
CMD: '/usr/bin/spamassassin | grep -i "X-Spam-Status: yes"  
Module: Kernel::System::PostMaster::Filter::CMD  
Set:  
X-OTRS-Ignore: yes
```

PostMaster::PreFilterModule###6-SpamAssassin

Пример настройки Spam Assassin. Перемещает почту помеченную с его помощью в очередь для спама.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
CMD: '/usr/bin/spamassassin | grep -i "X-Spam-Status: yes"  
Module: Kernel::System::PostMaster::Filter::CMD  
Set:  
X-OTRS-Queue: spam
```

PostMaster::PreFilterModule::NewTicketReject::Body

Задаёт содержание сообщения для отвергнутых писем

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "\nDear Customer,\n\nUnfortunately we could not detect a valid ticket number\nin your subject, so this email can't be processed.\n\nPlease create a new ticket via the customer panel.\n\nThanks for your help!\n\nYour Helpdesk Team\n"
```

PostMaster::PreFilterModule::NewTicketReject::Sender

Задаёт отправителя для отвергнутых заявок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- noreply@example.com
```

PostMaster::PreFilterModule::NewTicketReject::Subject

Задаёт текст поля Тема для отвергнутых заявок

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Email Rejected

PostMasterMaxEmailSize

Максимальный размер в KBytes для писем принимаемых через POP3/POP3S/IMAP/IMAPS.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '16384'

PostMasterReconnectMessage

Максимальное количество писем, получаемых за одно подключение к серверу.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '20'

PostmasterAutoHTML2Text

Преобразовать письмо из HTML в текст

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

PostmasterBounceEmailAsFollowUp

Indicates if a bounce e-mail should always be treated as normal follow-up.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

PostmasterDefaultPriority

Задает приоритет по умолчанию для новых заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 3 normal

PostmasterDefaultQueue

Задает очередь по умолчанию для postmaster.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Raw

PostmasterDefaultState

Задает состояние по умолчанию для новых заявок

Этот параметр не может быть отключен.

Значение по умолчанию:

--- new

PostmasterFollowUpOnUnlockAgentNotifyOnlyToOwner

Отправлять уведомления агентам об откликах только владельцу, если заявка разблокирована (по умолчанию уведомляются все агенты).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

PostmasterFollowUpState

Задаёт состояние заявки при получении ответа клиента

Этот параметр не может быть отключен.

Значение по умолчанию:

--- open

PostmasterFollowUpStateClosed

Задаёт новое состояние заявки при получении ответа клиента, когда заявка была уже закрыта

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- open

PostmasterHeaderFieldCount

Задаёт количество полей заголовков для добавления или обновления postmaster фильтров. Можно указать до 99 полей.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '12'

PostmasterMaxEmails

Максимальное количество почтовых автоответов на собственный почтовый адрес в день (Loop-Protection).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '40'

PostmasterMaxEmailsPerAddress

Maximal auto email responses to own email-address a day, configurable by email address (Loop-Protection).

Значение по умолчанию:

```
--- {}
```

PostmasterUserID

Задаёт user id БД postmaster.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

PostmasterX-Header

Задать все X-headers, которые должны проверяться.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- From  
- To  
- Cc  
- Reply-To  
- ReplyTo  
- Subject  
- Message-ID  
- Message-Id  
- Resent-To  
- Resent-From  
- Precedence  
- Mailing-List  
- List-Id  
- List-Archive  
- Errors-To  
- References  
- In-Reply-To  
- Auto-Submitted  
- X-Loop  
- X-Spam  
- X-Spam-Flag  
- X-Spam-Level  
- X-Spam-Score  
- X-Spam-Status  
- X-No-Loop  
- X-Priority  
- Importance  
- X-Mailer  
- User-Agent  
- Organization  
- X-Original-To  
- Delivered-To  
- Envelope-To  
- X-Envelope-To  
- Return-Path  
- X-OTRS-AttachmentExists  
- X-OTRS-AttachmentCount  
- X-OTRS-Owner  
- X-OTRS-OwnerID  
- X-OTRS-Responsible  
- X-OTRS-ResponsibleID  
- X-OTRS-Loop  
- X-OTRS-Priority  
- X-OTRS-Queue  
- X-OTRS-Lock  
- X-OTRS-Ignore  
- X-OTRS-State  
- X-OTRS-State-PendingTime  
- X-OTRS-Type  
- X-OTRS-Service
```

```

- X-OTRS-SLA
- X-OTRS-Title
- X-OTRS-CustomerNo
- X-OTRS-CustomerUser
- X-OTRS-SenderType
- X-OTRS-IsVisibleForCustomer
- X-OTRS-FollowUp-Owner
- X-OTRS-FollowUp-OwnerID
- X-OTRS-FollowUp-Responsible
- X-OTRS-FollowUp-ResponsibleID
- X-OTRS-FollowUp-Priority
- X-OTRS-FollowUp-Queue
- X-OTRS-FollowUp-Lock
- X-OTRS-FollowUp-State
- X-OTRS-FollowUp-State-PendingTime
- X-OTRS-FollowUp-Type
- X-OTRS-FollowUp-Service
- X-OTRS-FollowUp-SLA
- X-OTRS-FollowUp-SenderType
- X-OTRS-FollowUp-IsVisibleForCustomer
- X-OTRS-FollowUp-Title
- X-OTRS-FollowUp-State-Keep
- X-OTRS-BodyDecrypted

```

SendNoAutoResponseRegExp

Если это регулярное выражение верно, автоответ не будет посылаться.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- (MAILER-DAEMON|postmaster|abuse)@.+?\..+?
```

26. Core → Event → AppointmentCalendar

AppointmentCalendar::EventModulePost###100-Notification

Модуль управления событиями Календаря мероприятий, который подготавливает уведомления для мероприятий.

Значение по умолчанию:

```

---
Event: (AppointmentCreate|AppointmentUpdate|AppointmentDelete|AppointmentNotification|
CalendarCreate|CalendarUpdate)
Module: Kernel::System::Calendar::Event::Notification

```

AppointmentCalendar::EventModulePost###200-TicketAppointments

Модуль управления событиями Календаря мероприятий, который обновляет заявки с данными из мероприятий заявки.

Значение по умолчанию:

```

---
Event: AppointmentUpdate
Module: Kernel::System::Calendar::Event::TicketAppointments

```

27. Core → Event → CustomPage

CustomPage::EventModulePost###1000-IndexManagement

Marks down the object involved on the event.

Значение по умолчанию:

```
---  
Event: (CustomPageContentAdd|CustomPageContentUpdate|CustomPageContentDelete)  
Module: Kernel::System::CustomPage::Event::CustomPageContentIndexManagement  
Transaction: '0'
```

28. Core → Event → CustomerCompany

CustomerCompany::EventModulePost###2000-UpdateCustomerUsers

Модуль обработки события, который обновляет заявки клиентов после обновления учетной записи клиента.

Значение по умолчанию:

```
---  
Event: CustomerCompanyUpdate  
Module: Kernel::System::CustomerCompany::Event::CustomerUserUpdate  
Transaction: '0'
```

CustomerCompany::EventModulePost###2100-UpdateDynamicFieldObjectName

Event module that updates customer company object name for dynamic fields.

Значение по умолчанию:

```
---  
Event: CustomerCompanyUpdate  
Module: Kernel::System::CustomerCompany::Event::DynamicFieldNameUpdate  
Transaction: '0'
```

CustomerCompany::EventModulePost###2300-UpdateTickets

Модуль обработки события, который обновляет заявки клиентов после обновления учетной записи клиента.

Значение по умолчанию:

```
---  
Event: CustomerCompanyUpdate  
Module: Kernel::System::CustomerCompany::Event::TicketUpdate  
Transaction: '0'
```

CustomerCompany::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```

29. Core → Event → CustomerUser

CustomerUser::EventModulePost###2000-UpdateDynamicFieldObjectName

Event module that updates customer user object name for dynamic fields.

Значение по умолчанию:

```
---  
Event: CustomerUserUpdate  
Module: Kernel::System::CustomerUser::Event::DynamicFieldObjectNameUpdate  
Transaction: '0'
```

CustomerUser::EventModulePost###2100-UpdateSearchProfiles

Модуль обработки события, который обновляет профили поиска для клиента при смене логина.

Значение по умолчанию:

```
---  
Event: CustomerUserUpdate  
Module: Kernel::System::CustomerUser::Event::SearchProfileUpdate  
Transaction: '0'
```

CustomerUser::EventModulePost###2200-UpdateServiceMembership

Модуль обработки события, который обновляет принадлежность сервисов клиентов после смены логина клиента.

Значение по умолчанию:

```
---  
Event: CustomerUserUpdate  
Module: Kernel::System::CustomerUser::Event::ServiceMemberUpdate  
Transaction: '0'
```

CustomerUser::EventModulePost###2300-UpdateTickets

Модуль обработки события, который обновляет заявки клиентов после обновления учетной записи клиента.

Значение по умолчанию:

```
---  
Event: CustomerUserUpdate  
Module: Kernel::System::CustomerUser::Event::TicketUpdate  
Transaction: '0'
```

CustomerUser::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```

30. Core → Event → DynamicField

DynamicField::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```

31. Core → Event → FAQ

FAQ::EventModulePost###1000-IndexManagement

Marks down the object involved on the event.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::System::FAQ::Event::FAQIndexManagement
```

32. Core → Event → LinkObject

LinkObject::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```

33. Core → Event → Package

Package::EventModulePost###9000-SupportDataSend

Package event module to file a scheduler task for update registration.

Значение по умолчанию:

```
---  
Event: (PackageInstall|PackageReinstall|PackageUpgrade|PackageUninstall)  
Module: Kernel::System::Package::Event::SupportDataSend  
Transaction: '1'
```

Package::EventModulePost###9100-TriggerWebserverReload

Package event module to trigger a production web server reload, if allowed by the configuration.

Значение по умолчанию:

```
---  
Event: (PackageInstall|PackageReinstall|PackageUpgrade|PackageUninstall)  
Module: Kernel::System::Package::Event::TriggerWebserverReload  
Transaction: '1'
```

Package::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```


34. Core → Event → Queue

DynamicField::EventModulePost###1000-TicketIndexManagement

Event module that performs an update statement on document search indices if a dynamic field was deleted.

Значение по умолчанию:

```
---
Event: DynamicFieldDelete
Module: Kernel::System::DynamicField::Event::IndexManagement
Transaction: '0'
```

Queue::EventModulePost###2300-UpdateQueue

Модуль обработки события, который выполняет команду обновления для TicketIndex для переименования очереди, если необходимо, и если используется StaticDB.

Значение по умолчанию:

```
---
Event: QueueUpdate
Module: Kernel::System::Queue::Event::TicketAcceleratorUpdate
Transaction: '0'
```

Queue::EventModulePost###2400-TicketIndexManagement

Event module that performs an update statement on document search ticket index if group has been changed.

Значение по умолчанию:

```
---
Event: QueueUpdate
Module: Kernel::System::Queue::Event::TicketIndexManagement
Transaction: '0'
```

Queue::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---
Event: ''
Module: Kernel::GenericInterface::Event::Handler
Transaction: '1'
```

35. Core → Event → ServiceCatalogueItem

ServiceCatalogueItem::EventModulePost###1000-ServiceCatalogueIndexManagement

Marks down the object involved on the event.

Значение по умолчанию:

```
---
Event: (ItemContentAdd|ItemContentUpdate|ItemContentDelete)
Module: Kernel::System::ServiceCatalogue::Event::ServiceCatalogueContentIndexManagement
```

Transaction: '0'

36. Core → Event → Ticket

AppointmentCalendar::EventModulePost###1000-IndexManagement

Marks down the object involved on the event.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::System::Calendar::Event::IndexManagement
```

Ticket::EventModulePost###1000-IndexManagement

Marks down the object involved on the event.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::System::Ticket::Event::IndexManagement
```

Ticket::EventModulePost###2300-ArchiveRestore

Restores a ticket from the archive (only if the event is a state change to any open available state).

Значение по умолчанию:

```
---  
Event: TicketStateUpdate  
Module: Kernel::System::Ticket::Event::ArchiveRestore
```

Ticket::EventModulePost###2600-AcceleratorUpdate

Обновляет ticket index accelerator.

Значение по умолчанию:

```
---  
Event: TicketStateUpdate|TicketQueueUpdate|TicketLockUpdate  
Module: Kernel::System::Ticket::Event::TicketAcceleratorUpdate
```

Ticket::EventModulePost###2700-ForceOwnerResetOnMove

Сбрасывает Владельца и разблокирует заявку при перемещении ее в другую очередь.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: TicketQueueUpdate  
Module: Kernel::System::Ticket::Event::ForceOwnerReset
```

Ticket::EventModulePost###2800-ForceStateChangeOnLock

Принудительно устанавливает новое состояние (отличное от текущего) поле блокирования заявки. Задайте текущее состояние как Ключ и следующее состояние как Содержание.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: TicketLockUpdate  
Module: Kernel::System::Ticket::Event::ForceState  
new: open
```

Ticket::EventModulePost###3000-ResponsibleAutoSet

Автоматически назначает Ответственного (если это еще не произошло) после первой смены Владельца.

Значение по умолчанию:

```
---  
Event: TicketOwnerUpdate  
Module: Kernel::System::Ticket::Event::ResponsibleAutoSet
```

Ticket::EventModulePost###3100-LockAfterCreate

Когда агент создает заявку, она автоматически блокируется этим агентом.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketPhone|AgentTicketEmail  
Event: TicketCreate  
Module: Kernel::System::Ticket::Event::LockAfterCreate  
Transaction: '1'
```

Ticket::EventModulePost###3300-TicketPendingTimeReset

Устанавливает время ожидания в 0 если состояние изменяется на состояние без ожидания.

Значение по умолчанию:

```
---  
Event: TicketStateUpdate  
Module: Kernel::System::Ticket::Event::TicketPendingTimeReset
```

Ticket::EventModulePost###3600-ForceUnlockOnMove

Сброс блокировки заявки при перемещении в другую очередь.

Значение по умолчанию:

```
---  
Event: TicketQueueUpdate  
Module: Kernel::System::Ticket::Event::ForceUnlock
```

Ticket::EventModulePost###4000-TicketArticleNewMessageUpdate

Обновляет значение флага "Seen" (прочитано), если каждое сообщение просмотрено или создано новое сообщение.

Значение по умолчанию:

```
---  
Event: ArticleCreate|ArticleFlagSet|ArticleCustomerFlagSet  
Module: Kernel::System::Ticket::Event::TicketNewMessageUpdate
```

Ticket::EventModulePost###4100-DynamicFieldFromCustomerUser

This event module stores attributes from CustomerUser as DynamicFields tickets. Please see DynamicFieldFromCustomerUser::Mapping setting for how to configure the mapping.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: (TicketCreate|TicketCustomerUpdate)  
Module: Kernel::System::Ticket::Event::DynamicFieldFromCustomerUser
```

Ticket::EventModulePost###4300-EscalationStopEvents

Модуль управления событием остановки эскалации.

Значение по умолчанию:

```
---  
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|ArticleCreate  
Module: Kernel::System::Ticket::Event::TriggerEscalationStopEvents  
Transaction: '0'
```

Ticket::EventModulePost###7000-NotificationEvent

Sends the notifications which are configured in the admin interface under "Ticket Notifications".

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::System::Ticket::Event::NotificationEvent  
Transaction: '1'
```

Ticket::EventModulePost###950-TicketAppointments

Переключает добавить или изменить автоматическое создание мероприятий календаря, основанное на определенных временных параметрах заявки

Значение по умолчанию:

```
---  
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|TicketCreate|ArticleCreate|  
TicketPendingTimeUpdate|TicketDynamicFieldUpdate_.*  
Module: Kernel::System::Ticket::Event::TicketAppointments  
Transaction: '1'
```

Ticket::EventModulePost###9600-TicketDynamicFieldDefault

Регистрация модуля обработки события. Для большей производительности вы должны задать событие (например: Event => TicketCreate). Это возможно только в случае, если все динамические поля заявки нуждаются в одном и том же событии.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Ticket::Event::TicketDynamicFieldDefault  
Transaction: '1'
```

Ticket::EventModulePost###9700-GenericAgent

Регистрация модуля обработки события. Для большей производительности вы должны задать событие (например: Event => TicketCreate).

Значение по умолчанию:

```
---
```

```
Event: ''  
Module: Kernel::System::Ticket::Event::GenericAgent  
Transaction: '1'
```

Ticket::EventModulePost###9800-TicketProcessSequenceFlows

Регистрация модуля обработки события. Для большей производительности вы должны задать событие (например: Event => TicketCreate).

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::System::Ticket::Event::TicketProcessSequenceFlows  
Transaction: '1'
```

Ticket::EventModulePost###9900-GenericInterface

Performs the configured action for each event (as an Invoker) for each configured web service.

Значение по умолчанию:

```
---  
Event: ''  
Module: Kernel::GenericInterface::Event::Handler  
Transaction: '1'
```

Ticket::EventModulePost###9990-EscalationIndex

Обновляет индексы эскалации заявок после изменения атрибутов заявки.

Значение по умолчанию:

```
---  
Event: TicketSLAUpdate|TicketQueueUpdate|TicketStateUpdate|TicketCreate|ArticleCreate|  
TicketDynamicFieldUpdate|TicketTypeUpdate|TicketServiceUpdate|TicketCustomerUpdate|  
TicketPriorityUpdate|TicketMerge  
Module: Kernel::System::Ticket::Event::TicketEscalationIndex  
Transaction: '1'
```

37. Core → FAQ

FAQ::Agent::StateTypes

Список типов состояний, которые могут использоваться в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- internal  
- external  
- public
```

FAQ::CacheTTL

Время для выхода из редактирования FAQ пункта

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '172800'
```

FAQ::Customer::StateTypes

Список типов состояний, которые могут использоваться в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- external  
- public
```

FAQ::Default::Language

Язык статей FAQ по-умолчанию в одноязычном режиме.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- en
```

FAQ::Default::RootCategoryComment

Название категории по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- default comment
```

FAQ::Default::RootCategoryName

Название категории по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQ
```

FAQ::Default::State

Статус записи FAQ по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- internal (agent)
```

FAQ::FAQHook

Идентификатор FAQ, например, FAQ#, KB#, MyFAQ#. По умолчанию - FAQ#.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQ#
```

FAQ::MultiLanguage

Разрешить многоязычность в модуле FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::Public::StateTypes

Список типов состояний, которые могут использоваться в публичном/общедоступном интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- public
```

FAQ::TitleSize

Максимальный размер заголовков, по умолчанию, показываемых в статьях FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '50'
```

FAQ::Voting

Разрешить функцию оценки в модуле FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

38. Core → FAQ → Approval

FAQ::ApprovalGroup

Группа для одобрения статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- users
```

FAQ::ApprovalQueue

Очередь на одобрение статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQ_Approval
```

FAQ::ApprovalRequired

Новая статья FAQ перед публикацией требует одобрения.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

FAQ::ApprovalTicketBody

Тело заявки на одобрение статьи FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi,\n\na new FAQ article needs your approval before it can be published.\n\n \ FAQ#   : <OTRS_FAQ_NUMBER>\n Title   : <OTRS_FAQ_TITLE>\n Author  : <OTRS_FAQ_AUTHOR>\n\n \ State : <OTRS_FAQ_STATE>\n\nIf you want to do this, click on this link:\n\n<OTRS_CONFIG_ContentType>://<OTRS_CONFIG_FQDN>/<OTRS_CONFIG_ScriptAlias>index.pl?Action=AgentFAQEdit;ItemID=<OTRS_FAQ_ITEMID>\n\nYour OTRS Notification Master\n"
```

FAQ::ApprovalTicketDefaultState

Статус заявок на одобрение статей FAQ по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- new
```

FAQ::ApprovalTicketPriority

Приоритет заявок на одобрение статей FAQ по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 3 normal
```

FAQ::ApprovalTicketSubject

Тема заявки на одобрение статьи FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQ approval required for FAQ# <OTRS_FAQ_NUMBER>
```

FAQ::ApprovalTicketType

Тип заявок на одобрение статей FAQ по-умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Unclassified
```

39. Core → FAQ → Explorer

FAQ::Explorer::LastChange::Limit

Количество отображаемых позиций в последних изменениях.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3'
```

FAQ::Explorer::LastChange::Show

Показывать последние изменения в указанных интерфейсах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
internal: internal (agent)
```

FAQ::Explorer::LastChange::ShowSubCategoryItems

Показывать содержимое подразделов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::Explorer::LastCreate::Limit

Количество отображаемых позиций в новых статьях.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3'
```

FAQ::Explorer::LastCreate::Show

Показывать новые пункты в указанных интерфейсах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
internal: internal (agent)
```

FAQ::Explorer::LastCreate::ShowSubCategoryItems

Показывать содержимое подразделов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::Explorer::Path::Show

Показывать путь FAQ да/нет.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::Explorer::QuickSearch::Show

Интерфейсы, в которых панель быстрого поиска может отображаться.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- {}
```

FAQ::Explorer::Top10::Limit

Количество отображаемых позиций в функции Top 10.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '10'
```

FAQ::Explorer::Top10::Show

Показывать Top 10 в указанных интерфейсах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
internal: internal (agent)
```

FAQ::Explorer::Top10::ShowSubCategoryItems

Показывать содержимое подразделов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

40. Core → FAQ → Item

FAQ::Item::Field1

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Symptom  
Prio: '100'  
Show: public
```

FAQ::Item::Field2

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Problem  
Prio: '200'  
Show: public
```

FAQ::Item::Field3

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Solution  
Prio: '300'  
Show: public
```

FAQ::Item::Field4

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Field4  
Prio: '400'  
Show: ''
```

FAQ::Item::Field5

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Field5  
Prio: '500'  
Show: ''
```

FAQ::Item::Field6

Определение свободных полей элементов FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Caption: Comment  
Prio: '600'  
Show: internal
```

FAQ::Item::HTML

Показывать статью FAQ в HTML.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

41. Core → FAQ → Item → Voting

FAQ::Item::Voting::Show

Показывать оценку в указанных интерфейсах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
external: external (customer)  
internal: internal (agent)  
public: public (public)
```

42. Core → FAQ → RelatedArticles

FAQ::Agent::RelatedArticles::Enabled

Enable the related article feature for the agent frontend.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::KeywordArticleList::SearchLimit

Лимит для поиска для построения списка контекстных статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5000'
```

43. Core → FAQ → TicketCompose

FAQ::TicketCompose###IncludeInternal

Включить внутренние поля в заявку, основанную на статье FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

FAQ::TicketCompose###InsertMethod

Определяет перечень информации включаемой в заявку из FAQ. "Full FAQ" включает текст, вложения и встроенные изображения.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Full
```

FAQ::TicketCompose###ShowFieldNames

Включить имя каждого поля в заявку, основанную на статье FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::TicketCompose###ShowInsertLinkButton

Показать кнопку "Insert FAQ Link/Включить ссылку на FAQ" в AgentFAQZoomSmall для публичных статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::TicketCompose###ShowInsertTextAndLinkButton

Показать кнопку "Insert FAQ Text & Link" / "Insert Full FAQ & Link"/"Вставить текст FAQ и связать"/"Вставить полный FAQ и связать" в AgentFAQZoomSmall для публичных статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::TicketCompose###ShowInsertTextButton

Показывать кнопку "Вставить текст FAQ! / "Вставить статью FAQ полностью" на экране AgentFAQZoomSmall.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::TicketCompose###UpdateArticleSubject

Задаёт, должен ли заголовок FAQ объединяться с темой статьи.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

44. Core → GoogleChrome

GoogleChrome::Bin

Defines the path to the Google Chrome or Chromium binary.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /usr/bin/chromium
```

45. Core → LinkObject

LinkObject::IgnoreLinkedTicketStateTypes

Задает, какие заявки с какими типами состояний не будут отображаться в списках связанных заявок.

Значение по умолчанию:

```
---  
- merged  
- removed
```

LinkObject::PossibleLink###0200

Связывает 2 заявки связью типа "Normal".

Значение по умолчанию:

```
---  
Object1: Ticket  
Object2: Ticket  
Type: Normal
```

LinkObject::PossibleLink###0201

Связывает 2 заявки связью типа "ParentChild".

Значение по умолчанию:

```
---  
Object1: Ticket  
Object2: Ticket  
Type: ParentChild
```

LinkObject::PossibleLink###1200

Связывает мероприятия с заявками связью типа "Normal/Обычная".

Значение по умолчанию:

```
---  
Object1: Appointment  
Object2: Ticket  
Type: Normal
```

LinkObject::PossibleLink###8301

Этот параметр задает возможность связать объект 'FAQ' с другим подобным объектом используя тип связи 'Normal'.

Значение по умолчанию:

```
---  
Object1: FAQ  
Object2: FAQ  
Type: Normal
```

LinkObject::PossibleLink###8302

Этот параметр задает возможность связать объект 'FAQ' с другим подобным объектом используя тип связи 'ParentChild'.

Значение по умолчанию:

```
---
```

```
Object1: FAQ
Object2: FAQ
Type: ParentChild
```

LinkObject::PossibleLink###8303

Этот параметр задает возможность связать объект 'FAQ' с другими объектами типа "Заявка" используя тип связи 'Normal'.

Значение по умолчанию:

```
---
Object1: FAQ
Object2: Ticket
Type: Normal
```

LinkObject::PossibleLink###8304

Этот параметр задает возможность связать объект 'FAQ' с другими объектами типа "Заявка" используя тип связи 'ParentChild'.

Значение по умолчанию:

```
---
Object1: FAQ
Object2: Ticket
Type: ParentChild
```

LinkObject::ShowDeleteButton

Determines if a button to delete a link should be displayed next to each link in each zoom mask.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

LinkObject::StrikeThroughLinkedTicketStateTypes

For these state types the ticket numbers are striked through in the link table.

Значение по умолчанию:

```
---
- merged
```

LinkObject::Type###Normal

Задает тип связи 'Normal'. Если исходное имя и планируемое имя содержат одинаковое значение, то результирующая связь - ненаправленная; иначе - направленная.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
SourceName: Normal
TargetName: Normal
```

LinkObject::Type###ParentChild

Задает тип связи 'ParentChild'. Если исходное имя и планируемое имя содержат одинаковое значение, то результирующая связь - ненаправленная; иначе - направленная.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
SourceName: Parent  
TargetName: Child
```

LinkObject::TypeGroup###0001

Задает группы типов связи. Типы связи одинаковых групп отменяют друг друга. Например: Если заявка А связана связью типа 'Normal' с заявкой Б, то эти заявки не могут быть дополнительно связаны связью типа 'ParentChild'.

Значение по умолчанию:

```
---  
- Normal  
- ParentChild
```

LinkObject::ViewMode

Задает способ отображения связанных объектов в подробных просмотрах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Simple
```

46. Core → Log

CGILogPrefix

Задает текст, который записывается в лог для регистрации обращения к скриптам CGI.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- OTRS-CGI
```

LogModule

Задает тип журнала для системы. "File" пишет все сообщения в указанный log-file, "SysLog" использует syslog daemon системы, т.е. syslogd.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Log::SysLog
```

LogModule::LogFile

Если "file" было выбрано для LogModule, файл должен быть задан. Если файл не существует, он будет создан системой.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- /tmp/otrs.log
```


LogModule::LogFile::Date

Добавляет суффикс с текущим годом и месяцем к имени лог файла OTRS. Лог-файл создается для каждого месяца.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

LogModule::SysLog::Charset

Если "SysLog" было выбрано для LogModule, набор символов (charset) для записи в журнал может быть задан.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- utf-8
```

LogModule::SysLog::Facility

Если "SysLog" было выбрано для LogModule, параметры записи в журнал могут быть заданы.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- user
```

MinimumLogLevel

Set the minimum log level. If you select 'error', just errors are logged. With 'debug' you get all logging messages. The order of log levels is: 'debug', 'info', 'notice' and 'error'.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- error
```

47. Core → MailQueue

MailQueue

MailQueue configuration settings.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
IncrementAttemptDelayInMinutes: '2'  
ItemMaxAttempts: '3'
```

48. Core → PDF

PDF::LogoFile

Задает путь к файлу логотипа на отображаемого в заголовке страницы (gif|jpg|png, 700 x 100 pixel).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/logo-otrs.png
```

PDF::MaxPages

Задаёт максимальное количество страниц для PDF файла

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '100'
```

PDF::PageSize

Задаёт стандартный размер страницы при выводе в PDF

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- a4
```

PDF::TTFontFile###Monospaced

Задаёт путь и файл TTF для monospaced font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSansMono.ttf
```

PDF::TTFontFile###MonospacedBold

Задаёт путь и файл TTF для bold monospaced font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSansMono-Bold.ttf
```

PDF::TTFontFile###MonospacedBoldItalic

Задаёт путь и файл TTF для bold italic monospaced font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSansMono-BoldOblique.ttf
```

PDF::TTFontFile###MonospacedItalic

Задаёт путь и файл TTF для italic monospaced font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSansMono-Oblique.ttf
```

PDF::TTFontFile###Proportional

Задает путь и файл TTF для proportional font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSans.ttf
```

PDF::TTFontFile###ProportionalBold

Задает путь и файл TTF для bold proportional font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSans-Bold.ttf
```

PDF::TTFontFile###ProportionalBoldItalic

Задает путь и файл TTF для bold italic proportional font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSans-BoldOblique.ttf
```

PDF::TTFontFile###ProportionalItalic

Задает путь и файл TTF для italic proportional font для PDF документов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- DejaVuSans-Oblique.ttf
```

49. Core → Package

OTRSBusiness::ReleaseChannel

Задает канал для получения обновлений OTRS Business Solution™. Предупреждение: Development-релизы могут быть незавершенными, в вашей системе могут проявляться неисправимые ошибки и в экстремальных случаях она может перестать отвечать на запросы!

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Package::AllowLocalModifications

If this setting is enabled, local modifications will not be highlighted as errors in the package manager and support data collector.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 0

Package::AllowNotVerifiedPackages

If this setting is enabled, it is possible to install packages which are not verified by OTRS Group. These packages could threaten your whole system!

Значение по умолчанию:

--- 0

Package::FileUpload

Включает возможность загрузки дополнительных пакетов (расширений) в Управлении пакетами.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

Package::Proxy

Получает пакеты через proxy. Перекрывает параметр "WebUserAgent::Proxy".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- http://proxy.sn.no:8001/

Package::RepositoryAccessRegExp

Задаёт регулярное выражение для IP для доступа к локальному репозиторию. его надо указать, чтобы иметь доступ к вашему локальному репозиторию и package::RepositoryList требуется для удаленного хоста.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 127\.\0\.\0\.\1

Package::RepositoryList

Задаёт список online репозиториев. Другие установленные системы могут быть использованы в качестве репозиториев, например: Ключ="http://example.com/otrs/public.pl?Action=PublicRepository;File=" и Содержание="Some Name".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

ftp://ftp.example.com/pub/otrs/misc/packages/: '[Example] ftp://ftp.example.com/'

Package::RepositoryRoot

Задаёт расположение для получения списка online репозиториев для дополнительных пакетов. Будет использоваться первый доступный.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Package::ShowFeatureAddons

Переключает отображение списка OTRS FeatureAddons в Управлении пакетами.

Значение по умолчанию:

```
--- '1'
```

Package::Timeout

Задает timeout (в сек) для загрузки пакетов. Перекрывает "WebUserAgent::Timeout".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '120'
```

50. Core → PerformanceLog

PerformanceLog

Включает журналирование производительности (время загрузки страниц). Этот параметр снижает производительность системы. Параметр Frontend::Module###AdminPerformanceLog должен быть активирован.

Значение по умолчанию:

```
--- 0
```

PerformanceLog::File

Задает путь к файлу журнала производительности.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/log/Performance.log
```

PerformanceLog::FileMax

Задает максимальный размер (в MB) для файла журнала.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '25'
```

51. Core → Permission

EditAnotherUsersPreferencesGroup

Задает для пользователя группу с rw правами, члены которой могут редактировать настройки других пользователей.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- admin
```

SwitchToUser

Дает возможность администратору войти в систему как обычному агенту, через панель управления агентами.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

System::Customer::Permission

Задает стандартный набор прав для клиентов в системе. Если требуются дополнительные права, вы можете указать их здесь. Права должны существовать в системе (или добавлены в нее). При дополнении таблицы с правами помните, что строка с правом "rw" всегда должна быть последней в списке.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- ro  
- rw
```

System::Permission

Задает набор доступных прав агентов в системе. Если требуются дополнительные права, они могут быть заданы здесь. Права должны быть определены, чтобы использоваться в системе. Некоторые другие полезные права, также встроены в систему: note, close, pending, customer, freetext, move, compose, responsible, forward, и bounce. Последней строкой в таблице всегда должна быть строка с "rw".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- ro  
- move_into  
- create  
- note  
- owner  
- priority  
- chat_observer  
- chat_participant  
- chat_owner  
- rw
```

52. Core → ProcessManagement

Process::ActivityTypes

Defines the activity types which can be used in the system.

Значение по умолчанию:

```
---  
ScriptTask: Script task activity  
ServiceTask: Service task activity  
UserTask: User task activity
```

Process::CacheTTL

Cache time, в сек, для DB process backend.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3600'
```

Process::DefaultLock

Задает блокировку по умолчанию для процессной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- unlock
```

Process::DefaultPriority

Задает приоритет по умолчанию для процессной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 3 normal
```

Process::DefaultQueue

Задает очередь по умолчанию для процессной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Raw
```

Process::DefaultState

Задает состояние по умолчанию для процессной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- new
```

Process::DynamicFieldProcessManagementActivityID

Этот параметр задает динамическое поле для хранения идентификаторов элементов Активности в Управлении Процессами.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ProcessManagementActivityID
```

Process::DynamicFieldProcessManagementActivityStatus

This option defines the dynamic field in which the most recent Process Management activity status is stored.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ProcessManagementActivityStatus
```

Process::DynamicFieldProcessManagementProcessID

Этот параметр задает динамическое поле для хранения идентификаторов элементов Процесса в Управлении Процессами.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ProcessManagementProcessID
```

Process::Entity::Prefix

Стандартные префиксы идентификаторов элементов процессов в Управлении Процессами, генерируемые автоматически (напр. A, T, AD, TA).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Activity: A  
ActivityDialog: AD  
Process: P  
SequenceFlow: SF  
SequenceFlowAction: SFA
```

Process::NavBarOutput::CacheTTL

Cache time, в сек, для модуля вывода на навигационной панели процессных заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '900'
```

ProcessManagement::SequenceFlow::Debug::Enabled

If enabled debugging information for sequence flows is logged.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

ProcessManagement::SequenceFlow::Debug::Filter###00-Default

Filter for debugging sequence flows. Note: More filters can be added in the format <OTRS_TICKET_Attribute> e.g. <OTRS_TICKET_Priority>.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
<OTRS_TICKET_TicketNumber>: ''  
SequenceFlowEntityID: ''
```

ProcessManagement::SequenceFlow::Debug::LogPriority

Задает приоритет с которым информация журналируется и отображается.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- debug
```

53. Core → Queue

QueuePreferences###ChatChannel

Chat channel to queue mapping.

Значение по умолчанию:

```
---  
Block: Option  
Cols: '50'  
Desc: Chat channel that will be used for communication related to the tickets in this  
queue.  
Label: Chat channel  
Module: Kernel::Output::HTML::QueuePreferences::ChatChannel  
PrefKey: ChatChannel  
Rows: '5'
```

QueuePreferences###Comment2

Параметры для дополнительного атрибута Очереди Комментарий2(Comment2).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: TextArea  
Cols: '50'  
Desc: Define the queue comment 2.  
Label: Comment2  
Module: Kernel::Output::HTML::QueuePreferences::Generic  
PrefKey: Comment2  
Rows: '5'
```

54. Core → ReferenceData

ReferenceData::OwnCountryList

Позволяет переопределить встроенный список стран своим списком. Это позволит сократить отображаемый список до необходимого минимума.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
AT: Austria  
CH: Switzerland  
DE: Germany
```

55. Core → SLA

SLAPreferences###Comment2

Параметры для дополнительного атрибута SLA Комментарий2(Comment2).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: TextArea  
Cols: '50'  
Desc: Define the sla comment 2.  
Label: Comment2  
Module: Kernel::Output::HTML::SLAPreferences::Generic  
PrefKey: Comment2  
Rows: '5'
```

SLAPreferences###FieldSelectionDialogText

Text which is being displayed on selection of this SLA on the new ticket screen.

Значение по умолчанию:

```
---  
Block: TextArea  
Cols: '51'  
Desc: Is being displayed if a customer chooses this SLA on ticket creation.  
Label: Dialog message  
Module: Kernel::Output::HTML::SLAPreferences::Generic  
PrefKey: FieldSelectionDialogText  
Rows: '5'
```

56. Core → SMS

SMS::MessageTextLimit

Defines the hard limit for number of characters that can be sent via SMS per message.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1600'
```

SMSTemplate::Types

Defines the list of types for SMS templates.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Answer: Answer  
Create: Create  
SMSOutbound: SMSOutbound
```

57. Core → SOAP

SOAP::Keep-Alive

Включить заголовок Keep-Alive для SOAP-ответов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

58. Core → Service

ServicePreferences###Comment2

Параметры для дополнительного атрибута Сервиса Комментарий2(Comment2).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: TextArea  
Cols: '50'  
Desc: Define the service comment 2.  
Label: Comment2  
Module: Kernel::Output::HTML::ServicePreferences::Generic  
PrefKey: Comment2  
Rows: '5'
```

59. Core → Session

AgentSessionLimit

Sets the maximum number of active agents within the timespan defined in SessionMaxIdleTime.

Значение по умолчанию:

```
--- '100'
```

AgentSessionLimitPriorWarning

Sets the maximum number of active agents within the timespan defined in SessionMaxIdleTime before a prior warning will be visible for the logged in agents.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '90'
```

AgentSessionPerUserLimit

Sets the maximum number of active sessions per agent within the timespan defined in SessionMaxIdleTime.

Значение по умолчанию:

```
--- '20'
```

CustomerSessionLimit

Sets the maximum number of active customers within the timespan defined in SessionMaxIdleTime.

Значение по умолчанию:

--- '100'

CustomerSessionPerUserLimit

Sets the maximum number of active sessions per customers within the timespan defined in SessionMaxIdleTime.

Значение по умолчанию:

--- '20'

SessionAgentOnlineThreshold

Defines the period of time (in minutes) before agent is marked as "away" due to inactivity (e.g. in the "Logged-In Users" widget or for the chat).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '5'

SessionCSRFProtection

Защита от CSRF (Cross Site Request Forgery) эксплойтов (для более подробной информации см. http://en.wikipedia.org/wiki/Cross-site_request_forgery).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

SessionCheckRemoteIP

Включить проверку удаленного IP-адреса. Она не должна быть включена, если соединение, например, устанавливается через прокси или используется модемное соединение, потому что удаленный IP-адрес в основном будет отличаться в запросах.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

SessionCustomerOnlineThreshold

Defines the period of time (in minutes) before customer is marked as "away" due to inactivity (e.g. in the "Logged-In Users" widget or for the chat).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '5'

SessionDeleteIfNotRemoteID

Удаляет сеанс, если его id используется с некорректным remote IP address.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

SessionDeleteIfTimeToOld

Удаляет запрошенные сеансы с истекшим сроком.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

SessionDir

Если "DB" выбрано для SessionModule, папка в БД, где будут храниться сеансы должна быть указана.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/sessions
```

SessionMaxIdleTime

Установить время отсутствия активности (в секундах), которое должно пройти, прежде чем сессия будет закрыта и пользователь будет отключен

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '7200'
```

SessionMaxTime

Задаёт максимально возможное время (в секундах) для сессии (session id).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '57600'
```

SessionModule

Задаёт модуль для сохранения данных сеансов. "DB" - сохраняются в БД системы. "FS" - быстрее.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::AuthSession::DB
```

SessionName

Задаёт имя ключа для сеанса. Т.е. Session, SessionID или OTRS.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- OTRSAgentInterface
```

SessionTable

Если "DB" выбрано для SessionModule, таблица в БД, где будут храниться сеансы должна быть указана.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- sessions
```

SessionUseCookieAfterBrowserClose

Сохраняет cookies после закрытия браузера.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

60. Core → Stats

Stats::DynamicObjectRegistration###Ticket

Модуль для формирования статистики по заявкам.

Значение по умолчанию:

```
---  
Module: Kernel::System::Stats::Dynamic::Ticket
```

Stats::DynamicObjectRegistration###TicketAccountedTime

Модуль для формирования статистики о затраченном времени по заявкам.

Значение по умолчанию:

```
---  
Module: Kernel::System::Stats::Dynamic::TicketAccountedTime
```

Stats::DynamicObjectRegistration###TicketList

Задаёт, может ли модуль статистики создавать список заявок.

Значение по умолчанию:

```
---  
Module: Kernel::System::Stats::Dynamic::TicketList
```

Stats::DynamicObjectRegistration###TicketSolutionResponseTime

Модуль для формирования статистики по времени реакции и разрешения заявки.

Значение по умолчанию:

```
---  
Module: Kernel::System::Stats::Dynamic::TicketSolutionResponseTime
```

Stats::MaxXaxisAttributes

Задаёт максимальное количество атрибутов для оси - X для временной шкалы.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
--- '1000'
```

Stats::StatsHook

Задает признак (знак, префикс) для имени отчета.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Stat#
```

Stats::StatsStartNumber

Начальный номер для нумерации отчетов. Каждый новый отчет увеличивает этот номер.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '10000'
```

61. Core → Stats → Reports

StatsReportConfig::CacheTTL

Cache time in seconds for the statistics reports backend.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3600'
```

62. Core → SystemMaintenance

SystemMaintenance::IsActiveDefaultLoginErrorMessage

Sets the default error message for the login screen in the agent interface, it's shown when a running system maintenance period is active.

Значение по умолчанию:

```
--- We are performing scheduled maintenance. Login is temporarily not available.
```

SystemMaintenance::IsActiveDefaultLoginMessage

Sets the default message for the login screen in the agent interface, it's shown when a running system maintenance period is active.

Значение по умолчанию:

```
--- We are performing scheduled maintenance. We should be back online shortly.
```

SystemMaintenance::IsActiveDefaultNotification

Задает сообщение по умолчанию для уведомления, отображаемого в период обслуживания системы

Значение по умолчанию:

```
--- We are performing scheduled maintenance.
```

SystemMaintenance::TimeNotifyUpcomingMaintenance

Задает время отображения сообщения о наступлении периода техобслуживания, в минутах.

Значение по умолчанию:

```
--- '30'
```

63. Core → Ticket

AdminTemplate::SubjectMethod###KeepTicketNumber

Defines the behavior for the subject method "overwrite". If the option is enabled, the ticket number will not be overwritten.

Значение по умолчанию:

```
--- 0
```

AgentSelfNotifyOnAction

Задает будет ли агент получать уведомления о собственных действиях.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

CustomerNotifyJustToRealCustomer

Sends customer notifications just to the mapped customer.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

DynamicFieldFromCustomerUser::Mapping

Define a mapping between variables of the customer user data (keys) and dynamic fields of a ticket (values). The purpose is to store customer user data in ticket dynamic fields. The dynamic fields must be present in the system and should be enabled for AgentTicketFreeText, so that they can be set/updated manually by the agent. They mustn't be enabled for AgentTicketPhone, AgentTicketEmail and AgentTicketCustomer. If they were, they would have precedence over the automatically set values. To use this mapping, you have to also activate the Ticket::EventModulePost###4100-DynamicFieldFromCustomerUser setting.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
UserFirstname: CustomerFirstname
```

OTRSEscalationEvents::DecayTime

Период в минутах после наступления события, в который новое уведомление об эскалации подавляется.

Значение по умолчанию:


```
--- '1440'
```

StandardTemplate2QueueByCreating

Список по умолчанию для Стандартных Шаблонов, которые назначаются автоматически при создании новой очереди.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

StandardTemplate::Types

Задаёт список типов для шаблонов

Значение по умолчанию:

```
---  
Answer: Answer  
Create: Create  
Email: Email  
Forward: Forward  
Note: Note  
PhoneCall: Phone call  
ProcessDialog: Process dialog
```

Ticket::ArchiveSystem

Включить функцию архивирования заявок для ускорения работы, путем перемещения некоторых заявок из ежедневного объема. Для поиска таких заявок необходимо включить архивный флажок при создании поискового запроса

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::ArchiveSystem::RemoveSeenFlags

Управляет удалением флагов просмотра заявок и сообщений при архивировании заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::ArchiveSystem::RemoveTicketWatchers

Удаляет признак наблюдения за заявкой при ее архивировании.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::ChangeOwnerToEveryone

Изменить Владельца заявок на любого (полезно для ASP). Обычно, только агенты с gw - правами в очереди отображаются.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::CustomModule###001-CustomModule

Переопределяет функции заданные в Kernel::System::Ticket::(имя папки с альтернативными модулями). Применяется для облегчения кастомизации.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- Kernel::System::Ticket::Custom

Ticket::CustomQueue

Имя пользовательского списка очередей. Это набор очередей, выбранных из списка доступных очередей в личных настройках.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- My Queues

Ticket::CustomService

Имя пользовательского сервиса. Это сервис, выбранный из списка предпочтительных сервисов и он может быть выбран в личных настройках.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- My Services

Ticket::CustomerArchiveSystem

Включить возможность поиска заявок в архиве в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::DefineEmailFrom

Задаёт состав атрибутов в поле От письма (отправляемых в ответах и почтовых заявках)

Этот параметр не может быть отключен.

Значение по умолчанию:

--- SystemAddressName

Ticket::DefineEmailFromSeparator

Задаёт разделитель между real name агента и почтовым адресом очереди.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- via

Ticket::Frontend::DefaultRecipientDisplayType

Default display type for recipient (To,Cc) names in the ticket zoom screen of the agent interface.

Значение по умолчанию:

--- Realname

Ticket::Frontend::DefaultSenderDisplayType

Default display type for sender (From) names in the ticket zoom screen of the agent interface.

Значение по умолчанию:

--- Realname

Ticket::GenericAgentRunLimit

Задаёт предельное количество заявок, обрабатываемых за один запуск задания Планировщика.

Значение по умолчанию:

--- '4000'

Ticket::GenericAgentTicketSearch###ExtendedSearchCondition

Позволяет задать расширенные возможности поиска в интерфейсе агента в заданиях Планировщика. При включении его, появится возможность поиска с использованием конструкций типа "(key1&&key2)" или "(key1||key2)".

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

Ticket::Hook

Идентификатор заявки, например, Заявка№, Звонок#. По умолчанию - Ticket#.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Ticket#

Ticket::HookDivider

Разделитель между символом номера и его значением. (Например ":", ".").

Этот параметр не может быть отключен.

Значение по умолчанию:

--- ''

Ticket::IncludeUnknownTicketCustomers

Включать неизвестных клиентов в фильтр заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::IndexModule

IndexAccelerator: для выбора серверного TicketViewAccelerator модуля. "RuntimeDB" - строит каждый обзор на лету из таблицы заявок (не будет проблем с производительностью, примерно, до общего объема в 60.000 заявок и 6.000 открытых). "StaticDB" - наиболее мощный модуль, он использует внешнюю таблицу индексов заявок (рекомендуется при объеме более 80.000 заявок при 6.000 открытых хранимых в системе). Используйте скрипт "bin/otrs.Console.pl Maint::Ticket::QueueIndexRebuild" для первичного создания индексов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Ticket::IndexAccelerator::RuntimeDB
```

Ticket::InvalidOwner::StateChange

Автоматически изменяет состояние заявки с недействительным агентом после её разблокирования. Новое состояние заявки берется из доступных типов состояния.

Значение по умолчанию:

```
---  
pending auto: open  
pending reminder: open
```

Ticket::MergeDynamicFields

Список динамических полей, которые объединяются в главной заявке при слиянии. Только динамические поля, имеющие пустые значения в главной заявке будут установлены/заполнены.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- []
```

Ticket::NewArticleIgnoreSystemSender

Ignore system sender article types (e. g. auto responses or email notifications) to be flagged as 'Unread Article' in AgentTicketZoom or expanded automatically in Large view screens.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::NumberGenerator

Selects the ticket number generator module. "AutoIncrement" increments the ticket number, the SystemID and the counter are used with SystemID.counter format (e.g. 1010138, 1010139). With "Date" the ticket numbers will be generated by the current date, the SystemID and the counter. The format looks like Year.Month.Day.Sys-

temID.counter (e.g. 200206231010138, 200206231010139). With "DateChecksum" the counter will be appended as checksum to the string of date and SystemID. The checksum will be rotated on a daily basis. The format looks like Year.Month.Day.SystemID.Counter.CheckSum (e.g. 2002070110101520, 2002070110101535).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Ticket::Number::DateChecksum
```

Ticket::NumberGenerator::CheckSystemID

Проверяет SystemID в номере заявки при обнаружении ответа клиент (follow-ups). Если выключено, SystemID будет изменен после использования системы.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::NumberGenerator::Date::UseFormattedCounter

Включает минимальный размер счетчика заявок (Если "Date" было выбрано в качестве TicketNumberGenerator).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::NumberGenerator::MinCounterSize

Задаёт минимальное количество разрядов счетчика (если "AutoIncrement" выбран в качестве TicketNumberGenerator. По умолчанию - 5, что означает, что счетчик стартует с 10000.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5'
```

Ticket::PendingAutoStateType

Задаёт возможные состояния для заявок с ожиданием, которые меняют состояние после истечения времени.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- pending auto
```

Ticket::PendingNotificationNotToResponsible

Disables sending reminder notifications to the responsible agent of a ticket (Ticket::Responsible needs to be enabled).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::PendingNotificationOnlyToOwner

Посылать напоминание о разблокированных заявках после истечения времени напоминания (посылается только владельцу заявки).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::PendingReminderStateType

Задаёт тип состояния для отложенных заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

- pending reminder

Ticket::Responsible

Включает возможность назначения Ответственных для заявки.

Значение по умолчанию:

--- 0

Ticket::ResponsibleAutoSet

Автоматически устанавливает владельца заявки ответственным за нее (если механизм ответственных включен). Это работает лишь при ручных операциях активного/logged агента. Не работает для автоматически выполняемых работах типа GenericAgent/Планировщик, Postmaster или GenericInterface.

Значение по умолчанию:

--- '1'

Ticket::Service

Позволяет определить Сервисы и SLA для заявок (напр. Почта, ПК, Сеть, ...), и параметры эскалации для SLA (при условии, что поддержка Сервисов и SLA включена).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Service::Default::UnknownCustomer

Разрешает установить Сервис по умолчанию для несуществующих клиентов.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Service::KeepChildren

Оставляет все сервисы в списке, даже если они являются потомками от недействительных элементов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::StateAfterPending

Задаёт, какие состояния будут установлены автоматически (Содержание), в зависимости от состояния ожидания (Ключ) после истечения его срока.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
pending auto close+: closed successful  
pending auto close-: closed unsuccessful
```

Ticket::SubjectFormat

Формат поля Тема. "Left" означает "[TicketHook#:12345] текст темы", "Right" - "текст темы [TicketHook#:12345]", "None" "текст темы без номера заявки". В последнем случае вы должны убедиться, что параметр PostMaster::Check-FollowUpModule###0200-References активирован для распознавания ответов/дополнений, на основании анализа заголовка/темы письма.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Left
```

Ticket::SubjectFwd

Текст, предшествующий теме при пересылке письма, например, FW, Fwd, или WG.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Fwd
```

Ticket::SubjectRe

Текст, предшествующий теме в ответе на письмо, например, RE, AW, или AS.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Re
```

Ticket::SubjectSize

Максимальная длина поля Тема в почтовом ответе и некоторых экранах просмотра.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '100'
```

Ticket::Type

Enables ticket type feature.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Type::Default

Определяет тип заявки по умолчанию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Unclassified
```

Ticket::UnlockOnAway

Разблокирует заявку всякий раз, когда добавляется новое сообщение к заявке и владелец установил состояние - вне офиса.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::UnlockStateType

Задаёт действительные состояния для разблокированных заявок. Для разблокирования заявок используйте скрипт "bin/otrs.Console.pl Maint::Ticket::UnlockTimeout".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- new  
- open
```

Ticket::ViewableLocks

Defines the viewable locks of a ticket. NOTE: When you change this setting, make sure to delete the cache in order to use the new value. Default: unlock, tmp_lock.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- ''unlock''  
- ''tmp_lock''
```

Ticket::ViewableSenderTypes

Задаёт отображаемый тип отправителя заявки по умолчанию (по умолчанию: customer).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- ''customer''
```

Ticket::ViewableStateType

Задаёт действительные типы состояний для заявки

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- new  
- open  
- pending reminder  
- pending auto
```

Ticket::Watcher

Включает/выключает функцию наблюдения за заявками, чтобы иметь возможность отслеживания заявок не будучи ее владельцем или ответственным.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::WatcherGroup

Включает возможность Наблюдения для заявок для выбранных групп агентов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- admin  
- users
```

64. Core → Ticket → ACL

ACL::CacheTTL

Cache time, в сек, для DB ACL backend.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3600'
```

ACLKeysLevel1Change

Задаёт, какие элементы доступны на первом уровне структуры ACL.

Значение по умолчанию:

```
---  
Possible: Possible  
PossibleAdd: PossibleAdd
```

```
PossibleNot: PossibleNot
```

ACLKeysLevel1Match

Задает, какие элементы доступны на первом уровне структуры ACL.

Значение по умолчанию:

```
---  
Properties: Properties  
PropertiesDatabase: PropertiesDatabase
```

ACLKeysLevel2::Possible

Задает, какие элементы доступны на втором уровне структуры ACL.

Значение по умолчанию:

```
---  
Action: Action  
ActivityDialog: ActivityDialog  
Endpoint: Endpoint  
Process: Process  
Ticket: Ticket
```

ACLKeysLevel2::PossibleAdd

Задает, какие элементы доступны на втором уровне структуры ACL.

Значение по умолчанию:

```
---  
Action: Action  
ActivityDialog: ActivityDialog  
Endpoint: Endpoint  
Process: Process  
Ticket: Ticket
```

ACLKeysLevel2::PossibleNot

Задает, какие элементы доступны на втором уровне структуры ACL.

Значение по умолчанию:

```
---  
Action: Action  
ActivityDialog: ActivityDialog  
Endpoint: Endpoint  
Process: Process  
Ticket: Ticket
```

ACLKeysLevel2::Properties

Задает, какие элементы доступны на втором уровне структуры ACL.

Значение по умолчанию:

```
---  
CustomerUser: CustomerUser  
DynamicField: DynamicField  
Frontend: Frontend  
Owner: Owner  
Priority: Priority  
Process: Process  
Queue: Queue  
Responsible: Responsible  
SLA: SLA  
Service: Service  
State: State  
Ticket: Ticket
```

Type: Type
User: User

ACLKeysLevel2::PropertiesDatabase

Задает, какие элементы доступны на втором уровне структуры ACL.

Значение по умолчанию:

```
---  
CustomerUser: CustomerUser  
DynamicField: DynamicField  
Owner: Owner  
Priority: Priority  
Process: Process  
Queue: Queue  
Responsible: Responsible  
SLA: SLA  
Service: Service  
State: State  
Ticket: Ticket  
Type: Type  
User: User
```

ACLKeysLevel3::Actions###100-Default

Задает, какие элементы доступны для "Action" на третьем уровне структуры ACL.

Значение по умолчанию:

```
---  
- AgentTicketBounce  
- AgentTicketClose  
- AgentTicketCompose  
- AgentTicketCustomer  
- AgentTicketForward  
- AgentTicketEmail  
- AgentTicketEmailOutbound  
- AgentTicketEmailResend  
- AgentTicketFreeText  
- AgentTicketHistory  
- AgentTicketLink  
- AgentTicketLock  
- AgentTicketMerge  
- AgentTicketMove  
- AgentTicketNote  
- AgentTicketOwner  
- AgentTicketPending  
- AgentTicketPhone  
- AgentTicketPhoneInbound  
- AgentTicketPhoneOutbound  
- AgentTicketPlain  
- AgentTicketPrint  
- AgentTicketPriority  
- AgentTicketProcess  
- AgentTicketResponsible  
- AgentTicketSearch  
- AgentTicketWatcher  
- AgentTicketZoom  
- AgentLinkObject  
- AgentSplitSelection
```

Ticket::Acl::Module###1-Ticket::Acl::Module

ACL модуль, который позволяет закрывать родительские заявки только после того как все младшие закрыты ("State" задает доступные состояния для родительских заявок до закрытия всех младших)

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Ticket::Acl::CloseParentAfterClosedChilds  
State:  
- closed successful  
- closed unsuccessful
```

TicketACL::Debug::Enabled

Включить журналирование отладки ACL.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

TicketACL::Debug::Filter###00-Default

Фильтр для отладки ACL. Примечание: атрибуты могут быть добавлены в формате <OTRS_TICKET_Attribute> например, <OTRS_TICKET_Priority>.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
<OTRS_TICKET_TicketNumber>: ''  
ACLName: ''
```

TicketACL::Debug::LogPriority

Задаёт приоритет с которым информация журналируется и отображается.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- debug
```

TicketACL::Default::Action

Стандартные значения ACL для действий по заявке.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- {}
```

65. Core → Ticket → DynamicFieldDefault

Ticket::TicketDynamicFieldDefault###Element1

Задаёт настройки TicketDynamicField по умолчанию. "Name/Имя" задаёт поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: TicketCreate  
Name: Field1  
Value: Default
```

Ticket::TicketDynamicFieldDefault###Element10

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element11

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element12

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element13

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element14

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element15

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element16

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element2

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут

заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element3

Задаёт настройки TicketDynamicField по умолчанию. "Name/Имя" задаёт поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element4

Задаёт настройки TicketDynamicField по умолчанию. "Name/Имя" задаёт поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element5

Задаёт настройки TicketDynamicField по умолчанию. "Name/Имя" задаёт поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element6

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element7

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element8

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''  
Name: ''  
Value: ''
```

Ticket::TicketDynamicFieldDefault###Element9

Задает настройки TicketDynamicField по умолчанию. "Name/Имя" задает поле, которое будет использоваться, "Value/Значение" - данные которые будут заданы и "Event/Событие" определяет событие триггера. Подробнее, смотрите в руководстве разработчика (<http://otrs.github.io/doc/>), раздел "Ticket Event Module".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Event: ''
```



```
Name: ''  
Value: ''
```

66. Core → Ticket → FulltextSearch

Ticket::SearchIndex::Attribute

Базовые настройки индексирования для полнотекстового поиска. Выполните скрипт "bin/otrs.Console.pl Maint::Ticket::FulltextIndexRebuild" для генерации новых индексов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
WordCountMax: '1000'  
WordLengthMax: '30'  
WordLengthMin: '3'
```

Ticket::SearchIndex::Filters

Регулярное выражение для удаления части текста в запросе полнотекстового поиска.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- '[ ,\&\<\>\?\"!*\|; \[\] \(\)\+\$\^=] '  
- ^[':;|'[:;| '$  
- ^[\^w]+$
```

Ticket::SearchIndex::ForceUnfilteredStorage

Force the storage of the original article text in the article search index, without executing filters or applying stop word lists. This will increase the size of the search index and thus may slow down fulltext searches.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::SearchIndex::IndexArchivedTickets

Defines whether to index archived tickets for fulltext searches.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::SearchIndex::StopWords###Custom

Настраиваемые стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
```

Ticket::SearchIndex::StopWords###de

Немецкие стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

```
---  
- aber  
- als  
- am  
- an  
- auch  
- auf  
- aus  
- bei  
- bin  
- bis  
- bist  
- da  
- dadurch  
- daher  
- darum  
- das  
- daß  
- dass  
- dein  
- deine  
- dem  
- den  
- der  
- des  
- dessen  
- deshalb  
- die  
- dies  
- dieser  
- dieses  
- doch  
- dort  
- du  
- durch  
- ein  
- eine  
- einem  
- einen  
- einer  
- eines  
- er  
- es  
- euer  
- eure  
- für  
- hatte  
- hatten  
- hattest  
- hattet  
- hier  
- hinter  
- ich  
- ihr  
- ihre  
- im  
- in  
- ist  
- ja  
- jede  
- jedem  
- jeden  
- jeder
```

- jedes
- jener
- jenes
- jetzt
- kann
- kannst
- können
- könnt
- machen
- mein
- meine
- mit
- muß
- mußt
- musst
- müssen
- müßt
- nach
- nachdem
- nein
- nicht
- nun
- oder
- seid
- sein
- seine
- sich
- sie
- sind
- soll
- sollen
- sollst
- sollt
- sonst
- soweit
- sowie
- und
- unser
- unsere
- unter
- vom
- von
- vor
- wann
- warum
- was
- weiter
- weitere
- wenn
- wer
- werde
- werden
- werdet
- weshalb
- wie
- wieder
- wieso
- wir
- wird
- wirst
- wo
- woher
- wohin
- zu
- zum
- zur
- über

Ticket::SearchIndex::StopWords###en

Английские стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

```
---  
- a  
- about  
- above  
- after  
- again  
- against  
- all  
- am  
- an  
- and  
- any  
- are  
- aren't  
- as  
- at  
- be  
- because  
- been  
- before  
- being  
- below  
- between  
- both  
- but  
- by  
- can't  
- cannot  
- could  
- couldn't  
- did  
- didn't  
- do  
- does  
- doesn't  
- doing  
- don't  
- down  
- during  
- each  
- few  
- for  
- from  
- further  
- had  
- hadn't  
- has  
- hasn't  
- have  
- haven't  
- having  
- he  
- he'd  
- he'll  
- he's  
- her  
- here  
- here's  
- hers  
- herself  
- him  
- himself  
- his  
- how  
- how's  
- i  
- i'd  
- i'll  
- i'm  
- i've
```

- if
- in
- into
- is
- isn't
- it
- it's
- its
- itself
- let's
- me
- more
- most
- mustn't
- my
- myself
- no
- nor
- not
- of
- off
- on
- once
- only
- or
- other
- ought
- our
- ours
- ourselves
- out
- over
- own
- same
- shan't
- she
- she'd
- she'll
- she's
- should
- shouldn't
- so
- some
- such
- than
- that
- that's
- the
- their
- theirs
- them
- themselves
- then
- there
- there's
- these
- they
- they'd
- they'll
- they're
- they've
- this
- those
- through
- to
- too
- under
- until
- up
- very
- was
- wasn't

```
- we
- we'd
- we'll
- we're
- we've
- were
- weren't
- what
- what's
- when
- when's
- where
- where's
- which
- while
- who
- who's
- whom
- why
- why's
- with
- won't
- would
- wouldn't
- you
- you'd
- you'll
- you're
- you've
- your
- yours
- yourself
- yourselves
```

Ticket::SearchIndex::StopWords###es

Испанские стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

```
---
- un
- una
- unas
- unos
- uno
- sobre
- todo
- también
- tras
- otro
- algún
- alguno
- alguna
- algunos
- algunas
- ser
- es
- soy
- eres
- somos
- sois
- estoy
- esta
- estamos
- estais
- estan
- como
- en
- para
- atras
```

- porque
- por qué
- estado
- estaba
- ante
- antes
- siendo
- ambos
- pero
- por
- poder
- puede
- puedo
- podemos
- podeis
- pueden
- fui
- fue
- fuimos
- fueron
- hacer
- hago
- hace
- hacemos
- haceis
- hacen
- cada
- fin
- incluso
- primero
- desde
- conseguir
- consigo
- consigue
- consigues
- conseguimos
- consiguen
- ir
- voy
- va
- vamos
- vais
- van
- vaya
- gueno
- ha
- tener
- tengo
- tiene
- tenemos
- teneis
- tienen
- el
- la
- lo
- las
- los
- su
- aqui
- mio
- tuyo
- ellos
- ellas
- nos
- nosotros
- vosotros
- vosotras
- si
- dentro
- solo
- solamente
- saber

- sabes
- sabe
- sabemos
- sabeis
- saben
- ultimo
- largo
- bastante
- haces
- muchos
- aquellos
- aquellas
- sus
- entonces
- tiempo
- verdad
- verdadero
- verdadera
- cierto
- ciertos
- cierta
- ciertas
- intentar
- intento
- intenta
- intentas
- intentamos
- intentais
- intentan
- dos
- bajo
- arriba
- encima
- usar
- uso
- usas
- usa
- usamos
- usais
- usan
- emplear
- empleo
- empleas
- emplean
- empleamos
- empleais
- valor
- muy
- era
- eras
- eramos
- eran
- modo
- bien
- cual
- cuando
- donde
- mientras
- quien
- con
- entre
- sin
- trabajo
- trabajar
- trabajas
- trabaja
- trabajamos
- trabajais
- trabajan
- podria
- podrias
- podriamos


```
- podrian  
- podriais  
- yo  
- aquel
```

Ticket::SearchIndex::StopWords###fr

Французские стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

```
--  
- alors  
- au  
- aucuns  
- aussi  
- autre  
- avant  
- avec  
- avoir  
- bon  
- car  
- ce  
- cela  
- ces  
- ceux  
- chaque  
- ci  
- comme  
- comment  
- dans  
- des  
- du  
- dedans  
- dehors  
- depuis  
- deux  
- devrait  
- doit  
- donc  
- dos  
- droite  
- début  
- elle  
- elles  
- en  
- encore  
- essai  
- est  
- et  
- eu  
- fait  
- faites  
- fois  
- font  
- force  
- haut  
- hors  
- ici  
- il  
- ils  
- je  
- juste  
- la  
- le  
- les  
- leur  
- là  
- ma  
- maintenant  
- mais
```

- mes
- mine
- moins
- mon
- mot
- même
- ni
- nommés
- notre
- nous
- nouveaux
- ou
- où
- par
- parce
- parole
- pas
- personnes
- peut
- peu
- pièce
- plupart
- pour
- pourquoi
- quand
- que
- quel
- quelle
- quelles
- quels
- qui
- sa
- sans
- ses
- seulement
- si
- sien
- son
- sont
- sous
- soyez
- sujet
- sur
- ta
- tandis
- tellement
- tels
- tes
- ton
- tous
- tout
- trop
- très
- tu
- valeur
- voie
- voient
- vont
- votre
- vous
- vu
- ça
- étaient
- état
- étions
- été
- être

Ticket::SearchIndex::StopWords###it

Итальянские стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

```
--  
- a  
- adesso  
- ai  
- al  
- alla  
- allo  
- allora  
- altre  
- altri  
- altro  
- anche  
- ancora  
- avere  
- aveva  
- avevano  
- ben  
- buono  
- che  
- chi  
- cinque  
- comprare  
- con  
- consecutivi  
- consecutivo  
- cosa  
- cui  
- da  
- del  
- della  
- dello  
- dentro  
- deve  
- devo  
- di  
- doppio  
- due  
- e  
- ecco  
- fare  
- fine  
- fino  
- fra  
- gente  
- giu  
- ha  
- hai  
- hanno  
- ho  
- il  
- indietro  
- invece  
- io  
- la  
- lavoro  
- le  
- lei  
- lo  
- loro  
- lui  
- lungo  
- ma  
- me  
- meglio  
- molta  
- molti  
- molto  
- nei  
- nella  
- no
```

- noi
- nome
- nostro
- nove
- nuovi
- nuovo
- o
- oltre
- ora
- otto
- peggio
- pero
- persone
- piu
- poco
- primo
- promesso
- qua
- quarto
- quasi
- quattro
- quello
- questo
- qui
- quindi
- quinto
- rispetto
- sara
- secondo
- sei
- sembra
- sembrava
- senza
- sette
- sia
- siamo
- siete
- solo
- sono
- sopra
- soprattutto
- sotto
- stati
- stato
- stesso
- su
- subito
- sul
- sulla
- tanto
- te
- tempo
- terzo
- tra
- tre
- triplo
- ultimo
- un
- una
- uno
- va
- vai
- voi
- volte
- vostro

Ticket::SearchIndex::StopWords###nl

Голландские стоп-слова для полнотекстовой индексации. Эти слова будут удалены и поискового индекса.

Значение по умолчанию:

--
- de
- zijn
- een
- en
- in
- je
- het
- van
- op
- ze
- hebben
- het
- hij
- niet
- met
- er
- dat
- die
- te
- wat
- voor
- naar
- gaan
- kunnen
- zeggen
- dat
- maar
- aan
- veel
- zijn
- worden
- uit
- ook
- komen
- als
- om
- moeten
- we
- doen
- bij
- goed
- haar
- dan
- nog
- of
- maken
- zo
- wel
- mijn
- zien
- over
- willen
- staan
- door
- kijken
- zullen
- heel
- nu
- weten
- zitten
- hem
- schrijven
- vinden
- woord
- hoe
- geen
- dit
- mens
- al
- jij
- ander

- groot
- waar
- maar
- weer
- kind
- me
- vragen
- een
- denken
- twee
- horen
- iets
- deze
- krijgen
- ons
- zich
- lezen
- hun
- welk
- zin
- laten
- mogen
- hier
- jullie
- toch
- geven
- jaar
- tegen
- al
- eens
- echt
- houden
- alleen
- lopen
- mee
- ja
- roepen
- tijd
- dag
- elkaar
- even
- lang
- land
- liggen
- waarom
- zetten
- vader
- laat
- beginnen
- blijven
- nee
- moeder
- huis
- nou
- na
- af
- keer
- dus
- tot
- vertellen
- wie
- net
- jou
- les
- want
- man
- nieuw
- elk
- tekst
- omdat
- gebruiken
- u

Ticket::SearchIndex::WarnOnStopWordUsage

Отобразить предупреждение и прекратить поиск при использовании стоп-слов при полнотекстовом поиске

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::SearchIndexModule

Helps to extend your articles full-text search (From, To, Cc, Subject and Body search). It will strip all articles and will build an index after article creation, increasing fulltext searches about 50%. To create an initial index use "bin/otrs.Console.pl Maint::Ticket::FulltextIndexRebuild".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Ticket::ArticleSearchIndex::DB
```

67. Core → Ticket → Permission

CustomerTicket::Permission###1-GroupCheck

Модуль проверки прав в группах для доступа пользователей к заявкам.

Значение по умолчанию:

```
---  
Granted: '0'  
Module: Kernel::System::Ticket::CustomerPermission::GroupCheck  
Required: '1'
```

CustomerTicket::Permission###2-CustomerUserIDCheck

Модуль, который дает доступ, если CustomerUserID Заявки соответствует CustomerUserID текущего пользователя .

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::CustomerPermission::CustomerUserIDCheck  
Required: '0'
```

CustomerTicket::Permission###3-CustomerIDCheck

Module to grant access if the CustomerID of the ticket matches the CustomerID of the customer.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::CustomerPermission::CustomerIDCheck  
Required: '0'
```

CustomerTicket::Permission###4-CustomerGroupCheck

Module to grant access if the CustomerID of the customer has necessary group permissions.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::CustomerPermission::CustomerGroupCheck  
Required: '0'
```

Ticket::Permission###1-OwnerCheck

Модуль предоставления прав владельцу заявки.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::OwnerCheck  
Required: '0'
```

Ticket::Permission###2-ResponsibleCheck

Модуль для предоставления прав агенту ответственного за заявку.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::ResponsibleCheck  
Required: '0'
```

Ticket::Permission###3-GroupCheck

Модуль проверки прав в группах для доступа к заявкам.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::GroupCheck  
Required: '0'
```

Ticket::Permission###4-WatcherCheck

Модуль предоставления прав агентам для наблюдения за заявкой.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::WatcherCheck  
Required: '0'
```

Ticket::Permission###5-CreatorCheck

Модуль предоставления прав создателю заявки.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::CreatorCheck  
Required: '0'
```

Ticket::Permission###6-InvolvedCheck

Модуль предоставления прав любому агенту, вовлеченному в работу с заявкой в прошлом (на основании записей в истории заявки).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Granted: '1'  
Module: Kernel::System::Ticket::Permission::InvolvedCheck  
Required: '0'
```

Ticket::Permission::CreatorCheck::Queues

Optional queue limitation for the CreatorCheck permission module. If set, permission is only granted for tickets in the specified queues.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Misc: note  
Postmaster: ro, move, note  
Raw: rw
```

Ticket::Permission::InvolvedCheck::Queues

Optional queue limitation for the InvolvedCheck permission module. If set, permission is only granted for tickets in the specified queues.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Misc: note  
Postmaster: ro, move, note  
Raw: rw
```

Ticket::Permission::OwnerCheck::Queues

Optional queue limitation for the OwnerCheck permission module. If set, permission is only granted for tickets in the specified queues.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Misc: note  
Postmaster: ro, move, note  
Raw: rw
```

Ticket::Permission::ResponsibleCheck::Queues

Optional queue limitation for the ResponsibleCheck permission module. If set, permission is only granted for tickets in the specified queues.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Misc: note  
Postmaster: ro, move, note  
Raw: rw
```

68. Core → Time

CalendarWeekDayStart

Укажите первый день недели для использования при выборе даты

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

MaximumCalendarNumber

Maximum Number of a calendar shown in a dropdown.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- '50'

OTRSTimeZone

Sets the time zone being used internally by OTRS to e. g. store dates and times in the database. WARNING: This setting must not be changed once set and tickets or any other data containing date/time have been created.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- UTC

ShowUserTimeZoneSelectionNotification

If enabled, users that haven't selected a time zone yet will be notified to do so. Note: Notification will not be shown if (1) user has not yet selected a time zone and (2) OTRSTimeZone and UserDefaultTimeZone do match and (3) are not set to UTC.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

TimeInputFormat

Задаёт способ ввода даты (выбором (option) или прямым вводом в поле (input)).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Option

TimeInputMinutesStep

Defines the available steps in time selections. Select "1 minute" to be able to select all minutes of one hour from 1-59. Select "30 minutes" to only make full and half hours available.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeShowAlwaysLong

Shows time in long format (days, hours, minutes), if enabled; or in short format (days, hours), if not enabled.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

TimeShowCompleteDescription

Shows time use complete description (days, hours, minutes), if enabled; or just first letter (d, h, m), if not enabled.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

TimeVacationDays

Добавляет постоянные дни отпуска.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime

Добавляет одноразовые дни отпуска.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours

Задаёт часы и дни недели для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'
```

```
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Tue:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Wed:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'
```

TimeZone

Этот параметр устарел. Вместо него используйте OTRSTimeZone.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '+0'
```

UserDefaultTimeZone

Sets the time zone that will be assigned to newly created users and will be used for users that haven't yet set a time zone. This is the time zone being used as default to convert date and time between the OTRS time zone and the user's time zone.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- UTC
```

69. Core → Time → Calendar1

CalendarWeekDayStart::Calendar1

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar1

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar1

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar1

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Tue:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Wed:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'
```

```
- '16'  
- '17'  
- '18'  
- '19'  
- '20'
```

TimeZone::Calendar1

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar1Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 1
```

70. Core → Time → Calendar2

CalendarWeekDayStart::Calendar2

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar2

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar2

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
'2004':
  '1':
    '1': test
```

TimeWorkingHours::Calendar2

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Fri:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Mon:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Sat: []
Sun: []
Thu:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Tue:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
```



```

- '19'
- '20'
Wed:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'

```

TimeZone::Calendar2

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar2Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 2
```

71. Core → Time → Calendar3

CalendarWeekDayStart::Calendar3

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar3

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
'1':
  '1': New Year's Day
'12':
  '24': Christmas Eve
  '25': First Christmas Day
  '26': Second Christmas Day

```

```
'31': New Year's Eve  
'5':  
'1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar3

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar3

Задает часы и дни недели в выбранном календаре для подсчета рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'
```

```

- '20'
Tue:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Wed:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'

```

TimeZone::Calendar3

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

--- UTC

TimeZone::Calendar3Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Calendar Name 3

72. Core → Time → Calendar4

CalendarWeekDayStart::Calendar4

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

TimeVacationDays::Calendar4

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
'1':
  '1': New Year's Day
'12':
  '24': Christmas Eve
  '25': First Christmas Day
  '26': Second Christmas Day
  '31': New Year's Eve
'5':
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar4

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
'2004':
  '1':
    '1': test
```

TimeWorkingHours::Calendar4

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Fri:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Mon:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Sat: []
Sun: []
Thu:
- '8'
```

```
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
```

Tue:

```
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
```

Wed:

```
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
```

TimeZone::Calendar4

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

--- UTC

TimeZone::Calendar4Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Calendar Name 4

73. Core → Time → Calendar5

CalendarWeekDayStart::Calendar5

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar5

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar5

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar5

Задает часы и дни недели в выбранном календаре для подсчета рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'
```

```

- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Sat: []
Sun: []
Thu:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Tue:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Wed:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'

```

TimeZone::Calendar5

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar5Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 5
```

74. Core → Time → Calendar6

CalendarWeekDayStart::Calendar6

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar6

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar6

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar6

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'
```



```
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Tue:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Wed:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'
```

TimeZone::Calendar6

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar6Name

Задаёт имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 6
```

75. Core → Time → Calendar7

CalendarWeekDayStart::Calendar7

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar7

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar7

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar7

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Tue:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Wed:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'
```

```
- '16'  
- '17'  
- '18'  
- '19'  
- '20'
```

TimeZone::Calendar7

Задаёт временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar7Name

Задаёт имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 7
```

76. Core → Time → Calendar8

CalendarWeekDayStart::Calendar8

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar8

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'1':  
  '1': New Year's Day  
'12':  
  '24': Christmas Eve  
  '25': First Christmas Day  
  '26': Second Christmas Day  
  '31': New Year's Eve  
'5':  
  '1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar8

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
'2004':  
  '1':  
    '1': test
```

TimeWorkingHours::Calendar8

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Fri:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Mon:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Sat: []  
Sun: []  
Thu:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'  
- '17'  
- '18'  
- '19'  
- '20'  
Tue:  
- '8'  
- '9'  
- '10'  
- '11'  
- '12'  
- '13'  
- '14'  
- '15'  
- '16'
```

```

- '17'
- '18'
- '19'
- '20'
Wed:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'

```

TimeZone::Calendar8

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar8Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 8
```

77. Core → Time → Calendar9

CalendarWeekDayStart::Calendar9

Укажите первый день недели для использования при выборе даты для выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

TimeVacationDays::Calendar9

Добавляет постоянные дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
'1':
'1': New Year's Day
'12':
'24': Christmas Eve

```

```
'25': First Christmas Day
'26': Second Christmas Day
'31': New Year's Eve
'5':
'1': International Workers' Day
```

TimeVacationDaysOneTime::Calendar9

Добавляет одноразовые дни отпуска для указанного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
'2004':
'1':
'1': test
```

TimeWorkingHours::Calendar9

Задаёт часы и дни недели в выбранном календаре для подсчёта рабочего времени

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Fri:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Mon:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Sat: []
Sun: []
Thu:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
```

```

- '18'
- '19'
- '20'
Tue:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'
Wed:
- '8'
- '9'
- '10'
- '11'
- '12'
- '13'
- '14'
- '15'
- '16'
- '17'
- '18'
- '19'
- '20'

```

TimeZone::Calendar9

Задает временную зону выбранного календаря, который позднее может быть назначен определенной очереди.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- UTC
```

TimeZone::Calendar9Name

Задает имя выбранного календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Calendar Name 9
```

78. Core → Web

Frontend::Module###AdminSystemConfigurationUser

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```

---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin

```


79. Core → WebUserAgent

WebUserAgent::DisableSSLVerification

Выключает проверку SSL сертификата, например, при использовании "прозрачного" HTTPS проху. Вы можете использовать эту опцию на свой страх и риск.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

WebUserAgent::Proxy

Задаёт параметры для соединения для http/ftp, через проху.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- http://proxy.sn.no:8001/
```

WebUserAgent::Timeout

Задаёт timeout (в сек) для http/ftp downloads.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '15'
```

80. Daemon

Daemon::PID::Path

If enabled the daemon will use this directory to create its PID files. Note: Please stop the daemon before any change and use this setting only if <\$OTRSHome>/var/run/ can not be used.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- /opt/otrs/var/run/
```

81. Daemon → Log

Daemon::Log::DaysToKeep

Задаёт количество дней хранения daemon log files.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Daemon::Log::RotationType

Какой тип обновления журнала залогированных событий использовать: Выберите 'OTRS', чтобы позволить OTRS системе самой заботиться о ротации логов, или выберите 'External', чтобы использовать сторонний механизм ротации (например logrotate). Примечание: сторонний механизм ротации логов требует собственной независимой настройки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- otrs
```

Daemon::Log::STDERR

Если включено, демон перенаправит стандартный поток сообщений об ошибках в лог-файл.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Daemon::Log::STDOUT

Если включено, демон перенаправит стандартный вывод в лог-файл.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

82. Daemon → ModuleRegistration

DaemonModules###SchedulerCronTaskManager

The daemon registration for the scheduler cron task manager.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Daemon::DaemonModules::SchedulerCronTaskManager
```

DaemonModules###SchedulerFutureTaskManager

The daemon registration for the scheduler future task manager.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Daemon::DaemonModules::SchedulerFutureTaskManager
```

DaemonModules###SchedulerGenericAgentTaskManager

The daemon registration for the scheduler generic agent task manager.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Daemon::DaemonModules::SchedulerGenericAgentTaskManager
```

DaemonModules###SchedulerTaskWorker

The daemon registration for the scheduler task worker.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Daemon::DaemonModules::SchedulerTaskWorker
```

DaemonModules###SystemConfigurationSyncManager

The daemon registration for the configuration deployment sync manager.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::System::Daemon::DaemonModules::SystemConfigurationSyncManager
```

83. Daemon → Scheduler-CronTaskManager → Task

Daemon::SchedulerCronTaskManager::Task###AccessTokenDeleteExpired

Delete expired access-tokens.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::AccessToken  
Params:  
- --purge  
Schedule: 00 01 * * *  
TaskName: AccessTokenDeleteExpired
```

Daemon::SchedulerCronTaskManager::Task###AccessTokenGenerateNewKey

Generate new access-token key, and from now on all new tokens will use this key, and also purges the older ones.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::AccessToken::Keys  
Params:  
- --generate  
- --keep  
- '3'  
Schedule: 00 04 * * *  
TaskName: AccessTokenGenerateNewKey
```

Daemon::SchedulerCronTaskManager::Task###ArticleSearchIndexRebuild

Checks for articles that needs to be updated in the article search index.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Ticket::FulltextIndexRebuildWorker  
Params:  
- --children  
- '4'  
- --limit  
- '20000'  
Schedule: '* * * * *'  
TaskName: ArticleSearchIndexRebuild
```

Daemon::SchedulerCronTaskManager::Task###CommunicationLogDelete

Проверить логи сеансов связи на наличие записей для удаления.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Log::CommunicationLog  
Params:  
- --purge  
Schedule: 00 03 * * *  
TaskName: CommunicationLogDelete
```

Daemon::SchedulerCronTaskManager::Task###ConfigurationDeploymentCleanup

Removes old system configuration deployments (Sunday mornings).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Function: ConfigurationDeployCleanup  
MaximumParallelInstances: '1'  
Module: Kernel::System::SysConfig  
Params: []  
Schedule: 40 0 * * 0  
TaskName: ConfigurationDeploymentCleanup
```

Daemon::SchedulerCronTaskManager::Task###ContractCheck

Checks the contract status of the system.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::SystemContract::ContractStatusCheck  
Params: []  
Schedule: '* /5 * * * *'  
TaskName: ContractCheck
```

Daemon::SchedulerCronTaskManager::Task###CoreCacheCleanup

Удалить просроченный кэш модулей ядра.

Значение по умолчанию:

```
---
```

```
Function: CleanUp
MaximumParallelInstances: '1'
Module: Kernel::System::Cache
Params:
- Expired
- '1'
Schedule: 20 0 * * 0
TaskName: CoreCacheCleanup
```

Daemon::SchedulerCronTaskManager::Task###Custom1

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Function: ''
MaximumParallelInstances: '1'
Module: ''
Params: []
Schedule: '* * * * *'
TaskName: Custom1
```

Daemon::SchedulerCronTaskManager::Task###Custom2

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Function: ''
MaximumParallelInstances: '1'
Module: ''
Params: []
Schedule: '* * * * *'
TaskName: Custom2
```

Daemon::SchedulerCronTaskManager::Task###Custom3

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Function: ''
MaximumParallelInstances: '1'
Module: ''
Params: []
Schedule: '* * * * *'
TaskName: Custom3
```

Daemon::SchedulerCronTaskManager::Task###Custom4

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom4
```

Daemon::SchedulerCronTaskManager::Task###Custom5

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom5
```

Daemon::SchedulerCronTaskManager::Task###Custom6

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom6
```

Daemon::SchedulerCronTaskManager::Task###Custom7

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom7
```

Daemon::SchedulerCronTaskManager::Task###Custom8

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom8
```

Daemon::SchedulerCronTaskManager::Task###Custom9

Выполняет пользовательскую команду или модуль. Внимание: если используется модуль, требуется указание функции.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: ''  
MaximumParallelInstances: '1'  
Module: ''  
Params: []  
Schedule: '* * * * *'  
TaskName: Custom9
```

Daemon::SchedulerCronTaskManager::Task###EscalationCheck

Триггеры событий и оповещения для эскалации заявки.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Ticket::EscalationCheck  
Params: []  
Schedule: '* /5 * * * *'  
TaskName: EscalationCheck
```

Daemon::SchedulerCronTaskManager::Task###FetchMail

Получение писем через fetchmail.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Fetch  
MaximumParallelInstances: '1'  
Module: Kernel::System::FetchMail  
Params: []  
Schedule: '* /5 * * * *'  
TaskName: FetchMail
```

Daemon::SchedulerCronTaskManager::Task###FetchMailSSL

Получение писем через fetchmail (используя SSL).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Fetch  
MaximumParallelInstances: '1'  
Module: Kernel::System::FetchMail  
Params:  
- SSL
```

```
- '1'  
Schedule: '* / 5 * * * * *'  
TaskName: FetchMailSSL
```

Daemon::SchedulerCronTaskManager::Task###GenerateDashboardStats

Создать отчет для дайджеста.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Stats::Dashboard::Generate  
Params: []  
Schedule: 5 * * * * *  
TaskName: GenerateDashboardStats
```

Daemon::SchedulerCronTaskManager::Task###GenericAgentFile1

Run file based generic agent jobs (Note: module name needs to be specified in -configuration-module param e.g. "Kernel::System::GenericAgent").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GenericAgent::Run  
Params:  
- --configuration-module  
- <ModuleName>  
Schedule: '* / 20 * * * * *'  
TaskName: GenericAgentFile1
```

Daemon::SchedulerCronTaskManager::Task###GenericAgentFile2

Run file based generic agent jobs (Note: module name needs to be specified in -configuration-module param e.g. "Kernel::System::GenericAgent").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GenericAgent::Run  
Params:  
- --configuration-module  
- <ModuleName>  
Schedule: '* / 20 * * * * *'  
TaskName: GenericAgentFile2
```

Daemon::SchedulerCronTaskManager::Task###GenericAgentFile3

Run file based generic agent jobs (Note: module name needs to be specified in -configuration-module param e.g. "Kernel::System::GenericAgent").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GenericAgent::Run
```



```
Params:  
- --configuration-module  
- <ModuleName>  
Schedule: '* /20 * * * *'  
TaskName: GenericAgentFile3
```

Daemon::SchedulerCronTaskManager::Task###GenericAgentFile4

Run file based generic agent jobs (Note: module name needs to be specified in -configuration-module param e.g. "Kernel::System::GenericAgent").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GenericAgent::Run  
Params:  
- --configuration-module  
- <ModuleName>  
Schedule: '* /20 * * * *'  
TaskName: GenericAgentFile4
```

Daemon::SchedulerCronTaskManager::Task###GenericAgentFile5

Run file based generic agent jobs (Note: module name needs to be specified in -configuration-module param e.g. "Kernel::System::GenericAgent").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GenericAgent::Run  
Params:  
- --configuration-module  
- <ModuleName>  
Schedule: '* /20 * * * *'  
TaskName: GenericAgentFile5
```

Daemon::SchedulerCronTaskManager::Task###GeneticInterfaceDebugLogCleanup

Renew existing SMIME certificates from customer backend. Note: SMIME and SMIME::FetchFromCustomer needs to be enabled in SysConfig and customer backend needs to be configured to fetch UserSMIMECertificate attribute.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::GeneticInterface::DebugLog::Cleanup  
Params:  
- --created-before-days  
- '14'  
Schedule: 02 03 * * *  
TaskName: GeneticInterfaceDebugLogCleanup
```

Daemon::SchedulerCronTaskManager::Task###IndexMaintenance

Verify indices structure and index missing documents.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::DocumentSearch::IndexWorker
Params:
- --verify-index
Schedule: '*/*1 * * * *'
TaskName: IndexMaintenance
```

Daemon::SchedulerCronTaskManager::Task###LoaderCacheDelete

Удалять просроченный кэш загрузчика еженедельно (утром в воскресенье).

Значение по умолчанию:

```
---
Function: CacheDelete
MaximumParallelInstances: '1'
Module: Kernel::System::Loader
Params: []
Schedule: 30 0 * * 0
TaskName: LoaderCacheDelete
```

Daemon::SchedulerCronTaskManager::Task###MailAccountFetch

Получение входящих писем от настроенных учетных записей.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::PostMaster::MailAccountFetch
Params: []
Schedule: '*/*10 * * * *'
TaskName: MailAccountFetch
```

Daemon::SchedulerCronTaskManager::Task###MailQueueSend

Проверить наличие исходящей почты в очереди отправки.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::Email::MailQueue
Params:
- --send
Schedule: '* * * * *'
TaskName: MailQueueSend
```

Daemon::SchedulerCronTaskManager::Task###NotificationViewDeleteExpired

Delete expired notifications from Notification View screen.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::NotificationView::DeleteExpired
Params:
- --user-type
- Customer
Schedule: 00 02 * * *
TaskName: NotificationViewDeleteExpired
```

Daemon::SchedulerCronTaskManager::Task###RegistrationUpdateSend

Отправляет регистрационные данные в OTRS group.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Registration::UpdateSend  
Params: []  
Schedule: 30 * * * *  
TaskName: RegistrationUpdateSend
```

Daemon::SchedulerCronTaskManager::Task###RemoveClosedChats

Remove closed chats older than ChatEngine::ChatTTL.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Chat::Cleanup::Closed  
Params: []  
Schedule: 7 23 * * *  
TaskName: RemoveClosedChats
```

Daemon::SchedulerCronTaskManager::Task###RemoveOldChats

Удалить старые чаты

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Chat::Cleanup::Old  
Params: []  
Schedule: 15 3 * * 0  
TaskName: RemoveClosedChats
```

Daemon::SchedulerCronTaskManager::Task###RenewCustomerSMIMECertificates

Renew existing SMIME certificates from customer backend. Note: SMIME and SMIME::FetchFromCustomer needs to be enabled in SysConfig and customer backend needs to be configured to fetch UserSMIMECertificate attribute.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::SMIME::CustomerCertificate::Renew  
Params: []  
Schedule: 02 02 * * *  
TaskName: RenewCustomerSMIMECertificates
```

Daemon::SchedulerCronTaskManager::Task###SessionDeleteExpired

Удалить просроченные сеансы.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Session::DeleteExpired  
Params: []  
Schedule: 55 */2 * * *  
TaskName: SessionDeleteExpired
```

Daemon::SchedulerCronTaskManager::Task###SpoolMailsReprocess

Reprocess mails from spool directory that could not be imported in the first place.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::PostMaster::SpoolMailsReprocess  
Params: []  
Schedule: 10 0 * * *  
TaskName: SpoolMailsReprocess
```

Daemon::SchedulerCronTaskManager::Task###StatsReportsGenerateCron

Generate statistics reports.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::Stats::Reports::GenerateCron  
Params: []  
Schedule: '*/10 * * * *'  
TaskName: StatsReportsGenerateCron
```

Daemon::SchedulerCronTaskManager::Task###SupportDataCollectAsynchronous

Собрать данные для поддержки асинхронно подключаемых плагинов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Function: Execute  
MaximumParallelInstances: '1'  
Module: Kernel::System::Console::Command::Maint::SupportData::CollectAsynchronous  
Params: []  
Schedule: 1 * * * *  
TaskName: SupportDataCollectAsynchronous
```

Daemon::SchedulerCronTaskManager::Task###TicketAcceleratorRebuild

Перестраивает индексы заявок для AgentTicketQueue.

Значение по умолчанию:

```
---  
Function: TicketAcceleratorRebuild  
MaximumParallelInstances: '1'  
Module: Kernel::System::Ticket  
Params: []  
Schedule: 01 01 * * *  
TaskName: TicketAcceleratorRebuild
```

Daemon::SchedulerCronTaskManager::Task###TicketDraftDeleteExpired

Delete expired ticket draft entries.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::FormDraft::Delete
Params:
- --object-type
- Ticket
- --expired
Schedule: 55 * * * *
TaskName: TicketDraftDeleteExpired
```

Daemon::SchedulerCronTaskManager::Task###TicketNumberCounterCleanup

Removes old ticket number counters (each 10 minutes).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Function: TicketNumberCounterCleanup
MaximumParallelInstances: '1'
Module: Kernel::System::Ticket::Number::AutoIncrement
Params: []
Schedule: */10 * * * *
TaskName: TicketNumberCounterCleanup
```

Daemon::SchedulerCronTaskManager::Task###TicketPendingCheck

Обработать отложенные заявки.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::Ticket::PendingCheck
Params: []
Schedule: 45 */2 * * *
TaskName: TicketPendingCheck
```

Daemon::SchedulerCronTaskManager::Task###TicketUnlockTimeout

Разблокировать заявки с истекшим сроком блокировки.

Значение по умолчанию:

```
---
Function: Execute
MaximumParallelInstances: '1'
Module: Kernel::System::Console::Command::Maint::Ticket::UnlockTimeout
Params: []
Schedule: 35 * * * *
TaskName: TicketUnlockTimeout
```

Daemon::SchedulerCronTaskManager::Task###WebUploadCacheCleanup

Delete expired upload cache hourly.

Значение по умолчанию:

```
---
Function: FormIDCleanUp
MaximumParallelInstances: '1'
```

```
Module: Kernel::System::Web::UploadCache  
Params: []  
Schedule: 46 * * * * *  
TaskName: WebUploadCacheCleanup
```

84. Daemon → SchedulerGenericAgentTaskManager

Daemon::SchedulerGenericAgentTaskManager::SleepTime

Задает "паузу", в микросекундах, между обработкой заявок заданием.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Daemon::SchedulerGenericAgentTaskManager::TicketLimit

Определяет максимальное количество заявок, подвергаемых обработке в задании.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '4000'
```

85. Daemon → SchedulerGenericInterfaceTaskManager

Daemon::SchedulerGenericInterfaceTaskManager::FutureTaskTimeDiff

Задает время по умолчанию, в секундах (от текущего времени) для перезапуска невыполненного задания.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '300'
```

86. Daemon → SchedulerTaskWorker

Daemon::SchedulerTaskWorker::MaximumWorkers

Defines the maximum number of tasks to be executed at the same time. Note: Options below 5 might result in a slow processing of the tasks and are not recommended.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5'
```

Daemon::SchedulerTaskWorker::NotificationRecipientEmail

Задает почтовые адреса для получения уведомляющих сообщений от Планировщика.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- root@localhost
```

87. Frontend → Admin

Events###Appointment

Список всех событий, для мероприятий, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- AppointmentCreate  
- AppointmentUpdate  
- AppointmentDelete  
- AppointmentNotification
```

Events###Article

Список всех событий для сообщений/заметок, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- ArticleCreate  
- ArticleUpdate  
- ArticleSend  
- ArticleBounce  
- ArticleAgentNotification  
- ArticleCustomerNotification  
- ArticleAutoResponse  
- ArticleFlagSet  
- ArticleFlagDelete  
- ArticleCustomerFlagSet  
- ArticleCustomerFlagDelete  
- ArticleAgentNotification  
- ArticleCustomerNotification  
- ArticleEmailSendingQueued  
- ArticleEmailSendingSent  
- ArticleEmailSendingError
```

Events###Calendar

Список всех событий календаря, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- CalendarCreate  
- CalendarUpdate
```

Events###CustomerCompany

Список всех событий для Компаний клиента отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- CustomerCompanyAdd  
- CustomerCompanyUpdate
```

Events###CustomerUser

Список всех событий для Клиента отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- CustomerUserAdd  
- CustomerUserUpdate
```

Events###DynamicField

Список всех событий для DynamicField, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- DynamicFieldAdd  
- DynamicFieldUpdate  
- DynamicFieldDelete
```

Events###LinkObject

List of all LinkObject events to be displayed in the GUI.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- LinkObjectLinkAdd  
- LinkObjectLinkDelete
```

Events###Package

Список всех событий для Package, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- PackageInstall  
- PackageReinstall  
- PackageUpgrade  
- PackageUninstall
```

Events###Queue

Список всех событий, для очередей, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- QueueCreate  
- QueueUpdate
```


Events###Ticket

Список всех событий, для заявок, отображаемых в интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
- TicketCreate
- TicketDelete
- TicketTitleUpdate
- TicketUnlockTimeoutUpdate
- TicketQueueUpdate
- TicketTypeUpdate
- TicketServiceUpdate
- TicketSLAUpdate
- TicketCustomerUpdate
- TicketPendingTimeUpdate
- TicketLockUpdate
- TicketArchiveFlagUpdate
- TicketStateUpdate
- TicketOwnerUpdate
- TicketResponsibleUpdate
- TicketPriorityUpdate
- HistoryAdd
- HistoryDelete
- TicketAccountTime
- TicketMerge
- TicketSubscribe
- TicketUnsubscribe
- TicketFlagSet
- TicketCustomerFlagSet
- TicketFlagDelete
- TicketCustomerFlagDelete
- EscalationResponseTimeNotifyBefore
- EscalationUpdateTimeNotifyBefore
- EscalationSolutionTimeNotifyBefore
- EscalationResponseTimeStart
- EscalationUpdateTimeStart
- EscalationSolutionTimeStart
- EscalationResponseTimeStop
- EscalationUpdateTimeStop
- EscalationSolutionTimeStop
- NotificationNewTicket
- NotificationFollowUp
- NotificationLockTimeout
- NotificationOwnerUpdate
- NotificationResponsibleUpdate
- NotificationAddNote
- NotificationMove
- NotificationPendingReminder
- NotificationEscalation
- NotificationEscalationNotifyBefore
- NotificationServiceUpdate
  
```

88. Frontend → Admin → ModuleRegistration

Frontend::Module###Admin

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```

---
Description: Admin Area.
Group:
  
```

```
- admin
GroupRo: []
NavBarName: Admin
Title: ''
```

Frontend::Module###AdminACL

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Access Control Lists (ACL)
```

Frontend::Module###AdminAppointmentCalendarManage

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Calendar manage screen.
Group:
- admin
GroupRo: []
NavBarName: Calendar
Title: Manage Calendars
```

Frontend::Module###AdminAppointmentNotificationEvent

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Appointment Notifications
```

Frontend::Module###AdminAttachment

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Attachments
```

Frontend::Module###AdminAutoResponse

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
```

```
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Auto Responses
```

Frontend::Module###AdminChatChannel

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS Business Solution™.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Chat Channel
```

Frontend::Module###AdminCloudServiceSMS

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: SMS
```

Frontend::Module###AdminCloudServices

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Cloud Services
```

Frontend::Module###AdminCommunicationLog

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Communication Log GUI
```

Frontend::Module###AdminContactWithData

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Admin contact with data.
Group:
- admin
GroupRo: []
NavBarName: Ticket
Title: Admin Contact With Data
```

Frontend::Module###AdminCustomPage

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Admin Custom Page
```

Frontend::Module###AdminCustomerCompany

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Edit Customer Companies.
Group:
- admin
- users
GroupRo: []
NavBarName: Customers
Title: Customer Companies
```

Frontend::Module###AdminCustomerGroup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Customers ↔ Groups
```

Frontend::Module###AdminCustomerUser

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Edit Customer Users.
Group:
- admin
- users
GroupRo: []
NavBarName: Customers
Title: Customer Users
```

Frontend::Module###AdminCustomerUserCustomer

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Customer Users ↔ Customers
```

Frontend::Module###AdminCustomerUserGroup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Customer Users ↔ Groups
```

Frontend::Module###AdminCustomerUserService

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Customer Users ↔ Services
```

Frontend::Module###AdminDynamicField

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Dynamic Fields GUI
```

Frontend::Module###AdminDynamicFieldCheckbox

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Dynamic Fields Checkbox Backend GUI
```

Frontend::Module###AdminDynamicFieldContactWithData

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS Business Solution™.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Dynamic Fields Contact Data Backend GUI
```

Frontend::Module###AdminDynamicFieldDateTime

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Dynamic Fields Date Time Backend GUI
```

Frontend::Module###AdminDynamicFieldDropdown

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Dynamic Fields Drop-down Backend GUI
```

Frontend::Module###AdminDynamicFieldInvalid

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Dynamic Fields Invalid Backend GUI
```

Frontend::Module###AdminDynamicFieldMultiselect

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Dynamic Fields Multiselect Backend GUI
```

Frontend::Module###AdminDynamicFieldText

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Dynamic Fields Text Backend GUI
```

Frontend::Module###AdminEmail

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Admin Notification
```

Frontend::Module###AdminExternalHomePage

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Admin External Home Page
```

Frontend::Module###AdminExternalLayout

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Admin External Interface Layout
```

Frontend::Module###AdminGenericAgent

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: GenericAgent
```

Frontend::Module###AdminGenericInterfaceDebugger

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Debugger GUI
```

Frontend::Module###AdminGenericInterfaceErrorHandlingDefault

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface ErrorHandling GUI
```

Frontend::Module###AdminGenericInterfaceErrorHandlingRequestRetry

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface ErrorHandling GUI
```

Frontend::Module###AdminGenericInterfaceInvokerDefault

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Invoker GUI
```

Frontend::Module###AdminGenericInterfaceInvokerEvent

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Invoker Event GUI
```

Frontend::Module###AdminGenericInterfaceMappingSimple

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Web Service Mapping GUI
```

Frontend::Module###AdminGenericInterfaceMappingXSLT

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Web Service Mapping GUI
```

Frontend::Module###AdminGenericInterfaceOperationDefault

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface Operation GUI
```

Frontend::Module###AdminGenericInterfaceOperationRPC

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface RPC Operation GUI
```

Frontend::Module###AdminGenericInterfaceTransportHTTPREST

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Admin  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: GenericInterface TransportHTTPREST GUI
```

Frontend::Module###AdminGenericInterfaceTransportHTTPS

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Admin
Group:
- admin
GroupRo: []
NavBarName: ''
Title: GenericInterface TransportHTTPS0AP GUI
```

Frontend::Module###AdminGenericInterfaceWebservice

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Admin
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: GenericInterface Web Service GUI
```

Frontend::Module###AdminGenericInterfaceWebserviceHistory

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Admin
Group:
- admin
GroupRo: []
NavBarName: ''
Title: GenericInterface Web Service History GUI
```

Frontend::Module###AdminGroup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Groups
```

Frontend::Module###AdminInit

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Initialization
```

Frontend::Module###AdminLog

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: System Log
```

Frontend::Module###AdminMailAccount

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Mail Accounts
```

Frontend::Module###AdminNotificationEvent

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Ticket Notifications
```

Frontend::Module###AdminPGP

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: PGP Key Management
```

Frontend::Module###AdminPackageManager

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Software Package Manager.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Package Manager
```

Frontend::Module###AdminPerformanceLog

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Performance Log
```

Frontend::Module###AdminPostMasterFilter

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: PostMaster Filters
```

Frontend::Module###AdminPriority

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Priorities
```

Frontend::Module###AdminProcessManagement

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Process Management
```

Frontend::Module###AdminProcessManagementActivity

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Process Management Activity GUI
```

Frontend::Module###AdminProcessManagementActivityDialog

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Process Management Activity Dialog GUI
```

Frontend::Module###AdminProcessManagementPath

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Process Management Path GUI
```

Frontend::Module###AdminProcessManagementSequenceFlow

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Process Management Sequence Flow GUI
```

Frontend::Module###AdminProcessManagementSequenceFlowAction

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Process Management Sequence Flow Action GUI
```

Frontend::Module###AdminQueue

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Queues
```

Frontend::Module###AdminQueueAutoResponse

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Queues ↔ Auto Responses
```

Frontend::Module###AdminQueueSMSTemplates

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: SMS Templates ↔ Queues
```

Frontend::Module###AdminQueueTemplates

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Templates ↔ Queues
```

Frontend::Module###AdminRegistration

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: System Registration
```

Frontend::Module###AdminRole

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Roles
```

Frontend::Module###AdminRoleGroup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Roles ↔ Groups
```

Frontend::Module###AdminRoleUser

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Agents ↔ Roles
```

Frontend::Module###AdminSLA

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Service Level Agreements
```

Frontend::Module###AdminSMIME

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: S/MIME Management
```

Frontend::Module###AdminSMSTemplate

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: SMS Templates
```

Frontend::Module###AdminSalutation

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Salutations
```

Frontend::Module###AdminSelectBox

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: SQL Box
```

Frontend::Module###AdminService

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Services
```

Frontend::Module###AdminServiceCatalogue

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Admin Customer Service Catalogue.
```

Frontend::Module###AdminServiceCatalogueCategories

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Admin Customer Service Catalogue Categories
```

Frontend::Module###AdminServiceCatalogueItems

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Admin Customer Service Catalogue Items
```

Frontend::Module###AdminSession

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Session Management
```

Frontend::Module###AdminSignature

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Signatures
```

Frontend::Module###AdminState

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: States
```

Frontend::Module###AdminSupportDataCollector

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: This module is part of the admin area of OTRS.  
Group:  
- admin  
GroupRo: []  
NavBarName: Admin  
Title: Support Data Collector
```

Frontend::Module###AdminSystemAddress

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Email Addresses
```

Frontend::Module###AdminSystemConfiguration

Frontend module registration для интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Description: Admin.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: System Configuration
```

Frontend::Module###AdminSystemConfigurationDeployment

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Manage System Configuration Deployments.
Group:
- admin
- users
GroupRo: []
NavBarName: SystemConfiguration
Title: System Configuration Deployment
```

Frontend::Module###AdminSystemConfigurationGroup

Frontend module registration для интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Description: Admin.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: System Configuration Group
```

Frontend::Module###AdminSystemMaintenance

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
```

Title: System Maintenance

Frontend::Module###AdminTemplate

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Templates
```

Frontend::Module###AdminTemplateAttachment

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Templates ↔ Attachments
```

Frontend::Module###AdminType

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Types
```

Frontend::Module###AdminUser

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Create and manage agents.
Group:
- admin
GroupRo: []
NavBarName: Admin
Title: Agents
```

Frontend::Module###AdminUserGroup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: This module is part of the admin area of OTRS.
Group:
- admin
GroupRo: []
NavBarName: Admin
```

Title: Agents ↔ Groups

Frontend::Module###AgentDaemonInfo

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Admin
Group:
- admin
GroupRo: []
NavBarName: ''
Title: Shows information on how to start OTRS Daemon
```

Frontend::NavBarModule###11-AdminContactWithData

Agent frontend module registration (disable 'Edit contacts with data' link if there is no source field configured).

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::NavBar::AdminContactWithData
```

89. Frontend → Admin → ModuleRegistration → AdminOverview

Frontend::NavigationModule###Admin

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: ''
Description: Admin modules overview.
Group:
- admin
GroupRo: []
IconBig: ''
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: ''
```

Frontend::NavigationModule###AdminACL

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Automation
Description: Configure and manage ACLs.
Group:
- admin
GroupRo: []
IconBig: fa-check-square-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Access Control Lists (ACL)
```

Frontend::NavigationModule###AdminAppointmentCalendarManage

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: Create and manage calendars.
Group:
- admin
GroupRo: []
IconBig: fa-calendar
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Calendars
```

Frontend::NavigationModule###AdminAppointmentNotificationEvent

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Create and manage appointment notifications.
Group:
- admin
GroupRo: []
IconBig: fa-bell-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Appointment Notifications
```

Frontend::NavigationModule###AdminAttachment

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Ticket
Description: Create and manage attachments.
Group:
- admin
GroupRo: []
IconBig: fa-paperclip
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Attachments
```

Frontend::NavigationModule###AdminAutoResponse

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Ticket
Description: Create and manage responses that are automatically sent.
Group:
- admin
GroupRo: []
IconBig: fa-reply
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Auto Responses
```

Frontend::NavigationModule###AdminChatChannel

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: Create and manage chat channels.
Group:
- admin
GroupRo: []
IconBig: fa-comments-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Chat Channel
```

Frontend::NavigationModule###AdminCloudServices

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: OTRSGroup
Description: Manage OTRS Group cloud services.
Group:
- admin
GroupRo: []
IconBig: fa-cloud
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Cloud Services
```

Frontend::NavigationModule###AdminCommunicationLog

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Display communication log entries.
Group:
- admin
GroupRo: []
IconBig: fa-table
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Communication Log
```

Frontend::NavigationModule###AdminCustomPage

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: External
Description: Manage Custom Pages.
Group:
- admin
GroupRo: []
IconBig: fa-file-text-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Custom Pages
```

Frontend::NavigationModule###AdminCustomerCompany

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
```

```
Block: Users
Description: Create and manage customers.
Group:
- admin
- users
GroupRo: []
IconBig: fa-building-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customers
```

Frontend::NavigationModule###AdminCustomerGroup

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Users
Description: Link customers to groups.
Group:
- admin
GroupRo: []
IconBig: fa-building-o
IconSmall: fa-users
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customers ↔ Groups
```

Frontend::NavigationModule###AdminCustomerUser

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Users
Description: Create and manage customer users.
Group:
- admin
- users
GroupRo: []
IconBig: fa-male
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customer User
```

Frontend::NavigationModule###AdminCustomerUserCustomer

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Users
Description: Link customer users to customers.
Group:
- admin
GroupRo: []
IconBig: fa-male
IconSmall: fa-building-o
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customer Users ↔ Customers
```

Frontend::NavigationModule###AdminCustomerUserGroup

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
```

```
Block: Users
Description: Link customer users to groups.
Group:
- admin
GroupRo: []
IconBig: fa-male
IconSmall: fa-users
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customer Users ↔ Groups
```

Frontend::NavigationModule###AdminCustomerUserService

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Users
Description: Link customer users to services.
Group:
- admin
GroupRo: []
IconBig: fa-male
IconSmall: fa-wrench
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Customer Users ↔ Services
```

Frontend::NavigationModule###AdminDynamicField

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Automation
Description: Create and manage dynamic fields.
Group:
- admin
GroupRo: []
IconBig: fa-align-left
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Dynamic Fields
```

Frontend::NavigationModule###AdminEmail

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Send notifications to users.
Group:
- admin
GroupRo: []
IconBig: fa-quote-right
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Admin Notification
```

Frontend::NavigationModule###AdminExternalHomePage

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: External
```



```
Description: Manage the Home Page.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-home  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Home Page
```

Frontend::NavigationModule###AdminExternalLayout

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: External  
Description: Manage the Layout.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-paint-brush  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Layout
```

Frontend::NavigationModule###AdminGenericAgent

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Automation  
Description: Manage tasks triggered by event or time based execution.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-database  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: GenericAgent
```

Frontend::NavigationModule###AdminGenericInterfaceWebservice

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Automation  
Description: Create and manage web services.  
Group:  
- admin  
GroupRo: []  
IconBig: ''  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Web Services
```

Frontend::NavigationModule###AdminGroup

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Create and manage groups.
```

```
Group:
- admin
GroupRo: []
IconBig: fa-users
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Groups
```

Frontend::NavigationModule###AdminLog

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: View system log messages.
Group:
- admin
GroupRo: []
IconBig: fa-file-text-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: System Log
```

Frontend::NavigationModule###AdminMailAccount

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Manage POP3 or IMAP accounts to fetch email from.
Group:
- admin
GroupRo: []
IconBig: fa-envelope-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: PostMaster Mail Accounts
```

Frontend::NavigationModule###AdminNotificationEvent

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Create and manage ticket notifications.
Group:
- admin
GroupRo: []
IconBig: fa-bell-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Ticket Notifications
```

Frontend::NavigationModule###AdminPGP

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Manage PGP keys for email encryption.
Group:
```

```
- admin
GroupRo: []
IconBig: fa-user-secret
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: PGP Keys
```

Frontend::NavigationModule###AdminPackageManager

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: Update and extend your system with software packages.
Group:
- admin
GroupRo: []
IconBig: fa-plug
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Package Manager
```

Frontend::NavigationModule###AdminPerformanceLog

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: View performance benchmark results.
Group:
- admin
GroupRo: []
IconBig: fa-bar-chart
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Performance Log
```

Frontend::NavigationModule###AdminPostMasterFilter

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Filter incoming emails.
Group:
- admin
GroupRo: []
IconBig: fa-filter
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: PostMaster Filters
```

Frontend::NavigationModule###AdminPriority

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Ticket
Description: Create and manage ticket priorities.
Group:
- admin
```

```
GroupRo: []  
IconBig: fa-list-ol  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Priorities
```

Frontend::NavigationModule###AdminProcessManagement

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Automation  
Description: Configure Processes.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-sitemap  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Process Management
```

Frontend::NavigationModule###AdminQueue

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage queues.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-folder  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Queues
```

Frontend::NavigationModule###AdminQueueAutoResponse

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Link queues to auto responses.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-reply  
IconSmall: fa-folder  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Queues ↔ Auto Responses
```

Frontend::NavigationModule###AdminQueueSMSTemplates

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Link SMS templates to queues.  
Group:  
- admin  
GroupRo: []
```

```
IconBig: fa-mobile  
IconSmall: fa-folder  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: SMS Templates ↔ Queues
```

Frontend::NavigationModule###AdminQueueTemplates

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Link templates to queues.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-file-text-o  
IconSmall: fa-folder  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Templates ↔ Queues
```

Frontend::NavigationModule###AdminRegistration

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: OTRSGroup  
Description: Manage system registration.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-edit  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: System Registration
```

Frontend::NavigationModule###AdminRole

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Create and manage roles.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-circle-o  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Roles
```

Frontend::NavigationModule###AdminRoleGroup

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Link roles to groups.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-circle-o
```

```
IconSmall: fa-users  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Roles ↔ Groups
```

Frontend::NavigationModule###AdminRoleUser

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Link agents to roles.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-user  
IconSmall: fa-circle-o  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Agents ↔ Roles
```

Frontend::NavigationModule###AdminSLA

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage Service Level Agreements (SLAs).  
Group:  
- admin  
GroupRo: []  
IconBig: fa-ticket  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Service Level Agreements
```

Frontend::NavigationModule###AdminSMIME

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Communication  
Description: Manage S/MIME certificates for email encryption.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-user-secret  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: S/MIME Certificates
```

Frontend::NavigationModule###AdminSMSTemplate

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage SMS templates.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-mobile  
IconSmall: ''
```

```
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: SMS Templates
```

Frontend::NavigationModule###AdminSalutation

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage salutations.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-comment-o  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Salutations
```

Frontend::NavigationModule###AdminSelectBox

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Administration  
Description: Execute SQL statements.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-terminal  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: SQL Box
```

Frontend::NavigationModule###AdminService

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage services.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-wrench  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Services
```

Frontend::NavigationModule###AdminServiceCatalogue

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: External  
Description: Manage Customer Service Catalogue.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-sitemap  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
```

Name: Customer Service Catalogue

Frontend::NavigationModule###AdminSession

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Administration  
Description: Manage existing sessions.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-clock-o  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Session Management
```

Frontend::NavigationModule###AdminSignature

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage signatures.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-file-text-o  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Signatures
```

Frontend::NavigationModule###AdminState

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage ticket states.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-ticket  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: States
```

Frontend::NavigationModule###AdminSupportDataCollector

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: OTRSGroup  
Description: Manage support data.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-search  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Support Data Collector
```


Frontend::NavigationModule###AdminSystemAddress

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Communication
Description: Set sender email addresses for this system.
Group:
- admin
GroupRo: []
IconBig: fa-at
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: Email Addresses
```

Frontend::NavigationModule###AdminSystemConfiguration

Область навигации для администратора в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Block: Administration
Description: Edit the system configuration settings.
Group:
- admin
GroupRo: []
IconBig: ''
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: System Configuration
```

Frontend::NavigationModule###AdminSystemMaintenance

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Administration
Description: Schedule a maintenance period.
Group:
- admin
GroupRo: []
IconBig: fa-wrench
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
Name: System Maintenance
```

Frontend::NavigationModule###AdminTemplate

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---
Block: Ticket
Description: Create and manage templates.
Group:
- admin
GroupRo: []
IconBig: fa-file-text-o
IconSmall: ''
Module: Kernel::Output::HTML::NavBar::ModuleAdmin
```

Name: Templates

Frontend::NavigationModule###AdminTemplateAttachment

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Link templates to attachments.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-paperclip  
IconSmall: fa-file-text-o  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Templates ↔ Attachments
```

Frontend::NavigationModule###AdminType

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Ticket  
Description: Create and manage ticket types.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-ticket  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Types
```

Frontend::NavigationModule###AdminUser

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Create and manage agents.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-user  
IconSmall: ''  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Agents
```

Frontend::NavigationModule###AdminUserGroup

Область навигации для администратора в интерфейсе агента.

Значение по умолчанию:

```
---  
Block: Users  
Description: Link agents to groups.  
Group:  
- admin  
GroupRo: []  
IconBig: fa-user  
IconSmall: fa-users  
Module: Kernel::Output::HTML::NavBar::ModuleAdmin  
Name: Agents ↔ Groups
```

90. Frontend → Admin → ModuleRegistration → Loader

Loader::Module::Admin###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.css  
JavaScript:  
- Core.Agent.Admin.js  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js
```

Loader::Module::AdminACL###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.ACL.css  
JavaScript:  
- Core.Agent.Admin.ACL.js
```

Loader::Module::AdminAppointmentCalendarManage###002-Calendar

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AppointmentCalendar.Manage.css  
- thirdparty/spectrum-1.8.0/spectrum.css  
JavaScript:  
- thirdparty/clipboardjs-1.7.1/clipboard.min.js  
- thirdparty/spectrum-1.8.0/spectrum.js  
- Core.Agent.Admin.AppointmentCalendar.Manage.js
```

Loader::Module::AdminAppointmentNotificationEvent###002-Calendar

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.NotificationEvent.css  
JavaScript:  
- Core.Agent.Admin.NotificationEvent.js
```

Loader::Module::AdminAttachment###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:
```

```
- Core.Agent.Admin.Attachment.js
```

Loader::Module::AdminAutoResponse###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.AutoResponse.js
```

Loader::Module::AdminCloudServiceSMS###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.CloudService.SMS.css  
JavaScript:  
- Core.Agent.Admin.CloudServiceSMS.js
```

Loader::Module::AdminCloudServices###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.CloudServices.css
```

Loader::Module::AdminCommunicationLog###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.CommunicationLog.css  
JavaScript:  
- Core.Agent.Admin.CommunicationLog.js  
- thirdparty/jquery-tablesorter-2.28.14/jquery.tablesorter.js  
- Core.UI.Table.Sort.js
```

Loader::Module::AdminCustomPage###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomPage.js  
- Core.UI.InputFields.js
```

Loader::Module::AdminCustomerCompany###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomerCompany.js
```

Loader::Module::AdminCustomerGroup###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomerGroup.js
```

Loader::Module::AdminCustomerUser###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.Admin.CustomerUser.js
```

Loader::Module::AdminCustomerUserCustomer###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomerUserService.js
```

Loader::Module::AdminCustomerUserGroup###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomerGroup.js
```

Loader::Module::AdminCustomerUserService###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.CustomerUserService.js
```

Loader::Module::AdminDynamicField###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldCheckbox###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldCheckbox.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldContactWithData###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldDropdown.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldDateTime###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldDateTime.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldDropdown###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldDropdown.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldInvalid###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldMultiselect###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.DynamicField.css  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldMultiselect.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminDynamicFieldText###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.DynamicField.js  
- Core.Agent.Admin.DynamicFieldText.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminExternalHomePage###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.ExternalHomePage.css  
- thirdparty/spectrum-1.8.0/spectrum.css  
JavaScript:  
- thirdparty/spectrum-1.8.0/spectrum.js  
- Core.UI.InputFields.js  
- Core.Agent.Admin.ExternalHomePage.js
```

Loader::Module::AdminExternalLayout###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.ExternalHomePage.css  
- Core.Agent.Admin.ExternalLayout.css  
- thirdparty/spectrum-1.8.0/spectrum.css  
JavaScript:  
- thirdparty/spectrum-1.8.0/spectrum.js  
- Core.UI.InputFields.js  
- Core.Agent.Admin.ExternalLayout.js
```

Loader::Module::AdminGenericAgent###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.GenericAgent.js
```

Loader::Module::AdminGenericInterfaceDebugger###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceDebugger.js
```

Loader::Module::AdminGenericInterfaceErrorHandlingDefault###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceErrorHandling.js
```

Loader::Module::AdminGenericInterfaceErrorHandlingRequestRetry###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceErrorHandling.js
- Core.Agent.Admin.GenericInterfaceErrorHandlingRequestRetry.js
```

Loader::Module::AdminGenericInterfaceInvokerDefault###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceInvoker.js
```

Loader::Module::AdminGenericInterfaceInvokerEvent###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceInvokerEvent.js
```

Loader::Module::AdminGenericInterfaceMappingSimple###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
```



```
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceMapping.js
```

Loader::Module::AdminGenericInterfaceMappingXSLT###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceMappingXSLT.js
```

Loader::Module::AdminGenericInterfaceOperationDefault###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceOperation.js
```

Loader::Module::AdminGenericInterfaceOperationRPC###001-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceOperation.js
```

Loader::Module::AdminGenericInterfaceTransportHTTPREST###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
JavaScript:
- Core.Agent.Admin.GenericInterfaceTransportHTTPREST.js
```

Loader::Module::AdminGenericInterfaceTransportHTTPS SOAP###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.GenericInterface.css
- Core.Agent.SortedTree.css
```

```
JavaScript:  
- Core.Agent.Admin.GenericInterfaceTransportHTTPSOAP.js  
- Core.Agent.SortedTree.js
```

Loader::Module::AdminGenericInterfaceWebservice###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.GenericInterface.css  
JavaScript:  
- Core.Agent.Admin.GenericInterfaceWebservice.js
```

Loader::Module::AdminGenericInterfaceWebserviceHistory###002-GenericInterface

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.GenericInterface.css  
JavaScript:  
- Core.Agent.Admin.GenericInterfaceWebserviceHistory.js
```

Loader::Module::AdminGroup###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Group.js
```

Loader::Module::AdminLog###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Log.js
```

Loader::Module::AdminMailAccount###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.MailAccount.js
```

Loader::Module::AdminNotificationEvent###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
CSS:  
- Core.Agent.Admin.NotificationEvent.css  
JavaScript:  
- Core.Agent.Admin.NotificationEvent.js
```

Loader::Module::AdminPGP###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.PGP.js
```

Loader::Module::AdminPackageManager###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.PackageManager.css  
JavaScript:  
- Core.Agent.Admin.PackageManager.js
```

Loader::Module::AdminPerformanceLog###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.PerformanceLog.css
```

Loader::Module::AdminPostMasterFilter###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.PostMasterFilter.css  
JavaScript:  
- Core.Agent.Admin.PostMasterFilter.js
```

Loader::Module::AdminPriority###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Priority.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminProcessManagement###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
---
CSS:
- Core.Agent.Admin.ProcessManagement.css
- Core.AllocationList.css
JavaScript:
- thirdparty/jsplumb-1.6.4/jsplumb.js
- thirdparty/farahey-0.5/farahey.js
- thirdparty/jsplumb-labelspacer/label-spacer.js
- Core.Agent.Admin.ProcessManagement.js
- Core.Agent.Admin.ProcessManagement.Canvas.js
- Core.UI.AllocationList.js
```

Loader::Module::AdminProcessManagementActivity###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.ProcessManagement.css
- Core.AllocationList.css
JavaScript:
- Core.Agent.Admin.ProcessManagement.js
- Core.Agent.Admin.ProcessManagement.ModuleConfiguration.MultiLanguageRichText.js
- Core.UI.AllocationList.js
```

Loader::Module::AdminProcessManagementActivityDialog###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.ProcessManagement.css
- Core.AllocationList.css
JavaScript:
- Core.Agent.Admin.ProcessManagement.js
- Core.UI.AllocationList.js
```

Loader::Module::AdminProcessManagementPath###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.ProcessManagement.css
- Core.AllocationList.css
JavaScript:
- Core.Agent.Admin.ProcessManagement.js
- Core.UI.AllocationList.js
```

Loader::Module::AdminProcessManagementSequenceFlow###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.ProcessManagement.css
JavaScript:
- Core.Agent.Admin.ProcessManagement.js
```

Loader::Module::AdminProcessManagementSequenceFlowAction###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.ProcessManagement.css  
JavaScript:  
- Core.Agent.Admin.ProcessManagement.ModuleConfiguration.MultiLanguageRichText.js  
- Core.Agent.Admin.ProcessManagement.js
```

Loader::Module::AdminQueue###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Queue.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminQueueAutoResponse###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.QueueAutoResponse.js
```

Loader::Module::AdminQueueSMSTemplates###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.QueueSMSTemplates.js
```

Loader::Module::AdminQueueTemplates###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.QueueTemplates.js
```

Loader::Module::AdminRegistration###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.Registration.css  
JavaScript:  
- Core.Agent.Admin.Registration.js
```

Loader::Module::AdminRole###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Role.js
```

Loader::Module::AdminRoleGroup###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.RoleGroup.js
```

Loader::Module::AdminRoleUser###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.RoleUser.js
```

Loader::Module::AdminSLA###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.SLA.js
```

Loader::Module::AdminSMIME###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.SMIME.js
```

Loader::Module::AdminSMSTemplate###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.SMSTemplate.js
```

Loader::Module::AdminSalutation###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
JavaScript:  
- Core.Agent.Admin.Salutation.js
```

Loader::Module::AdminSelectBox###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.SelectBox.js
```

Loader::Module::AdminService###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Service.js
```

Loader::Module::AdminServiceCatalogue###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.ServiceCatalogue.css
```

Loader::Module::AdminServiceCatalogueCategories###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.ServiceCatalogue.Categories.js
```

Loader::Module::AdminServiceCatalogueItems###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.ServiceCatalogue.Items.js
```

Loader::Module::AdminSession###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Session.js
```

Loader::Module::AdminSignature###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Signature.js
```

Loader::Module::AdminState###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.State.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminSupportDataCollector###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.SupportDataCollector.css  
JavaScript:  
- Core.Agent.Admin.SupportDataCollector.js
```

Loader::Module::AdminSystemAddress###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.SystemAddress.js
```

Loader::Module::AdminSystemConfiguration###001-Framework

Loader module registration for the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Admin.SystemConfiguration.css  
JavaScript:  
- thirdparty/clipboardjs-1.7.1/clipboard.min.js  
- Core.SystemConfiguration.js  
- Core.SystemConfiguration.Date.js  
- Core.SystemConfiguration.DateTime.js  
- Core.SystemConfiguration.VacationDays.js  
- Core.SystemConfiguration.VacationDaysOneTime.js  
- Core.SystemConfiguration.WorkingHours.js  
- Core.Form.js  
- Core.Agent.Admin.SystemConfiguration.js
```

Loader::Module::AdminSystemConfigurationDeployment###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```



```
CSS:
- Core.Agent.Admin.SystemConfiguration.css
JavaScript:
- thirdparty/clipboardjs-1.7.1/clipboard.min.js
- Core.SystemConfiguration.js
- Core.Agent.Admin.SystemConfiguration.js
```

Loader::Module::AdminSystemConfigurationGroup###001-Framework

Loader module registration for the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.SystemConfiguration.css
JavaScript:
- thirdparty/clipboardjs-1.7.1/clipboard.min.js
- Core.SystemConfiguration.js
- Core.SystemConfiguration.Date.js
- Core.SystemConfiguration.DateTime.js
- Core.SystemConfiguration.VacationDays.js
- Core.SystemConfiguration.VacationDaysOneTime.js
- Core.SystemConfiguration.WorkingHours.js
- Core.Form.js
- Core.Agent.Admin.SystemConfiguration.js
```

Loader::Module::AdminSystemConfigurationUser###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Admin.SystemConfiguration.css
JavaScript:
- thirdparty/clipboardjs-1.7.1/clipboard.min.js
- Core.SystemConfiguration.js
- Core.Form.js
- Core.Agent.Admin.SystemConfiguration.js
- Core.Agent.Admin.SystemConfigurationUser.js
```

Loader::Module::AdminSystemMaintenance###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- Core.Agent.Admin.SystemMaintenance.js
```

Loader::Module::AdminTemplate###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- Core.Agent.Admin.Template.js
```

Loader::Module::AdminTemplateAttachment###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.TemplateAttachment.js
```

Loader::Module::AdminType###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.Type.js  
- Core.Agent.Admin.SysConfig.Entity.js
```

Loader::Module::AdminUserGroup###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.Admin.UserGroup.js
```

91. Frontend → Admin → ModuleRegistration → MainMenu

Frontend::Navigation###Admin###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: a  
  Block: ItemArea  
  Description: Admin modules overview.  
  Group:  
  - admin  
  GroupRo: []  
  Link: Action=Admin  
  LinkOption: ''  
  Name: Admin  
  NavBar: Admin  
  Prio: '10000'  
  Type: Menu
```

Frontend::Navigation###AdminACL###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminAppointmentCalendarManage###002-Calendar

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ItemArea  
  Description: Manage different calendars.  
  Group:  
  - admin  
  GroupRo: []  
  Link: Action=AdminAppointmentCalendarManage  
  LinkOption: ''  
  Name: Manage Calendars  
  NavBar: Calendar  
  Prio: '9000'  
  Type: ''
```

Frontend::Navigation###AdminAppointmentNotificationEvent###002-Calendar

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminAttachment###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminAutoResponse###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminChatChannel###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminCloudServiceSMS###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminCloudServices###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminCommunicationLog###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminContactWithData###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ''  
  Description: Edit contacts with data.  
  Group:  
  - admin  
  GroupRo: []  
  Link: Action=AdminContactWithData  
  LinkOption: ''  
  Name: Edit contacts with data  
  NavBar: Ticket  
  Prio: '900'  
  Type: ''
```

Frontend::Navigation###AdminCustomPage###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AdminCustomerCompany###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ItemArea  
  Description: Create and manage customers.  
  Group:  
  - admin  
  - users  
  GroupRo: []  
  Link: Action=AdminCustomerCompany;Nav=Agent  
  LinkOption: ''  
  Name: Customer Administration  
  NavBar: Customers
```

Prio: '9100'
Type: ''

Frontend::Navigation###AdminCustomerGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminCustomerUser###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ItemArea  
  Description: Create and manage customer users.  
  Group:  
  - admin  
  - users  
  GroupRo: []  
  Link: Action=AdminCustomerUser;Nav=Agent  
  LinkOption: ''  
  Name: Customer User Administration  
  NavBar: Customers  
  Prio: '9000'  
  Type: ''
```

Frontend::Navigation###AdminCustomerUserCustomer###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminCustomerUserGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminCustomerUserService###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminDynamicField###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminEmail###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminExternalHomePage###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminExternalLayout###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminGenericAgent###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminGenericInterfaceDebugger###002-GenericInterface

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Frontend::Navigation###AdminGenericInterfaceWebservice###002-GenericInterface

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminLog###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminMailAccount###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminNotificationEvent###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminPGP###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminPackageManager###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminPerformanceLog###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminPostMasterFilter###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminPriority###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminProcessManagement###002-ProcessManagement

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminQueue###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminQueueAutoResponse###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminQueueSMSTemplates###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminQueueTemplates###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminRegistration###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminRole###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminRoleGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminRoleUser###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSLA###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSMIME###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSMSTemplate###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSalutation###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSelectBox###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminService###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminServiceCatalogue###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminServiceCatalogueCategories###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminServiceCatalogueItems###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSession###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSignature###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminState###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSupportDataCollector###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSystemAddress###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSystemConfiguration###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSystemConfigurationDeployment###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSystemConfigurationGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminSystemMaintenance###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminTemplate###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminTemplateAttachment###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminType###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminUser###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Frontend::Navigation###AdminUserGroup###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

92. Frontend → Admin → View → ContactWithData

AdminContactWithData::RunInitialWildcardSearch

Выполняет начальный поиск по символу подстановки в списке контактов при доступе к модулю AdminContactWithData.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

93. Frontend → Admin → View → CustomPage

Frontend::Admin::AdminCustomPage###RichText

Использует форматированный текст для просмотра и редактирования уведомлений о заявках.

Значение по умолчанию:

--- '1'

Frontend::Admin::AdminCustomPage###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '320'

Frontend::Admin::AdminCustomPage###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '620'
```

94. Frontend → Admin → View → CustomerCompany

AdminCustomerCompany::RunInitialWildcardSearch

Выполняет начальный поиск по символу подстановки в списке компаний клиентов в модуле AdminCustomerCompany.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

95. Frontend → Admin → View → CustomerUser

AdminCustomerUser::RunInitialWildcardSearch

Выполняет начальный поиск по символу подстановки в списке клиентов при доступе к модулю AdminCustomerUser.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

AdminCustomerUser::UseAutoComplete

Включает автозавершение при выборе customer ID в окне управления клиентами AdminCustomerUser интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

96. Frontend → Admin → View → NotificationEvent

AppointmentNotification::Transport###Email

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---  
AgentEnabledByDefault: '1'  
Icon: fa fa-envelope
```

```
Module: Kernel::System::Calendar::Event::Transport::Email  
Name: Email  
Prio: '100'
```

AppointmentNotification::Transport###NotificationView

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---  
AgentEnabledByDefault: '0'  
Icon: fa fa-th-list  
Module: Kernel::System::Calendar::Event::Transport::NotificationView  
Name: Web View  
Prio: '110'
```

AppointmentNotification::Transport###SMS

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---  
AgentEnabledByDefault: '0'  
Icon: fa fa-mobile  
Module: Kernel::System::Calendar::Event::Transport::SMS  
Name: SMS (Short Message Service)  
Prio: '120'
```

Frontend::Admin::AdminAppointmentNotificationEvent###EventObjectTypes

Задает типы событий, которые будут управляться с помощью AdminAppointmentNotificationEvent.

Значение по умолчанию:

```
---  
- Calendar  
- Appointment
```

Frontend::Admin::AdminAppointmentNotificationEvent###RichText

Использует форматированный текст для просмотра и редактирования уведомлений о заявках.

Значение по умолчанию:

```
--- '1'
```

Frontend::Admin::AdminAppointmentNotificationEvent###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '320'
```

Frontend::Admin::AdminAppointmentNotificationEvent###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

Frontend::Admin::AdminNotificationEvent###RichText

Использует форматированный текст для просмотра и редактирования уведомлений о заявках.

Значение по умолчанию:

```
--- '1'
```

Frontend::Admin::AdminNotificationEvent###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '320'
```

Frontend::Admin::AdminNotificationEvent###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '620'
```

Notification::CharactersPerLine

Задает количество символов в строке, используемое при просмотре сообщений в HTML формате в TemplateGenerator/Генераторе_шаблонов для EventNotifications/Уведомлений_о_событиях.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '80'
```

Notification::Transport###Email

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---  
AgentEnabledByDefault: '1'  
Icon: fa fa-envelope  
Module: Kernel::System::Ticket::Event::NotificationEvent::Transport::Email  
Name: Email  
Prio: '100'
```

Notification::Transport###NotificationView

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---  
AgentEnabledByDefault: '0'
```



```
Icon: fa fa-th-list
Module: Kernel::System::Ticket::Event::NotificationEvent::Transport::NotificationView
Name: Web View
Prio: '110'
```

Notification::Transport###SMS

Задает все параметры для этого типа отправки уведомлений.

Значение по умолчанию:

```
---
AgentEnabledByDefault: '0'
Icon: fa fa-mobile
Module: Kernel::System::Ticket::Event::NotificationEvent::Transport::SMS
Name: SMS (Short Message Service)
Prio: '120'
```

97. Frontend → Admin → View → SelectBox

AdminSelectBox::AllowDatabaseModification

Задает право администратора выполнять изменения в БД используя AdminSelectBox.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

98. Frontend → Admin → View → SysConfig

ConfigLevel

Устанавливает уровень доступа администратора к SysConfig. В зависимости от установленного уровня, некоторые параметры конфигурации не будут показываться. Чем выше уровень (Beginner - наивысший, всего их три - Expert, Advanced, Beginner), тем меньше вероятность внесения в конфигурацию изменений, которые могут привести ее в неработоспособное состояние.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '100'
```

99. Frontend → Agent

AgentLoginLogo

The logo shown on top of the login box of the agent interface. The URL to the image can be a relative URL to the skin image directory, or a full URL to a remote web server.

Значение по умолчанию:

```
---
StyleHeight: 70px
```

```
URL: skins/Agent/default/img/loginlogo_default.png
```

AgentLogo

Логотип, отображаемый в заголовке экрана в интерфейсе агента. URL ссылка может быть относительным URL на каталог с файлами (skin) или быть полным URL на внешний веб-сервер.

Значение по умолчанию:

```
---
StyleHeight: 50px
StyleRight: 30px
StyleTop: 20px
StyleWidth: 120px
URL: skins/Agent/default/img/loginlogo_default.png
```

AgentLogoCustom###default

Логотип, отображаемый в заголовке экрана в интерфейсе агента для окраса "default". Смотрите описание "AgentLogo" для дальнейших пояснений.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
StyleHeight: 50px
StyleRight: 30px
StyleTop: 20px
StyleWidth: 120px
URL: skins/Agent/default/img/loginlogo_default.png
```

AgentLogoCustom###highcontrast

Логотип, отображаемый в заголовке экрана интерфейса агента для окраса "High Contrast". Смотрите описание "AgentLogo" для дальнейших пояснений.

Значение по умолчанию:

```
---
StyleHeight: 50px
StyleRight: 25px
StyleTop: 20px
StyleWidth: 50px
URL: skins/Agent/highcontrast/img/otrs-signet-white.png
```

AgentLogoCustom###slim

Логотип, отображаемый в заголовке экрана в интерфейсе агента для окраса "slim". Смотрите описание "AgentLogo" для дальнейших пояснений.

Значение по умолчанию:

```
---
StyleHeight: 30px
StyleRight: 15px
StyleTop: 13px
StyleWidth: 30px
URL: skins/Agent/default/img/otrs-signet.png
```

AutoComplete::Agent###CustomerSearch

Задаёт настройки для функции автозавершения.

Значение по умолчанию:

```
---
```

```
AutoCompleteActive: '1'  
ButtonText: Search Customer  
MaxResultsDisplayed: '20'  
MinQueryLength: '2'  
QueryDelay: '100'
```

AutoComplete::Agent###Default

Задает настройки для функции автозавершения.

Значение по умолчанию:

```
---  
AutoCompleteActive: '1'  
ButtonText: Search  
MaxResultsDisplayed: '20'  
MinQueryLength: '2'  
QueryDelay: '100'
```

AutoComplete::Agent###DynamicFieldContactWithData

Задает настройки для функции автозавершения.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
AutoCompleteActive: '1'  
ButtonText: Search  
MaxResultsDisplayed: '20'  
MinQueryLength: '2'  
QueryDelay: '100'
```

AutoComplete::Agent###UserSearch

Задает настройки для функции автозавершения.

Значение по умолчанию:

```
---  
AutoCompleteActive: '1'  
ButtonText: Search User  
MaxResultsDisplayed: '20'  
MinQueryLength: '2'  
QueryDelay: '100'
```

CustomerDBLink

Задает внешнюю ссылку на БД клиента (например, 'http://yourhost/customer.php?CID=[% Data.CustomerID %]' или '').

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '[% Env("CGIHandle") %]?Action=AgentCustomerInformationCenter;CustomerID=[%  
Data.CustomerID  
| uri %]'
```

CustomerDBLinkClass

Задает целевой атрибут в ссылке на внешнюю базу клиентов. Например, 'AsPop-up PopupType_TicketAction'.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

CustomerDBLinkTarget

Задает целевой атрибут в ссылке на внешнюю базу клиентов. Например, 'target="cdb"'.
Этот параметр не может быть отключен.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

DefaultOverviewColumns

General ticket data shown in the ticket overviews (fall-back). Note that TicketNumber can not be disabled, because it is necessary.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Age: '2'  
Changed: '1'  
Created: '1'  
CustomerCompanyName: '1'  
CustomerID: '2'  
CustomerName: '1'  
CustomerUserID: '1'  
EscalationResponseTime: '1'  
EscalationSolutionTime: '1'  
EscalationTime: '1'  
EscalationUpdateTime: '1'  
Lock: '2'  
Owner: '2'  
PendingTime: '1'  
Priority: '1'  
Queue: '2'  
Responsible: '1'  
SLA: '1'  
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Frontend::AvatarEngine

Определите, какой движок аватара следует использовать для аватара агента в заголовке и изображения отправителя в AgentTicketZoom. Если выбрано «Нет», вместо него будут отображаться инициалы. Обратите внимание, что выбор чего-либо другого, кроме «Нет», переносит зашифрованный адрес электронной почты конкретного пользователя на внешнюю службу.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Gravatar
```

Frontend::CommonParam###Action

Задает модуль по умолчанию, если никакой параметр Action (в url) не указан в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- AgentDashboard
```

Frontend::CommonParam###QueueID

ID очереди по умолчанию используемый в системе в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Frontend::CommonParam###TicketID

TicketID по умолчанию, для использования в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Frontend::CustomerUser::Item###1-GoogleMaps

Задаёт элемент данных клиента, на основании которого создается изображение из Google Maps в конце блока информации о клиенте.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
---
Attributes: UserStreet;UserCity;UserCountry;
CSS: Core.Agent.CustomerUser.GoogleMaps.css
CSSClass: GoogleMaps
IconName: fa-globe
Module: Kernel::Output::HTML::CustomerUser::Generic
Required: UserStreet;UserCity;
Target: _blank
Text: Location
URL: http://maps.google.com/maps?z=7&q=
```

Frontend::CustomerUser::Item###15-OpenTickets

Показать количество открытых заявок клиента в Информации о клиенте. Установка CustomerUserLogin в 1 считает все заявки для логина клиента, а не по CustomerID.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
---
Action: AgentTicketSearch
Attributes: StateType=Open;
CSS: Core.Agent.CustomerUser.OpenTicket.css
CSSClassNoOpenTicket: NoOpenTicket
CSSClassOpenTicket: OpenTicket
CustomerUserLogin: '0'
IconNameNoOpenTicket: fa-check-circle
```

```
IconNameOpenTicket: fa-exclamation-circle  
Module: Kernel::Output::HTML::CustomerUser::GenericTicket  
Subaction: Search  
Target: _blank  
Text: Open tickets (customer)
```

Frontend::CustomerUser::Item###16-OpenTicketsForCustomerUserLogin

Показать количество открытых заявок клиента в Информации о клиенте. Установка CustomerUserLogin в 1 считает все заявки для логина клиента, а не по CustomerID.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketSearch  
Attributes: StateType=Open;  
CSS: Core.Agent.CustomerUser.OpenTicket.css  
CSSClassNoOpenTicket: NoOpenTicket  
CSSClassOpenTicket: OpenTicket  
CustomerUserLogin: '1'  
IconNameNoOpenTicket: fa-check-circle  
IconNameOpenTicket: fa-exclamation-circle  
Module: Kernel::Output::HTML::CustomerUser::GenericTicket  
Subaction: Search  
Target: _blank  
Text: Open tickets (customer user)
```

Frontend::CustomerUser::Item###17-ClosedTickets

Показать количество закрытых заявок клиента в Информации о клиенте. Установка CustomerUserLogin в 1 считает все заявки для логина клиента, а не по CustomerID.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketSearch  
Attributes: StateType=Closed;  
CSS: Core.Agent.CustomerUser.OpenTicket.css  
CSSClassNoOpenTicket: NoOpenTicket  
CSSClassOpenTicket: OpenTicket  
CustomerUserLogin: '0'  
IconNameNoOpenTicket: fa-power-off  
IconNameOpenTicket: fa-power-off  
Module: Kernel::Output::HTML::CustomerUser::GenericTicket  
Subaction: Search  
Target: _blank  
Text: Closed tickets (customer)
```

Frontend::CustomerUser::Item###18-ClosedTicketsForCustomerUserLogin

Показать количество закрытых заявок клиента в Информации о клиенте. Установка CustomerUserLogin в 1 считает все заявки для логина клиента, а не по CustomerID.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketSearch  
Attributes: StateType=Closed;  
CSS: Core.Agent.CustomerUser.OpenTicket.css
```

```
CSSClassNoOpenTicket: NoOpenTicket
CSSClassOpenTicket: OpenTicket
CustomerUserLogin: '1'
IconNameNoOpenTicket: fa-power-off
IconNameOpenTicket: fa-power-off
Module: Kernel::Output::HTML::CustomerUser::GenericTicket
Subaction: Search
Target: _blank
Text: Closed tickets (customer user)
```

Frontend::CustomerUser::Item###2-Google

Задает элемент данных клиента, на основании которого создается изображение из Google в конце блока информации о клиенте.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Attributes: UserFirstname;UserLastname;
CSS: Core.Agent.CustomerUser.Google.css
CSSClass: Google
IconName: fa-google
Module: Kernel::Output::HTML::CustomerUser::Generic
Required: UserFirstname;UserLastname;
Target: _blank
Text: Google
URL: http://google.com/search?q=
```

Frontend::CustomerUser::Item###2-LinkedIn

Задает элемент данных клиента, на основании которого создается изображение из LinkedIn в конце блока информации о клиенте.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Attributes: UserFirstname;UserLastname;
CSS: Core.Agent.CustomerUser.LinkedIn.css
CSSClass: LinkedIn
IconName: fa-linkedin
Module: Kernel::Output::HTML::CustomerUser::Generic
Required: UserFirstname;UserLastname;
Target: _blank
Text: LinkedIn
URL: http://www.linkedin.com/commonSearch?type=people&keywords=
```

Frontend::CustomerUser::Item###3-XING

Задает элемент данных клиента, на основании которого создается изображение из XING в конце блока информации о клиенте.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Attributes: UserFirstname;UserLastname;
CSS: Core.Agent.CustomerUser.Xing.css
CSSClass: Xing
IconName: fa-xing
Module: Kernel::Output::HTML::CustomerUser::Generic
Required: UserFirstname;UserLastname;
Target: _blank
Text: XING
URL: https://www.xing.com/app/search?op=search;keywords=
```

Frontend::Gravatar::ArticleDefaultImage

Определите картинку, которая по умолчанию будет отображаться в качестве аватара при просмотре статьи, если gravatar не присвоен адресу электронной почты. Для получения дополнительной информации посетите <http://gravatar.com/site/implement/images/>.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- mm
```

Frontend::Gravatar::DefaultImage

Определите картинку, которая по умолчанию будет использоваться в качестве аватара для текущего агента, если gravatar не присвоен адресу его электронной почты. Для получения дополнительной информации посетите <http://gravatar.com/site/implement/images/>.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- mm
```

Frontend::HeaderMetaModule###100-Refresh

Задаёт модуль, генерирующий код для периодической перезагрузки страниц.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::HeaderMeta::Refresh
```

Frontend::HeaderMetaModule###2-TicketSearch

Модуль для генерации HTML OpenSearch шаблонов для быстрого поиска заявок в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketSearch  
Module: Kernel::Output::HTML::HeaderMeta::AgentTicketSearch
```

Frontend::HeaderMetaModule###3-FAQSearch

Модуль для генерации HTML OpenSearch шаблонов для быстрого поиска в FAQ.

Значение по умолчанию:

```
---  
Action: AgentFAQSearch  
Module: Kernel::Output::HTML::HeaderMeta::AgentFAQSearch
```

InfoFile

Файл отображаемый модулем Kernel::Modules::AgentInfo, если он помещен в Kernel/Output/HTML/Templates/Standard/AgentInfo.tt.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- AgentInfo
```

InfoKey

Задает ключ, который проверяется модулем Kernel::Modules::AgentInfo. Если этот ключ личных настроек верен, сообщение принимается системой.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- wpt22
```

LoginURL

Defines an alternate login URL for the agent interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- http://host.example.com/login.html
```

LogoutURL

Defines an alternate logout URL for the agent interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- http://host.example.com/thanks-for-using-otrs.html
```

LostPassword

Включить функцию восстановления пароля для агентов в интерфейсе агента

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

ModernizeFormFields

Используйте новый способ выбора и автозавершения при заполнении полей в интерфейсе агента, где это применимо (InputFields/Поля ввода).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

NewTicketInNewWindow::Enabled

Если включено, TicketPhone and TicketEmail будут открываться в новом окне браузера.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

NoTimelineViewAutoArticle

Disables automatic opening of the last customer article in the timeline view in AgentTicketZoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

NotificationBodyLostPassword

Defines the body text for notification mails sent to agents, about new password.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi <OTRS_USERFIRSTNAME>,\n\n\nHere's your new OTRS password.\n\nNew password:  
<OTRS_NEWPW>\n\nYou can log in via the following URL:\n\n<OTRS_CONFIG_HttpType>://  
<OTRS_CONFIG_FQDN>/<OTRS_CONFIG_ScriptAlias>index.pl\n\n"
```

NotificationBodyLostPasswordToken

Defines the body text for notification mails sent to agents, with token about new requested password.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi <OTRS_USERFIRSTNAME>,\n\n\nYou or someone impersonating you has requested to  
change your OTRS\npassword.\n\nIf you want to do this, click on the link below.  
You will receive another email containing the password.\n\n<OTRS_CONFIG_HttpType>://<OTRS_CONFIG_FQDN>/<OTRS_CONFIG_ScriptAlias>index.pl?  
Action=LostPassword;Token=<OTRS_TOKEN>\n\nIf  
you did not request a new password, please ignore this email.\n"
```

NotificationSubjectLostPassword

Задает тему почтового сообщения, отправляемого агенту о новом пароле.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- New OTRS password
```

NotificationSubjectLostPasswordToken

Задает тему почтового сообщения, отправляемого агенту о вновь запрошенном пароле.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- New OTRS password request
```

OpenMainMenuOnHover

Если включено, первый уровень меню будет открываться по наведению указателя мыши (вместо только "клика").

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

PossibleNextActions

Определяет список возможных дальнейших действий на экране ошибки, необходим полный путь, тогда станет возможным добавление внешних ссылок, в случае необходимости.

Значение по умолчанию:

```
---  
'[% Env('CGIHandle') %]?Action=AgentDashboard': Go to dashboard!
```

PreApplicationModule###AgentInfo

Задать полезные модули для загрузки пользовательских опций или отображения новостей

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- Kernel::Modules::AgentInfo
```

ShowMotd

Показывает сообщение дня на экране входа агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AccountTime

Включить учет времени выполнения

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::BulkAccountedTime

Включить Учет времени для всех заявок при массовом действии.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::CustomerInfoCompose

Показывать информацию о клиенте при создании сообщений для почтовой или телефонной заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::CustomerInfoComposeMaxSize

Максимальный размер (в символах) таблицы с информацией о клиенте (при создании заявки или ответа).

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '22'

Ticket::Frontend::CustomerInfoZoomMaxSize

Максимальная длина (в символах) для таблицы информации о клиенте при просмотре заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '22'

Ticket::Frontend::DynamicFieldsZoomMaxSizeArticle

Максимальная длина (в символах) для динамических полей в сообщении в подробном просмотре заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '160'

Ticket::Frontend::DynamicFieldsZoomMaxSizeSidebar

Максимальная длина (в символах) для динамических полей в информации о заявке в подробном просмотре заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '18'

Ticket::Frontend::InformAgentMaxSize

Максимальный размер (в строках) списка информируемых агентов, в агентском интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '3'

Ticket::Frontend::InvolvedAgentMaxSize

Максимальный размер (в строках) списка привлекаемых агентов, в агентском интерфейсе.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '3'
```

Ticket::Frontend::ListType

Показывать список очередей Родитель/Потомок в виде списка или дерева.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- tree
```

Ticket::Frontend::MaxQueueLevel

Задайте максимальный уровень вложенности для очередей

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5'
```

Ticket::Frontend::NeedAccountedTime

Defines if time accounting is mandatory in the agent interface. If enabled, a note must be entered for all ticket actions (no matter if the note itself is configured as active or is originally mandatory for the individual ticket action screen).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::NewOwnerSelection

Показывает поле выбора Владельца при создании почтовых и телефонных заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::NewQueueOwnSelection

Задает какие варианты будут доступны для поля Получатель (в телефонной) или Отправитель (в почтовой заявке) в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
'1': First Queue  
'2': Second Queue
```

Ticket::Frontend::NewQueueSelectionString

Determines the strings that will be shown as recipient (To:) of the phone ticket and as sender (From:) of the email ticket in the agent interface. For Queue as NewQueueSelectionType "<Queue>" shows the names of the queues and for SystemAddress "<Realname> <<Email>>" shows the name and email of the recipient.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <Queue>
```

Ticket::Frontend::NewQueueSelectionType

Defines the recipient target of the phone ticket and the sender of the email ticket ("Queue" shows all queues, "System address" displays all system addresses) in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Queue
```

Ticket::Frontend::NewResponsibleSelection

Выводит окно выбора Ответственного при создании телефонных (почтовых) заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::PendingDiffTime

Время (в сек) добавляемое к текущему, если установлено состояние ожидания. (по умолчанию: 86400 = 1 день).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '86400'
```

Ticket::Frontend::RedirectAfterCloseDisabled

Disables the redirection to the last screen overview / dashboard after a ticket is closed.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::ShowCustomerTickets

Показывать предыдущие заявки клиента в AgentTicketPhone, AgentTicketEmail and AgentTicketCustomer.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::TextAreaEmail

Ширина окна для текста ответа.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '82'
```

Ticket::Frontend::TextAreaNote

Ширина окна для текста сообщения/заметки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '78'
```

Ticket::Frontend::TimeUnits

Задаёт единицы измерения для единиц времени (например: рабочие часы, часы, минуты).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '(work units)'
```

Ticket::Frontend::UserDefaultQueue

Задаёт очередь по умолчанию для новых заявок, создаваемых в интерфейсе агента.

Этот параметр по умолчанию не активен.

Значение по умолчанию:

```
--- Postmaster
```

100. Frontend → Agent → ArticleComposeModule

Ticket::Frontend::ArticleComposeModule###1-EmailSecurity

Module to define the email security options to use (PGP or S/MIME).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleCompose::Security  
ParamType: Single
```

Ticket::Frontend::ArticleComposeModule###2-SignEmail

Модуль создания подписанных сообщений (PGP or S/MIME).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
```

```
Module: Kernel::Output::HTML::ArticleCompose::Sign  
ParamType: Single
```

Ticket::Frontend::ArticleComposeModule###3-CryptEmail

Module to encrypt composed messages (PGP or S/MIME).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleCompose::Crypt  
ParamType: Multiple
```

101. Frontend → Agent → FAQJournalOverview

FAQ::Frontend::JournalOverview###Small

Задает модуль просмотра для отображения журнала FAQ в small формате

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::FAQJournalOverview::Small  
Name: Small  
NameShort: S
```

102. Frontend → Agent → FAQOverview

FAQ::Frontend::Overview###Small

Задает модуль просмотра для отображения списка статей FAQ в small формате

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::FAQOverview::Small  
Name: Small  
NameShort: S
```

FAQ::Frontend::OverviewSmall###DynamicField

Динамические поля, отображаемые в окне краткого обзора FAQ в интерфейсе агента.

Значение по умолчанию:

```
--- {}
```

103. Frontend → Agent → FAQRelatedArticles

FAQ::Frontend::AgentFAQRelatedArticles###DefaultLanguages

Языки по умолчанию для искомых статей FAQ.

Значение по умолчанию:

```
---  
- en
```

FAQ::Frontend::AgentFAQRelatedArticles###Position

Defines the position where the related FAQ articles widget is located.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

FAQ::Frontend::AgentFAQRelatedArticles###QueuesEnabled

Список очередей для которых возможность поиска контекстных статей FAQ включена.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- Raw
```

FAQ::Frontend::AgentFAQRelatedArticles###ShowLimit

Лимит для вывода связанных/контекстных статей FAQ.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '10'
```

104. Frontend → Agent → FrontendNo- tification

Frontend::NotifyModule###1000-CloudServicesDisabled

Задает модуль который показывает уведомление если не отключен облачный сервис.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Group: admin  
Module: Kernel::Output::HTML::Notification::AgentCloudServicesDisabled
```

Frontend::NotifyModule###1100-SystemContract

Defines the module to display a notification in different interfaces on different occasions for System Contract.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
```

```
Group: admin
Module: Kernel::Output::HTML::Notification::AgentSystemContract
```

Frontend::NotifyModule###2000-UID-Check

Задает модуль который показывает уведомление в интерфейсе агента, что вы зашли в систему как администратор (в обычном режиме вы не должны работать под этой учетной записью).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::UIDCheck
```

Frontend::NotifyModule###2500-AgentSessionLimit

Задает модуль который показывает уведомление в интерфейсе агента, если достигнуто время для предупреждения о превышении лимита времени сеанса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::AgentSessionLimit
```

Frontend::NotifyModule###3000-ShowAgentOnline

Задает модуль который показывает всех подключившихся агентов в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::AgentOnline
ShowEmail: '1'
```

Frontend::NotifyModule###4000-ShowCustomerOnline

Задает модуль который показывает всех подключившихся клиентов в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::CustomerOnline
ShowEmail: '1'
```

Frontend::NotifyModule###5000-SystemConfigurationIsDirty-Check

Задает модуль который показывает уведомление в интерфейсе агента, если имеются измененные параметры в конфигурации системы и они не применены.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Group: admin
```

```
Module: Kernel::Output::HTML::Notification::SystemConfigurationIsDirtyCheck
```

Frontend::NotifyModule###5000-Ticket::TicketEscalation

Модуль для показа уведомлений и эскалаций (ShownMax: макс. кол-во показываемых эскалаций, EscalationInMinutes: Показать эскалированные заявки, CacheTime: Cache для вычисленных эскалаций в сек.).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
CacheTime: '40'
EscalationInMinutes: '120'
Module: Kernel::Output::HTML::Notification::AgentTicketEscalation
ShownMax: '25'
```

Frontend::NotifyModule###513-ChatAvailability-Check

Defines the module to display a notification in the agent interface, if the agent is not available for chat with customers (only if Ticket::Agent::AvailableForChatsAfterLogin is set to No).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::ChatAvailabilityCheck
```

Frontend::NotifyModule###5200-SystemConfigurationInvalid-Check

Задаёт модуль который показывает уведомление в интерфейсе агента, если имеются недействительные параметры в конфигурации системы.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Group: admin
Module: Kernel::Output::HTML::Notification::SystemConfigurationInvalidCheck
```

Frontend::NotifyModule###523-ChatPreferredChannels-Check

Defines the module to display a notification in the agent interface, if the agent is available for external chats, but forgot to set preferred channel(s).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::Notification::ChatPreferredChannelsCheck
```

Frontend::NotifyModule###5500-OutofOffice-Check

Задаёт модуль который показывает уведомление в интерфейсе агента, если агент зашел в систему при включенном режиме "Вне офиса".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
```

```
Module: Kernel::Output::HTML::Notification::OutOfOfficeCheck
```

Frontend::NotifyModule###6000-SystemMaintenance-Check

Задает модуль который показывает уведомление в интерфейсе агента, если агент зашел в систему, когда она в состоянии Профилактика/Обслуживание системы.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::Notification::SystemMaintenanceCheck
```

Frontend::NotifyModule###6050-SystemConfiguration-OutOfSync-Check

Задает модуль который показывает уведомление в интерфейсе агента, если конфигурация системы не актуализирована.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
AllowedDelayMinutes: '5'  
Module: Kernel::Output::HTML::Notification::SystemConfigurationOutOfSyncCheck
```

Frontend::NotifyModule###7000-AgentTimeZone-Check

Задает модуль который показывает уведомление в интерфейсе агента, если агент не выбрал временную зону.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::Notification::AgentTimeZoneCheck
```

Frontend::NotifyModule###8000-Daemon-Check

Задает модуль который показывает уведомление в интерфейсе агента, если не запущен OTRS Daemon.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::Notification::DaemonCheck
```

Frontend::NotifyModule###8000-PackageManager-CheckNotVerifiedPackages

Defines the module to display a notification in the agent interface, if the installation of not verified packages is activated (only shown to admins).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::Notification::PackageManagerCheckNotVerifiedPackages
```

Frontend::NotifyModule###9000-Generic

Defines the module that shows a generic notification in the agent interface. Either "Text" - if configured - or the contents of "File" will be displayed. Use "Priority" key

to style the notification. If "Link" key is supplied, notification text will be wrapped in an anchor leading to specified address. You can use "Target" key to define a target attribute of the defined link.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
File: <OTRS_CONFIG_Home>/var/notify.txt
Link: https://www.otrs.com
Module: Kernel::Output::HTML::Notification::Generic
Priority: Warning
Target: _blank
Text: The OTRS Website
```

105. Frontend → Agent → LinkObject

LinkObject::ComplexTable###Appointment

Задайте, какие колонки отображать в связанном виджете мероприятий (LinkObject::ViewMode = "complex"). Возможные значения: 0 = Отключено, 1 = Да, 2 = Включена по умолчанию.

Значение по умолчанию:

```
---
DefaultColumns:
  CalendarName: '1'
  Changed: '1'
  Created: '1'
  Description: '2'
  EndTime: '2'
  Location: '1'
  NotificationTime: '1'
  StartTime: '2'
Module: Kernel::Output::HTML::LinkObject::Appointment.pm
Priority:
  CalendarName: '100'
  Changed: '160'
  Created: '170'
  Description: '110'
  EndTime: '130'
  Location: '140'
  NotificationTime: '150'
  StartTime: '120'
```

LinkObject::ComplexTable###FAQ

Задаёт, какие колонки отображаются в связанном FAQ виджете ((LinkObject::ViewMode = "complex"). Внимание: только атрибуты FAQ и динамических полей (DynamicField_NameX) разрешены для DefaultColumns/Колонки по умолчанию. Возможные значения: 0 = Отключено, 1 = Да, 2 = Включено по умолчанию.

Значение по умолчанию:

```
---
DefaultColumns:
  Approved: '1'
  CategoryName: '1'
  Changed: '1'
  ContentType: '1'
  Created: '2'
  FAQNumber: '2'
  Language: '1'
  State: '2'
  Title: '2'
```

```

Module: Kernel::Output::HTML::LinkObject::FAQ.pm
Priority:
  Approved: '160'
  CategoryName: '140'
  Changed: '180'
  ContentType: '170'
  Created: '130'
  FAQNumber: '100'
  Language: '150'
  State: '120'
  Title: '110'

```

LinkObject::ComplexTable###Ticket

Задает, какие колонки отображаются в виджете связанных заявок (LinkObject::ViewMode = "complex"). Внимание: только атрибуты заявки и динамических полей (DynamicField_NameX) разрешены для DefaultColumns/Колонки по умолчанию. Возможные значения: 0 = Отключено, 1 = Включено, 2 = Включено по умолчанию.

Значение по умолчанию:

```

---
DefaultColumns:
  Age: '1'
  Changed: '1'
  Created: '2'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '2'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '2'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Module: Kernel::Output::HTML::LinkObject::Ticket.pm
Priority:
  Age: '110'
  Changed: '120'
  Created: '310'
  CustomerCompanyName: '320'
  CustomerID: '240'
  CustomerName: '250'
  CustomerUserID: '260'
  EscalationResponseTime: '160'
  EscalationSolutionTime: '150'
  EscalationTime: '140'
  EscalationUpdateTime: '170'
  Lock: '200'
  Owner: '220'
  PendingTime: '130'
  Priority: '300'
  Queue: '210'
  Responsible: '230'
  SLA: '290'
  Service: '280'
  State: '190'
  TicketNumber: '100'
  Title: '180'

```

Type: '270'

LinkObject::ComplexTable::SettingsVisibility###Appointment

Задает Действия/Actions когда кнопка настройки доступна в связанном виджете (LinkObject::ViewMode = "complex"). Обратите внимание, что эти Действия/Actions должны иметь зарегистрированные JS или CSS файлы: Core.AllocationList.css, Core.UI.AllocationList.js, Core.UI.Table.Sort.js, Core.Agent.TableFilters.js.

Значение по умолчанию:

```
---  
- AgentTicketZoom
```

LinkObject::ComplexTable::SettingsVisibility###FAQ

Задает Действия/Actions когда кнопка настройки доступна в связанном виджете (LinkObject::ViewMode = "complex"). Обратите внимание, что эти Действия/Actions должны иметь зарегистрированные JS или CSS файлы: Core.AllocationList.css, Core.UI.AllocationList.js, Core.UI.Table.Sort.js, Core.Agent.TableFilters.js и Core.Agent.LinkObject.js.

Значение по умолчанию:

```
---  
- AgentFAQZoom
```

LinkObject::ComplexTable::SettingsVisibility###Ticket

Задает Действия/Actions когда кнопка настройки доступна в связанном виджете (LinkObject::ViewMode = "complex"). Обратите внимание, что эти Действия/Actions должны иметь зарегистрированные JS или CSS файлы: Core.AllocationList.css, Core.UI.AllocationList.js, Core.UI.Table.Sort.js, Core.Agent.TableFilters.js.

Значение по умолчанию:

```
---  
- AgentTicketZoom
```

106. Frontend → Agent → MIMEViewer

MIME-Viewer###application/excel

Задает путь к модулю конвертера, позволяющему просматривать файлы Microsoft Excel в веб-интерфейсе.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- xlhtml
```

MIME-Viewer###application/msword

Задает путь к модулю конвертера, позволяющему просматривать файлы Microsoft Word в веб-интерфейсе.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- wwWare
```

MIME-Viewer###application/pdf

Задает путь к модулю конвертера, позволяющему просматривать файлы PDF в веб-интерфейсе.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- pdftohtml -stdout -i
```

MIME-Viewer###text/xml

Задает путь к модулю конвертера, позволяющему просматривать файлы XML в веб-интерфейсе.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/scripts/tools/xml2html.pl
```

107. Frontend → Agent → ModuleRegistration

Frontend::Module###AdminAppointmentImport

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Import appointments screen.  
Group:  
- admin  
GroupRo: []  
NavBarName: ''  
Title: Import Appointments
```

Frontend::Module###AgentAppointmentAgendaOverview

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Overview of all appointments.  
Group: []  
GroupRo: []  
NavBarName: Calendar  
Title: Agenda Overview
```

Frontend::Module###AgentAppointmentCalendarOverview

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Appointment Calendar overview page.  
Group: []  
GroupRo: []  
NavBarName: Calendar  
Title: Overview
```


Frontend::Module###AgentAppointmentEdit

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Appointment edit screen.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Edit appointment
```

Frontend::Module###AgentAppointmentList

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Appointment list.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Appointment list
```

Frontend::Module###AgentAppointmentPluginSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Plugin search module for autocomplete.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Plugin search
```

Frontend::Module###AgentChat

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent chat screen.  
Group: []  
GroupRo: []  
NavBarName: Chat  
Title: Chat
```

Frontend::Module###AgentChatAppend

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Append Chat to Ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Append Chat to Ticket
```

Frontend::Module###AgentChatAvailability

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Chat availability.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Chat Availability
```

Frontend::Module###AgentChatDownload

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Chat download.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Chat Download
```

Frontend::Module###AgentChatPopup

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Chat popup.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Chat Popup
```

Frontend::Module###AgentChatPreview

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Chat preview.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Chat Preview
```

Frontend::Module###AgentContactWithDataSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent contact with data search.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Agent Contact With Data Search
```

Frontend::Module###AgentCustomerInformationCenter

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
```

```
Description: Customer Information Center.  
Group: []  
GroupRo: []  
NavBarName: Customers  
Title: ''
```

Frontend::Module###AgentCustomerInformationCenterSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Customer Information Center Search.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: ''
```

Frontend::Module###AgentCustomerSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent Customer Search.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Agent Customer Search
```

Frontend::Module###AgentCustomerSearchSMS

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent Customer Search SMS.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Agent Customer Search SMS
```

Frontend::Module###AgentCustomerUserAddressBook

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Search customer user.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Search Customer User
```

Frontend::Module###AgentCustomerUserInformationCenter

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Customer User Information Center.  
Group: []  
GroupRo: []
```

```
NavBarName: Customer Users  
Title: ''
```

Frontend::Module###AgentCustomerUserInformationCenterSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Customer User Information Center Search.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: ''
```

Frontend::Module###AgentDashboard

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent dashboard.  
Group: []  
GroupRo: []  
NavBarName: Dashboard  
Title: Agent Dashboard
```

Frontend::Module###AgentDocumentSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Document Search  
Group: []  
GroupRo: []  
NavBarName: Document Search  
Title: ''
```

Frontend::Module###AgentFAQAdd

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQCategory

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group:  
- admin  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQDelete

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Delete.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: Delete
```

Frontend::Module###AgentFAQEdit

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Edit.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: Edit
```

Frontend::Module###AgentFAQExplorer

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQHistory

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ History.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: History
```

Frontend::Module###AgentFAQJournal

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQLanguage

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group:  
- admin  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQPrint

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Print.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: Print
```

Frontend::Module###AgentFAQRelatedArticles

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent FAQ Related Articles.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Agent FAQ Related Articles
```

Frontend::Module###AgentFAQRichText

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ AJAX Responder for Richtext.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: FAQ AJAX Responder
```

Frontend::Module###AgentFAQSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQSearchSmall

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
```

```
Description: Search FAQ Small.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentFAQZoom

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: FAQ Area.  
Group: []  
GroupRo: []  
NavBarName: FAQ  
Title: FAQ
```

Frontend::Module###AgentInfo

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Generic Info module.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Info
```

Frontend::Module###AgentLinkObject

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Link Object.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: Link Object
```

Frontend::Module###AgentNotificationView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Notification web view.  
Group: []  
GroupRo: []  
NavBarName: Notification web view  
Title: Notification Web View
```

Frontend::Module###AgentPreferences

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent Preferences.  
Group: []  
GroupRo: []
```

```
NavBarName: Preferences  
Title: ''
```

Frontend::Module###AgentSplitSelection

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket split dialog.  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: ''
```

Frontend::Module###AgentStatistics

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent Statistics.  
Group:  
- stats  
GroupRo:  
- stats  
NavBarName: Reports  
Title: Statistics
```

Frontend::Module###AgentStatisticsReports

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Statistics reports.  
Group:  
- stats  
GroupRo:  
- stats  
NavBarName: Statistics Reports  
Title: Statistics Reports
```

Frontend::Module###AgentSystemContract

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent  
Group: []  
GroupRo: []  
NavBarName: ''  
Title: System Contract
```

Frontend::Module###AgentTicketArticleContent

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: To view HTML attachments.  
Group: []
```



```
GroupRo: []  
NavBarName: Ticket  
Title: ''
```

Frontend::Module###AgentTicketAttachment

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: To download attachments.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: ''
```

Frontend::Module###AgentTicketAttachmentView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket attachments.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Attachments
```

Frontend::Module###AgentTicketBounce

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Compose Bounce Email.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Bounce
```

Frontend::Module###AgentTicketBulk

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket bulk module.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Bulk Action
```

Frontend::Module###AgentTicketClose

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Close.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Close
```

Frontend::Module###AgentTicketCompose

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Compose email Answer.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Compose
```

Frontend::Module###AgentTicketCustomer

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Customer.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Customer
```

Frontend::Module###AgentTicketEmail

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Create new email ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: New email ticket
```

Frontend::Module###AgentTicketEmailOutbound

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Outbound Email.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Email Outbound
```

Frontend::Module###AgentTicketEmailResend

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Resend Ticket Email.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Email Resend
```

Frontend::Module###AgentTicketEscalationView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Overview of all escalated tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Escalation view
```

Frontend::Module###AgentTicketForward

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Forward Email.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Forward
```

Frontend::Module###AgentTicketFreeText

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket FreeText.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Free Fields
```

Frontend::Module###AgentTicketHistory

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket History.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: History
```

Frontend::Module###AgentTicketLock

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Lock.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Lock
```

Frontend::Module###AgentTicketLockedView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
```

```
Description: Locked Tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Locked Tickets
```

Frontend::Module###AgentTicketMerge

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Merge.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Merge
```

Frontend::Module###AgentTicketMove

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Move.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Move
```

Frontend::Module###AgentTicketNote

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Note.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Note
```

Frontend::Module###AgentTicketOwner

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Owner.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Owner
```

Frontend::Module###AgentTicketPending

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Pending.  
Group: []  
GroupRo: []
```

```
NavBarName: Ticket  
Title: Pending
```

Frontend::Module###AgentTicketPhone

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Create new phone ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: New phone ticket
```

Frontend::Module###AgentTicketPhoneInbound

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Incoming Phone Call.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Phone-Ticket
```

Frontend::Module###AgentTicketPhoneOutbound

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Phone Call.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Phone-Ticket
```

Frontend::Module###AgentTicketPlain

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket plain view of an email.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Plain
```

Frontend::Module###AgentTicketPrint

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Print.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Print
```

Frontend::Module###AgentTicketPriority

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Priority.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Priority
```

Frontend::Module###AgentTicketProcess

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Create new process ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: New process ticket
```

Frontend::Module###AgentTicketQueue

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Overview of all open Tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: QueueView
```

Frontend::Module###AgentTicketResponsible

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Responsible.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Responsible
```

Frontend::Module###AgentTicketResponsibleView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Responsible Tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Responsible Tickets
```

Frontend::Module###AgentTicketSMS

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Create new SMS ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: New SMS ticket
```

Frontend::Module###AgentTicketSMSOutbound

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Outbound SMS.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: SMS Outbound
```

Frontend::Module###AgentTicketSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Search Ticket.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Search
```

Frontend::Module###AgentTicketService

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Overview of all open Tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: ServiceView
```

Frontend::Module###AgentTicketStatusView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Overview of all open tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Status view
```

Frontend::Module###AgentTicketWatchView

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
```

```
Description: Watched Tickets.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Watched Tickets
```

Frontend::Module###AgentTicketWatcher

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: A TicketWatcher Module.  
Group: []  
GroupRo: []  
NavBarName: Ticket-Watcher  
Title: Ticket Watcher
```

Frontend::Module###AgentTicketZoom

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Ticket Zoom.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Zoom
```

Frontend::Module###AgentUserSearch

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Agent User Search.  
Group: []  
GroupRo: []  
NavBarName: Ticket  
Title: Agent User Search
```

Frontend::Module###AgentVideoChat

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Video and audio call screen.  
Group: []  
GroupRo: []  
NavBarName: ''
```

Frontend::Module###AgentZoom

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---  
Description: Compat module for AgentZoom to AgentTicketZoom.  
Group: []  
GroupRo: []  
NavBarName: Ticket
```



```
Title: ''
```

Frontend::Module###AjaxAttachment

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: AJAX attachment.
Group: []
GroupRo: []
NavBarName: ''
Title: AJAX Attachment
```

Frontend::Module###Logout

Frontend module registration для интерфейса агента.

Значение по умолчанию:

```
---
Description: Logout
Group: []
GroupRo: []
NavBarName: ''
Title: ''
```

Frontend::Module###PictureUpload

Frontend module registration для интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Description: Picture upload module.
Group: []
GroupRo: []
NavBarName: Ticket
Title: Picture Upload
```

Frontend::NavBarModule###000-CustomerChat

Agent frontend module registration (disable chat link if chat feature is inactive or agent is not in chat group).

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::NavBar::AgentChat
```

Frontend::NavBarModule###1-TicketProcesses

Frontend module registration (отключает экран процессеюй заявки, если нет доступных процессов).

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::NavBar::AgentTicketProcess
```

Frontend::NavBarModule###2-AdminFavourites

Frontend module registration (show personal favorites as sub navigation items of 'Admin').

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::NavBar::AdminFavourites
```

Frontend::NavBarModule###5-TicketSMS

Frontend module registration (disable SMS ticket screen if cloud service is not activated).

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::NavBar::AgentTicketSMS
```

Frontend::NavBarModule###6-CustomerCompany

Frontend module registration (отключает ссылку на компанию, если отключена поддержка компаний).

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::NavBar::CustomerCompany
```

Frontend::NavBarModule###7-AgentTicketService

Frontend module registration (disable AgentTicketService link if Ticket Service feature is not used).

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::NavBar::AgentTicketService
```

108. Frontend → Agent → ModuleRegistration → Loader

Loader::Module::AgentAppointmentAgendaOverview###002-Calendar

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.css  
- Core.AppointmentCalendar.css  
- Core.AppointmentCalendar.Agenda.css  
JavaScript:  
- thirdparty/momentjs-2.18.1/moment.min.js  
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.js  
- Core.Agent.AppointmentCalendar.js
```

Loader::Module::AgentAppointmentCalendarOverview###002-Calendar

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.css
```

```
- thirdparty/fullcalendar-scheduler-1.6.2/scheduler.min.css
- Core.AppointmentCalendar.css
JavaScript:
- thirdparty/momentjs-2.18.1/moment.min.js
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.js
- thirdparty/fullcalendar-scheduler-1.6.2/scheduler.min.js
- Core.Agent.AppointmentCalendar.js
- thirdparty/clipboardjs-1.7.1/clipboard.min.js
```

Loader::Module::AgentChat###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- thirdparty/spectrum-1.8.0/spectrum.css
- Core.Agent.Chat.css
JavaScript:
- thirdparty/spectrum-1.8.0/spectrum.js
- Core.Agent.Chat.js
```

Loader::Module::AgentChatAppend###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Chat.Append.css
JavaScript:
- Core.Agent.CustomerSearch.js
- Core.Agent.Chat.Append.js
```

Loader::Module::AgentChatPopup###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Chat.css
JavaScript:
- Core.Agent.Chat.js
```

Loader::Module::AgentChatPreview###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- Core.Agent.Chat.js
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
```

Loader::Module::AgentCustomerInformationCenter###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
```

```
- Core.AllocationList.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.Dashboard.js
- Core.Agent.TableFilters.js
- Core.Agent.CustomerInformationCenter.js
```

Loader::Module::AgentCustomerUserAddressBook###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.CustomerUserAddressBook.css
JavaScript:
- Core.Agent.CustomerUserAddressBook.js
```

Loader::Module::AgentCustomerUserInformationCenter###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.AllocationList.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.Dashboard.js
- Core.Agent.TableFilters.js
- Core.Agent.CustomerUserInformationCenter.js
```

Loader::Module::AgentDashboard###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Dashboard.css
- Core.AllocationList.css
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.css
- thirdparty/nvd3-1.7.1/nv.d3.css
JavaScript:
- thirdparty/momentjs-2.18.1/moment.min.js
- thirdparty/fullcalendar-3.4.0/fullcalendar.min.js
- thirdparty/d3-3.5.6/d3.min.js
- thirdparty/nvd3-1.7.1/nvd3.min.js
- thirdparty/nvd3-1.7.1/models/OTRSLineChart.js
- thirdparty/nvd3-1.7.1/models/OTRSMultiBarChart.js
- thirdparty/nvd3-1.7.1/models/OTRSStackedAreaChart.js
- thirdparty/canvg-1.4/rgbcolor.js
- thirdparty/canvg-1.4/StackBlur.js
- thirdparty/canvg-1.4/canvg.js
- thirdparty/StringView-8/stringview.js
- Core.UI.AdvancedChart.js
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.Dashboard.js
- Core.Agent.Statistics.ParamsWidget.js
```

Loader::Module::AgentFAQAdd###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.FAQ.Detail.css  
JavaScript:  
- Core.Agent.FAQ.js
```

Loader::Module::AgentFAQCategory###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.FAQ.ConfirmationDialog.js
```

Loader::Module::AgentFAQEdit###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.FAQ.Detail.css  
JavaScript:  
- Core.Agent.FAQ.js
```

Loader::Module::AgentFAQExplorer###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.FAQ.Detail.css  
JavaScript:  
- Core.Agent.FAQ.js
```

Loader::Module::AgentFAQJournal###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
--- {}
```

Loader::Module::AgentFAQLanguage###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.FAQ.ConfirmationDialog.js
```

Loader::Module::AgentFAQSearch###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.FAQ.js
```

Loader::Module::AgentFAQZoom###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.FAQ.Detail.css
- Core.AllocationList.css
JavaScript:
- Core.Agent.FAQ.ConfirmationDialog.js
- Core.Agent.FAQ.TicketCompose.js
- Core.Agent.FAQ.FAQZoom.js
- Core.UI.AllocationList.js
- Core.UI.Table.Sort.js
- Core.Agent.TableFilters.js
- Core.Agent.LinkObject.js
```

Loader::Module::AgentLinkObject###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- Core.Agent.LinkObject.SearchForm.js
```

Loader::Module::AgentNotificationView###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.AllocationList.css
- Core.Agent.NotificationView.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.NotificationView.js
```

Loader::Module::AgentPreferences###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.Preferences.css
- Core.Agent.Admin.SystemConfiguration.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.Preferences.js
- Core.SystemConfiguration.js
- Core.SystemConfiguration.Date.js
```

Loader::Module::AgentStatistics###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
CSS:
- thirdparty/nvd3-1.7.1/nv.d3.css
- Core.Agent.Statistics.css
JavaScript:
- thirdparty/d3-3.5.6/d3.min.js
- thirdparty/nvd3-1.7.1/nvd3.min.js
- thirdparty/nvd3-1.7.1/models/OTRSLineChart.js
- thirdparty/nvd3-1.7.1/models/OTRSMultiBarChart.js
- thirdparty/nvd3-1.7.1/models/OTRSStackedAreaChart.js
- thirdparty/canvg-1.4/rgbcolor.js
- thirdparty/canvg-1.4/StackBlur.js
- thirdparty/canvg-1.4/canvg.js
- thirdparty/StringView-8/stringview.js
- Core.Agent.Statistics.js
- Core.UI.AdvancedChart.js
- Core.Agent.Statistics.ParamsWidget.js
```

Loader::Module::AgentStatisticsReports###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- thirdparty/nvd3-1.7.1/nv.d3.css
- Core.Agent.StatisticsReports.css
JavaScript:
- thirdparty/d3-3.5.6/d3.min.js
- thirdparty/nvd3-1.7.1/nvd3.min.js
- thirdparty/nvd3-1.7.1/models/OTRSLineChart.js
- thirdparty/nvd3-1.7.1/models/OTRSMultiBarChart.js
- thirdparty/nvd3-1.7.1/models/OTRSStackedAreaChart.js
- Core.UI.AdvancedChart.js
- Core.Agent.StatisticsReports.js
```

Loader::Module::AgentSystemContract###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.SystemContract.css
```

Loader::Module::AgentTicketAttachmentView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.Agent.AttachmentView.css
JavaScript:
- thirdparty/jquery-tablesorter-2.28.14/jquery.tablesorter.js
- Core.UI.Table.Sort.js
- Core.Agent.TicketAttachmentView.js
```

Loader::Module::AgentTicketBounce###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- Core.Agent.TicketBounce.js
```

Loader::Module::AgentTicketBulk###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketBulk.js
```

Loader::Module::AgentTicketClose###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketCompose###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketCompose.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketCustomer###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketEmail###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.FAQ.RelatedArticles.js
```

Loader::Module::AgentTicketEmail###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```



```
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketEmail.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketEmailOutbound###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketEmailOutbound.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketEmailResend###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketEmailResend.js
```

Loader::Module::AgentTicketEscalationView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AllocationList.css  
JavaScript:  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js  
- Core.Agent.Overview.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketForward###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketForward.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketFreeText###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketHistory###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.TicketHistory.css  
JavaScript:  
- Core.Agent.TicketHistory.js
```

Loader::Module::AgentTicketLockedView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AgentTicketQueue.css  
- Core.AllocationList.css  
JavaScript:  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js  
- Core.Agent.Overview.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketMerge###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketMerge.js
```

Loader::Module::AgentTicketMove###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketMove.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketNote###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketOwner###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketPending###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketPhone###002-FAQ

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.FAQ.RelatedArticles.js
```

Loader::Module::AgentTicketPhone###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketPhone.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketPhoneInbound###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketPhoneCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketPhoneOutbound###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketPhoneCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketPriority###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketProcess###002-ProcessManagement

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.TicketProcess.css  
JavaScript:  
- Core.Agent.CustomerSearch.js  
- Core.Agent.CustomerSearchAutoComplete.js  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketProcess.js  
- Core.TicketProcess.js
```

Loader::Module::AgentTicketQueue###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AgentTicketQueue.css  
- Core.AllocationList.css  
JavaScript:  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js  
- Core.Agent.Overview.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketResponsible###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketAction.js  
- Core.Agent.TicketActionCommon.js  
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketResponsibleView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
```

```
CSS:
- Core.AllocationList.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.Overview.js
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketSMS###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- thirdparty/libphonenumber-js/libphonenumber-js.min.js
- Core.Agent.CustomerSearchSMS.js
- Core.Agent.TicketAction.js
- Core.Agent.TicketSMS.js
```

Loader::Module::AgentTicketSMSOutbound###001-Framework

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
JavaScript:
- thirdparty/libphonenumber-js/libphonenumber-js.min.js
- Core.Agent.CustomerSearchSMS.js
- Core.Agent.TicketAction.js
- Core.Agent.TicketSMS.js
- Core.Agent.TicketFormDraft.js
```

Loader::Module::AgentTicketSearch###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.AllocationList.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.Overview.js
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketService###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---
CSS:
- Core.AgentTicketService.css
- Core.AllocationList.css
JavaScript:
- Core.UI.AllocationList.js
- Core.Agent.TableFilters.js
- Core.Agent.Overview.js
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketStatusView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AllocationList.css  
JavaScript:  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js  
- Core.Agent.Overview.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketWatchView###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.AgentTicketQueue.css  
- Core.AllocationList.css  
JavaScript:  
- Core.UI.AllocationList.js  
- Core.Agent.TableFilters.js  
- Core.Agent.Overview.js  
- Core.Agent.TicketSplit.js
```

Loader::Module::AgentTicketZoom###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.TicketProcess.css  
- Core.Agent.TicketMenuModuleCluster.css  
- Core.AllocationList.css  
JavaScript:  
- thirdparty/jquery-tablesorter-2.28.14/jquery.tablesorter.js  
- Core.Agent.TicketSplit.js  
- Core.Agent.TicketZoom.js  
- Core.UI.AllocationList.js  
- Core.UI.Table.Sort.js  
- Core.Agent.LinkObject.js  
- Core.Agent.TableFilters.js  
- Core.Agent.TicketFormDraft.js  
- Core.Agent.TicketZoom.TimelineView.js
```

Loader::Module::AgentTicketZoom###010-TicketSMS

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
JavaScript:  
- Core.Agent.TicketSMS.js
```

Loader::Module::AgentVideoChat###002-Ticket

Loader module registration for the agent interface.

Значение по умолчанию:

```
---  
CSS:  
- Core.Agent.Chat.VideoChat.css
```

109. Frontend → Agent → ModuleRegistration → MainMenu

Frontend::Navigation###AgentAppointmentAgendaOverview###002-Calendar

Main menu item registration.

Значение по умолчанию:

```

---
- AccessKey: ''
  Block: ItemArea
  Description: Overview of all appointments.
  Group: []
  GroupRo: []
  Link: Action=AgentAppointmentAgendaOverview
  LinkOption: ''
  Name: Agenda Overview
  NavBar: Calendar
  Prio: '6500'
  Type: ''

```

Frontend::Navigation###AgentAppointmentCalendarOverview###002-Calendar

Main menu item registration.

Значение по умолчанию:

```

---
- AccessKey: ''
  Block: ItemArea
  Description: Appointment Calendar overview page.
  Group: []
  GroupRo: []
  Link: Action=AgentAppointmentCalendarOverview
  LinkOption: ''
  Name: Calendar
  NavBar: Calendar
  Prio: '75'
  Type: Menu
- AccessKey: ''
  Block: ItemArea
  Description: Appointment Calendar overview page.
  Group: []
  GroupRo: []
  Link: Action=AgentAppointmentCalendarOverview
  LinkOption: ''
  Name: Calendar Overview
  NavBar: Calendar
  Prio: '6000'
  Type: ''
- AccessKey: ''
  Block: ItemArea
  Description: Resource Overview (OTRSCalendarResourcePlanning)
  Group: []
  GroupRo: []
  Link: Action=AgentAppointmentCalendarOverview
  LinkOption: class="PackageRequired" data-package-name="OTRSCalendarResourcePlanning"
  Name: Resource Overview
  NavBar: Calendar
  Prio: '7000'
  Type: ''
- AccessKey: ''
  Block: ItemArea
  Description: Create new appointment.

```

```

Group: []
GroupRo: []
Link: Action=AgentAppointmentCalendarOverview;Subaction=AppointmentCreate
LinkOption: ''
Name: New Appointment
NavBar: Calendar
Prio: '8000'
Type: ''

```

Frontend::Navigation###AgentAppointmentList###002-Calendar

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentChat###002-Ticket

Main menu item registration.

Значение по умолчанию:

```

---
- AccessKey: ''
  Block: ItemArea
  Description: ''
  Group: []
  GroupRo: []
  Link: Action=AgentChat
  LinkOption: ''
  Name: Chat
  NavBar: Chat
  Prio: '500'
  Type: Menu

```

Frontend::Navigation###AgentCustomerInformationCenter###001-Framework

Main menu item registration.

Значение по умолчанию:

```

---
- AccessKey: c
  Block: ItemArea
  Description: Customer Information Center search.
  Group: []
  GroupRo: []
  Link: Action=AgentCustomerInformationCenter
  LinkOption: onclick="window.setTimeout(function()
{Core.Agent.CustomerInformationCenterSearch.OpenSearchDialog();},
  0); return false;"
  Name: Customer Information Center
  NavBar: Customers
  Prio: '50'
  Type: ''
- AccessKey: ''
  Block: ItemArea
  Description: Customer Information Center search.
  Group: []
  GroupRo: []
  Link: Action=AgentCustomerInformationCenter
  LinkOption: ''
  Name: Customers
  NavBar: Customers
  Prio: '60'

```


Type: Menu

Frontend::Navigation###AgentCustomerInformationCenterSearch###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentCustomerUserInformationCenter###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: y  
  Block: ItemArea  
  Description: Customer User Information Center search.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentCustomerUserInformationCenter  
  LinkOption: onclick="window.setTimeout(function()  
{Core.Agent.CustomerUserInformationCenterSearch.OpenSearchDialog();},  
  0); return false;"  
  Name: Customer User Information Center  
  NavBar: Customers  
  Prio: '55'  
  Type: ''
```

Frontend::Navigation###AgentDashboard###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: d  
  Block: ItemArea  
  Description: Dashboard overview.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentDashboard  
  LinkOption: ''  
  Name: Dashboard  
  NavBar: Dashboard  
  Prio: '50'  
  Type: Menu
```

Frontend::Navigation###AgentFAQAdd###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: b  
  Block: ''  
  Description: New FAQ Article.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentFAQAdd  
  LinkOption: ''  
  Name: New
```

```
NavBar: FAQ
Prio: '920'
Type: ''
```

Frontend::Navigation###AgentFAQCategory###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: g
  Block: ''
  Description: Category Management.
  Group:
  - admin
  GroupRo: []
  Link: Action=AgentFAQCategory
  LinkOption: ''
  Name: Category Management
  NavBar: FAQ
  Prio: '950'
  Type: ''
```

Frontend::Navigation###AgentFAQExplorer###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: f
  Block: ItemArea
  Description: FAQ Area
  Group: []
  GroupRo: []
  Link: Action=AgentFAQExplorer
  LinkOption: ''
  Name: FAQ
  NavBar: FAQ
  Prio: '350'
  Type: Menu
- AccessKey: x
  Block: ''
  Description: FAQ Explorer
  Group: []
  GroupRo: []
  Link: Action=AgentFAQExplorer
  LinkOption: ''
  Name: Explorer
  NavBar: FAQ
  Prio: '910'
  Type: ''
```

Frontend::Navigation###AgentFAQJournal###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: j
  Block: ''
  Description: FAQ Journal
  Group: []
  GroupRo: []
  Link: Action=AgentFAQJournal
  LinkOption: ''
  Name: Journal
  NavBar: FAQ
```

```
Prio: '930'  
Type: ''
```

Frontend::Navigation###AgentFAQLanguage###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: l  
  Block: ''  
  Description: Language Management.  
  Group:  
  - admin  
  GroupRo: []  
  Link: Action=AgentFAQLanguage  
  LinkOption: ''  
  Name: Language Management  
  NavBar: FAQ  
  Prio: '940'  
  Type: ''
```

Frontend::Navigation###AgentFAQSearch###002-FAQ

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: z  
  Block: ''  
  Description: Search FAQ.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentFAQSearch  
  LinkOption: onclick="Core.Agent.Search.OpenSearchDialog('AgentFAQSearch'); if  
(event.stopPropagation)  
  { event.stopPropagation(); } else { window.event.cancelBubble = true; } return  
  false;"  
  Name: Search  
  NavBar: FAQ  
  Prio: '960'  
  Type: ''
```

Frontend::Navigation###AgentFAQSearchSmall###002-FAQ

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentLinkObject###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentNotificationView###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ''  
  Description: View notifications  
  Group: []  
  GroupRo: []  
  Link: Action=AgentNotificationView  
  LinkOption: ''  
  Name: Notification web view  
  NavBar: ''  
  Prio: '910'  
  Type: ''
```

Frontend::Navigation###AgentPreferences###001-Framework

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentStatistics###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ItemArea  
  Description: Statistics overview.  
  Group:  
  - stats  
  GroupRo:  
  - stats  
  Link: Action=AgentStatistics;Subaction=Overview  
  LinkOption: ''  
  Name: Reports  
  NavBar: Reports  
  Prio: '8500'  
  Type: Menu  
- AccessKey: ''  
  Block: ''  
  Description: Statistics overview.  
  Group:  
  - stats  
  GroupRo:  
  - stats  
  Link: Action=AgentStatistics;Subaction=Overview  
  LinkOption: ''  
  Name: Statistics  
  NavBar: Reports  
  Prio: '200'  
  Type: ''
```

Frontend::Navigation###AgentStatisticsReports###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ''  
  Description: ''  
  Group:
```

```
- stats
GroupRo:
- stats
Link: Action=AgentStatisticsReports;Subaction=Overview
LinkOption: ''
Name: Reports
NavBar: Reports
Prio: '100'
Type: ''
```

Frontend::Navigation###AgentTicketEmail###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: m
Block: ''
Description: Create new email ticket and send this out (outbound).
Group: []
GroupRo: []
Link: Action=AgentTicketEmail
LinkOption: ''
Name: New email ticket
NavBar: Ticket
Prio: '210'
Type: ''
```

Frontend::Navigation###AgentTicketEscalationView###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: e
Block: ''
Description: Overview Escalated Tickets.
Group: []
GroupRo: []
Link: Action=AgentTicketEscalationView
LinkOption: ''
Name: Escalation view
NavBar: Ticket
Prio: '120'
Type: ''
```

Frontend::Navigation###AgentTicketLockedView###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentTicketPhone###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: n
Block: ''
Description: Create new phone ticket (inbound).
Group: []
```

```
GroupRo: []
Link: Action=AgentTicketPhone
LinkOption: ''
Name: New phone ticket
NavBar: Ticket
Prio: '200'
Type: ''
```

Frontend::Navigation###AgentTicketProcess###002-ProcessManagement

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: p
  Block: ''
  Description: Create New process ticket.
  Group: []
  GroupRo: []
  Link: Action=AgentTicketProcess
  LinkOption: ''
  Name: New process ticket
  NavBar: Ticket
  Prio: '220'
  Type: ''
```

Frontend::Navigation###AgentTicketQueue###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---
- AccessKey: o
  Block: ''
  Description: Overview of all Tickets per assigned Queue.
  Group: []
  GroupRo: []
  Link: Action=AgentTicketQueue
  LinkOption: ''
  Name: Queue view
  NavBar: Ticket
  Prio: '100'
  Type: ''
- AccessKey: t
  Block: ItemArea
  Description: Overview of all Tickets per assigned Queue.
  Group: []
  GroupRo: []
  Link: Action=AgentTicketQueue
  LinkOption: ''
  Name: Tickets
  NavBar: Ticket
  Prio: '200'
  Type: Menu
```

Frontend::Navigation###AgentTicketResponsibleView###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

Frontend::Navigation###AgentTicketSMS###001-Framework

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: ''  
  Block: ''  
  Description: Create new SMS ticket and send it out (outbound).  
  Group: []  
  GroupRo: []  
  Link: Action=AgentTicketSMS  
  LinkOption: ''  
  Name: New SMS ticket  
  NavBar: Ticket  
  Prio: '230'  
  Type: ''
```

Frontend::Navigation###AgentTicketSearch###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: s  
  Block: ''  
  Description: Search Tickets.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentTicketSearch  
  LinkOption: onclick="window.setTimeout(function()  
{Core.Agent.Search.OpenSearchDialog('AgentTicketSearch');},  
  0); return false;"  
  Name: Search  
  NavBar: Ticket  
  Prio: '300'  
  Type: ''
```

Frontend::Navigation###AgentTicketService###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: i  
  Block: ''  
  Description: Overview of all open Tickets.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentTicketService  
  LinkOption: ''  
  Name: Service view  
  NavBar: Ticket  
  Prio: '105'  
  Type: ''
```

Frontend::Navigation###AgentTicketStatusView###002-Ticket

Main menu item registration.

Значение по умолчанию:

```
---  
- AccessKey: v  
  Block: ''  
  Description: Overview of all open Tickets.  
  Group: []  
  GroupRo: []  
  Link: Action=AgentTicketStatusView  
  LinkOption: ''  
  Name: Status view
```

```
NavBar: Ticket  
Prio: '110'  
Type: ''
```

Frontend::Navigation###AgentTicketWatchView###002-Ticket

Main menu item registration.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- []
```

110. Frontend → Agent → TicketOverview

Ticket::Frontend::Overview###Medium

Допускает использование medium режима просмотра заявок (CustomerInfo => 1 - показывает также информацию о клиенте).

Значение по умолчанию:

```
---  
CustomerInfo: '0'  
Module: Kernel::Output::HTML::TicketOverview::Medium  
ModulePriority: '200'  
Name: Medium  
NameShort: M  
OverviewMenuModules: '1'  
TicketActionsPerTicket: '1'
```

Ticket::Frontend::Overview###Preview

Допускает использование режима предпросмотра при просмотре заявок (CustomerInfo => 1 - показывает также информацию о клиенте, CustomerInfoMaxSize макс. размер в символах для Customer-Info).

Значение по умолчанию:

```
---  
CustomerInfo: '0'  
CustomerInfoMaxSize: '18'  
DefaultPreViewLines: '25'  
DefaultViewNewLine: '90'  
Module: Kernel::Output::HTML::TicketOverview::Preview  
ModulePriority: '300'  
Name: Large  
NameShort: L  
OverviewMenuModules: '1'  
StripEmptyLines: '0'  
TicketActionsPerTicket: '1'
```

Ticket::Frontend::Overview###Small

Допускает использование small(краткий) режима просмотра заявок (CustomerInfo => 1 - показывает также информацию о клиенте).

Значение по умолчанию:

```
---  
CustomerInfo: '1'  
Module: Kernel::Output::HTML::TicketOverview::Small
```



```
ModulePriority: '100'  
Name: Small  
NameShort: S
```

Ticket::Frontend::Overview::PreviewArticleLimit

Устанавливает видимость счетчика сообщений в preview mode (L) просмотра заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '5'
```

Ticket::Frontend::Overview::PreviewArticleSenderTypes

Задает тип отправителя сообщения, показываемый при просмотре заявки.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
agent: '1'  
customer: '1'  
system: '1'
```

Ticket::Frontend::Overview::PreviewIsVisibleForCustomerExpanded

Задает, какое тип сообщение разворачивается при входе в просмотр клиентом. Если ничего не указано, разворачивается последнее сообщение.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::OverviewMedium###DynamicField

Dynamic fields shown in the ticket medium format overview screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::OverviewPreview###DynamicField

Dynamic fields shown in the ticket preview format overview screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::OverviewSmall###DynamicField

Dynamic fields shown in the ticket small format overview screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

111. Frontend → Agent → TicketOverview → MenuModule

Ticket::Frontend::OverviewMenuModule###001-Sort

Это параметр отображает опции сортировки во всех экранах обзора заявок, а не только в обзоре очередей.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::TicketOverviewMenu::Sort
```

Ticket::Frontend::PreMenuModule###100-Lock

Показывает пункт меню Блокировать / Разблокировать при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketLock  
Module: Kernel::Output::HTML::TicketMenu::Lock  
Name: Lock  
PopupType: ''  
Target: ''
```

Ticket::Frontend::PreMenuModule###200-Zoom

Показывает пункт меню Подробно при просмотре заявок в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketZoom  
Description: Look into a ticket!  
Link: Action=AgentTicketZoom;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Zoom  
PopupType: ''  
Target: ''
```

Ticket::Frontend::PreMenuModule###210-History

Показывает пункт меню История при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketHistory  
Description: Show the ticket history  
Link: Action=AgentTicketHistory;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: History  
PopupType: TicketHistory  
Target: ''
```

Ticket::Frontend::PreMenuModule###300-Priority

Показывает пункт меню Приоритет при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketPriority  
Description: Change the priority for this ticket
```

```
Link: Action=AgentTicketPriority;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Priority  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::PreMenuModule###420-Note

Показывает пункт меню Заметка при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketNote  
Description: Add a note to this ticket  
Link: Action=AgentTicketNote;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Note  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::PreMenuModule###440-Close

Показывает пункт меню Закрывать при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketClose  
Description: Close this ticket  
Link: Action=AgentTicketClose;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Close  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::PreMenuModule###445-Move

Показывает пункт меню Сменить очередь при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketMove  
Description: Change queue!  
Module: Kernel::Output::HTML::TicketMenu::Move  
Name: Move
```

Ticket::Frontend::PreMenuModule###450-Delete

Показывает пункт меню Удалить при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием параметра "Group", где В содержании указывается перечень групп, которым эта кнопка будет доступна ("rw:group1;move_into:group2").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketMove  
Description: Delete this ticket  
Link: Action=AgentTicketMove;TicketID=[% Data.TicketID %];DestQueue=Delete  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Delete  
PopupType: ''  
Target: ''
```

Ticket::Frontend::PreMenuModule###460-Junk

Показывает пункт меню Спам при просмотрах заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием параметра "Group", где в Содержании указывается перечень групп, членам которых эта кнопка будет доступна ("rw:group1;move_into:group2").

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Action: AgentTicketMove
Description: Mark as Spam!
Link: Action=AgentTicketMove;TicketID=[% Data.TicketID %];DestQueue=Junk
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Spam
PopupType: ''
Target: ''
```

TicketOverviewMenuSort###SortAttributes

Задаёт какие атрибуты заявки агент может выбрать для сортировки в обзоре заявок в очередях.

Значение по умолчанию:

```
---
Age: '1'
Title: '1'
```

112. Frontend → Agent → ToolBar

Frontend::ToolBarModule###110-Ticket::AgentTicketQueue

Элемент панели навигации для иконки. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
AccessKey: q
Action: AgentTicketQueue
CssClass: QueueView
Icon: fa fa-folder
Link: Action=AgentTicketQueue
Module: Kernel::Output::HTML::ToolBar::Link
Name: Queue view
Priority: '1010010'
```

Frontend::ToolBarModule###12-ChatRequests

Модуль интерфейса агента, проверяющий наличие открытых запросов на обсуждение/chat.

Значение по умолчанию:

```
---
AccessKey: ''
CssClass: ChatRequests
Icon: fa fa-comments-o
Module: Kernel::Output::HTML::ToolBar::ChatRequests
```

Priority: '1030040'

Frontend::ToolBarModule###12-NotificationWebView::AgentNotificationView

Tool-bar item for a notification web view.

Значение по умолчанию:

```
---
AccessKey: u
Action: AgentNotificationView
CssClass: NotificationView
Icon: fa fa-flag-o
Link: Action=AgentNotificationView
Module: Kernel::Output::HTML::ToolBar::NotificationView
Name: 'Notifications Unseen:'
Priority: '1040010'
```

Frontend::ToolBarModule###120-Ticket::AgentTicketStatus

Элемент панели навигации для иконки. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
AccessKey: ''
Action: AgentTicketStatusView
CssClass: StatusView
Icon: fa fa-list-ol
Link: Action=AgentTicketStatusView
Module: Kernel::Output::HTML::ToolBar::Link
Name: Status view
Priority: '1010020'
```

Frontend::ToolBarModule###13-ChatAvailability

Agent interface availability.

Значение по умолчанию:

```
---
AccessKey: ''
CssClass: ChatAvailability
Icon: fa fa-circle-o
Module: Kernel::Output::HTML::ToolBar::ChatAvailability
Priority: '1030042'
```

Frontend::ToolBarModule###130-Ticket::AgentTicketEscalation

Элемент панели навигации для иконки. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
AccessKey: w
Action: AgentTicketEscalationView
CssClass: EscalationView
Icon: fa fa-exclamation
Link: Action=AgentTicketEscalationView
Module: Kernel::Output::HTML::ToolBar::Link
```

Name: Escalation view
Priority: '1010030'

Frontend::ToolBarModule###140-Ticket::AgentTicketPhone

Элемент панели навигации для иконки.Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
AccessKey: ''  
Action: AgentTicketPhone  
CssClass: PhoneTicket  
Icon: fa fa-phone  
Link: Action=AgentTicketPhone  
Module: Kernel::Output::HTML::ToolBar::Link  
Name: New phone ticket  
Priority: '1020010'
```

Frontend::ToolBarModule###150-Ticket::AgentTicketEmail

Элемент панели навигации для иконки.Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
AccessKey: ''  
Action: AgentTicketEmail  
CssClass: EmailTicket  
Icon: fa fa-envelope  
Link: Action=AgentTicketEmail  
Module: Kernel::Output::HTML::ToolBar::Link  
Name: New email ticket  
Priority: '1020020'
```

Frontend::ToolBarModule###160-Ticket::AgentTicketProcess

Элемент панели навигации для иконки.Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
AccessKey: ''  
Action: AgentTicketProcess  
CssClass: ProcessTicket  
Icon: fa fa-sitemap  
Link: Action=AgentTicketProcess  
Module: Kernel::Output::HTML::ToolBar::Link  
Name: New process ticket  
Priority: '1020030'
```

Frontend::ToolBarModule###170-Ticket::TicketResponsible

Модуль отображения количества заявок за которые агент является ответственным в навигационной панели интерфейса агента. Дополнительный

контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Значение по умолчанию:

```
---
AccessKey: r
AccessKeyNew: ''
AccessKeyReached: ''
CssClass: Responsible
CssClassNew: Responsible New
CssClassReached: Responsible Reached
Icon: fa fa-user
IconNew: fa fa-user
IconReached: fa fa-user
Module: Kernel::Output::HTML::ToolBar::TicketResponsible
Priority: '1030010'
```

Frontend::ToolBarModule###180-Ticket::TicketWatcher

Модуль отображения количества наблюдаемых заявок в навигационной панели интерфейса агента. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Значение по умолчанию:

```
---
AccessKey: ''
AccessKeyNew: ''
AccessKeyReached: ''
CssClass: Watcher
CssClassNew: Watcher New
CssClassReached: Watcher Reached
Icon: fa fa-eye
IconNew: fa fa-eye
IconReached: fa fa-eye
Module: Kernel::Output::HTML::ToolBar::TicketWatcher
Priority: '1030020'
```

Frontend::ToolBarModule###190-Ticket::TicketLocked

Модуль отображения количества заблокированных заявок в навигационной панели интерфейса агента. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Значение по умолчанию:

```
---
AccessKey: k
AccessKeyNew: ''
AccessKeyReached: ''
CssClass: Locked
CssClassNew: Locked New
CssClassReached: Locked Reached
Icon: fa fa-lock
IconNew: fa fa-lock
IconReached: fa fa-lock
Module: Kernel::Output::HTML::ToolBar::TicketLocked
Priority: '1030030'
```

Frontend::ToolBarModule###200-Ticket::AgentTicketService

Модуль отображения количества заявок в Моих Сервисах в навигационной панели интерфейса агента. Дополнительный контроль доступа к этой

возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
CssClass: ServiceView  
Icon: fa fa-wrench  
Module: Kernel::Output::HTML::ToolBar::TicketService  
Priority: '1030035'
```

Frontend::ToolBarModule###210-Ticket::TicketSearchProfile

Модуль для интерфейса агента для доступа к поиску по сохраненным шаблонам из навигационной панели. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: ToolBarSearchProfile  
Description: Search template  
MaxWidth: '40'  
Module: Kernel::Output::HTML::ToolBar::TicketSearchProfile  
Name: Search template  
Priority: '1990010'
```

Frontend::ToolBarModule###220-Ticket::TicketSearchFulltext

Модуль для интерфейса агента для доступа к полнотекстовому поиску из навигационной панели. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: ToolBarSearchFulltext  
Description: Fulltext...  
Module: Kernel::Output::HTML::ToolBar::Generic  
Name: Fulltext  
Priority: '1990020'  
Size: '10'
```

Frontend::ToolBarModule###230-CICSearchCustomerID

Модуль для интерфейса агента для доступа к поиску CIC из навигационной панели. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: ToolBarCICSearchCustomerID  
Description: CustomerID...  
Module: Kernel::Output::HTML::ToolBar::Generic
```



```
Name: CustomerID
Priority: '1990030'
Size: '10'
```

Frontend::ToolBarModule###240-CICSearchCustomerUser

Модуль для интерфейса агента для доступа к поиску CIC из навигационной панели. Дополнительный контроль доступа к этой возможности может осуществляться использованием ключа "Group/Группа" и Content/Содержание, например - "rw:group1;move_into:group2"

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Block: ToolBarCICSearchCustomerUser
Description: Customer user...
Module: Kernel::Output::HTML::ToolBar::Generic
Name: Customer User
Priority: '1990040'
Size: '10'
```

Frontend::ToolBarModule###90-FAQ::AgentFAQAdd

Описание ярлыка(иконки) для навигационной панели.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
AccessKey: ''
Action: AgentFAQAdd
CssClass: FAQ
Icon: fa fa-question
Link: Action=AgentFAQAdd
Module: Kernel::Output::HTML::ToolBar::Link
Name: Add FAQ article
Priority: '1020090'
```

113. Frontend → Agent → View → CustomerInformationCenter

AgentCustomerInformationCenter::Backend###0050-CIC-CustomerUserList

Параметры для раздела Дайджеста с информацией о списке клиентов компании в интерфейсе агента. "Group" используется для ограничения доступа к разделу (например, Group: admin;group1;group2;). "Default" - задает, будет ли раздел доступен по умолчанию или агент должен активировать его вручную. "Cache-TTLLocal" - время обновления кэша в минутах для этого раздела.

Значение по умолчанию:

```
---
Attributes: ''
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
Description: All customer users of a CustomerID
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::CustomerUserList
Permission: ro
Title: Customer Users
```

AgentCustomerInformationCenter::Backend###0100-CIC-TicketPendingReminder

Parameters for the dashboard backend of the ticket pending reminder overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```
---
Attributes: TicketPendingTimeOlderMinutes=1;StateType=pending
reminder;SortBy=PendingTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All tickets with a reminder set where the reminder date has been reached
Filter: Locked
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: UntilTime
Title: Reminder Tickets
```

AgentCustomerInformationCenter::Backend###0110-CIC-TicketEscalation

Parameters for the dashboard backend of the ticket escalation overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```
---
Attributes: TicketEscalationTimeOlderMinutes=1;SortBy=EscalationTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
```

```

Age: '2'
Changed: '1'
Created: '1'
CustomerCompanyName: '1'
CustomerID: '1'
CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '1'
Owner: '1'
PendingTime: '1'
Priority: '1'
Queue: '1'
Responsible: '1'
SLA: '1'
Service: '1'
State: '1'
TicketNumber: '2'
Title: '2'
Type: '1'
Description: All escalated tickets
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: EscalationTime
Title: Escalated Tickets
  
```

AgentCustomerInformationCenter::Backend###0120-CIC-TicketNew

Parameters for the dashboard backend of the new tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```

---
Attributes: StateType=new;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  
```

```
Type: '1'
Description: All new tickets, these tickets have not been worked on yet
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: Age
Title: New Tickets
```

AgentCustomerInformationCenter::Backend###0130-CIC-TicketOpen

Parameters for the dashboard backend of the open tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```
---
Attributes: StateType=open;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All open tickets, these tickets have already been worked on, but need
  a response
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: Age
Title: Open Tickets / Need to be answered
```

AgentCustomerInformationCenter::Backend###0500-CIC-CustomerIDStatus

Параметры для раздела Дайджеста с информацией о состоянии заявок компании клиента в интерфейсе агента. "Group" используется для ограничения доступа к разделу (например, Group: admin;group1;group2;). "Default" - задает, будет ли раздел доступен по умолчанию или агент должен активировать его вручную. "CacheTTLLocal" - время обновления кэша в минутах для этого раздела.

Значение по умолчанию:

```

---
Attributes: ''
Block: ContentSmall
CacheTTLLocal: '0.5'
Default: '1'
Description: Company Status
Group: ''
Module: Kernel::Output::HTML::Dashboard::CustomerIDStatus
Permission: ro
Title: Company Status
  
```

AgentCustomerInformationCenter::MainMenu###010-EditCustomerID

ModuleRegistration для главного меню.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
Link: "[% Env("Baselink") %]Action=AdminCustomerCompany;Subaction=Change;CustomerID=[%
  Data.CustomerID | uri %];Nav=0'
Name: Edit customer company
  
```

114. Frontend → Agent → View → CustomerUserAddressBook

CustomerUser::Frontend::Overview###AddressBook

Задаёт модуль просмотра для отображения списка пользователей в формате адресной книги.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Module: Kernel::Output::HTML::CustomerUser::OverviewAddressBook
Name: AddressBook
  
```

115. Frontend → Agent → View → CustomerUserInformationCenter

AgentCustomerUserInformationCenter::Backend###0050-CUIC-CustomerIDList

Parameters for the dashboard backend of the customer id list overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin.

Значение по умолчанию:

```

---
Attributes: ''
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
Description: All CustomerIDs of a customer user.
Group: ''
Limit: '10'
  
```

```
Module: Kernel::Output::HTML::Dashboard::CustomerIDList
Permission: ro
Title: Customer IDs
```

AgentCustomerUserInformationCenter::Backend###0100-CUIC-TicketPendingReminder

Parameters for the dashboard backend of the ticket pending reminder overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns. Possible settings: 0 = Disabled, 1 = Available, 2 = Enabled by default. "AccessibleTickets" determines if the plugin will show only tickets assigned to a customer user directly (=0) or also all accessible tickets for this customer (=1).

Значение по умолчанию:

```
---
Attributes: TicketPendingTimeOlderMinutes=1;StateType=pending
reminder;SortBy=PendingTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All tickets with a reminder set where the reminder date has been reached
Filter: Locked
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: UntilTime
Title: Reminder Tickets
```

AgentCustomerUserInformationCenter::Backend###0110-CUIC-TicketEscalation

Parameters for the dashboard backend of the ticket escalation overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns. Possible set-

tings: 0 = Disabled, 1 = Available, 2 = Enabled by default. "AccessibleTickets" determines if the plugin will show only tickets assigned to a customer user directly (=0) or also all accessible tickets for this customer (=1).

Значение по умолчанию:

```

---
Attributes: TicketEscalationTimeOlderMinutes=1;SortBy=EscalationTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All escalated tickets
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: EscalationTime
Title: Escalated Tickets
  
```

AgentCustomerUserInformationCenter::Backend###0120-CUIC-TicketNew

Parameters for the dashboard backend of the new tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns. Possible settings: 0 = Disabled, 1 = Available, 2 = Enabled by default. "AccessibleTickets" determines if the plugin will show only tickets assigned to a customer user directly (=0) or also all accessible tickets for this customer (=1).

Значение по умолчанию:

```

---
Attributes: StateType=new;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  
```

```

CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '1'
Owner: '1'
PendingTime: '1'
Priority: '1'
Queue: '1'
Responsible: '1'
SLA: '1'
Service: '1'
State: '1'
TicketNumber: '2'
Title: '2'
Type: '1'
Description: All new tickets, these tickets have not been worked on yet
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: Age
Title: New Tickets
  
```

AgentCustomerUserInformationCenter::Backend###0130-CUIC-TicketOpen

Parameters for the dashboard backend of the open tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns. Possible settings: 0 = Disabled, 1 = Available, 2 = Enabled by default. "AccessibleTickets" determines if the plugin will show only tickets assigned to a customer user directly (=0) or also all accessible tickets for this customer (=1).

Значение по умолчанию:

```

---
Attributes: StateType=open;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
  
```



```

Description: All open tickets, these tickets have already been worked on, but need
a response
Filter: All
Group: ''
Limit: '10'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: ro
Time: Age
Title: Open Tickets / Need to be answered
  
```

116. Frontend → Agent → View → CustomerUserSearch

CustomerUser::Frontend::AgentCustomerUserAddressBook###DefaultFields

Задает поля фильтра по умолчанию при поиске в адресной книге пользователей (Пользователь/CustomerUser или Компания/CustomerCompany). Для полей компании пользователя необходимо добавить префикс 'CustomerCompany_'.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Email:
- UserLogin
- UserFirstname
- UserLastname
- UserEmail
- UserCustomerID
  
```

CustomerUser::Frontend::AgentCustomerUserAddressBook###DefaultFields###SMS

Задает поля фильтра по умолчанию при поиске в адресной книге пользователей (Пользователь/CustomerUser или Компания/CustomerCompany). Для полей компании пользователя необходимо добавить префикс 'CustomerCompany_'.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
- UserFirstname
- UserLastname
- UserLogin
- UserMobile
- UserCustomerID
  
```

CustomerUser::Frontend::AgentCustomerUserAddressBook###SearchParameters

Defines the search parameters for the AgentCustomerUserAddressBook screen. With the setting 'CustomerTicketTextField' the values for the recipient field can be specified.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Email:
  CustomerTicketTextField: UserMailString
  Order::Default: Up
  PageShown: '50'
  SearchLimit: '10000'
  
```

```
SortBy::Default: UserLogin
```

CustomerUser::Frontend::AgentCustomerUserAddressBook###SearchParameters###SMS

Defines the search parameters for the AgentCustomerUserAddressBook screen. With the setting 'CustomerTicketTextField' the values for the recipient field can be specified.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
CustomerTicketTextField: UserMobile
Order::Default: Up
PageShown: '50'
SearchLimit: '10000'
SortBy::Default: UserLogin
```

CustomerUser::Frontend::AgentCustomerUserAddressBook###ShowColumns

Defines the shown columns and the position in the AgentCustomerUserAddressBook result screen.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Email:
- UserFirstname
- UserLastname
- UserLogin
- UserEmail
- UserCustomerID
```

CustomerUser::Frontend::AgentCustomerUserAddressBook###ShowColumns###SMS

Defines the shown columns and the position in the AgentCustomerUserAddressBook result screen.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- UserFirstname
- UserLastname
- UserLogin
- UserMobile
- UserCustomerID
```

117. Frontend → Agent → View → Dashboard

AgentCustomerInformationCenter::Backend###0600-CIC-CustomerCompanyInformation

Parameters for the dashboard backend of the customer company information of the agent interface. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLocal" is the cache time in minutes for the plugin.

Значение по умолчанию:

```
---
Attributes: ''
Block: ContentSmall
Default: '1'
Description: Customer Information
Group: ''
Module: Kernel::Output::HTML::Dashboard::CustomerCompanyInformation
Title: Customer Information
```

AgentCustomerUserInformationCenter::Backend###0100-CUIC-CustomerUserInformation

Parameters for the dashboard backend of the customer user information of the agent interface. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin.

Значение по умолчанию:

```
---
Attributes: ''
Block: ContentSmall
Default: '1'
Description: Customer User Information
Group: ''
Module: Kernel::Output::HTML::Dashboard::CustomerUserInformation
Title: Customer User Information
```

AgentCustomerUserInformationCenter::Backend###0600-CUIC-CustomerCompanyInformation

Parameters for the dashboard backend of the customer company information of the agent interface. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin.

Значение по умолчанию:

```
---
Attributes: ''
Block: ContentSmall
Default: '1'
Description: Customer Information
Group: ''
Module: Kernel::Output::HTML::Dashboard::CustomerCompanyInformation
Title: Customer Information
```

DashboardBackend###0000-ProductNotify

Defines the parameters for the dashboard backend. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" defines the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---
Block: ContentLarge
CacheTTLLocal: '1440'
Default: '1'
Description: News about OTRS releases!
```

```
Group: admin
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::ProductNotify
Title: Product News
```

DashboardBackend###0100-TicketPendingReminder

Parameters for the dashboard backend of the ticket pending reminder overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```
---
Attributes: TicketPendingTimeOlderMinutes=1;StateType=pending
reminder;SortBy=PendingTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All tickets with a reminder set where the reminder date has been reached
Filter: Locked
Group: ''
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: rw
Time: UntilTime
Title: Reminder Tickets
```

DashboardBackend###0110-TicketEscalation

Parameters for the dashboard backend of the ticket escalation overview of the agent interface . "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL-Local" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```

---
Attributes: TicketEscalationTimeOlderMinutes=1;SortBy=EscalationTime;OrderBy=Down;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All escalated tickets
Filter: All
Group: ''
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: rw
Time: EscalationTime
Title: Escalated Tickets

```

DashboardBackend###0120-TicketNew

Parameters for the dashboard backend of the new tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```

---
Attributes: StateType=new;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'

```

```

PendingTime: '1'
Priority: '1'
Queue: '1'
Responsible: '1'
SLA: '1'
Service: '1'
State: '1'
TicketNumber: '2'
Title: '2'
Type: '1'
Description: All new tickets, these tickets have not been worked on yet
Filter: All
Group: ''
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: rw
Time: Age
Title: New Tickets
  
```

DashboardBackend###0130-TicketOpen

Parameters for the dashboard backend of the open tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL-Local" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents. Note: Only Ticket attributes and Dynamic Fields (DynamicField_NameX) are allowed for DefaultColumns.

Значение по умолчанию:

```

---
Attributes: StateType=open;
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '1'
DefaultColumns:
  Age: '2'
  Changed: '1'
  Created: '1'
  CustomerCompanyName: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All open tickets, these tickets have already been worked on.
Filter: All
Group: ''
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: rw
Time: Age
Title: Open Tickets
  
```

DashboardBackend###0140-RunningTicketProcess

Parameters for the dashboard backend of the running process tickets overview of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```

---
Attributes: StateType=new;StateType=open;StateType=pending reminder;StateType=pending
  auto
Block: ContentLarge
CacheTTLLocal: '0.5'
Default: '0'
DefaultColumns:
  Age: '2'
  Changed: '1'
  CustomerID: '1'
  CustomerName: '1'
  CustomerUserID: '1'
  DynamicField_ProcessManagementActivityID: '2'
  DynamicField_ProcessManagementProcessID: '2'
  EscalationResponseTime: '1'
  EscalationSolutionTime: '1'
  EscalationTime: '1'
  EscalationUpdateTime: '1'
  Lock: '1'
  Owner: '1'
  PendingTime: '1'
  Priority: '1'
  Queue: '1'
  Responsible: '1'
  SLA: '1'
  Service: '1'
  State: '1'
  TicketNumber: '2'
  Title: '2'
  Type: '1'
Description: All tickets with a reminder set where the reminder date has been reached
Group: ''
IsProcessWidget: '1'
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::TicketGeneric
Permission: rw
Time: UntilTime
Title: Running Process Tickets
  
```

DashboardBackend###0200-Image

Defines the parameters for the dashboard backend. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL" indicates the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
Block: ContentLarge
Default: '1'
Description: Some picture description!
Group: ''
Height: '140'
  
```

```
Link: http://otrs.org/  
LinkTitle: http://otrs.org/  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::Image  
Title: A picture  
URL: http://www.otrs.com/wp-uploads//2013/10/OTRS_Logo-300x170.png  
Width: '198'
```

DashboardBackend###0210-MOTD

Показывать сообщение дня (MOTD) в Дайджесте. "Group" используется, чтобы ограничить доступ к плагину (например Group: admin;group1;group2;). "Default" показывает - включен ли плагин по умолчанию или пользователь может включить его вручную. "Mandatory" определяет будет ли плагин отображаться всегда и не сможет быть закрыт агентами.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Block: ContentLarge  
Default: '1'  
Group: ''  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::MOTD  
Title: Message of the Day
```

DashboardBackend###0250-TicketStats

Parameters for the dashboard backend of the ticket stats of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---  
Block: ContentSmall  
CacheTTLLocal: '30'  
Changed: '1'  
Closed: '1'  
Default: '1'  
Group: ''  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::TicketStatsGeneric  
Permission: rw  
Title: 7 Day Stats
```

DashboardBackend###0260-TicketCalendar

Parameters for the dashboard backend of the upcoming events widget of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---  
Block: ContentSmall  
CacheTTL: '2'  
Default: '1'  
Group: ''
```



```
Limit: '6'  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::Calendar  
OwnerOnly: ''  
Permission: rw  
Title: Upcoming Events
```

DashboardBackend###0270-TicketQueueOverview

Parameters for the dashboard backend of the queue overview widget of the agent interface. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "QueuePermissionGroup" is not mandatory, queues are only listed if they belong to this permission group if you enable it. "States" is a list of states, the key is the sort order of the state in the widget. "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---  
Block: ContentLarge  
CacheTTLLocal: '2'  
Default: '1'  
Description: Provides a matrix overview of the tickets per state per queue  
Group: ''  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::TicketQueueOverview  
Permission: rw  
QueuePermissionGroup: ''  
Sort: SortBy=Age;OrderBy=Up  
States:  
  '1': new  
  '4': open  
  '6': pending reminder  
Title: Ticket Queue Overview
```

DashboardBackend###0280-DashboardEventsTicketCalendar

Parameters for the dashboard backend of the ticket events calendar of the agent interface. "Limit" is the number of entries shown by default. "Group" is used to restrict the access to the plugin (e. g. Group: admin;group1;group2;). "Default" determines if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" is the cache time in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---  
Block: ContentLarge  
CacheTTL: '0'  
Default: '0'  
Group: ''  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::EventsTicketCalendar  
Title: Events Ticket Calendar
```

DashboardBackend###0300-IFrame

Defines the parameters for the dashboard backend. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL" indicates the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Align: left  
Block: ContentLarge  
Default: '1'  
Description: Some description!  
Frameborder: '1'  
Group: ''  
Height: '800'  
Link: http://otrs.org/  
LinkTitle: OTRS.org/  
Mandatory: '0'  
Marginheight: '5'  
Marginwidth: '5'  
Module: Kernel::Output::HTML::Dashboard::IFrame  
Scrolling: auto  
Title: A Website  
URL: http://www.otrs.org/  
Width: '1024'
```

DashboardBackend###0390-UserOutOfOffice

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" defines the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---  
Block: ContentSmall  
CacheTTLLocal: '5'  
Default: '1'  
Description: Out of Office users.  
Group: ''  
Limit: '10'  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::UserOutOfOffice  
SortBy: UserFullname  
Title: Out Of Office
```

DashboardBackend###0398-FAQ-LastChange

Задает параметры для отображения в Дайджесте. "Limit" задает количество статей, отображаемых по умолчанию. "Group" используется для ограничения доступа к данным модуля (например, Group: admin;group1;group2;). "Default" означает, что модуль либо включен по умолчанию, либо агент, при необходимости, может его включить вручную.

Значение по умолчанию:

```
---  
Block: ContentSmall  
Default: '1'  
Description: ''  
Group: ''  
Mandatory: '0'  
Module: Kernel::Output::HTML::Dashboard::FAQ  
Title: Latest updated FAQ articles  
Type: LastChange
```

DashboardBackend###0399-FAQ-LastCreate

Задает параметры для отображения в Дайджесте. "Limit" задает количество статей, отображаемых по умолчанию. "Group" используется для ограничения

доступа к данным модуля (например, Group: admin;group1;group2;). "Default" означает, что модуль либо включен по умолчанию, либо агент, при необходимости, может его включить вручную.

Значение по умолчанию:

```
---
Block: ContentSmall
Default: '1'
Description: ''
Group: ''
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::FAQ
Title: Latest created FAQ articles
Type: LastCreate
```

DashboardBackend###0400-UserOnline

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" defines the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---
Block: ContentSmall
CacheTTLLocal: '5'
Default: '0'
Description: Logged in users.
Filter: Agent
Group: ''
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::UserOnline
ShowEmail: '0'
SortBy: UserFullname
Title: Logged-In Users
```

DashboardBackend###0405-News

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL" indicates the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---
Block: ContentSmall
CacheTTL: '360'
Default: '1'
Description: News about OTRS.
Group: ''
Limit: '6'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::News
Title: OTRS News
```

DashboardBackend###0410-RSS

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g.

Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL" indicates the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Block: ContentSmall
CacheTTL: '360'
Default: '1'
Description: Custom RSS feed.
Group: ''
Limit: '6'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::RSS
Title: Custom RSS Feed
URL: http://www.otrs.com/en/rss.xml
URL_de: http://www.otrs.com/de/rss.xml
URL_es: http://www.otrs.com/es/rss.xml
URL_nl: http://www.otrs.com/nl/rss.xml
URL_ru: http://www.otrs.com/ru/rss.xml
URL_zh: http://www.otrs.com/cn/rss.xml
```

DashboardBackend###0420-CmdOutput

Defines the parameters for the dashboard backend. "Cmd" is used to specify command with parameters. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTL" indicates the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Block: ContentSmall
CacheTTL: '60'
Cmd: /bin/echo Configure me please.
Default: '0'
Description: Show command line output.
Group: ''
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::CmdOutput
Title: Sample command output
```

DashboardBackend###0500-AppointmentCalendar

Defines the parameters for the dashboard backend. "Limit" defines the number of entries displayed by default. "Group" is used to restrict access to the plugin (e. g. Group: admin;group1;group2;). "Default" indicates if the plugin is enabled by default or if the user needs to enable it manually. "CacheTTLLocal" defines the cache expiration period in minutes for the plugin. "Mandatory" determines if the plugin is always shown and can not be removed by agents.

Значение по умолчанию:

```
---
Block: ContentSmall
CacheTTLLocal: '5'
Default: '0'
Description: Appointments
```

```
Filter: Today
Group: ''
IdleMinutes: '60'
Limit: '10'
Mandatory: '0'
Module: Kernel::Output::HTML::Dashboard::AppointmentCalendar
ShowEmail: '0'
SortBy: UserFullname
Title: Appointments
```

118. Frontend → Agent → View → Dashboard → EventsTicketCalendar

DashboardEventsTicketCalendar###CalendarWidth

Задает ширину фрейма для Календаря в процентах. Стандартно - 95%.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '95'
```

DashboardEventsTicketCalendar###Queues

Выбор очередей, заявки из которых будут отображаться в Календаре событий по заявкам в Дайджесте.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Raw
```

DashboardEventsTicketCalendar::DynamicFieldEndTime

Задайте имя динамического поля для конца периода. Это поле надо создать как Тип "Заявка": "Date / Time" и активировать для экранов создания заявки и/или любого другого действия с заявкой.

Значение по умолчанию:

```
--- TicketCalendarEndTime
```

DashboardEventsTicketCalendar::DynamicFieldStartTime

Задайте имя динамического поля для начала периода. Это поле надо создать как Тип "Заявка": "Date / Time" и активировать для экранов создания заявки и/или любого другого действия с заявкой.

Значение по умолчанию:

```
--- TicketCalendarStartTime
```

DashboardEventsTicketCalendar::DynamicFieldsForEvents

Задает динамическое поле, отображаемое при событиях календаря.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- TicketCalendarStartTime  
- TicketCalendarEndTime
```

DashboardEventsTicketCalendar::TicketFieldsForEvents

Задаёт поля, которые будут отображаться для заявки в Календаре событий по заявкам. Ключ - задаёт поле или атрибут заявки, а Содержание - отображаемое имя.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
CustomerID: Customer ID  
CustomerUserID: Customer user  
Priority: Priority  
Queue: Queue  
SLA: SLA  
Service: Service  
State: State  
Title: Title  
Type: Type
```

119. Frontend → Agent → View → Dashboard → TicketFilters

OnlyValuesOnTicket

Defines if the values for filters should be retrieved from all available tickets. If enabled, only values which are actually used in any ticket will be available for filtering. Please note: The list of customers will always be retrieved like this.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

120. Frontend → Agent → View → FAQAdd

FAQ::Frontend::AgentFAQAdd###DynamicField

Динамические поля, отображаемые в окне добавления статьи FAQ в интерфейсе агента.

Значение по умолчанию:

```
--- {}
```

FAQ::Frontend::AgentFAQAdd###RichTextHeight

Задаёт высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '320'
```

FAQ::Frontend::AgentFAQAdd###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

121. Frontend → Agent → View → FAQEdit

FAQ::Frontend::AgentFAQEdit###DynamicField

Динамические поля, отображаемые в окне редактирования статьи FAQ в интерфейсе агента.

Значение по умолчанию:

```
--- {}
```

FAQ::Frontend::AgentFAQEdit###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '320'
```

FAQ::Frontend::AgentFAQEdit###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

122. Frontend → Agent → View → FAQ-Explorer

FAQ::Frontend::AgentFAQExplorer###Order::Default

Укажите стандартный порядок в результатах FAQ Explorer интерфейса агента. Up: позднее наверху. Down: новое наверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Down
```

FAQ::Frontend::AgentFAQExplorer###SearchLimit

Максимальное количество статей, выводимое в FAQ Explorer в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '200'
```

FAQ::Frontend::AgentFAQExplorer###ShowColumns

Задает перечень колонок, отображаемых в Обзоре FAQ. Этот параметр не влияет на порядок колонок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Category: '0'  
Changed: '0'  
Language: '1'  
State: '1'  
Title: '1'  
Valid: '1'
```

FAQ::Frontend::AgentFAQExplorer###ShowInvalidFAQItems

Показывать недействительные статьи в обзоре FAQ Explorer в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

FAQ::Frontend::AgentFAQExplorer###SortBy::Default

Укажите стандартное значение атрибута сортировки в FAQ Explorer интерфейса агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQID
```

FAQ::Frontend::AgentFAQExplorer###TitleSize

Максимальный размер заголовков в статье FAQ показываемых в обзоре FAQ в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '50'
```

123. Frontend → Agent → View → FAQJournal

FAQ::Frontend::AgentFAQJournal###JournalLimit

Максимальное количество статей, выводимых в журнале FAQ в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '200'
```

FAQ::Frontend::AgentFAQJournal###ShowColumns

Задает перечень колонок, отображаемых в Истории FAQ. Этот параметр не влияет на порядок колонок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Category: '1'  
Name: '1'  
Time: '1'  
Title: '1'  
Valid: '1'
```

FAQ::Frontend::AgentFAQJournal###TitleSize

Максимальный размер заголовков в статье FAQ показываемых в журнале FAQ в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '50'
```

124. Frontend → Agent → View → FAQPrint

FAQ::Frontend::AgentFAQPrint###DynamicField

Динамические поля, отображаемые в окне печати FAQ в интерфейсе агента.

Значение по умолчанию:

```
--- {}
```

125. Frontend → Agent → View → FAQSearch

FAQ::Frontend::AgentFAQSearch###Defaults###ApprovedSearch

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

FAQ::Frontend::AgentFAQSearch###Defaults###CategoryIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###CreatedUserIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###Fulltext

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###ItemChangeTimePoint

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###ItemChangeTimeSlot

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###ItemCreateTimePoint

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###ItemCreateTimeSlot

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###Keyword

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###LanguageIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###LastChangedUserIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###Number

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###RateSearchType

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###StateIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###Title

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

FAQ::Frontend::AgentFAQSearch###Defaults###ValidIDs

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

FAQ::Frontend::AgentFAQSearch###Defaults###VoteSearchType

Задает атрибут FAQ по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

FAQ::Frontend::AgentFAQSearch###DynamicField

Динамические поля, отображаемые в окне поиска FAQ в интерфейсе агента.

Значение по умолчанию:

--- {}

FAQ::Frontend::AgentFAQSearch###Order::Default

Задает стандартный порядок сортировки в результатах поиска в FAQ в интерфейсе агента. Up: старые вверх. Down: новые вверх.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Down

FAQ::Frontend::AgentFAQSearch###SearchCSVDynamicField

Динамические поля включаемые в результат поиска при экспорте в формате CSV.

Значение по умолчанию:

--- {}

FAQ::Frontend::AgentFAQSearch###SearchLimit

Максимальное количество статей, выводимых в результате поиска в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '200'

FAQ::Frontend::AgentFAQSearch###ShowColumns

Задает перечень колонок, отображаемых в результатах поиска в FAQ. Этот параметр не влияет на порядок колонок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Category: '1'  
Changed: '1'  
Language: '1'  
State: '1'  
Title: '1'  
Valid: '1'
```

FAQ::Frontend::AgentFAQSearch###SortBy::Default

Укажите стандартное значение атрибута FAQ для сортировки результатов поиска в FAQ в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- FAQID
```

FAQ::Frontend::AgentFAQSearch###TitleSize

Максимальный размер заголовков в статье FAQ показываемых в окне поиска FAQ в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '50'
```

126. Frontend → Agent → View → FAQ-Zoom

FAQ::Frontend::AgentFAQZoom###DynamicField

Динамические поля, отображаемые в окне подробного просмотра статьи FAQ в интерфейсе агента.

Значение по умолчанию:

```
--- {}
```

FAQ::Frontend::AgentHTMLFieldHeightDefault

Задает высоту (в пикселах) по умолчанию для inline HTML полей в AgentFAQ-Zoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '100'
```

FAQ::Frontend::AgentHTMLFieldHeightMax

Задает максимальную высоту (в пикселах) для inline HTML полей в AgentFAQ-Zoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '2500'
```

127. Frontend → Agent → View → FAQ-Zoom → MenuModule

FAQ::Frontend::MenuModule###000-Back

Показывает пункт меню, позволяющий вернуться назад при просмотре статьи FAQ в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: ''  
Description: Back  
Link: "[% Env("LastScreenOverview") %]'  
Module: Kernel::Output::HTML::FAQMenu::Generic  
Name: Back  
Target: Back
```

FAQ::Frontend::MenuModule###010-Edit

Показывает пункт меню, позволяющий редактировать статью FAQ при ее просмотре в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentFAQEdit  
Description: Edit this FAQ  
Link: Action=AgentFAQEdit;ItemID=[% Data.ItemID | html %];ScreenType=Popup  
Module: Kernel::Output::HTML::FAQMenu::Generic  
Name: Edit  
Target: PopUp
```

FAQ::Frontend::MenuModule###020-History

Показывает пункт меню, позволяющий доступ к истории статьи FAQ при ее просмотре в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentFAQHistory  
Description: History of this FAQ  
Link: Action=AgentFAQHistory;ItemID=[% Data.ItemID | html %]  
Module: Kernel::Output::HTML::FAQMenu::Generic  
Name: History  
Target: PopUp
```

FAQ::Frontend::MenuModule###030-Print

Показывает пункт меню Печать при просмотре статьи FAQ в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentFAQPrint  
Description: Print this FAQ  
Link: Action=AgentFAQPrint;ItemID=[% Data.ItemID | html %]  
LinkParam: target="print_FAQ"  
Module: Kernel::Output::HTML::FAQMenu::Generic  
Name: Print
```

Target: PopUp

FAQ::Frontend::MenuModule###040-Link

Показывает пункт меню, позволяющий связать статью FAQ с другим объектом при просмотре этой статьи в интерфейсе агента.

Значение по умолчанию:

```
---
Action: AgentLinkObject
Description: Link another object to this FAQ item
Link: Action=AgentLinkObject;SourceObject=FAQ;SourceKey=[% Data.ItemID | html %]
Module: Kernel::Output::HTML::FAQMenu::Generic
Name: Link
Target: PopUp
```

FAQ::Frontend::MenuModule###050-Delete

Показывает пункт меню, позволяющий удалить статью FAQ при просмотре этой статьи в интерфейсе агента.

Значение по умолчанию:

```
---
Action: AgentFAQDelete
Description: Delete this FAQ
Link: Action=AgentFAQDelete;ItemID=[% Data.ItemID | html %]
Module: Kernel::Output::HTML::FAQMenu::Delete
Name: Delete
Target: ConfirmationDialog
```

128. Frontend → Agent → View → LinkObject

Frontend::AgentLinkObject::WildcardSearch

Запускает поиск с символами подстановки активного объекта в окне связывания объектов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

129. Frontend → Agent → View → NotificationView

Notification::Transport::NotificationView::DaysToKeep

Defines the number of days a notification should be still shown in the notification web view screen (value of '0' means always show).

Значение по умолчанию:

```
--- '30'
```

NotificationView::Frontend::AgentNotificationView###DefaultColumns

Columns that can be filtered in the notification web view of the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Age: '2'  
Name: '2'  
ObjectReference: '2'  
ObjectType: '2'  
Subject: '2'
```

NotificationView::Frontend::BulkFeature

Enables notification web view bulk action feature for the agent frontend to work on more than one notification at a time.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

NotificationView::Frontend::BulkFeatureGroup

Enables notification web view bulk action feature only for the listed groups.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- admin  
- users
```

NotificationView::Frontend::Overview###Small

Allows having a small format notification web view.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::NotificationView::Small  
ModulePriority: '100'  
Name: Small  
NameShort: S
```

NotificationView::ObjectType###Appointment

Defines the settings for appointment notification.

Значение по умолчанию:

```
---  
FilterPrio: '1020'  
Hook: "[% Translate("Appointment") | html %]:'  
Link: Action=AgentAppointmentCalendarOverview;AppointmentID=[% Data.ObjectID | html  
%]  
Name: Appointment Notifications
```

NotificationView::ObjectType###Calendar

Defines the settings for calendar notification.

Значение по умолчанию:

```
---  
FilterPrio: '1030'
```



```
Hook: "[% Translate("Calendar") | html %]:'
Link: Action=AgentAppointmentCalendarManage;Subaction=Edit;CalendarID=[% Data.ObjectID
| html %]
Name: Calendar Notifications
```

NotificationView::ObjectType###Ticket

Defines the settings for ticket notification.

Значение по умолчанию:

```
---
FilterPrio: '1010'
Hook: "[% Config("Ticket::Hook") | html %]:'
Link: Action=AgentTicketZoom;TicketID=[% Data.ObjectID | html %]
Name: Ticket Notifications
```

130. Frontend → Agent → View → Preferences

AgentPreferencesGroups

Задаёт группы для личных настроек.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Description: Change your password and more.
  Icon: fa-user
  Key: UserProfile
  Name: User Profile
  Prio: '1000'
- Description: Choose which notifications you'd like to receive.
  Icon: fa-envelope
  Key: NotificationSettings
  Name: Notification Settings
  Prio: '1001'
- Description: Change the system appearance and more.
  Icon: fa-cog
  Key: Miscellaneous
  Name: Miscellaneous
  Prio: '1002'
- Description: For more experienced users.
  Icon: fa-cubes
  Key: Advanced
  Name: Advanced
  Prio: '1003'
```

PreferencesGroups###AppointmentNotificationEvent

Transport selection for appointment notifications. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Choose for which kind of appointment changes you want to receive notifications.
Label: Appointment notifications
Module: Kernel::Output::HTML::Preferences::AppointmentNotificationEvent
PrefKey: AdminAppointmentNotificationEventTransport
```

```
PreferenceGroup: NotificationSettings
Prio: '8001'
```

PreferencesGroups###Avatar

Defines the users avatar. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Block: Avatar
Desc: Change your avatar image.
Key: Avatar
Label: Avatar
Module: Kernel::Output::HTML::Preferences::Avatar
PreferenceGroup: UserProfile
Prio: '1000'
```

PreferencesGroups###CSVSeparator

Gives end users the possibility to override the separator character for CSV files, defined in the translation files. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Active: '1'
Data:
  ':': ''
  ',': ','
  ';': ';'
  \t: tab
  '|': '|'
DataSelected: '0'
Desc: Select the separator character used in CSV files (stats and searches). If you
      don't select a separator here, the default separator for your language will be used.
Key: CSV Separator
Label: CSV Separator
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserCSVSeparator
PreferenceGroup: Miscellaneous
Prio: '4000'
```

PreferencesGroups###Comment

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Block: Input
Data: "[% Env("UserComment") %]"
Desc: This is a Description for Comment on Framework.
```

```

Key: Comment
Label: Comment
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserComment
PreferenceGroup: Miscellaneous
Prio: '6000'

```

PreferencesGroups###CommunicationLogPageShown

Parameters for the pages (in which the communication log entries are shown) of the communication log overview.

Значение по умолчанию:

```

---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
  '50': '50'
DataSelected: '25'
Desc: Communication log limit per page for Communication Log Overview.
Key: ''
Label: CommunicationLog Overview Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: AdminCommunicationLogPageShown
PreferenceGroup: Miscellaneous
Prio: '8100'

```

PreferencesGroups###CreateNextMask

Parameters for the CreateNextMask object in the preference view of the agent interface. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```

---
Active: '1'
Data:
  '0': Create Ticket
  AgentTicketZoom: Ticket Zoom
DataSelected: ''
Desc: Configure which screen should be shown after a new ticket has been created.
Key: ''
Label: Screen after new ticket
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserCreateNextMask
PreferenceGroup: Miscellaneous
Prio: '3000'

```

PreferencesGroups###CustomChatChannelExternal

Parameters for the ChatChannel object in the preference view of the agent interface.

Значение по умолчанию:

```

---
Active: '1'
Desc: Your selection of your preferred external chat channels. You will be notified
      about external chat requests in these chat channels.
Label: My Chat Channels
Module: Kernel::Output::HTML::Preferences::CustomChatChannel

```

```
Permission: ro
PrefKey: ExternalChannels
PreferenceGroup: NotificationSettings
Prio: '10000'
```

PreferencesGroups###CustomQueue

Parameters for the CustomQueue object in the preference view of the agent interface. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Your queue selection of your preferred queues. You also get notified about those
      queues via email if enabled.
Key: ''
Label: My Queues
Module: Kernel::Output::HTML::Preferences::CustomQueue
Permission: ro
PreferenceGroup: NotificationSettings
Prio: '1000'
```

PreferencesGroups###CustomService

Parameters for the CustomService object in the preference view of the agent interface. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Your service selection of your preferred services. You also get notified about
      those services via email if enabled.
Key: ''
Label: My Services
Module: Kernel::Output::HTML::Preferences::CustomService
PreferenceGroup: NotificationSettings
Prio: '1000'
```

PreferencesGroups###DocumentSearchPageShown

Parameters for the pages (in which the document are shown) of the document search.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
  '50': '50'
DataSelected: '10'
Desc: Document limit per page for Document Search Results.
Key: ''
Label: Document Search Results Page Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: AgentDocumentSearchPageShown
```

```
PreferenceGroup: Miscellaneous
Prio: '8100'
```

PreferencesGroups###DynamicField

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Active: '1'
Block: Input
Data: "[% Env("UserDynamicField_NameX") %]"
Desc: This is a Description for DynamicField on Framework.
Key: Default value for NameX
Label: NameX
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserDynamicField_NameX
PreferenceGroup: Miscellaneous
Prio: '7000'
```

PreferencesGroups###DynamicFieldsOverviewPageShown

Parameters for the pages (in which the dynamic fields are shown) of the dynamic fields overview. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
DataSelected: '25'
Desc: Dynamic fields limit per page for Dynamic Fields Overview.
Key: ''
Label: Dynamic Fields Overview Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: AdminDynamicFieldsOverviewPageShown
PreferenceGroup: Miscellaneous
Prio: '8000'
```

PreferencesGroups###FAQJournalOverviewSmallPageShown

Параметры для страницы (на которой отображаются элементы FAQ) при обзоре журнала FAQ в small формате.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
```

```
'25': '25'
'30': '30'
'35': '35'
DataSelected: '25'
Desc: Select how many items should be shown in Journal Overview "Small" by default.
Key: Limit.
Label: FAQ Journal Overview "Small" Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserFAQJournalOverviewSmallPageShown
PreferenceGroup: Miscellaneous
Prio: '8000'
```

PreferencesGroups###FAQOverviewSmallPageShown

Параметры для страницы (на которой отображаются элементы FAQ) при обзоре FAQ в small формате.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
DataSelected: '25'
Desc: Select how many items should be shown in Overview "Small" by default.
Key: Limit.
Label: FAQ Overview "Small" Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserFAQOverviewSmallPageShown
PreferenceGroup: Miscellaneous
Prio: '8000'
```

PreferencesGroups###GoogleAuthenticatorSecretKey

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Block: Input
Desc: Enter your shared secret to enable two factor authentication.
Key: Shared Secret
Label: Google Authenticator
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserGoogleAuthenticatorSecretKey
PreferenceGroup: UserProfile
Prio: '0600'
ValidateRegex: ^([A-Z2-7]{16})$
ValidateRegexMessage: The secret you supplied is invalid. The secret must only contain letters (A-Z, uppercase) and numbers (2-7) and must consist of 16 characters.
```

PreferencesGroups###Language

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Select the main interface language.
Key: ''
Label: Language
Module: Kernel::Output::HTML::Preferences::Language
NeedsReload: '1'
PrefKey: UserLanguage
PreferenceGroup: UserProfile
Prio: '1000'
```

PreferencesGroups###NotificationEvent

Transport selection for ticket notifications. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Choose for which kind of ticket changes you want to receive notifications. Please note that you can't completely disable notifications marked as mandatory.
Label: Ticket notifications
Module: Kernel::Output::HTML::Preferences::NotificationEvent
PrefKey: AdminNotificationEventTransport
PreferenceGroup: NotificationSettings
Prio: '8000'
```

PreferencesGroups###NotificationViewFilterSettings

Parameters for notification web view filters.

Значение по умолчанию:

```
---
Active: '0'
Desc: Column ticket filters for Notification web view type "Small".
Key: ''
Label: Enabled filters.
Module: Kernel::Output::HTML::Preferences::ColumnFilters
PrefKey: UserFilterColumnsEnabled
PreferenceGroup: Miscellaneous
Prio: '8100'
```

PreferencesGroups###NotificationViewSmallPageShown

Parameters for the pages (in which the notifications are shown) of the small notifications view.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
DataSelected: '25'
Desc: Notification limit per page for Notification web view "Small".
Key: ''
```

```
Label: Notification web view "Small" Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserNotificationViewSmallPageShown
PreferenceGroup: Miscellaneous
Prio: '8000'
```

PreferencesGroups###OutOfOffice

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Block: OutOfOffice
Desc: If you're going to be out of office, you may wish to let other users know by
      setting the exact dates of your absence.
Key: ''
Label: Out Of Office Time
Module: Kernel::Output::HTML::Preferences::OutOfOffice
PrefKey: UserOutOfOffice
PreferenceGroup: UserProfile
Prio: '4000'
```

PreferencesGroups###Password

Defines the config parameters of this item, to be shown in the preferences view. 'PasswordRegExp' allows to match passwords against a regular expression. Define the minimum number of characters using 'PasswordMinSize'. Define if at least 2 lowercase and 2 uppercase letter characters are needed by setting the appropriate option to '1'. 'PasswordMin2Characters' defines if the password needs to contain at least 2 letter characters (set to 0 or 1). 'PasswordNeedDigit' controls the need of at least 1 digit (set to 0 or 1 to control). 'PasswordMaxLoginFailed' allows to set an agent to invalid-temporarily if max failed logins reached. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Area: Agent
Desc: Set a new password by filling in your current password and a new one.
Label: Change password
Module: Kernel::Output::HTML::Preferences::Password
PasswordMaxLoginFailed: '0'
PasswordMin2Characters: '0'
PasswordMin2Lower2UpperCharacters: '0'
PasswordMinSize: '0'
PasswordNeedDigit: '0'
PasswordRegExp: ''
PreferenceGroup: UserProfile
Prio: '0500'
```

PreferencesGroups###RefreshTime

Parameters for the RefreshTime object in the preference view of the agent interface. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Data:
  '0': off
  '10': 10 minutes
  '15': 15 minutes
  '2': ' 2 minutes'
  '5': ' 5 minutes'
  '7': ' 7 minutes'
DataSelected: '0'
Desc: If enabled, the different overviews (Dashboard, LockedView, QueueView) will
      automatically refresh after the specified time.
Key: ''
Label: Overview Refresh Time
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserRefreshTime
PreferenceGroup: Miscellaneous
Prio: '2000'
```

PreferencesGroups###Skin

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Select your preferred layout for the software.
Key: ''
Label: Skin
Module: Kernel::Output::HTML::Preferences::Skin
NeedsReload: '1'
PrefKey: UserSkin
PreferenceGroup: Miscellaneous
Prio: '100'
```

PreferencesGroups###Theme

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '1'
Desc: Select your preferred theme for OTRS.
Key: ''
Label: Theme
Module: Kernel::Output::HTML::Preferences::Theme
NeedsReload: '1'
PrefKey: UserTheme
PreferenceGroup: Miscellaneous
Prio: '3000'
```

PreferencesGroups###TicketOverviewFilterSettings

Parameters for the column filters of the small ticket overview. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's

behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Desc: Column ticket filters for Ticket Overviews type "Small".
Key: ''
Label: Enabled filters.
Module: Kernel::Output::HTML::Preferences::ColumnFilters
PrefKey: UserFilterColumnsEnabled
PreferenceGroup: Miscellaneous
Prio: '8100'
```

PreferencesGroups###TicketOverviewMediumPageShown

Parameters for the pages (in which the tickets are shown) of the medium ticket overview. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
DataSelected: '20'
Desc: Ticket limit per page for Ticket Overview "Medium".
Key: ''
Label: Ticket Overview "Medium" Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserTicketOverviewMediumPageShown
PreferenceGroup: Miscellaneous
Prio: '8100'
```

PreferencesGroups###TicketOverviewPreviewPageShown

Parameters for the pages (in which the tickets are shown) of the ticket preview overview. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---
Active: '0'
Data:
  '10': '10'
  '15': '15'
  '20': '20'
  '25': '25'
  '30': '30'
  '35': '35'
DataSelected: '15'
Desc: Ticket limit per page for Ticket Overview "Preview".
Key: ''
Label: Ticket Overview "Preview" Limit
Module: Kernel::Output::HTML::Preferences::Generic
PrefKey: UserTicketOverviewPreviewPageShown
```

```
PreferenceGroup: Miscellaneous  
Prio: '8200'
```

PreferencesGroups###TicketOverviewSmallPageShown

Parameters for the pages (in which the tickets are shown) of the small ticket overview. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---  
Active: '0'  
Data:  
  '10': '10'  
  '15': '15'  
  '20': '20'  
  '25': '25'  
  '30': '30'  
  '35': '35'  
DataSelected: '25'  
Desc: Ticket limit per page for Ticket Overview "Small".  
Key: ''  
Label: Ticket Overview "Small" Limit  
Module: Kernel::Output::HTML::Preferences::Generic  
PrefKey: UserTicketOverviewSmallPageShown  
PreferenceGroup: Miscellaneous  
Prio: '8000'
```

PreferencesGroups###TimeZone

Defines the config parameters of this item, to be shown in the preferences view. Please note: setting 'Active' to 0 will only prevent agents from editing settings of this group in their personal preferences, but will still allow administrators to edit the settings of another user's behalf. Use 'PreferenceGroup' to control in which area these settings should be shown in the user interface.

Значение по умолчанию:

```
---  
Active: '1'  
Desc: Select your personal time zone. All times will be displayed relative to this  
      time zone.  
Key: ''  
Label: Time Zone  
Module: Kernel::Output::HTML::Preferences::TimeZone  
PrefKey: UserTimeZone  
PreferenceGroup: UserProfile  
Prio: '3500'
```

PreferencesTable

Задать имя таблицы где будут храниться предпочтения пользователей.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- user_preferences
```

PreferencesTableKey

Задаёт колонку для хранения ключей для таблицы личных настроек.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- preferences_key
```

PreferencesTableUserID

адает имя колонки для хранения идентификатора пользователя в preferences table.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- user_id
```

PreferencesTableValue

Задает имя колонки для хранения данных в preferences table.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- preferences_value
```

131. Frontend → Agent → View → Stats

Stats::CustomerIDAsMultiSelect

Показывает все идентификаторы клиентов в поле типа "multi-select" (не следует использовать при наличии большого количества таких идентификаторов).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Stats::CustomerUserLoginsAsMultiSelect

Shows all the customer user identifiers in a multi-select field (not useful if you have a lot of customer user identifiers).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Stats::DefaultSelectedDynamicObject

Задает стандартный выбор для выпадающего меню для динамических объектов (Экран: Общие характеристики).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Ticket
```

Stats::DefaultSelectedFormat

Задает стандартный выбор для выпадающего меню для формата вывода (Экран: Общие характеристики). Выберите тип формата (смотрите параметр Формат вывода).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Print  
- CSV  
- Excel  
- D3::BarChart  
- D3::LineChart  
- D3::StackedAreaChart
```

Stats::DefaultSelectedPermissions

Задает стандартный выбор для выпадающего меню для прав доступа (Экран: Общие характеристики).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- stats
```

Stats::ExchangeAxis

Позволяет поменять местами оси графика в отчете.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Stats::Format

Задает возможные форматы вывода отчетов

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
CSV: CSV  
D3::BarChart: 'Graph: Bar Chart'  
D3::LineChart: 'Graph: Line Chart'  
D3::StackedAreaChart: 'Graph: Stacked Area Chart'  
Excel: Excel  
Print: Print
```

Stats::SearchLimit

Задает лимит поиска для отчетов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1000'
```

Stats::SearchPageShown

Задает стандартное значение максимального количества отчетов на странице экрана просмотра.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '50'

Stats::UseAgentElementInStats

Позволяет агентам создавать индивидуальные отчеты.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Stats::UseInvalidAgentInStats

Разрешать отчёты по агентам в статусе "invalid"

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '1'

132. Frontend → Agent → View → TicketBounce

Ticket::Frontend::AgentTicketBounce###Permission

Права, требуемые для перенаправлении заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- bounce

Ticket::Frontend::AgentTicketBounce###RequiredLock

Требуется ли блокировка заявки при пересылке заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketBounce###StateDefault

Задаёт следующее состояние по умолчанию для заявки после отправки (bounce) на экране Отправить заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- closed successful

Ticket::Frontend::AgentTicketBounce###StateType

Задаёт следующее состояние заявки после перенаправления заявки на экране перенаправления заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed
```

Ticket::Frontend::BounceText

Задаёт стандартный текст сообщения об отправке заявки для клиента/получателя заявки на экране Отправить в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Your email with ticket number "<OTRS_TICKET>" is bounced to "<OTRS_BOUNCE_TO>".  
Contact this address for further information.
```

133. Frontend → Agent → View → TicketBulk

Ticket::Frontend::AgentTicketBulk###DynamicField

Dynamic fields shown in the ticket bulk screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketBulk###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту сообщение агента при массовом действии с заявками в интерфейсе агента по умолчанию.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketBulk###Owner

Задаёт Владельца при массовом действии с заявками в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketBulk###Priority

Дает возможность изменить приоритет на экране массовых действий с заявками в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketBulk###PriorityDefault

Задает приоритет заявки по умолчанию на экране массовых действий в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- 3 normal
```

Ticket::Frontend::AgentTicketBulk###RequiredLock

Автоматически блокирует заявку и назначает текущего агента владельцем при выборе массового действия

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketBulk###Responsible

Задает Ответственного за заявку при массовом действии с заявками в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketBulk###State

Sets the state of a ticket in the ticket bulk screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketBulk###StateDefault

Определяет следующее состояние по умолчанию для заявки на экране массового действия с заявками в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketBulk###StateType

Defines the next state of a ticket, in the ticket bulk screen of the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder
```



```
- pending auto
```

Ticket::Frontend::AgentTicketBulk###TicketType

Задаёт Тип заявки при массовом действии с заявками в интерфейсе агента. (Ticket::Type должен быть активирован).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::BulkFeature

Включает возможность массовых операций с заявками

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::BulkFeatureGroup

Включает возможность массовых операций с заявками только для выбранных групп.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- admin  
- users
```

134. Frontend → Agent → View → TicketClose

Ticket::Frontend::AgentTicketClose###Body

Устанавливает текст сообщения по умолчанию при закрытии заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketClose###DynamicField

Dynamic fields shown in the ticket close screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketClose###FormDraft

Позволяет сохранить текущую работу в качестве черновика в скрытом экране заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketClose###HistoryComment

Задаёт текст комментария в записи истории при закрытии заявки, в интерфейсе агента.

Значение по умолчанию:

--- '%%Close'

Ticket::Frontend::AgentTicketClose###HistoryType

Задаёт текст в записи истории для экрана закрытия заявки, в интерфейсе агента.

Значение по умолчанию:

--- AddNote

Ticket::Frontend::AgentTicketClose###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при закрытии заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при закрытии заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту сообщение агента при закрытии заявки в интерфейсе агента по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###Note

Позволяет добавить сообщение на экране закрытия заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccounted-Time.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketClose###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketClose###Owner

Задаёт Владельца при закрытии заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketClose###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketClose###Permission

Права, требуемые для закрытия заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- close
```

Ticket::Frontend::AgentTicketClose###Priority

Дает возможность изменить приоритет на экране закрытия заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketClose###PriorityDefault

Задаёт приоритет заявки по умолчанию на экране закрытия заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- 3 normal
```

Ticket::Frontend::AgentTicketClose###Queue

Задает очередь при закрытии заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###RequiredLock

Требуется ли блокировка заявки при закрытии заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###Responsible

Задает Ответственного за заявку при закрытии заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketClose###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketClose###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###Service

Sets the service in the close ticket screen of the agent interface (Ticket::Service needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketClose###State

Sets the state of a ticket in the close ticket screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketClose###StateDefault

Задает следующее состояние по умолчанию для заявки после добавления заметки при закрытии заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- closed successful

Ticket::Frontend::AgentTicketClose###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketClose###StateType

Задаёт следующее состояние заявки после добавления заметки на экране закрытия заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- closed
```

Ticket::Frontend::AgentTicketClose###Subject

Устанавливает Тему по умолчанию для сообщений при закрытии заявок в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketClose###TicketType

Sets the ticket type in the close ticket screen of the agent interface (Ticket::Type needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketClose###Title

Shows the title field in the close ticket screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

135. Frontend → Agent → View → TicketCompose

Ticket::Frontend::AgentTicketCompose###DynamicField

Dynamic fields shown in the ticket compose screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketCompose###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране компоновки заявки в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketCompose###IsVisibleForCustomerDefault

Defines if the message in the ticket compose screen of the agent interface is visible for the customer by default.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketCompose###Permission

Права, требуемые для ответа на заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- compose
```

Ticket::Frontend::AgentTicketCompose###RequiredLock

Требуется ли блокировка заявки при ответе на заявку в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketCompose###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '320'
```

Ticket::Frontend::AgentTicketCompose###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AgentTicketCompose###StateDefault

Задает следующее состояние по умолчанию для заявки при создании ответа/сообщения в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketCompose###StateType

Задает список следующих доступных состояний после ответа на заявку на экране создания ответа в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending auto  
- pending reminder
```

Ticket::Frontend::ComposeAddCustomerAddress

Добавляет почтовые адреса клиентов - получателей на экране создания ответа в интерфейсе агента. E-mail адреса нельзя добавить, если тип сообщения - email-internal.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::ComposeReplaceSenderAddress

Заменяет оригинального отправителя текущим почтовым адресом клиента при написании ответа в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::Quote

Задает символ для выделения цитируемых почтовых сообщений на экране создания сообщения в интерфейсе агента. Если не задан или оставлено пустым, исходное сообщение не будет выделено, но будет добавлено к ответу.

Значение по умолчанию:

```
--- '>'
```

Ticket::Frontend::ResponseFormat

Задает формат ответа на экране формирования сообщения в интерфейсе агента ([% Data.OrigFrom | html %] is From 1:1, [% Data.OrigFromName | html %] является действительным именем в From).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '[% Data.Salutation | html %]  
[% Data.StdResponse | html %]  
[% Data.Signature | html %]
```



```
[% Data.CreateTime | Localize("TimeShort") %] - [% Data.OrigFromName | html %] [%  
Translate("wrote") | html %]:  
  
[% Data.Body | html %]
```

Ticket::Frontend::ResponseQuoteMaxLines

Определяет максимальное количество цитируемых строк, которые будут добавлены к ответам.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- '99'
```

136. Frontend → Agent → View → TicketCustomer

Ticket::Frontend::AgentTicketCustomer###Permission

Права, требуемые для изменения клиента заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- customer
```

Ticket::Frontend::AgentTicketCustomer###RequiredLock

Требуется ли блокировка заявки при изменении клиента заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketCustomer::CustomerIDReadOnly

Устанавливает атрибут read-only/только чтение для CustomerID в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

137. Frontend → Agent → View → TicketEmailNew

Ticket::Frontend::AgentTicketEmail###Body

Устанавливает Текст по умолчанию для новых почтовых заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketEmail###DynamicField

Dynamic fields shown in the ticket email screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketEmail###HistoryComment

Задает текст комментария в записи истории для новой почтовой заявки, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketEmail###HistoryType

Задает текст в записи истории для экрана новой почтовой заявки, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- EmailAgent
```

Ticket::Frontend::AgentTicketEmail###IsVisibleForCustomer

Устанавливает по умолчанию видимость сообщения клиентом для новых почтовых заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketEmail###Priority

Устанавливает приоритет по умолчанию для новой почтовой заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 3 normal
```

Ticket::Frontend::AgentTicketEmail###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '320'

Ticket::Frontend::AgentTicketEmail###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketEmail###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketEmail###SenderType

Устанавливает отправителя по умолчанию для новой почтовой заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- agent

Ticket::Frontend::AgentTicketEmail###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketEmail###SplitLinkType

Устанавливает тип связи по умолчанию при разделении заявок в интерфейсе агента.

Значение по умолчанию:

Direction: Target
LinkType: ParentChild

Ticket::Frontend::AgentTicketEmail###StateDefault

Устанавливает следующее состояние по умолчанию при создании новой почтовой заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketEmail###StateType

Задаёт список следующих доступных состояний после создания новой почтовой заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketEmail###Subject

Устанавливает Тему по умолчанию для новых почтовых заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketEmail::CustomerIDReadOnly

Устанавливает атрибут read-only/только чтение для CustomerID в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

138. Frontend → Agent → View → TicketEmailOutbound

Ticket::Frontend::AgentTicketEmailOutbound###DynamicField

Dynamic fields shown in the email outbound screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketEmailOutbound###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране почтового ответа в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketEmailOutbound###IsVisibleForCustomerDefault

Defines if the message in the email outbound screen of the agent interface is visible for the customer by default.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketEmailOutbound###Permission

Права, требуемые для создания исходящего письма клиента в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- compose

Ticket::Frontend::AgentTicketEmailOutbound###RequiredLock

Определяет необходимость блокировки заявки на экране email outbound в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент автоматически назначается ее владельцем).

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketEmailOutbound###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '300'

Ticket::Frontend::AgentTicketEmailOutbound###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketEmailOutbound###StateDefault

Задает следующее состояние по умолчанию для заявки после отправки сообщения на экране создания исходящего почтового сообщения в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketEmailOutbound###StateType

Задает список следующих доступных состояний после отправки сообщения на экране регистрации исходящего почтового сообщения в интерфейсе агента.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder  
- pending auto
```

139. Frontend → Agent → View → TicketEmailResend

Ticket::Frontend::AgentTicketEmailResend###IsVisibleForCustomerDefault

Defines if the message in the email resend screen of the agent interface is visible for the customer by default.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketEmailResend###Permission

Required permissions to use the email resend screen in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- compose
```

Ticket::Frontend::AgentTicketEmailResend###RequiredLock

Определяет необходимость блокировки заявки на экране email resend в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент автоматически назначается ее владельцем).

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketEmailResend###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '300'
```

Ticket::Frontend::AgentTicketEmailResend###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

140. Frontend → Agent → View → TicketEscalation

Ticket::Frontend::AgentTicketEscalationView###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре эскалированных заявок в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---  
Age: '2'  
Changed: '1'  
Created: '1'  
CustomerCompanyName: '1'  
CustomerID: '2'  
CustomerName: '1'  
CustomerUserID: '1'  
EscalationResponseTime: '1'  
EscalationSolutionTime: '1'  
EscalationTime: '2'  
EscalationUpdateTime: '1'  
Lock: '2'  
Owner: '2'  
PendingTime: '1'  
Priority: '1'  
Queue: '2'  
Responsible: '1'  
SLA: '1'  
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Ticket::Frontend::AgentTicketEscalationView###Order::Default

Задает стандартный порядок сортировки (после приоритета) в обзоре эскалаций в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Up
```

Ticket::Frontend::AgentTicketEscalationView###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре эскалаций в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- EscalationTime
```

Ticket::Frontend::AgentTicketEscalationView###TicketPermission

Задает требуемые права для просмотра эскалаций в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- gw
```

Ticket::Frontend::AgentTicketEscalationView###ViewableTicketsPage

Показывает все открытые заявки (даже заблокированные) при просмотре эскалаций в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '50'
```

141. Frontend → Agent → View → TicketForward

Ticket::Frontend::AgentTicketForward###DynamicField

Dynamic fields shown in the ticket forward screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketForward###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране переадресации заявки в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketForward###IsVisibleForCustomerDefault

Defines if the message in the ticket forward screen of the agent interface is visible for the customer by default.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketForward###Permission

Права, требуемые для пересылки заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- forward
```

Ticket::Frontend::AgentTicketForward###RequiredLock

Требуется ли блокировка заявки при перенаправлении (forward) заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владелльцем)

Значение по умолчанию:


```
--- '1'
```

Ticket::Frontend::AgentTicketForward###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '100'
```

Ticket::Frontend::AgentTicketForward###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AgentTicketForward###StateDefault

Задает следующее состояние по умолчанию для заявки после перенаправления (forward) заявки на экране Переслать в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- closed successful
```

Ticket::Frontend::AgentTicketForward###StateType

Задает список следующих доступных состояний после пресылки заявки на экране Переслать в интерфейсе агента.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder  
- pending auto
```

142. Frontend → Agent → View → TicketFreeText

Ticket::Frontend::AgentTicketFreeText###Body

Задает стандартный текст заметки при редактировании Дополнительных полей (ticket free text) в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketFreeText###DynamicField

Dynamic fields shown in the ticket free text screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketFreeText###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране изменения динамических полей заявки в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketFreeText###HistoryComment

Задает текст комментария в записи истории при изменении Дополнительных полей, в интерфейсе агента.

Значение по умолчанию:

```
--- '%FreeText'
```

Ticket::Frontend::AgentTicketFreeText###HistoryType

Задает текст в записи истории для экрана изменения Дополнительных полей заявки, в интерфейсе агента.

Значение по умолчанию:

```
--- AddNote
```

Ticket::Frontend::AgentTicketFreeText###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при изменении Дополнительных полей заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketFreeText###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при изменении Дополнительных полей заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketFreeText###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту сообщение агента при изменении динамических полей заявки в интерфейсе агента по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###Note

Позволяет добавить сообщение на экране Свободные/Дополн. поля заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###Owner

Задаёт Владельца при изменении Дополнительных полей заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###Permission

Права, требуемые для изменения Дополнительных полей заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- rw

Ticket::Frontend::AgentTicketFreeText###Priority

Дает возможность изменить приоритет на экране изменения Дополнительных полей заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###PriorityDefault

Задает приоритет заявки по умолчанию на экране изменения **Дополнительных полей** заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketFreeText###Queue

Задает очередь при изменении **Дополнительных полей** заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###RequiredLock

Требуется ли блокировка заявки при редактировании **Дополнительных полей** заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее **Владельцем**)

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###Responsible

Задает Ответственного за заявку при изменении **Дополнительных полей** заявки в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '100'

Ticket::Frontend::AgentTicketFreeText###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketFreeText###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###Service

Sets the service in the ticket free text screen of the agent interface (Ticket::Service needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketFreeText###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketFreeText###State

Sets the state of a ticket in the ticket free text screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketFreeText###StateDefault

Задаёт следующее состояние по умолчанию для заявки после добавления заметки при редактировании Дополнительных полей в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketFreeText###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketFreeText###StateType

Задаёт следующее состояние заявки после добавления заметки на экране Дополнительные поля в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketFreeText###Subject

Тема по умолчанию для сообщения при редактировании Дополнительных полей в интерфейсе агента

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketFreeText###TicketType

Sets the ticket type in the ticket free text screen of the agent interface (Ticket::Type needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketFreeText###Title

Shows the title field in the ticket free text screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

143. Frontend → Agent → View → TicketHistory

Ticket::Frontend::HistoryOrder

Показывает историю заявки (в обратном порядке) в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- normal
```

Ticket::Frontend::HistoryTypes###000-Framework

Управляет способом отображения записей истории заявки в читаемом виде.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
AddNote: Added note (%s).
ArchiveFlagUpdate: Changed archive state to "%s".
Bounce: Bounced to "%s".
CustomerUpdate: Changed customer to "%s".
EmailAgent: Sent email to customer.
EmailCustomer: Added email. %s
EmailResend: Resent email to "%s".
EscalationResponseTimeNotifyBefore: Notified about response time escalation.
EscalationResponseTimeStart: Started response time escalation.
EscalationResponseTimeStop: Stopped response time escalation.
EscalationSolutionTimeNotifyBefore: Notified about solution time escalation.
EscalationSolutionTimeStart: Started solution time escalation.
EscalationSolutionTimeStop: Stopped solution time escalation.
EscalationUpdateTimeNotifyBefore: Notified about update time escalation.
EscalationUpdateTimeStart: Started update time escalation.
EscalationUpdateTimeStop: Stopped update time escalation.
FollowUp: Added follow-up to ticket [%s]. %s
Forward: Forwarded to "%s".
Lock: Locked ticket.
LoopProtection: 'Loop protection: no auto-response sent to "%s".'
Merged: Merged Ticket (%s/%s) to (%s/%s).
Misc: '%s'
Move: Changed queue to "%s" (%s) from "%s" (%s).
NewTicket: Created ticket [%s] in "%s" with priority "%s" and state "%s".
OwnerUpdate: Changed owner to "%s" (%s).
PhoneCallAgent: Added phone call to customer.
PhoneCallCustomer: Added phone call from customer.
PriorityUpdate: Changed priority from "%s" (%s) to "%s" (%s).
Remove: '%s'
ResponsibleUpdate: Changed responsible to "%s" (%s).
SLAUpdate: Changed SLA to "%s" (%s).
SendAgentNotification: Sent "%s" notification to "%s" via "%s".
SendAnswer: Sent email to "%s".
```

```

SendAutoFollowUp: Sent auto follow-up to "%s".
SendAutoReject: Sent auto reject to "%s".
SendAutoReply: Sent auto reply to "%s".
SendCustomerNotification: Sent notification to "%s".
ServiceUpdate: Changed service to "%s" (%s).
SetPendingTime: Changed pending time to "%s".
StateUpdate: Changed state from "%s" to "%s".
Subscribe: Added subscription for user "%s".
SystemRequest: Added system request (%s).
TicketDynamicFieldUpdate: Changed dynamic field %s from "%s" to "%s".
TicketLinkAdd: Added link to ticket "%s".
TicketLinkDelete: Deleted link to ticket "%s".
TimeAccounting: Added %s time unit(s), for a total of %s time unit(s).
TitleUpdate: Changed title from "%s" to "%s".
TypeUpdate: Changed type from "%s" (%s) to "%s" (%s).
Unlock: Unlocked ticket.
Unsubscribe: Removed subscription for user "%s".
WebRequestCustomer: Added web request from customer.
  
```

Ticket::Frontend::HistoryTypes###001-Framework

Управляет способом отображения записей истории заявки в читаемом виде.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
AddSMS: Added SMS for "%s".
  
```

144. Frontend → Agent → View → TicketLocked

Ticket::Frontend::AgentTicketLockedView###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре заблокированных заявок в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```

---
Age: '2'
Changed: '1'
Created: '1'
CustomerCompanyName: '1'
CustomerID: '2'
CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '2'
Owner: '2'
PendingTime: '1'
Priority: '1'
Queue: '2'
Responsible: '1'
SLA: '1'
Sender: '2'
Service: '1'
State: '2'
Subject: '1'
TicketNumber: '2'
Title: '2'
  
```


Type: '1'

Ticket::Frontend::AgentTicketLockedView###Order::Default

Задает стандартный порядок сортировки в обзоре заблокированных в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Up

Ticket::Frontend::AgentTicketLockedView###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре заблокированных заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Age

145. Frontend → Agent → View → TicketMerge

Ticket::Frontend::AgentTicketMerge###Permission

Права, требуемые для слияния заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- gw

Ticket::Frontend::AgentTicketMerge###RequiredLock

Требуется ли блокировка заявки при слиянии на заявок в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketMerge###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '100'

Ticket::Frontend::AgentTicketMerge###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AutomaticMergeSubject

Когда выполняется слияние заявок, заметка автоматически добавляется к заявке, которая более неактивна. Здесь можно задать Тему сообщения/заметки (она не может быть изменена агентом).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Ticket Merged
```

Ticket::Frontend::AutomaticMergeText

Когда выполняется слияние заявок, заметка автоматически добавляется к заявке, которая более неактивна. Здесь можно задать текст сообщения/заметки (он не может быть изменен агентом).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Merged Ticket <OTRS_TICKET> to <OTRS_MERGE_TO_TICKET>.
```

Ticket::Frontend::MergeText

При слиянии/объединении заявок, клиент может быть информирован об этом почтовым сообщением, активацией параметра "Inform Sender". Здесь вы можете задать текст, который потом может быть изменен агентами.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Your email with ticket number "<OTRS_TICKET>" is merged to "<OTRS_MERGE_TO_TICKET>".
```

146. Frontend → Agent → View → TicketMove

Ticket::Frontend::AgentTicketMove###Body

Устанавливает текст сообщения по умолчанию при перемещении заявки в другую очередь в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketMove###DynamicField

Dynamic fields shown in the ticket move screen of the agent interface.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketMove###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране перемещения заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketMove###NextScreen

Задаёт какой следующий экран открывается после перемещения заявки. LastScreenOverview - возвращает к последнему экрану обзора (т.е. экран результата поиска, просмотра очередей, дайджесту). TicketZoom - возвращает в просмотр заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- TicketZoom

Ticket::Frontend::AgentTicketMove###Note

Позволяет добавить сообщение на экране Свободные/Дополн. поля заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketMove###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketMove###Priority

Дает возможность изменить приоритет на экране смены очереди заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketMove###RequiredLock

Автоматически блокирует заявку и назначает ответственным текущего агента после открытия экрана смены очереди в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketMove###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '100'
```

Ticket::Frontend::AgentTicketMove###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AgentTicketMove###State

Позволяет установить новое Состояние заявки на экране смены очереди в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketMove###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketMove###StateType

Задает следующее состояние заявки после перемещения заявки в другую очередь на экране перемещения заявки в другую очередь в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed
```

Ticket::Frontend::AgentTicketMove###Subject

Устанавливает Тему по умолчанию для сообщений при перемещении заявок в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::MoveType

Задает список доступных очередей для перемещения заявки в выпадающем списке или в новом окне в интерфейсе агента. Если выбрана опция "New Window" (в новом окне) вы можете добавить заметку о перемещении к заявке.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- form

147. Frontend → Agent → View → TicketNote

Ticket::Frontend::AgentTicketNote###Body

Устанавливает текст сообщения по умолчанию при создании сообщения к заявке в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketNote###DynamicField

Dynamic fields shown in the ticket note screen of the agent interface.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketNote###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране создания заметки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketNote###HistoryComment

Задает текст комментария в записи истории для новой заметки, в интерфейсе агента.

Значение по умолчанию:

--- '%Note'

Ticket::Frontend::AgentTicketNote###HistoryType

Задает текст в записи истории для экрана новой заметки в заявке, в интерфейсе агента.

Значение по умолчанию:

--- AddNote

Ticket::Frontend::AgentTicketNote###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при создании заметки к заявке в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при создании заметки к заявке в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту заметка, созданная агентом на экране создания заметки в заявке по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###Note

Позволяет добавить сообщение на экране создания заметки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketNote###NoteMandatory

Задает, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketNote###Owner

Задает Владельца при создании заметки к заявке в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###Permission

Права, требуемые для написания сообщения/заметки для заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- note

Ticket::Frontend::AgentTicketNote###Priority

Дает возможность изменить приоритет на экране создания заметки заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###PriorityDefault

Задаёт приоритет заявки по умолчанию на экране создания заметки к заявке в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketNote###Queue

Задаёт очередь при создании сообщения/заметки к заявке в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###RequiredLock

Требуется ли блокировка заявки при написании Заметки к заявке в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###Responsible

Задает Ответственного за заявку при создании заметки к заявке в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '100'

Ticket::Frontend::AgentTicketNote###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketNote###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###Service

Sets the service in the ticket note screen of the agent interface (Ticket::Service needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###ServiceMandatory

Задаёт, что Сервис должен быть выбран агентом.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###State

Sets the state of a ticket in the ticket note screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###StateDefault

Задаёт следующее состояние по умолчанию для заявки после добавления заметки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- open

Ticket::Frontend::AgentTicketNote###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketNote###StateType

Задаёт следующее состояние заявки после добавления заметки на экране Заметка (Сообщение) в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketNote###Subject

Устанавливает Тему по умолчанию для сообщений при создании сообщения к заявке в интерфейсе агента.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketNote###TicketType

Sets the ticket type in the ticket note screen of the agent interface (Ticket::Type needs to be enabled).

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketNote###Title

Shows the title field in the ticket note screen of the agent interface.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

148. Frontend → Agent → View → TicketOwner

Ticket::Frontend::AgentTicketOwner###Body

Устанавливает текст сообщения по умолчанию при смене Владельца заявки в интерфейсе агента.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketOwner###DynamicField

Dynamic fields shown in the ticket owner screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketOwner###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране смены владельца заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketOwner###HistoryComment

Задаёт текст комментария в записи истории при назначении Владельца заявки, в интерфейсе агента.

Значение по умолчанию:

--- '%Owner'

Ticket::Frontend::AgentTicketOwner###HistoryType

Задаёт текст в записи истории для экрана назначения Владельца заявки, в интерфейсе агента.

Значение по умолчанию:

--- AddNote

Ticket::Frontend::AgentTicketOwner###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при назначении Владельца заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при назначении Владельца заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту заметка, созданная агентом на экране назначения владельца заявки, по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###Note

Позволяет добавить сообщение на экране Владелец в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketOwner###NoteMandatory

Задает, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketOwner###Owner

Задает Владельца при назначении Владельца заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketOwner###OwnerMandatory

Задает, что Владелец должен быть выбран агентом.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketOwner###Permission

Права, требуемые для изменения Владельца заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- owner

Ticket::Frontend::AgentTicketOwner###Priority

Дает возможность изменить приоритет на экране назначения Владельца заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###PriorityDefault

Задает приоритет заявки по умолчанию на экране назначения Владельца при просмотре заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketOwner###Queue

Задает очередь при назначении Владельца заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###RequiredLock

Требуется ли блокировка заявки при изменении Владельца заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###Responsible

Задает Ответственного за заявку при назначении Владельца заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

--- '100'

Ticket::Frontend::AgentTicketOwner###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketOwner###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###Service

Sets the service in the ticket owner screen of a zoomed ticket in the agent interface (Ticket::Service needs to be enabled).

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###State

Sets the state of the ticket in the ticket owner screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###StateDefault

Задает следующее состояние по умолчанию для заявки после добавления заметки при смене Владельца заявки при ее просмотре в интерфейсе агента.

Значение по умолчанию:

--- open

Ticket::Frontend::AgentTicketOwner###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###StateType

Задает следующее состояние заявки после добавления заметки на экране назначения Владельца заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketOwner###Subject

Устанавливает Тему по умолчанию для сообщений при назначении Владельца заявки в интерфейсе агента.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketOwner###TicketType

Sets the ticket type in the ticket owner screen of a zoomed ticket in the agent interface (Ticket::Type needs to be enabled).

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketOwner###Title

Shows the title field in the ticket owner screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

```
--- 0
```

149. Frontend → Agent → View → TicketPending

Ticket::Frontend::AgentTicketPending###Body

Устанавливает текст сообщения по умолчанию при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPending###DynamicField

Dynamic fields shown in the ticket pending screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketPending###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране перевода заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketPending###HistoryComment

Задаёт текст комментария в записи истории для экрана перевода заявки в ожидание, в интерфейсе агента.

Значение по умолчанию:

```
--- '%Pending'
```

Ticket::Frontend::AgentTicketPending###HistoryType

Задаёт текст в записи истории для экрана перевода заявки в ожидание, в интерфейсе агента.

Значение по умолчанию:

```
--- AddNote
```

Ticket::Frontend::AgentTicketPending###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при переводе заявки в ожидание в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при переводе заявки в ожидание в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту заметка, созданная агентом на экране перевода заявки в ожидание, по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###Note

Позволяет добавить сообщение на экране Отложить в просмотре заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPending###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPending###Owner

Задаёт Владельца при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###Permission

Права, требуемые для заявки в ожидание в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- pending

Ticket::Frontend::AgentTicketPending###Priority

Дает возможность изменить приоритет на экране перевода заявки в ожидание в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###PriorityDefault

Задает приоритет заявки по умолчанию на экране перевода заявки в ожидание при просмотре заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketPending###Queue

Задает очередь при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###RequiredLock

Требуется ли блокировка заявки при переводе заявки в ожидание в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPending###Responsible

Задает Ответственного за заявку при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPending###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '100'
```

Ticket::Frontend::AgentTicketPending###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AgentTicketPending###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPending###Service

Sets the service in the ticket pending screen of a zoomed ticket in the agent interface (Ticket::Service needs to be enabled).

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPending###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPending###State

Sets the state of the ticket in the ticket pending screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketPending###StateDefault

Задает следующее состояние по умолчанию для заявки после добавления заметки при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

```
--- pending reminder
```

Ticket::Frontend::AgentTicketPending###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPending###StateType

Задаёт следующее состояние заявки после добавления заметки на экране перевода заявки в состояние ожидания в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketPending###Subject

Устанавливает Тему по умолчанию для сообщений при переводе заявки в ожидание в интерфейсе агента.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPending###TicketType

Sets the ticket type in the ticket pending screen of a zoomed ticket in the agent interface (Ticket::Type needs to be enabled).

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPending###Title

Shows the title field in the ticket pending screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

```
--- 0
```

150. Frontend → Agent → View → TicketPhoneInbound

Ticket::Frontend::AgentTicketPhoneInbound###Body

Задать стандартный текст для телефонной заявки при регистрации входящего звонка клиента в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPhoneInbound###DynamicField

Dynamic fields shown in the ticket phone inbound screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketPhoneInbound###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране регистрации входящего звонка по заявке в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPhoneInbound###HistoryComment

Задает текст комментария в записи истории для экрана регистрации входящего звонка клиента, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketPhoneInbound###HistoryType

Задает текст в записи истории для экрана регистрации входящего звонка клиента, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- PhoneCallCustomer

Ticket::Frontend::AgentTicketPhoneInbound###Permission

Права, требуемые для регистрации входящего звонка клиента в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- phone

Ticket::Frontend::AgentTicketPhoneInbound###RequiredLock

Требуется ли блокировка заявки при регистрации входящего звонка клиента в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPhoneInbound###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

--- '200'

Ticket::Frontend::AgentTicketPhoneInbound###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '475'
```

Ticket::Frontend::AgentTicketPhoneInbound###SenderType

Задаёт тип отправителя по умолчанию для телефонной заявки при регистрации входящего звонка в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- customer
```

Ticket::Frontend::AgentTicketPhoneInbound###State

Задаёт следующее состояние по умолчанию после регистрации входящего звонка клиента в интерфейсе агента.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketPhoneInbound###StateType

Следующее доступное состояние после добавления заметки при регистрации входящего звонка в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketPhoneInbound###Subject

Тема по умолчанию для телефонной заявки на экране регистрации входящего звонка клиента в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

151. Frontend → Agent → View → TicketPhoneNew

Ticket::Frontend::AgentTicketPhone###Body

Устанавливает текст заявки по умолчанию для новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPhone###DynamicField

Dynamic fields shown in the ticket phone screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketPhone###HistoryComment

Задает текст комментария в записи истории для новой телефонной заявки, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPhone###HistoryType

Задает текст в записи истории для экрана новой телефонной заявки, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- PhoneCallCustomer
```

Ticket::Frontend::AgentTicketPhone###IsVisibleForCustomer

Устанавливает по умолчанию видимость сообщения клиентом для новых телефонных заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketPhone###Priority

Устанавливает приоритет по умолчанию для новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 3 normal
```

Ticket::Frontend::AgentTicketPhone###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

```
--- '320'
```

Ticket::Frontend::AgentTicketPhone###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

```
--- '620'
```

Ticket::Frontend::AgentTicketPhone###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPhone###SenderType

Устанавливает отправителя по умолчанию для новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- customer
```

Ticket::Frontend::AgentTicketPhone###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPhone###SplitLinkType

Задает тип связи по умолчанию при разделении заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Direction: Target  
LinkType: ParentChild
```

Ticket::Frontend::AgentTicketPhone###StateDefault

Устанавливает следующее состояние по умолчанию для новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketPhone###StateType

Задает список следующих доступных состояний после создания новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketPhone###Subject

Устанавливает Тему по умолчанию для новых телефонных заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPhone::AllowMultipleFrom

Задаёт возможность указать более одного клиента для новой телефонной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketPhone::CustomerIDReadOnly

Устанавливает атрибут read-only/только чтение для CustomerID в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

152. Frontend → Agent → View → TicketPhoneOutbound

Ticket::Frontend::AgentTicketPhoneOutbound###Body

Задать стандартный текст для телефонной заявки при регистрации исходящего звонка клиенту в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketPhoneOutbound###DynamicField

Dynamic fields shown in the ticket phone outbound screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketPhoneOutbound###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране регистрации исходящего звонка по заявке в интерфейсе агента.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketPhoneOutbound###HistoryComment

Задает текст комментария в записи истории для экрана регистрации исходящего звонка клиента, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###HistoryType

Задает текст в записи истории для экрана регистрации исходящего звонка клиента, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###Permission

Права, требуемые для регистрации исходящего звонка клиента в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###RequiredLock

Требуется ли блокировка заявки при регистрации исходящего звонка клиенту в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

Ticket::Frontend::AgentTicketPhoneOutbound###SenderType

Задает тип отправителя по умолчанию для телефонной заявки при регистрации исходящего звонка клиенту в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- agent
```

Ticket::Frontend::AgentTicketPhoneOutbound###State

Задаёт следующее состояние по умолчанию после регистрации исходящего звонка клиента в интерфейсе агента.

Значение по умолчанию:

```
--- closed successful
```

Ticket::Frontend::AgentTicketPhoneOutbound###StateType

Следующее доступное состояние после добавления заметки при регистрации исходящего звонка в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketPhoneOutbound###Subject

Тема по умолчанию для телефонной заявки на экране регистрации исходящего звонка клиенту в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

153. Frontend → Agent → View → TicketPrint

Ticket::Frontend::AgentTicketPrint###DynamicField

Dynamic fields shown in the ticket print screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

154. Frontend → Agent → View → TicketPriority

Ticket::Frontend::AgentTicketPriority###Body

Устанавливает текст сообщения по умолчанию при смене приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketPriority###DynamicField

Dynamic fields shown in the ticket priority screen of the agent interface.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketPriority###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране смены приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPriority###HistoryComment

Задаёт текст комментария в записи истории для экрана изменения приоритета, в интерфейсе агента.

Значение по умолчанию:

--- '%Priority'

Ticket::Frontend::AgentTicketPriority###HistoryType

Задаёт текст в записи истории для экрана изменения проритета заявки, в интерфейсе агента.

Значение по умолчанию:

--- AddNote

Ticket::Frontend::AgentTicketPriority###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при изменении приоритета заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при изменении приоритета заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту заметка, созданная агентом на экране изменения приоритета заявки, по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###Note

Позволяет добавить сообщение на экране Приоритет в просмотре заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPriority###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPriority###Owner

Задаёт Владельца при изменении приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###Permission

Права, требуемые для изменения приоритета заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- priority

Ticket::Frontend::AgentTicketPriority###Priority

Дает возможность изменить приоритет на экране изменения приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPriority###PriorityDefault

Задаёт приоритет заявки по умолчанию на экране назначения Приоритета при просмотре заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketPriority###Queue

Задает очередь при изменении приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###RequiredLock

Требуется ли блокировка заявки при изменении приоритета заявки в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владелльцем)

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketPriority###Responsible

Задает Ответственного за заявку при изменении приоритета заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketPriority###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

--- '100'

Ticket::Frontend::AgentTicketPriority###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

--- '620'

Ticket::Frontend::AgentTicketPriority###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###Service

Sets the service in the ticket priority screen of a zoomed ticket in the agent interface (Ticket::Service needs to be enabled).

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###State

Sets the state of the ticket in the ticket priority screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###StateDefault

Задает следующее состояние по умолчанию для заявки после добавления заметки при изменении приоритета заявки в интерфейсе агента.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketPriority###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###StateType

Задает следующее состояние заявки после добавления заметки на экране смены Приоритета заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketPriority###Subject

Устанавливает Тему по умолчанию для сообщений при назначении приоритета заявки в интерфейсе агента.

Значение по умолчанию:

```
---
```

Ticket::Frontend::AgentTicketPriority###TicketType

Sets the ticket type in the ticket priority screen of a zoomed ticket in the agent interface (Ticket::Type needs to be enabled).

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketPriority###Title

Shows the title field in the ticket priority screen of a zoomed ticket in the agent interface.

Значение по умолчанию:

```
--- 0
```

155. Frontend → Agent → View → TicketProcess

Ticket::Frontend::AgentTicketProcess###SplitLinkType

Устанавливает тип связи по умолчанию при разделении заявок в интерфейсе агента.

Значение по умолчанию:

```
---  
Direction: Target  
LinkType: ParentChild
```

Ticket::Frontend::AgentTicketProcess###StateType

Задаёт список следующих доступных состояний после создания новой процессной заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- new  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketProcess::CustomerIDReadOnly

Устанавливает атрибут read-only/только чтение для CustomerID в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

156. Frontend → Agent → View → TicketQueue

Ticket::Frontend::AgentTicketQueue###Blink

Включить "мигание" для очередей содержащих наиболее старые заявки

Этот параметр может быть изменен в личных настройках.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketQueue###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре очередей заявок в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---
Age: '2'
Changed: '1'
Created: '1'
CustomerCompanyName: '1'
CustomerID: '2'
CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '2'
Owner: '2'
PendingTime: '1'
Priority: '1'
Queue: '2'
Responsible: '1'
SLA: '1'
Sender: '2'
Service: '1'
State: '2'
Subject: '1'
TicketNumber: '2'
Title: '2'
Type: '1'
```

Ticket::Frontend::AgentTicketQueue###HideEmptyQueues

Отображать очереди даже если в них только заблокированные заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```


Ticket::Frontend::AgentTicketQueue###HighlightAge1

Устанавливает возраст в минутах (первый уровень) для подсветки очередей, содержащих непросмотренные заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1440'
```

Ticket::Frontend::AgentTicketQueue###HighlightAge2

Устанавливает возраст в минутах (второй уровень) для подсветки очередей, содержащих непросмотренные заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '2880'
```

Ticket::Frontend::AgentTicketQueue###Order::Default

Задаёт порядок сортировки по умолчанию для всех очередей отображаемых в обзоре очередей, после сортировки по приоритету.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Up
```

Ticket::Frontend::AgentTicketQueue###PreSort::ByPriority

Устанавливает, должна ли быть выполнена предварительная сортировка по приоритету в обзоре очередей.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketQueue###QueueSort

Сортировать заявки (по возрастанию или убыванию) если выбрана одна очередь при просмотре очередей и после сортировки по приоритету. Значения: 0 = по возрастанию (старые сверху, по умолчанию), 1 = по убыванию (новешие сверху). Используйте QueueID в качестве Ключа и 0 или 1 в Содержании.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
'3': '0'  
'7': '1'
```

Ticket::Frontend::AgentTicketQueue###SortBy::Default

Задаёт критерий сортировки по умолчанию для всех очередей отображаемых в обзоре очередей.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Age

Ticket::Frontend::AgentTicketQueue###StripEmptyLines

Убирает пустые строки при предпросмотре заявки в обзоре очередей.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketQueue###UseSubQueues

Включает заявки подочередей по умолчанию при выборе очереди.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketQueue###ViewAllPossibleTickets

Показывает заявки агентов с правами ro и rw в просмотре очередей.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketQueue###VisualAlarms

Enable highlighting queues based on ticket age.

Значение по умолчанию:

--- 0

157. Frontend → Agent → View → TicketResponsible

Ticket::Frontend::AgentTicketResponsible###Body

Устанавливает текст сообщения по умолчанию при назначении Ответственного заявки в интерфейсе агента.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketResponsible###DynamicField

Dynamic fields shown in the ticket responsible screen of the agent interface.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketResponsible###FormDraft

Позволяет сохранить текущую работу в качестве черновика в экране смены ответственного за заявку в интерфейсе агента.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketResponsible###HistoryComment

Задает текст комментария в записи истории для экрана назначения Ответственного, в интерфейсе агента.

Значение по умолчанию:

--- '%Responsible'

Ticket::Frontend::AgentTicketResponsible###HistoryType

Задает текст в записи истории для экрана изменения Ответственного за заявку, в интерфейсе агента.

Значение по умолчанию:

--- AddNote

Ticket::Frontend::AgentTicketResponsible###InformAgent

Показывает список всех доступных агентов (всех агентов с правами note для очереди/заявки), чтобы определить кого нужно информировать об этой заметке при назначении Ответственного за заявку в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###InvolvedAgent

Показывает список всех привлекаемых агентов по этой заявке при назначении Ответственного за заявку в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###IsVisibleForCustomerDefault

Определяет, будет ли доступно для просмотра клиенту заметка, созданная агентом на экране назначения ответственного за заявку, по умолчанию.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###Note

Позволяет добавить сообщение на экране Ответственный в просмотре заявки в интерфейсе агента. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketResponsible###NoteMandatory

Задаёт, должна ли быть создана заметка агентом. Может быть перекрыто параметром Ticket::Frontend::NeedAccountedTime.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketResponsible###Owner

Задаёт Владельца при назначении Ответственного за заявку в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###OwnerMandatory

Задаёт, что Владелец должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###Permission

Права, требуемые для изменения Ответственного заявки в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- responsible

Ticket::Frontend::AgentTicketResponsible###Priority

Дает возможность изменить приоритет на экране назначения Ответственного за заявку в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###PriorityDefault

Задаёт приоритет заявки по умолчанию на экране назначения Ответственного при просмотре заявки в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- 3 normal

Ticket::Frontend::AgentTicketResponsible###Queue

Задаёт очередь при назначении Ответственног для заявки в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###QueueMandatory

Sets if queue must be selected by the agent.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###RequiredLock

Требуется ли блокировка заявки при изменении Ответственного за заявку в интерфейсе агента (если заявка еще не заблокирована, она блокируется и текущий агент становится ее Владельцем)

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###Responsible

Задает Ответственного за заявку при назначении Ответственного заявки в интерфейсе агента.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###ResponsibleMandatory

Sets if ticket responsible must be selected by the agent.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###RichTextHeight

Задает высоту окна текстового редактора на этом экране. Введите число пикселей и значение в процентах.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###RichTextWidth

Задает ширину окна текстового редактора на этом экране. Введите число (пикселей) или значение в процентах.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

Ticket::Frontend::AgentTicketResponsible###Service

Sets the service in the ticket responsible screen of the agent interface (Ticket::Service needs to be enabled).

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###State

Sets the state of a ticket in the ticket responsible screen of the agent interface.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###StateDefault

Задает следующее состояние по умолчанию для заявки после добавления заметки при смене Ответственного за заявку в интерфейсе агента.

Значение по умолчанию:

--- open

Ticket::Frontend::AgentTicketResponsible###StateMandatory

Sets if state must be selected by the agent.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###StateType

Задает следующее состояние заявки после добавления заметки на экране назначения Ответственного в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending reminder  
- pending auto
```

Ticket::Frontend::AgentTicketResponsible###Subject

Устанавливает Тему по умолчанию для сообщений при назначении Ответственного заявки в интерфейсе агента.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketResponsible###TicketType

Sets the ticket type in the ticket responsible screen of the agent interface (Ticket::Type needs to be enabled).

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketResponsible###Title

Shows the title field in the ticket responsible screen of the agent interface.

Значение по умолчанию:

--- '1'

Ticket::Frontend::AgentTicketResponsibleView###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре заявок ответственных в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---  
Age: '2'  
Changed: '1'  
Created: '1'  
CustomerCompanyName: '1'  
CustomerID: '2'  
CustomerName: '1'  
CustomerUserID: '1'  
EscalationResponseTime: '1'  
EscalationSolutionTime: '1'  
EscalationTime: '1'  
EscalationUpdateTime: '1'  
Lock: '2'  
Owner: '2'  
PendingTime: '1'  
Priority: '1'  
Queue: '2'  
Responsible: '1'  
SLA: '1'  
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Ticket::Frontend::AgentTicketResponsibleView###Order::Default

Задает стандартный порядок сортировки в обзоре Ответственных в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Up

Ticket::Frontend::AgentTicketResponsibleView###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре заявок Ответственного в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Age

158. Frontend → Agent → View → TicketSMSNew

Ticket::Frontend::AgentTicketSMS###DynamicField

Dynamic fields shown in the SMS ticket screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketSMS###IsVisibleForCustomer

Sets the default article customer visibility for new SMS tickets in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketSMS###Priority

Sets the default priority for new SMS tickets in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 3 normal
```

Ticket::Frontend::AgentTicketSMS###SLAMandatory

Задает, что SLA должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketSMS###SenderType

Sets the default sender type for new SMS tickets in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- agent
```

Ticket::Frontend::AgentTicketSMS###ServiceMandatory

Задает, что Сервис должен быть выбран агентом.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketSMS###StateDefault

Sets the default next ticket state, after the creation of an SMS ticket in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketSMS###StateType

Determines the next possible ticket states, after the creation of a new SMS ticket in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- pending auto  
- pending reminder  
- closed
```

Ticket::Frontend::AgentTicketSMS###Subject

Sets the default title for new SMS tickets in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketSMS###Text

Sets the default text for new SMS tickets in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Ticket::Frontend::AgentTicketSMS::CustomerIDReadOnly

Устанавливает атрибут read-only/только чтение для CustomerID в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

159. Frontend → Agent → View → TicketSMSOutbound

Ticket::Frontend::AgentTicketSMSOutbound###DynamicField

Dynamic fields shown in the SMS outbound screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketSMSOutbound###FormDraft

Allows to save current work as draft in the SMS outbound screen of the agent interface.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketSMSOutbound###IsVisibleForCustomerDefault

Defines if the message in the SMS outbound screen of the agent interface is visible for the customer by default.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketSMSOutbound###Permission

Required permissions to use the SMS outbound screen in the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- compose
```

Ticket::Frontend::AgentTicketSMSOutbound###RequiredLock

Defines if a ticket lock is required in the SMS outbound screen of the agent interface (if the ticket isn't locked yet, the ticket gets locked and the current agent will be set automatically as its owner).

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketSMSOutbound###StateDefault

Defines the default next state of a ticket after the message has been sent, in the SMS outbound screen of the agent interface.

Значение по умолчанию:

```
--- open
```

Ticket::Frontend::AgentTicketSMSOutbound###StateType

Defines the next possible states after sending a message in the SMS outbound screen of the agent interface.

Значение по умолчанию:

```
---  
- open  
- closed  
- pending reminder  
- pending auto
```

160. Frontend → Agent → View → TicketSearch

Ticket::Frontend::AgentTicketSearch###ArticleCreateTime

Включить время создания сообщений/заметок в атрибуты поиска в интерфейсе агента.

Значение по умолчанию:

--- 0

Ticket::Frontend::AgentTicketSearch###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре результата поиска заявок по сервисам в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---  
Age: '2'  
Changed: '1'  
Created: '1'  
CustomerCompanyName: '1'  
CustomerID: '2'  
CustomerName: '1'  
CustomerUserID: '1'  
EscalationResponseTime: '1'  
EscalationSolutionTime: '1'  
EscalationTime: '1'  
EscalationUpdateTime: '1'  
Lock: '2'  
Owner: '2'  
PendingTime: '1'  
Priority: '1'  
Queue: '2'  
Responsible: '1'  
SLA: '1'  
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Ticket::Frontend::AgentTicketSearch###Defaults###ArticleCreateTimePoint

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###ArticleCreateTimeSlot

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###CustomerID

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###CustomerUserLogin

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###DynamicField

Выберите атрибут по умолчанию для показа на экране поискового запроса. Пример: "Ключ" должен содержать имя динамического поля в этом случае 'X', "Содержание" значение динамического поля в зависимости от его типа, Текст: 'текст', Dropdown: '1', Date/Time: 'Search_DynamicField_XTimeSlotStartYear=1974; Search_DynamicField_XTimeSlotStartMonth=01; Search_DynamicField_XTimeSlotStartDay=26; Search_DynamicField_XTimeSlotStartHour=00; Search_DynamicField_XTimeSlotStartMinute=00; Search_DynamicField_XTimeSlotStartSecond=00; Search_DynamicField_XTimeSlotStopYear=2013; Search_DynamicField_XTimeSlotStopMonth=01; Search_DynamicField_XTimeSlotStopDay=26; Search_DynamicField_XTimeSlotStopHour=23; Search_DynamicField_XTimeSlotStopMinute=59; Search_DynamicField_XTimeSlotStopSecond=59;' и или 'Search_DynamicField_XTimePointFormat=week; Search_DynamicField_XTimePointStart=Before; Search_DynamicField_XTimePointValue=7';.

Этот параметр может быть изменен в личных настройках.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketSearch###Defaults###Fulltext

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр может быть изменен в личных настройках.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###MIMEBase_Body

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###MIMEBase_Cc

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###MIMEBase_From

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###MIMEBase_Subject

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###MIMEBase_To

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###QueueIDs

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Ticket::Frontend::AgentTicketSearch###Defaults###SLAIDs

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Ticket::Frontend::AgentTicketSearch###Defaults###SearchInArchive

Выберите поисковые атрибуты по умолчанию для показа на экране поиска (AllTickets/ArchivedTickets/NotArchivedTickets).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###ServiceIDs

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- []

Ticket::Frontend::AgentTicketSearch###Defaults###StateIDs

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketChangeTimePoint

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketChangeTimeSlot

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketCloseTimePoint

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketCloseTimeSlot

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketCreateTimePoint

Стандартные данные, используемые для атрибутов поиска. Например: "TicketCreateTimePointFormat=year;TicketCreateTimePointStart=Last;TicketCreateTimePoint=2;".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

Ticket::Frontend::AgentTicketSearch###Defaults###TicketCreateTimeSlot

Стандартные данные, используемые для атрибутов поиска. Например: "TicketCreateTimeStartYear=2010;TicketCreateTimeStartMonth=10;Tick-

etCreateTimeStartDay=4;TicketCreateTimeStopYear=2010;TicketCreateTimeStopMonth=11;TicketCreateTimeStopDay=3;".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###TicketEscalationTimePoint

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###TicketEscalationTimeSlot

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###TicketNumber

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###Defaults###Title

Выберите атрибут по умолчанию для показа на экране поискового запроса.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

--- ''

Ticket::Frontend::AgentTicketSearch###DynamicField

Dynamic fields shown in the ticket search screen of the agent interface.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketSearch###ExtendedSearchCondition

Позволяет задать расширенные возможности поиска в интерфейсе агента. При включении его, появится возможность поиска с использованием конструкций типа "(key1&&key2)" или "(key1||key2)".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketSearch###GlobalProfileGroup

Defines the groups whose agents can set up global search templates.

Значение по умолчанию:

```
---  
- admin
```

Ticket::Frontend::AgentTicketSearch###Order::Default

Задаёт стандартный порядок сортировки в результатах поиска в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Down
```

Ticket::Frontend::AgentTicketSearch###SearchArticleCSVTree

Экспортирует все дерево сообщений в результат поиска (приводит к снижению производительности).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketSearch###SearchCSVData

Данные используемые для экспорта результатов поиска в CSV формате

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- TicketNumber  
- Age  
- Created  
- Closed  
- FirstLock  
- FirstResponse  
- State  
- Priority  
- Queue  
- Lock  
- Owner  
- UserFirstname  
- UserLastname  
- CustomerID  
- CustomerName  
- From  
- Subject  
- AccountedTime  
- ArticleTree  
- SolutionInMin  
- SolutionDiffInMin  
- FirstResponseInMin
```

- FirstResponseDiffInMin

Ticket::Frontend::AgentTicketSearch###SearchCSVDynamicField

Динамические поля включаемые в результат поиска при экспорте в формате CSV.

Значение по умолчанию:

--- {}

Ticket::Frontend::AgentTicketSearch###SearchLimit

Максимальное количество заявок отображаемых в результате поиска в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '2000'

Ticket::Frontend::AgentTicketSearch###SearchPageShown

Количество заявок которое показывается на каждой странице при выводе результатов поиска в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '40'

Ticket::Frontend::AgentTicketSearch###SearchViewableTicketLines

Количество строк (на заявку) которое показывается при выводе результатов поиска в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '10'

Ticket::Frontend::AgentTicketSearch###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре результатов поиска в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Age

161. Frontend → Agent → View → TicketService

Ticket::Frontend::AgentTicketService###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре заявок по сервисам в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля

(DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUserID, CustomerPhone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```

---
Age: '2'
Changed: '1'
Created: '1'
CustomerCompanyName: '1'
CustomerID: '2'
CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '2'
Owner: '2'
PendingTime: '1'
Priority: '1'
Queue: '2'
Responsible: '1'
SLA: '1'
Sender: '2'
Service: '2'
State: '2'
Subject: '1'
TicketNumber: '2'
Title: '2'
Type: '1'

```

Ticket::Frontend::AgentTicketService###Order::Default

Задаёт порядок сортировки по умолчанию для всех сервисов отображаемых в обзоре сервисов, после сортировки по приоритету.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Up
```

Ticket::Frontend::AgentTicketService###PreSort::ByPriority

Устанавливает, должна ли быть выполнена предварительная сортировка по приоритету в обзоре заявок по сервисам.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::Frontend::AgentTicketService###ServiceSort

Сортировать заявки (по возрастанию или убыванию) если выбрана одна очередь при просмотре очередей и после сортировки по приоритету. Значения: 0 = по возрастанию (старые сверху, по умолчанию), 1 = по убыванию (новешие сверху). Используйте QueueID в качестве Ключа и 0 или 1 в Содержании.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
'3': '0'

```

```
'7': '1'
```

Ticket::Frontend::AgentTicketService###SortBy::Default

Задает критерий сортировки по умолчанию для всех сервисов отображаемых в обзоре сервисов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Age
```

Ticket::Frontend::AgentTicketService###StripEmptyLines

Убирает пустые строки при предпросмотре заявки в обзоре сервисов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::AgentTicketService###ViewAllPossibleTickets

Показывает заявки агентов с правами ro и rw в просмотре сервисов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

162. Frontend → Agent → View → TicketStatus

Ticket::Frontend::AgentTicketStatusView###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре заявок по статусам в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя полях), а также атрибуты Клиента (например, CustomerUser-Phone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---
Age: '2'
Changed: '1'
Created: '1'
CustomerCompanyName: '1'
CustomerID: '2'
CustomerName: '1'
CustomerUserID: '1'
EscalationResponseTime: '1'
EscalationSolutionTime: '1'
EscalationTime: '1'
EscalationUpdateTime: '1'
Lock: '2'
Owner: '2'
PendingTime: '1'
Priority: '1'
Queue: '2'
Responsible: '1'
SLA: '1'
```

```
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Ticket::Frontend::AgentTicketStatusView###Order::Default

Задает стандартный порядок сортировки (после приоритета) в обзоре статусов в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Down
```

Ticket::Frontend::AgentTicketStatusView###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре статусов заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Age
```

Ticket::Frontend::AgentTicketStatusView###ViewableTicketsPage

Number of tickets to be displayed in each page.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '50'
```

163. Frontend → Agent → View → TicketWatch

Ticket::Frontend::AgentTicketWatchView###DefaultColumns

Колонки, по которым доступна фильтрация при просмотре наблюдаемых заявок в интерфейсе агента. Внимание: Только атрибуты заявки и динамические поля (DynamicField_Имя поляX), а также атрибуты Клиента (например, CustomerUser-Phone, CustomerCompanyName, ...) разрешены.

Значение по умолчанию:

```
---  
Age: '2'  
Changed: '1'  
Created: '1'  
CustomerCompanyName: '1'  
CustomerID: '2'  
CustomerName: '1'  
CustomerUserID: '1'  
EscalationResponseTime: '1'  
EscalationSolutionTime: '1'  
EscalationTime: '1'  
EscalationUpdateTime: '1'
```

```
Lock: '2'  
Owner: '2'  
PendingTime: '1'  
Priority: '1'  
Queue: '2'  
Responsible: '1'  
SLA: '1'  
Sender: '2'  
Service: '1'  
State: '2'  
Subject: '1'  
TicketNumber: '2'  
Title: '2'  
Type: '1'
```

Ticket::Frontend::AgentTicketWatchView###Order::Default

Задает стандартный порядок сортировки в обзоре наблюдаемых заявок в интерфейсе агента. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Up
```

Ticket::Frontend::AgentTicketWatchView###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре наблюдаемых заявок в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Age
```

164. Frontend → Agent → View → TicketZoom

Ticket::Frontend::AgentTicketZoom###DynamicField

Dynamic fields shown in the sidebar of the ticket zoom screen of the agent interface.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketZoom###ProcessDisplay

Отображает настройки, перекрывающие умалчиваемые для процессных заявок.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
NavBarName: Processes  
WidgetTitle: Process Information
```

Ticket::Frontend::AgentTicketZoom###ProcessWidgetDynamicField

Dynamic fields shown in the process widget in ticket zoom screen of the agent interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketZoom###ProcessWidgetDynamicFieldGroups

Группы динамических полей для процессного виджета. Ключ - имя группы, Значение - содержит имена показываемых полей. Например: Ключ - "My Group", Содержание: "Name_X, NameY".

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- {}
```

Ticket::Frontend::AgentTicketZoom###Widgets###0100-TicketInformation

Agent ticket zoom widget that displays ticket data in the side bar.

Значение по умолчанию:

```
---  
Async: '1'  
Location: Sidebar  
Module: Kernel::Output::HTML::TicketZoom::TicketInformation
```

Ticket::Frontend::AgentTicketZoom###Widgets###0200-CustomerInformation

Agent ticket zoom widget that displays customer information for the ticket in the side bar.

Значение по умолчанию:

```
---  
Async: '1'  
Location: Sidebar  
Module: Kernel::Output::HTML::TicketZoom::CustomerInformation
```

Ticket::Frontend::AgentTicketZoom###Widgets###0210-ContactWithData

Agent ticket zoom widget that displays contact with data dynamic field in the side bar.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Async: '1'  
Location: Sidebar  
Module: Kernel::Output::HTML::TicketZoom::ContactWithData
```

Ticket::Frontend::AgentTicketZoom###Widgets###0300-LinkTable

Agent ticket zoom widget that displays a table of objects linked to the ticket.

Значение по умолчанию:

```
---  
Async: '1'  
Location: Main  
Module: Kernel::Output::HTML::TicketZoom::LinkTable
```

Ticket::Frontend::AgentTicketZoom###Widgets###0400-ProcessInformation

Agent ticket zoom widget that displays process information for the ticket.

Значение по умолчанию:

```
---  
Async: '1'  
Location: Process  
Module: Kernel::Output::HTML::TicketZoom::ProcessInformation
```

Ticket::Frontend::AgentZoomExpand

Shows all the articles of the ticket (expanded) in the agent zoom view.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::ArticleAttachmentModule###1-Download

Показывает кнопку для загрузки вложений при просмотре сообщений в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleAttachment::Download
```

Ticket::Frontend::ArticleAttachmentModule###2-HTML-Viewer

Показывает пункт меню для просмотра вложений к сообщениям через html online viewer при просмотре сообщений в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleAttachment::HTMLViewer
```

Ticket::Frontend::ArticlePreViewModule###1-PGP

Модуль уведомления для проверки PGP в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleCheck::PGP
```

Ticket::Frontend::ArticlePreViewModule###2-SMIME

Модуль уведомления для проверки S/MIME в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
```

```
Module: Kernel::Output::HTML::ArticleCheck::SMIME
```

Ticket::Frontend::ArticleViewModule###1-PGP

Модуль уведомления для проверки PGP в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleCheck::PGP
```

Ticket::Frontend::ArticleViewModule###1-SMIME

Модуль проверки входящих emails в окне Ticket-Zoom-View если S/MIME-key доступен и верен.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Module: Kernel::Output::HTML::ArticleCheck::SMIME
```

Ticket::Frontend::HTMLArticleHeightDefault

Задает высоту (в пикселах) по умолчанию для inline HTML сообщений в AgentTicketZoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '100'
```

Ticket::Frontend::HTMLArticleHeightMax

Задает максимальную высоту (в пикселах) для inline HTML сообщений в AgentTicketZoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '2500'
```

Ticket::Frontend::MaxArticlesPerPage

Максимальное количество сообщений/заметок отображаемых на одном экране в AgentTicketZoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1000'
```

Ticket::Frontend::MaxArticlesZoomExpand

Максимальное количество раскрытых сообщений/заметок отображаемых на одном экране в AgentTicketZoom.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '400'
```

Ticket::Frontend::PlainView

Показывает пункт меню для просмотра почтовой заявки как plain text.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::TicketArticleFilter

Включить фильтр сообщений в подробном просмотре, для выбора сообщений для показа

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::ZoomCollectMeta

Собирать или нет мета информацию из заметок, используя фильтры заданные в Ticket::Frontend::ZoomCollectMetaFilters.

Этот параметр может быть изменен в личных настройках, но по умолчанию не активен.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::ZoomCollectMetaFilters###CVE-Google

Определяет фильтр для сбора CVE номеров из текста статей в AgentTicketZoom. Результаты будут отображаться в мета-блоке следом за статьей. Заполните URLPreview, если вы хотите отобразить предварительный просмотр, перемещая курсор мыши над элементом ссылки. Это может быть тот же URL-адрес, что и в URL или какой-либо альтернативный. Обратите внимание, что некоторые веб-сайты запрещают отображение в iframe (например, Google) и, следовательно, режим предварительного просмотра работать не будет.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Meta:
  Name: CVE Google Search
  Target: _blank
  URL: http://google.com/search?q=<MATCH1>-<MATCH2>-<MATCH3>
  URLPreview: ''
RegExp:
- (CVE|CAN)\-(\d{3,4})\-(\d{2,})
```

Ticket::Frontend::ZoomCollectMetaFilters###CVE-Mitre

Определяет фильтр для сбора CVE номеров из текста статей в AgentTicketZoom. Результаты будут отображаться в мета-блоке следом за статьей. Заполните URLPreview, если вы хотите отобразить предварительный просмотр, перемещая

курсор мыши над элементом ссылки. Это может быть тот же URL-адрес, что и в URL или какой-либо альтернативный. Обратите внимание, что некоторые веб-сайты запрещают отображение в iframe (например, Google) и, следовательно, режим предварительного просмотра работать не будет.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Meta:  
  Name: CVE Mitre  
  Target: _blank  
  URL: http://cve.mitre.org/cgi-bin/cvename.cgi?name=<MATCH1>-<MATCH2>-<MATCH3>  
  URLPreview: http://cve.mitre.org/cgi-bin/cvename.cgi?name=<MATCH1>-<MATCH2>-<MATCH3>  
RegExp:  
- (CVE|CAN)\-(\d{3,4})\-(\d{2,})
```

Ticket::Frontend::ZoomCustomerTickets

Displays the number of all tickets with the same CustomerID as current ticket in the ticket zoom view.

Значение по умолчанию:

```
--- 0
```

Ticket::Frontend::ZoomExpandSort

Показывать сообщения к заявке отсортированными в обычном или обратном порядке в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- reverse
```

Ticket::Frontend::ZoomRichTextForce

Показывает сообщение как rich text даже если применение rich text отключено.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Ticket::ZoomAttachmentDisplayCount

Shows a count of attachments in the ticket zoom, if the article has attachments.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '20'
```

Ticket::ZoomTimeDisplay

Отображает учтенное время для заметки в подробном просмотре заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

165. Frontend → Agent → View → TicketZoom → ArticleAction

Ticket::Frontend::Article::Actions###Chat

Задаёт список допустимых действий с сообщениями Чата.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
AgentTicketCompose:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketCompose
  Prio: '100'
  Valid: '1'
AgentTicketForward:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketForward
  Prio: '200'
  Valid: '1'
AgentTicketPrint:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketPrint
  Prio: '500'
  Valid: '1'
MarkAsImportant:
  Module: Kernel::Output::HTML::ArticleAction::MarkAsImportant
  Prio: '700'
  Valid: '1'
```

Ticket::Frontend::Article::Actions###Chat###AgentTicketSMSOutbound

Defines available article actions for SMS articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::ArticleAction::AgentTicketSMSOutbound
Prio: '50'
Valid: '1'
```

Ticket::Frontend::Article::Actions###Email

Задаёт список допустимых действий с почтовыми сообщениями.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
AgentTicketBounce:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketBounce
  Prio: '300'
  Valid: '1'
AgentTicketCompose:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketCompose
  Prio: '100'
  Valid: '1'
AgentTicketEmailResend:
  Module: Kernel::Output::HTML::ArticleAction::AgentTicketEmailResend
  Prio: '900'
  Valid: '1'
AgentTicketForward:
```

```

Module: Kernel::Output::HTML::ArticleAction::AgentTicketForward
Prio: '200'
Valid: '1'
AgentTicketMessageLog:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketMessageLog
Prio: '550'
Valid: '1'
AgentTicketNote:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketNote
Prio: '800'
Valid: '1'
AgentTicketPhone:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPhone
Prio: '400'
Valid: '1'
AgentTicketPlain:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPlain
Prio: '600'
Valid: '1'
AgentTicketPrint:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPrint
Prio: '500'
Valid: '1'
MarkAsImportant:
Module: Kernel::Output::HTML::ArticleAction::MarkAsImportant
Prio: '700'
Valid: '1'

```

Ticket::Frontend::Article::Actions###Email###AgentTicketSMSOutbound

Defines available article actions for SMS articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Module: Kernel::Output::HTML::ArticleAction::AgentTicketSMSOutbound
Prio: '50'
Valid: '1'

```

Ticket::Frontend::Article::Actions###Internal

Задает список допустимых действий с внутренними сообщениями/заметками.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
AgentTicketBounce:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketBounce
Prio: '300'
Valid: '1'
AgentTicketCompose:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketCompose
Prio: '100'
Valid: '1'
AgentTicketForward:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketForward
Prio: '200'
Valid: '1'
AgentTicketNote:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketNote
Prio: '800'
Valid: '1'
AgentTicketPhone:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPhone
Prio: '400'
Valid: '1'
AgentTicketPlain:

```

```
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPlain
Prio: '600'
Valid: '1'
AgentTicketPrint:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPrint
Prio: '500'
Valid: '1'
MarkAsImportant:
Module: Kernel::Output::HTML::ArticleAction::MarkAsImportant
Prio: '700'
Valid: '1'
```

Ticket::Frontend::Article::Actions###Internal###AgentTicketSMSOutbound

Defines available article actions for SMS articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
Module: Kernel::Output::HTML::ArticleAction::AgentTicketSMSOutbound
Prio: '50'
Valid: '1'
```

Ticket::Frontend::Article::Actions###Invalid

Задает список допустимых действий с недействительными сообщениями.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
GetHelpLink:
Module: Kernel::Output::HTML::ArticleAction::GetHelpLink
Prio: '100'
Valid: '1'
ReinstallPackageLink:
Module: Kernel::Output::HTML::ArticleAction::ReinstallPackageLink
Prio: '200'
Valid: '1'
```

Ticket::Frontend::Article::Actions###Phone

Задает список допустимых действий с телефонными сообщениями.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
AgentTicketBounce:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketBounce
Prio: '300'
Valid: '1'
AgentTicketCompose:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketCompose
Prio: '100'
Valid: '1'
AgentTicketForward:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketForward
Prio: '200'
Valid: '1'
AgentTicketNote:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketNote
Prio: '800'
Valid: '1'
AgentTicketPhone:
```

```

Module: Kernel::Output::HTML::ArticleAction::AgentTicketPhone
Prio: '400'
Valid: '1'
AgentTicketPlain:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPlain
Prio: '600'
Valid: '1'
AgentTicketPrint:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPrint
Prio: '500'
Valid: '1'
MarkAsImportant:
Module: Kernel::Output::HTML::ArticleAction::MarkAsImportant
Prio: '700'
Valid: '1'

```

Ticket::Frontend::Article::Actions###Phone###AgentTicketSMSOutbound

Defines available article actions for SMS articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Module: Kernel::Output::HTML::ArticleAction::AgentTicketSMSOutbound
Prio: '50'
Valid: '1'

```

Ticket::Frontend::Article::Actions###SMS

Defines available article actions for SMS articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
AgentTicketCompose:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketCompose
Prio: '100'
Valid: '1'
AgentTicketForward:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketForward
Prio: '200'
Valid: '1'
AgentTicketPrint:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketPrint
Prio: '500'
Valid: '1'
AgentTicketSMSOutbound:
Module: Kernel::Output::HTML::ArticleAction::AgentTicketSMSOutbound
Prio: '50'
Valid: '1'
MarkAsImportant:
Module: Kernel::Output::HTML::ArticleAction::MarkAsImportant
Prio: '700'
Valid: '1'

```

166. Frontend → Agent → View → TicketZoom → MenuModule

Ticket::Frontend::MenuModule###000-Back

Показывает пункт меню "Назад" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню,

использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: ''  
ClusterName: ''  
ClusterPriority: ''  
Description: Go back  
Link: "[% Env("LastScreenOverview") %];TicketID=[% Data.TicketID | html %]'  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Back  
PopupType: ''  
Target: ''
```

Ticket::Frontend::MenuModule###100-Lock

Показывает пункт меню "Блокировать" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentTicketLock  
ClusterName: Miscellaneous  
ClusterPriority: '800'  
Description: Lock / unlock this ticket  
Module: Kernel::Output::HTML::TicketMenu::Lock  
Name: Lock  
Target: ''
```

Ticket::Frontend::MenuModule###200-History

Показывает пункт меню "История" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentTicketHistory  
ClusterName: Miscellaneous  
ClusterPriority: '800'  
Description: Show the history for this ticket  
Link: Action=AgentTicketHistory;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: History  
PopupType: TicketHistory  
Target: ''
```

Ticket::Frontend::MenuModule###210-Print

Показывает пункт меню "Печать" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketPrint
ClusterName: ''
ClusterPriority: ''
Description: Print this ticket
Link: Action=AgentTicketPrint;TicketID=[% Data.TicketID | html %]
LinkParam: target="print"
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Print
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###300-Priority

Показывает пункт меню "Приоритет" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketPriority
ClusterName: ''
ClusterPriority: ''
Description: Change the priority for this ticket
Link: Action=AgentTicketPriority;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Priority
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###310-FreeText

Показывает пункт меню "Свободные поля" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketFreeText
ClusterName: Miscellaneous
```



```
ClusterPriority: '800'  
Description: Change the free fields for this ticket  
Link: Action=AgentTicketFreeText;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Free Fields  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###320-Link

Показывает пункт меню "Связать" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentLinkObject  
ClusterName: Miscellaneous  
ClusterPriority: '800'  
Description: Link this ticket to other objects  
Link: Action=AgentLinkObject;SourceObject=Ticket;SourceKey=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Link  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###400-Owner

Shows a link in the menu to change the owner of a ticket in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---  
Action: AgentTicketOwner  
ClusterName: People  
ClusterPriority: '430'  
Description: Change the owner for this ticket  
Link: Action=AgentTicketOwner;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Owner  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###410-Responsible

Shows a link in the menu to change the responsible agent of a ticket in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---
```

```
Action: AgentTicketResponsible
ClusterName: People
ClusterPriority: '430'
Description: Change the responsible for this ticket
Link: Action=AgentTicketResponsible;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::Responsible
Name: Responsible
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###420-Attachments

Показать все вложения доступные в заявке.

Значение по умолчанию:

```
---
Action: AgentTicketAttachmentView
ClusterName: Miscellaneous
ClusterPriority: '999'
Description: View all attachments of the current ticket.
Link: Action=AgentTicketAttachmentView;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::AttachmentView
Name: Attachments
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###420-Customer

Shows a link in the menu to change the customer who requested the ticket in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---
Action: AgentTicketCustomer
ClusterName: People
ClusterPriority: '430'
Description: Change the customer for this ticket
Link: Action=AgentTicketCustomer;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Customer
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###420-Note

Показывает пункт меню "Заметка" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketNote
ClusterName: Communication
ClusterPriority: '435'
Description: Add a note to this ticket
```

```
Link: Action=AgentTicketNote;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Note  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###425-Phone Call Outbound

Shows a link in the menu to add a phone call outbound in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---  
Action: AgentTicketPhoneOutbound  
ClusterName: Communication  
ClusterPriority: '435'  
Description: Add an outbound phone call to this ticket  
Link: Action=AgentTicketPhoneOutbound;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Phone Call Outbound  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###426-Phone Call Inbound

Shows a link in the menu to add a phone call inbound in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---  
Action: AgentTicketPhoneInbound  
ClusterName: Communication  
ClusterPriority: '435'  
Description: Add an inbound phone call to this ticket  
Link: Action=AgentTicketPhoneInbound;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Phone Call Inbound  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###427-Email Outbound

Показывает пункт меню "Отказ" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentTicketEmailOutbound  
ClusterName: Communication  
ClusterPriority: '435'  
Description: Send new outgoing mail from this ticket
```

```
Link: Action=AgentTicketEmailOutbound;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: E-Mail Outbound  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###429-SMS Outbound

Shows a link in the menu to send an outbound SMS in the ticket zoom view of the agent interface. Additional access control to show or not show this link can be done by using Key "Group" and Content like "rw:group1;move_into:group2". To cluster menu items use for Key "ClusterName" and for the Content any name you want to see in the UI. Use "ClusterPriority" to configure the order of a certain cluster within the toolbar.

Значение по умолчанию:

```
---  
Action: AgentTicketSMSOutbound  
ClusterName: Communication  
ClusterPriority: '435'  
Description: Send new outgoing SMS from this ticket  
Link: Action=AgentTicketSMSOutbound;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::SMS  
Name: SMS Outbound  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###430-Merge

Показывает пункт меню "Объединить" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentTicketMerge  
ClusterName: Miscellaneous  
ClusterPriority: '800'  
Description: Merge this ticket and all articles into another ticket  
Link: Action=AgentTicketMerge;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Merge  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###440-Pending

Показывает пункт меню "В ожидание/Отложить" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---  
Action: AgentTicketPending
```

```
ClusterName: ''
ClusterPriority: ''
Description: Set this ticket to pending
Link: Action=AgentTicketPending;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Pending
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###448-Watch

Показывает пункт меню "Наблюдать/Не наблюдать" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketWatcher
ClusterName: ''
ClusterPriority: ''
Description: Watch this ticket
Module: Kernel::Output::HTML::TicketMenu::TicketWatcher
Name: Watch
Target: ''
```

Ticket::Frontend::MenuModule###450-Close

Показывает пункт меню "Закрыть" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentTicketClose
ClusterName: ''
ClusterPriority: ''
Description: Close this ticket
Link: Action=AgentTicketClose;TicketID=[% Data.TicketID | html %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: Close
PopupType: TicketAction
Target: ''
```

Ticket::Frontend::MenuModule###460-Delete

Показывает пункт меню "Удалить" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketMove  
ClusterName: ''  
ClusterPriority: ''  
Description: Delete this ticket  
Link: Action=AgentTicketMove;TicketID=[% Data.TicketID %];DestQueue=Delete  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Delete  
PopupType: ''  
Target: ''
```

Ticket::Frontend::MenuModule###470-Junk

Показывает пункт меню "В корзину/Junk" при просмотре заявки в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
Action: AgentTicketMove  
ClusterName: ''  
ClusterPriority: ''  
Description: Mark this ticket as junk!  
Link: Action=AgentTicketMove;TicketID=[% Data.TicketID %];DestQueue=Junk  
Module: Kernel::Output::HTML::TicketMenu::Generic  
Name: Spam  
PopupType: ''  
Target: ''
```

Ticket::Frontend::MenuModule###480-Process

Показывает пункт меню для преобразования заявки в Процесс при просмотре заявки в интерфейсе агента.

Значение по умолчанию:

```
---  
Action: AgentTicketProcess  
Cluster: ''  
Description: Enroll process for this ticket  
Link: Action=AgentTicketProcess;IsProcessEnroll=1;TicketID=[% Data.TicketID | html %]  
Module: Kernel::Output::HTML::TicketMenu::Process  
Name: Process  
PopupType: TicketAction  
Target: ''
```

Ticket::Frontend::MenuModule###500-ExternalLink

Показать ссылку на внешнюю страницу на странице подробного просмотра заявки в интерфейсе агента. Дополнительный контроль доступа, чтобы показывать или не показывать эту ссылку, можно реализовать используя Ключ "Группа" и Содержимое "rw: group1; move_into: group2".

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
Action: ''
ClusterName: Miscellaneous
ClusterPriority: ''
Description: Open an external link!
ExternalLink: '1'
Link: http://external-application.test/app/index.php?TicketID=[% Data.TicketID
%]&queue_id=[%
Data.QueueID %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: External Link
PopupType: ''
Target: _blank
```

Ticket::Frontend::MenuModule###550-Appointment

Отображает ссылку/пункт меню для создания мероприятия календаря, связанного с заявкой непосредственно из подробного просмотра заявки/Ticket-Zoom в интерфейсе агента. Дополнительно, можно ограничить доступ к этому пункту меню, использованием ключа "Group", где в содержании указывается перечень групп, которым эта кнопка будет доступна "rw:group1;move_into:group2". Для организации пунктов меню в группы/кластеры используйте в качестве ключа "ClusterName" и в содержании укажите то имя, которое желаете увидеть в строке меню. Используйте "ClusterPriority" для настройки порядка отображения групп/кластеров в меню.

Значение по умолчанию:

```
---
Action: AgentAppointmentCalendarOverview
ClusterName: Miscellaneous
ClusterPriority: '800'
Description: Create a new calendar appointment linked to this ticket
Link:
Action=AgentAppointmentCalendarOverview;Subaction=AppointmentCreate;PluginKey=0100-
Ticket;ObjectID=[%
Data.TicketID | uri %]
Module: Kernel::Output::HTML::TicketMenu::Generic
Name: New Appointment
PopupType: ''
Target: ''
```

167. Frontend → Base

AttachmentDownloadType

Выбор варианта показа вложения к заявке - в окне браузера или как файл для загрузки(вложение).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- attachment
```

DefaultLanguage

Задает язык интерфейса по умолчанию. Все доступные значения определяются наличием соответствующих языковых файлов в системе (см. следующий параметр).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- en
```

DefaultTheme

Defines the default front-end (HTML) theme to be used by the agents. If you like, you can add your own theme. Please refer the administrator manual located at <http://otrs.github.io/doc/>.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Standard
```

DefaultTheme::HostBased

It is possible to configure different themes to be used on a per-domain basis within the application. Using a regular expression (regex), you can configure a Key/Content pair to match a domain. The value in "Key" should match the domain, and the value in "Content" should be a valid theme on your system. Please see the example entries for the proper form of the regex.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
host1\.example\.com: SomeTheme1
host2\.example\.com: SomeTheme2
```

DefaultUsedLanguages

Задает все языки доступные в приложении. Указывайте здесь только английские названия языков.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
ar_SA: Arabic (Saudi Arabia)
bg: Bulgarian
ca: Catalan
cs: Czech
da: Danish
de: German
el: Greek
en: English (United States)
en_CA: English (Canada)
en_GB: English (United Kingdom)
es: Spanish
es_CO: Spanish (Colombia)
es_MX: Spanish (Mexico)
et: Estonian
fa: Persian
fi: Finnish
fr: French
fr_CA: French (Canada)
gl: Galician
he: Hebrew
hi: Hindi
hr: Croatian
hu: Hungarian
id: Indonesian
it: Italian
ja: Japanese
ko: Korean
lt: Lithuanian
```



```

lv: Latvian
ms: Malay
nb_NO: Norwegian
nl: Dutch
pl: Polish
pt: Portuguese
pt_BR: Portuguese (Brasil)
ru: Russian
sk_SK: Slovak
sl: Slovenian
sr_Cyrl: Serbian Cyrillic
sr_Latn: Serbian Latin
sv: Swedish
sw: Swahili
th_TH: Thai
tr: Turkish
uk: Ukrainian
vi_VN: Vietnam
zh_CN: Chinese (Simplified)
zh_TW: Chinese (Traditional)

```

DefaultUsedLanguagesNative

Задает все языки доступные в приложении. Указывайте здесь только native/родные? названия языков.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
ar_SA: العَرَبِيَّة
bg: Български
ca: Català
cs: Český
da: Dansk
de: Deutsch
el: Ελληνικά
en: English (United States)
en_CA: English (Canada)
en_GB: English (United Kingdom)
es: Español
es_CO: Español (Colombia)
es_MX: Español (México)
et: Eesti
fa: فارسی
fi: Suomi
fr: Français
fr_CA: Français (Canada)
gl: Galego
he: #####
hi: #####
hr: Hrvatski
hu: Magyar
id: Bahasa Indonesia
it: Italiano
ja: 日本語
ko: 한국어
lt: Lietuvių kalba
lv: Latvijai
ms: Melayu
nb_NO: Norsk bokmål
nl: Nederlandse
pl: Polski
pt: Português
pt_BR: Português Brasileiro
ru: Русский
sk_SK: Slovenčina
sl: Slovenščina
sr_Cyrl: Српски
sr_Latn: Srpski

```

```
sv: Svenska  
sw: Kiswahili  
th_TH: #####  
tr: Türkçe  
uk: Українська  
vi_VN: Vi#t Nam  
zh_CN: 简体中文  
zh_TW: 正體中文
```

DefaultViewLines

Задает количество строк отображаемых в текстовых сообщениях (например, строк заявки в QueueZoom).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '6000'
```

DefaultViewNewLine

Автоматический перевод строки в тексте сообщения после x символов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '90'
```

DisableContentSecurityPolicy

Отключите HTTP заголовок "Content-Security-Policy", чтобы разрешить загрузку содержимого внешних скриптов. Отключение этого HTTP заголовка снижает уровень безопасности! Отключайте только, если вы точно знаете, что делаете!

Значение по умолчанию:

```
--- 0
```

DisableIFrameOriginRestricted

Отключить HTTP-заголовок "X-Frame-Options: SAMEORIGIN", чтобы разрешить встраивать OTRS в IFrame на других сайтах. Отключение этого заголовка может вызвать проблемы с безопасностью! Отключайте только если уверены в своих действиях!

Значение по умолчанию:

```
--- 0
```

FirstnameLastnameOrder

Задает порядок в котором отображаются Фамилия и Имя агентов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Frontend::AjaxDebug

Если включено, то в случае появления каких-либо ошибок AJAX, предоставляет во фронтенде расширенную отладочную информацию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Frontend::DebugMode

Включает или выключает режим отладки через интерфейс системы.

Значение по умолчанию:

```
--- 0
```

Frontend::MenuDragDropEnabled

Включает возможность "drag and drop" для основной навигации.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Frontend::PrefixPath

Needed for operation behind a reverse proxy with a prefix path. Specify with leading, but without trailing slash (e.g. '/prefix/path').

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

Frontend::RichText

Использует форматированный текст для просмотра и редактирования: сообщений, приветствий, подписей, стандартных шаблонов, автоответов и уведомлений.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Frontend::RichText::DefaultCSS

Задает стандартные CSS, используемые в текстовом редакторе (rich text editor).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 'font-family:Geneva,Helvetica,Arial,sans-serif; font-size: 12px;'
```

Frontend::RichText::EnhancedMode

Включает расширенные средства редактирования.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

Frontend::RichTextHeight

Задает высоту окна текстового редактора. Введите число пикселей и значение в процентах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '320'
```

Frontend::RichTextPath

Задает путь в виде URL к rich text editor

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Frontend::PrefixPath>/htdocs/js/thirdparty/ckeditor-4.7.0/
```

Frontend::RichTextWidth

Задает ширину окна текстового редактора. Введите число (пикселей) или значение в процентах.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '620'
```

Frontend::TemplateCache

Включает или отключает кэширование для шаблонов. **ВНИМАНИЕ: НЕ отключайте кэширование шаблонов в рабочей системе, так как это приведет к значительному снижению производительности! Этот параметр следует отключать только для целей отладки!**

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Frontend::Themes

Включить доступные темы системы. Значение 1 - включена, 0 - отключена

Значение по умолчанию:

```
---  
Lite: '0'  
Standard: '1'
```

HTTPSForceRedirect

Перенаправить все запросы с http на https протокол. Пожалуйста проверьте, что https протокол настроен корректно на Вашем web сервере, прежде чем включать эту опцию.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

HttpType

Задаёт тип протокола, используемого веб-сервером для системы. Если протокол https используется вместо простого http, он должен быть указан здесь. Этот параметр не влияет на настройки сервера/ов и не изменяет метода доступа к системе, и если указан неверно, не может закрыть возможность подключения к ней. Это значение используется лишь как переменная OTRS_CONFIG_HttpType используемая как тэг при построении сообщений/уведомлений, для построения ссылки на заявку.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- http
```

OutOfOfficeMessageTemplate

Определяет шаблон сообщения об отсутствии в офисе. Доступно два строчных параметра (%s): дата окончания и кол-во оставшихся дней.

Значение по умолчанию:

```
--- '*** out of office until %s (%s d left) ***'
```

WebMaxFileUpload

Задаёт максимальный размер в байтах для файлов загружаемых через браузер. Предупреждение: Не задавайте слишком малое значение этому параметру во избежание остановки работы OTRS

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '24000000'
```

WebUploadCacheModule

Выбирает способ управления загрузкой через веб-интерфейс. "DB" - сохраняет загружаемые файлы в БД, "FS" использует файловую систему.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Kernel::System::Web::UploadCache::DB
```

168. Frontend → Base → Loader

Loader::Agent::CommonCSS###000-Framework

Список CSS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Core.Reset.css
```

```
- Core.Default.css
- Core.Header.css
- Core.OverviewControl.css
- Core.OverviewSmall.css
- Core.OverviewMedium.css
- Core.OverviewLarge.css
- Core.Footer.css
- Core.PageLayout.css
- Core.Form.css
- Core.Table.css
- Core.Login.css
- Core.Widget.css
- Core.WidgetMenu.css
- Core.TicketDetail.css
- Core.Tooltip.css
- Core.Dialog.css
- Core.InputFields.css
- Core.Print.css
- Core.Animations.css
- Core.DocumentSearch.css
```

Loader::Agent::CommonCSS###001-Daemon

Список CSS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Core.Agent.Daemon.css
```

Loader::Agent::CommonCSS###200-FAQ

Список CSS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Core.Agent.FAQ.Default.css
```

Loader::Agent::CommonJS###000-Framework

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- thirdparty/jquery-3.2.1/jquery.js
- thirdparty/jquery-browser-detection/jquery-browser-detection.js
- thirdparty/jquery-ui-1.12.1/jquery-ui.js
- thirdparty/jquery-ui-touch-punch-0.2.3/jquery.ui.touch-punch.js
- thirdparty/jquery-validate-1.16.0/jquery.validate.js
- thirdparty/jquery-pubsub/pubsub.js
- thirdparty/jquery-jstree-3.3.4/jquery.jstree.js
- thirdparty/nunjucks-3.0.1/nunjucks.js
- Core.Init.js
- Core.JavaScriptEnhancements.js
- Core.Debug.js
- Core.Exception.js
- Core.Data.js
- Core.Config.js
- Core.Language.js
- Core.Template.js
- Core.JSON.js
```

```
- Core.App.js
- Core.App.Responsive.js
- Core.AJAX.js
- Core.UI.js
- Core.UI.InputFields.js
- Core.UI.Accordion.js
- Core.UI.Datepicker.js
- Core.UI.DnD.js
- Core.UI.Floater.js
- Core.UI.Resizable.js
- Core.UI.Table.js
- Core.UI.Accessibility.js
- Core.UI.RichTextEditor.js
- Core.UI.Dialog.js
- Core.UI.ActionRow.js
- Core.UI.Popup.js
- Core.UI.TreeSelection.js
- Core.UI.Autocomplete.js
- Core.Form.js
- Core.Form.ErrorTooltips.js
- Core.Form.Validate.js
- Core.Agent.js
- Core.Agent.Search.js
- Core.Agent.DocumentSearch.js
- Core.Agent.CustomerInformationCenterSearch.js
- Core.Agent.CustomerSearch.js
- Core.Agent.CustomerUserInformationCenterSearch.js
- Core.Agent.Header.js
- Core.UI.Notification.js
- Core.Agent.Responsive.js
```

Loader::Agent::CommonJS###001-Daemon

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Core.Agent.Daemon.js
```

Loader::Agent::CommonJS###001-JQueryMigrate

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
- thirdparty/jquery-migrate-3.0.0/jquery-migrate.js
```

Loader::Agent::CommonJS###002-Ticket

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---
- Core.Agent.Chat.Toolbar.js
- Core.VideoChat.js
- thirdparty/adaptier.js-6.4.0/adaptier.js
```

Loader::Agent::CommonJS###100-CKEditor

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- thirdparty/ckeditor-4.7.0/ckeditor.js
```

Loader::Agent::CommonJS###200-DynamicFieldContactWithData

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Core.Agent.DynamicFieldContactWithDataSearch.js
```

Loader::Agent::CommonJS###200-FAQ

Список JS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Core.Agent.FAQ.TicketCompose.js
```

Loader::Agent::DefaultSelectedSkin

Внутреннее имя окраса (skin) экрана для интерфейса агента. Доступные варианты заданы в Frontend::Agent::Skins.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- default
```

Loader::Agent::DefaultSelectedSkin::HostBased

Можно задать разные схемы оформления, например, чтобы отличать агентов из разных доменов. Используя регулярные выражения (regex), вы можете задать пары Ключ/Содержание, соответствующие доменам. Значение Ключа должно соответствовать домену, а значение Содержания - имя схемы (skin) в системе. Смотрите пример для правильного построения регулярного выражения.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
host1\.example\.com: SomeSkin1  
host2\.example\.com: SomeSkin2
```

Loader::Agent::ResponsiveCSS###000-Framework

Список CSS файлов всегда загружаемых в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Core.Responsive.css
```


Loader::Agent::Skin###000-default

Стандартная тема оформления для интерфейса агента.

Значение по умолчанию:

```
---  
Description: The Default skin of OTRS.  
HomePage: www.otrs.org  
InternalName: default  
VisibleName: OTRS
```

Loader::Agent::Skin###001-slim

Стандартная тема оформления для интерфейса агента (узкая версия).

Значение по умолчанию:

```
---  
Description: A more compact version of the OTRS skin which tries to save screen space  
for power users.  
HomePage: www.otrs.org  
InternalName: slim  
VisibleName: Slim
```

Loader::Agent::Skin###002-high-contrast

Высококонтрастная тема оформления для слабовидящих пользователей

Значение по умолчанию:

```
---  
Description: High contrast skin for visually impaired users.  
HomePage: www.otrs.com  
InternalName: highcontrast  
VisibleName: High Contrast
```

Loader::Enabled::CSS

If enabled, OTRS will deliver all CSS files in minified form.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

Loader::Enabled::JS

Если включено, OTRS выполняет все JavaScript в минимизированной форме.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

169. Frontend → Base → NavBarModule

Frontend::AdminModuleGroups###001-Framework

Задаёт перечень групп доступных администратору в его панели.

Этот параметр не может быть отключен.

Значение по умолчанию:

```

---
Administration:
  Order: '6000'
  Title: Administration
Automation:
  Order: '4000'
  Title: Processes & Automation
Communication:
  Order: '2000'
  Title: Communication & Notifications
External:
  Order: '4500'
  Title: External Interface
Miscellaneous:
  Order: '7000'
  Title: Miscellaneous
OTRSGroup:
  Order: '5000'
  Title: OTRS Group Services
Ticket:
  Order: '1000'
  Title: Ticket Settings
Users:
  Order: '3000'
  Title: Users, Groups & Roles
  
```

170. Frontend → Base → OutputFilter

Frontend::Output::FilterText###AAAURL

Задает фильтр для текста сообщений для подсветки URLs.

Значение по умолчанию:

```

---
Module: Kernel::Output::HTML::FilterText::URL
Templates:
  AgentTicketZoom: '1'
  
```

Frontend::Output::FilterText###OutputFilterTextAutoLink

Задает фильтр для текста сообщений для подсветки определенных слов.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
Module: Kernel::Output::HTML::FilterText::AutoLink
Templates:
  AgentTicketZoom: '1'
  
```

Frontend::Output::OutputFilterTextAutoLink###Bugtraq

Задает фильтр для HTML для добавления ссылки после bugtraq numbers. Элемент Image может быть в двух вариантах. Первый - задать имя рисунка (напр. faq.png). В этом случае будет использоваться путь к файлам рисунков OTRS. Второй - вставить ссылку на рисунок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
RegExp:
- Bugtraq[\s\w\t]*?ID[\s\w\t]*?:[\s\w\t]*?(\d{2,8})
  
```

```

- Bugtraq[\\s\\w\\t]*?ID[\\s\\w\\t]*?(\\d{2,8})
- Bugtraq[\\s\\w\\t]*?:[\\s\\w\\t]*?(\\d{2,8})
- Bugtraq[\\s\\w\\t]*?(\\d{2,8})
- BID[\\s\\w\\t]*?:[\\s\\w\\t]*?(\\d{2,8})
- BID[\\s\\w\\t]*?(\\d{2,8})
Templates:
  AgentTicketZoom: '1'
URL1:
  Description: Security Focus
  Image: http://www.securityfocus.com/favicon.ico
  Target: _blank
  URL: http://www.securityfocus.com/bid/<MATCH1>/info
URL2:
  Description: Google
  Image: http://www.google.de/favicon.ico
  Target: _blank
  URL: http://google.com/search?q=<MATCH>

```

Frontend::Output::OutputFilterTextAutoLink###CVE

Задаёт фильтр для HTML для добавления ссылки после CVE numbers. Элемент Image может быть в двух вариантах. Первый - задать имя рисунка (напр. faq.png). В этом случае будет использоваться путь к файлам рисунков OTRS. Второй - вставить ссылку на рисунок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
RegExp:
- (CVE|CAN)\\-(\\d{3,4})\\-(\\d{2,})
Templates:
  AgentTicketZoom: '1'
URL1:
  Description: Mitre
  Image: http://cve.mitre.org/favicon.ico
  Target: _blank
  URL: http://cve.mitre.org/cgi-bin/cvename.cgi?name=<MATCH1>-<MATCH2>-<MATCH3>
URL2:
  Description: Google
  Image: http://www.google.de/favicon.ico
  Target: _blank
  URL: http://google.com/search?q=<MATCH1>-<MATCH2>-<MATCH3>
URL3:
  Description: US-CERT NVD
  Image: http://nvd.nist.gov/favicon.ico
  Target: _blank
  URL: http://nvd.nist.gov/nvd.cfm?cvename=<MATCH1>-<MATCH2>-<MATCH3>

```

Frontend::Output::OutputFilterTextAutoLink###FAQ

Фильтр для HTML для добавления ссылки позади заданной строки. Элемент Image может быть введен двумя способами. Первый - это имя файла(т.е. faq.png). В этом случае используется путь к файлам изображений OTRS. Второй вариант в указании ссылки на изображение(например, http://otrs.org/faq.png).

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```

---
RegExp:
- (FAQ)[#\\s]*?1(\\d{4})
URL1:
  Description: FAQ
  Image: /otrs-web/skins/Agent/default/img/help-small.png
  Target: _blank
  URL: /otrs/index.pl?Action=AgentFAQZoom;ItemID=<MATCH2>

```

Frontend::Output::OutputFilterTextAutoLink###MSBulletins

Задает фильтр для HTML для добавления ссылки после MSBulletin numbers. Элемент Image может быть в двух вариантах. Первый - задать имя рисунка (напр. faq.png). В этом случае будет использоваться путь к файлам рисунков OTRS. Второй - вставить ссылку на рисунок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
RegExp:
- MS[^\A-Za-z]{0,5}(\d\d)?.?(\d{2,4})
Templates:
  AgentTicketZoom: '1'
URL1:
  Description: Microsoft Technet
  Image: http://www.microsoft.com/favicon.ico
  Target: _blank
  URL: http://www.microsoft.com/technet/security/bulletin/MS<MATCH1>-<MATCH2>.mspx
URL2:
  Description: Google
  Image: http://www.google.de/favicon.ico
  Target: _blank
  URL: http://google.com/search?q=MS<MATCH1>-<MATCH2>
```

Frontend::Output::OutputFilterTextAutoLink###Setting1

Задать фильтр для вывода в HTML для добавления ссылки после определенной строки. Элемент Image может быть в двух вариантах. Первый - имя рисунка (напр. faq.png). В этом случае должен использоваться путь к файлам рисунков OTRS. Во втором вставить ссылку на рисунок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
RegExp:
- RegExp
Templates:
  AgentTicketZoom: '1'
URL1:
  Description: Description
  Image: right-small.png
  Target: _blank
  URL: URL
URL2:
  Description: Description
  Image: Image
  Target: _blank
  URL: URL
```

Frontend::Output::OutputFilterTextAutoLink###Setting2

Задать фильтр для вывода в HTML для добавления ссылки после определенной строки. Элемент Image может быть в двух вариантах. Первый - имя рисунка (напр. faq.png). В этом случае будет использоваться путь к файлам рисунков OTRS. Второй - вставить ссылку на рисунок.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---
RegExp:
```

```
- RegExp
Templates:
  AgentTicketZoom: '1'
URL1:
  Description: Description
  Image: right-small.png
  Target: _blank
  URL: URL
URL2:
  Description: Description
  Image: Image
  Target: _blank
  URL: URL
URL3:
  Description: Description
  Image: Image
  Target: _blank
  URL: URL
```

171. Frontend → External

ExternalFrontend::CustomizationColors

List of colors in hexadecimal RGB which will be available for selection during customization of the external interface. Make sure the colors are dark enough so white text can be overlaid on them.

Значение по умолчанию:

```
---
- '#000000'
- '#1E1E1E'
- '#3A3A3A'
- '#545453'
- '#6E6E6E'
- '#878687'
- '#888787'
- '#A09FA0'
- '#B8B8B8'
- '#D0D0D0'
- '#E8E8E8'
- '#FFFFFF'
- '#891100'
- '#894800'
- '#888501'
- '#458401'
- '#028401'
- '#018448'
- '#008688'
- '#004A88'
- '#001888'
- '#491A88'
- '#891E88'
- '#891648'
- '#FF2101'
- '#FF8802'
- '#FFFA03'
- '#83F902'
- '#05F802'
- '#03F987'
- '#00FDFF'
- '#008CFF'
- '#002EFF'
- '#8931FF'
- '#FF39FF'
- '#FF2987'
- '#FF726E'
- '#FFCE6E'
- '#FFFB6D'
- '#CEFA6E'
```

```
- '#68F96E'  
- '#68FDFF'  
- '#68FBD0'  
- '#6ACFFF'  
- '#6E76FF'  
- '#D278FF'  
- '#FF7AFF'  
- '#FF7FD3'
```

ExternalFrontend::DefaultLanguage

Defines the method for determining the default language in the external interface. 'Auto-detect' will set language based on the user browser configuration. 'System default' will use configured value of the DefaultLanguage setting. Please note that once a user overrides the default language, their choice will be honored in the future.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Browser
```

ExternalFrontend::LanguageFallback

Defines fallback language for the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- en
```

ExternalFrontend::Languages

List of languages which will be available in external frontend. Please, make sure that it contains value selected in ExternalFrontend::LanguageFallback.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- en  
- en_CA  
- en_GB  
- de  
- es  
- es_MX  
- hu  
- zh_CN  
- pt_BR  
- fr
```

ExternalFrontend::StateMap

Defines state name map for external interface.

Значение по умолчанию:

```
--- {}
```

172. Frontend → External → Auth

ExternalFrontend::Auth::LoginURL

Defines an alternate login URL for the external interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- http://host.example.com/cgi-bin/login.pl
```

ExternalFrontend::Auth::LogoutURL

Defines an alternate logout URL for the external interface.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- http://host.example.com/cgi-bin/logout.pl
```

173. Frontend → External → Menu

ExternalFrontend::Menu###Bottom

Bottom menu item registration for the external interface. Additional menu links are defined by adding new items and specifying their parameters. 'Group' and 'GroupRo' arrays can be used to limit display of the links to members of certain groups with RW and RO permissions respectively. 'Name' defines the displayed link text and 'Description' will be shown in a tooltip on hover. 'Link' is meant for an application route path or a link to an external site. Please note you can only define one of them at the time. 'IsPublic' defines if the link will be shown to unauthenticated users and in case this is set to '1', 'Group' and 'GroupRo' parameters will be ignored. 'Target' will define link's target attribute, please use '_blank' for opening in a new tab. 'Prio' determines the order of the links, with smaller numbers displayed first.

Значение по умолчанию:

```
---
- Description: Knowledge base.
  Group: []
  GroupRo: []
  IsPublic: '1'
  Link: /knowledge-base
  Name: Knowledge Base
  Prio: '100'
  Target: ''
- Description: Service catalogue.
  Group: []
  GroupRo: []
  IsPublic: '0'
  Link: /service-catalogue
  Name: Service Catalogue
  Prio: '200'
  Target: ''
- Description: Privacy policy example.
  Group: []
  GroupRo: []
  IsPublic: '1'
  Link: /c/privacy-policy-example
  Name: Privacy Policy Example
  Prio: '300'
  Target: ''
- Description: Imprint example.
  Group: []
  GroupRo: []
  IsPublic: ''
  Link: /c/imprint-example
  Name: Imprint Example
  Prio: '400'
  Target: ''
```

```
- Description: Copyright notice.  
Group: []  
GroupRo: []  
IsPublic: '1'  
Link: https://otrs.com  
Name: Copyright 2018 OTRS  
Prio: '500'  
Target: ''
```

ExternalFrontend::Menu###Main

Main menu item registration for the external interface. Additional menu links are defined by adding new items and specifying their parameters. 'Group' and 'GroupRo' arrays can be used to limit display of the links to members of certain groups with RW and RO permissions respectively. 'Name' defines the displayed link text and 'Description' will be shown in a tooltip on hover. 'Link' is meant for an application route path or a link to an external site. Please note you can only define one of them at the time. 'IsPublic' defines if the link will be shown to unauthenticated users and in case this is set to '1', 'Group' and 'GroupRo' parameters will be ignored. 'Target' will define link's target attribute, please use '_blank' for opening in a new tab. 'Prio' determines the order of the links, with smaller numbers displayed first.

Значение по умолчанию:

```
---  
- Description: Knowledge base.  
Group: []  
GroupRo: []  
IsPublic: '1'  
Link: /knowledge-base  
Name: Knowledge Base  
Prio: '100'  
Target: ''  
- Description: Service catalogue.  
Group: []  
GroupRo: []  
IsPublic: '0'  
Link: /service-catalogue  
Name: Service Catalogue  
Prio: '200'  
Target: ''  
- Description: Custom link 2.  
Group: []  
GroupRo: []  
IsPublic: '1'  
Link: /error  
Name: Custom Link 2  
Prio: '300'  
Target: ''  
- Description: Custom link 3.  
Group: []  
GroupRo: []  
IsPublic: ''  
Link: /ticket/overview  
Name: Custom Link 3  
Prio: '400'  
Target: ''
```

ExternalFrontend::Menu###Top

Top menu item registration for the external interface. Additional menu links are defined by adding new items and specifying their parameters. 'Group' and 'GroupRo' arrays can be used to limit display of the links to members of certain groups with RW and RO permissions respectively. 'Name' defines the displayed link text and 'Description' will be shown in a tooltip on hover. 'Link' is meant for an application route path or a link to an external site. Please note you can only define one of them at the time. 'IsPublic' defines if the link will be shown to unauthenticated users and in case this is

set to '1', 'Group' and 'GroupRo' parameters will be ignored. 'Target' will define link's target attribute, please use '_blank' for opening in a new tab. 'Prio' determines the order of the links, with smaller numbers displayed first.

Значение по умолчанию:

```

---
- Description: Custom Link 1.
  Group: []
  GroupRo: []
  IsPublic: '1'
  Link: /home
  Name: Custom Link 1
  Prio: '100'
  Target: ''

```

174. Frontend → External → PrivacyNotice

ExternalFrontend::PrivacyNotice

Defines privacy notice configuration for the external interface. The notice will be shown to all users until they accept the privacy policy.

Значение по умолчанию:

```

---
de:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: Datenschutz-Vereinbarung
  Text: Diese Website verwendet Cookies. Mit der Nutzung dieser Website akzeptieren Sie unsere %s.
en:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: data protection
  Text: This site uses cookies. By using this site you accept our %s agreement.
en_CA:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: data protection
  Text: This site uses cookies. By using this site you accept our %s agreement.
en_GB:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: data protection
  Text: This site uses cookies. By using this site you accept our %s agreement.
es:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: protección de datos
  Text: Este sitio utiliza cookies. Al continuar navegando, usted acepta nuestro acuerdo de %s.
es_MX:
  ButtonText: Ok
  Link: https://www.example.com/your-cookie-consent
  LinkTarget: _blank
  LinkText: protección de datos
  Text: Este sitio utiliza cookies. Al continuar navegando, usted acepta nuestro acuerdo de %s.
fr:

```

```

ButtonText: Ok
Link: https://www.example.com/your-cookie-consent
LinkTarget: _blank
LinkText: de protection des données
Text: Ce site utilise des cookies. En utilisant ce site, vous acceptez notre accord
    %s.
hu:
ButtonText: Rendben
Link: https://www.example.com/your-cookie-consent
LinkTarget: _blank
LinkText: adatvédelmi
Text: Ez az oldal sütiket használ. Az oldal használatával elfogadja az %s
    irányelveinket.
pt_BR:
ButtonText: Ok
Link: https://www.example.com/your-cookie-consent
LinkTarget: _blank
LinkText: proteção de dados
Text: Este site utiliza cookies. Ao usar este site, aceita o nosso acordo de %s.
zh_CN:
ButtonText: 好的
Link: https://www.example.com/your-cookie-consent
LinkTarget: _blank
LinkText: 数据保护
Text: 该网站使用cookies。使用本网站表示您接受我们的%s条款。
  
```

175. Frontend → External → Route

ExternalFrontend::Route###001-Framework

Defines the application routes for the external interface. Additional routes are defined by adding new items and specifying their parameters. 'Group' and 'GroupRo' arrays can be used to limit access of the route to members of certain groups with RW and RO permissions respectively. 'Path' defines the relative path of the route, and 'Alias' can be used for specifying an alternative path. 'Component' is the path of the Vue component responsible for displaying the route content, relative to the Components/Route folder in the app. 'IsPublic' defines if the route will be accessible for unauthenticated users and in case this is set to '1', 'Group' and 'GroupRo' parameters will be ignored. 'Props' can be used to signal that the path contain dynamic segments, and that their values should be bound to the component as props (use '1' to turn on this feature).

Значение по умолчанию:

```

---
- Alias: /home
  Component: HomePage
  Group: []
  GroupRo: []
  IsPublic: '1'
  Path: /
  Props: ''
- Alias: /c/:slug
  Component: CustomPage
  Group: []
  GroupRo: []
  IsPublic: '1'
  Path: /content/:slug
  Props: '1'
- Alias: '*'
  Component: ErrorPage
  Group: []
  GroupRo: []
  IsPublic: '1'
  Path: /error
  Props: '1'
- Alias: ''
  Component: AccountResetPage
  Group: []
  
```

```

GroupRo: []
IsPublic: '1'
Path: /account/reset/:token
Props: '1'
- Alias: ''
Component: TicketOverview
Group: []
GroupRo: []
IsPublic: '0'
Path: /ticket/overview/:filter?
Props: '1'
- Alias: ''
Component: Search
Group: []
GroupRo: []
IsPublic: '1'
Path: /search/:searchQuery?
Props: '1'
- Alias: ''
Component: PersonalPreferences
Group: []
GroupRo: []
IsPublic: '0'
Path: /account/personal-preferences/:category?
Props: '1'
- Alias: ''
Component: TicketCreate
Group: []
GroupRo: []
IsPublic: '0'
Path: /ticket/create/:mode?
Props: '1'
- Alias: ''
Component: TicketDetailView
Group: []
GroupRo: []
IsPublic: '0'
Path: /ticket/number/:ticketNumber
Props: '1'
- Alias: ''
Component: ServiceCatalogue
Group: []
GroupRo: []
IsPublic: '0'
Path: /service-catalogue/:categoryId?
Props: '1'
- Alias: /knowledge-base/
Component: KnowledgeBaseOverview
Group: []
GroupRo: []
IsPublic: '1'
Path: /knowledge-base/category/:categoryId?
Props: '1'
- Alias: ''
Component: KnowledgeBaseDetailView
Group: []
GroupRo: []
IsPublic: '1'
Path: /knowledge-base/article/:articleId
Props: '1'
- Alias: ''
Component: PersonalNotifications
Group: []
GroupRo: []
IsPublic: '0'
Path: /personal-notifications
Props: '1'

```

ExternalFrontend::Route###999-Development

Defines the application routes for the external interface. Additional routes are defined by adding new items and specifying their parameters. 'Group' and 'GroupRo' arrays

can be used to limit access of the route to members of certain groups with RW and RO permissions respectively. 'Path' defines the relative path of the route, and 'Alias' can be used for specifying an alternative path. 'Component' is the path of the Vue component responsible for displaying the route content, relative to the Components/Route folder in the app. 'IsPublic' defines if the route will be accessible for unauthenticated users and in case this is set to '1', 'Group' and 'GroupRo' parameters will be ignored. 'Props' can be used to signal that the path contain dynamic segments, and that their values should be bound to the component as props (use '1' to turn on this feature).

Значение по умолчанию:

```

---
- Alias: ''
  Component: DesignSandbox
  Group: []
  GroupRo: []
  IsPublic: '1'
  Path: /sandbox
  Props: ''

```

176. Frontend → External → View → KnowledgeBaseDetail

ExternalFrontend::KnowledgeBaseDetailView###DynamicField

Dynamic fields shown in the knowlegde base detail view of the external interface.

Значение по умолчанию:

```

--- {}

```

177. Frontend → External → View → Preferences

CustomerPersonalPreference###Avatar

Задать все параметры для этого элемента в личных настройках в интерфейсе клиента

Значение по умолчанию:

```

---
Active: '1'
Desc: Upload your avatar image.
Key: Avatar
Label: Avatar
Module: Kernel::WebApp::Util::UserPreferenceType::Avatar
PrefKey: UserAvatar
PreferenceGroup: General
Prio: '0100'

```

CustomerPersonalPreference###GoogleAuthenticatorSecretKey

Задаёт параметры для этого элемента, которые будут отображаться на экране личных настроек.

Значение по умолчанию:

```

---
Active: '1'
Block: Input

```

```
Desc: Enter your shared secret to enable two factor authentication.
Key: Shared Secret
Label: Google Authenticator
Module: Kernel::WebApp::Util::UserPreferenceType::Generic
PrefKey: UserGoogleAuthenticatorSecretKey
PreferenceGroup: Security
Prio: '1100'
ValidateRegex: ^([A-Z2-7]{16})$
ValidateRegexMessage: The secret you supplied is invalid. The secret must only contain
letters (A-Z, uppercase) and numbers (2-7) and must consist of 16 characters.
```

CustomerPersonalPreference###Language

Задать все параметры для этого элемента в личных настройках в интерфейсе клиента

Значение по умолчанию:

```
---
Active: '1'
Desc: Select the main interface language.
Key: Language
Label: Language
Module: Kernel::WebApp::Util::UserPreferenceType::Select::Language
PrefKey: UserLanguage
PreferenceGroup: General
Prio: '2000'
```

CustomerPersonalPreference###PGP

Задать все параметры для этого элемента в личных настройках в интерфейсе клиента

Значение по умолчанию:

```
---
Active: '1'
Desc: Upload your PGP key.
Key: PGP Key
Label: PGP Key
Module: Kernel::WebApp::Util::UserPreferenceType::File::PGP
PrefKey: UserPGPKey
PreferenceGroup: Security
Prio: '10000'
```

CustomerPersonalPreference###Password

Определяет все параметры этого элемента в личных настройках клиента. «PasswordRegExp» позволяет сопоставлять пароли с регулярным выражением. Определите минимальное количество символов, используя 'PasswordMinSize'. Определите, требуется ли как минимум 2 строчных буквы и 2 буквы в верхнем регистре, установив соответствующую опцию в «1». «PasswordMin2Characters» определяет, должен ли пароль содержать не менее двух буквенных символов (установите в 0 или 1). «PasswordNeedDigit» управляет потребностью не менее 1 цифры (устанавливается в 0 или 1).

Значение по умолчанию:

```
---
Active: '1'
Area: Customer
Desc: Set a new password by filling in your current password and a new one.
Label: Change password
Module: Kernel::WebApp::Util::UserPreferenceType::Password
PasswordMin2Characters: '0'
PasswordMin2Lower2UpperCharacters: '0'
PasswordMinSize: '0'
PasswordNeedDigit: '0'
```

```
PasswordRegExp: ''  
PreferenceGroup: Security  
Prio: '1000'
```

CustomerPersonalPreference###SMIME

Задать все параметры для этого элемента в личных настройках в интерфейсе клиента

Значение по умолчанию:

```
---  
Active: '1'  
Desc: Upload your S/MIME certificate.  
Key: S/MIME Certificate  
Label: S/MIME Certificate  
Module: Kernel::WebApp::Util::UserPreferenceType::File::SMIME  
PrefKey: UserSMIMEKey  
PreferenceGroup: Security  
Prio: '11000'
```

CustomerPersonalPreference###TimeZone

Задать все параметры для этого элемента в личных настройках в интерфейсе клиента

Значение по умолчанию:

```
---  
Active: '1'  
Desc: Select your personal time zone. All times will be displayed relative to this  
      time zone.  
Key: Time Zone  
Label: Time Zone  
Module: Kernel::WebApp::Util::UserPreferenceType::Select::TimeZone  
PrefKey: UserTimeZone  
PreferenceGroup: General  
Prio: '2500'
```

CustomerPersonalPreference::Groups###0001-Framework

Customer preferences categories.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- Description: ''  
  Label: General  
  Name: General  
  Order: '1000'  
  Title: ''  
- Description: ''  
  Label: Security  
  Name: Security  
  Order: '2000'  
  Title: ''
```

178. Frontend → External → View → TicketCreate

ExternalFrontend::TicketCreate###DynamicField

Dynamic fields options shown in the ticket message screen of the customer interface.
NOTE: If you want to display these fields also in the ticket detail view of the exter-

nal interface, you have to enable them in ExternalFrontend::TicketDetailView###DynamicField.

Значение по умолчанию:

```
--- {}
```

ExternalFrontend::TicketCreate###HistoryComment

Комментарий для новых записей истории в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ''
```

ExternalFrontend::TicketCreate###HistoryType

Задаёт тип записи истории в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- WebRequestCustomer
```

ExternalFrontend::TicketCreate###KnowledgeBase::RelatedArticles::DefaultLanguages

The default languages for the related knowledge base articles.

Значение по умолчанию:

```
---  
- en
```

ExternalFrontend::TicketCreate###KnowledgeBase::RelatedArticles::Enabled

Enable the related knowledge base article feature for the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

ExternalFrontend::TicketCreate###KnowledgeBase::RelatedArticles::Queue- sEnabled

List of queue names for which the related knowledge base article feature is enabled.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- Raw
```

ExternalFrontend::TicketCreate###KnowledgeBase::RelatedArticles::ShowLimit

Output limit for the related knowledge base articles.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- '5'

ExternalFrontend::TicketCreate###NextScreenAfterNewTicket

Задает какой следующий экран открывается после создания заявки в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- Ticket0verview

ExternalFrontend::TicketCreate###Priority

Позволяет в интерфейсе клиента установить приоритет заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###PriorityDefault

Задает приоритет по умолчанию для новой заявки клиента через клиентский интерфейс.

Значение по умолчанию:

--- 3 normal

ExternalFrontend::TicketCreate###Queue

Allows customers to set the ticket queue in the customer interface. If this is not enabled, QueueDefault should be configured.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###QueueDefault

Задает очередь по умолчанию для новых заявок, создаваемых клиентом в WEB интерфейсе.

Значение по умолчанию:

--- Postmaster

ExternalFrontend::TicketCreate###SLA

Позволяет клиенту выбирать SLA для заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###SLAMandatory

Задает, что SLA должен быть выбран клиентом.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###SenderType

Тип отправителя для новых заявок из интерфейса клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- customer

ExternalFrontend::TicketCreate###Service

Позволяет клиенту выбирать Сервис для заявки.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###ServiceMandatory

Задает, что Сервис должен быть выбран клиентом.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###StateDefault

Задает состояние по умолчанию для новых заявок в интерфейсе клиента.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- new

ExternalFrontend::TicketCreate###TicketType

Allows customers to set the ticket type in the customer interface. If this is not enabled, TicketTypeDefault should be configured.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketCreate###TicketTypeDefault

Задает приоритет заявки по умолчанию для новой заявки в интерфейсе клиента.

Значение по умолчанию:

--- Unclassified

179. Frontend → External → View → TicketDetail

ExternalFrontend::TicketDetailView###AccountedTimeDisplay

Displays the accounted time for an article in the ticket detail view of the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketDetailView###AttributesView

Shows the enabled ticket attributes in the external interface (0 = Disabled and 1 = Enabled).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
Owner: '0'  
Priority: '1'  
Queue: '1'  
Responsible: '0'  
SLA: '0'  
Service: '0'  
State: '1'  
Type: '0'
```

ExternalFrontend::TicketDetailView###DynamicField

Dynamic fields shown in the ticket detail view of the external interface.

Значение по умолчанию:

--- {}

ExternalFrontend::TicketDetailView###FollowUpDynamicField

Dynamic fields options shown in the ticket reply section in the ticket detail view of the external interface.

Значение по умолчанию:

--- {}

ExternalFrontend::TicketDetailView###HistoryComment

Defines the history comment for the ticket detail view, which gets used for ticket history in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- ''

ExternalFrontend::TicketDetailView###HistoryType

Defines the history type for the ticket detail view, which gets used for ticket history in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- FollowUp

ExternalFrontend::TicketDetailView###NextScreenAfterFollowUp

Determines the next screen after the follow-up from the ticket detail view in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- TicketOverview

ExternalFrontend::TicketDetailView###Priority

Allows customers to change the ticket priority in the external interface.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketDetailView###PriorityDefault

Defines the default priority of follow-up customer tickets in the ticket detail view in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- 3 normal

ExternalFrontend::TicketDetailView###SenderType

Defines the default sender type for tickets in the ticket detail view of the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

--- customer

ExternalFrontend::TicketDetailView###State

Allows choosing the next compose state for customer tickets in the external interface.

Значение по умолчанию:

--- 0

ExternalFrontend::TicketDetailView###StateDefault

Defines the default next state for a ticket after customer follow-up in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- open
```

ExternalFrontend::TicketDetailView###StateType

Defines the next possible states for customer tickets in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
---  
- open  
- closed
```

180. Frontend → External → View → TicketOverview

ExternalFrontend::TicketOverview###ColumnHeader

Shows either the last customer article's subject or the ticket title in the external interface.

Значение по умолчанию:

```
--- TicketTitle
```

ExternalFrontend::TicketOverview###DynamicField

Dynamic fields shown in the ticket overview screen of the external interface.

Значение по умолчанию:

```
--- {}
```

ExternalFrontend::TicketOverview###Owner

Show the current owner in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

ExternalFrontend::TicketOverview###Queue

Show the current queue in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

ExternalFrontend::TicketOverview###State

Show the current state in the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

181. GenericInterface

GenericInterface::WebserviceConfig::CacheTTL

Cache time, в сек, для backend конфигурации веб сервисов.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '86400'
```

182. GenericInterface → ErrorHandler → ModuleRegistration

GenericInterface::ErrorHandler::Module###RequestRetry

GenericInterface module registration for an error handling module.

Значение по умолчанию:

```
---  
CommunicationTypeFilter: Requester  
ConfigDialog: AdminGenericInterfaceErrorHandlerRequestRetry  
Name: RequestRetry
```

183. GenericInterface → Invoker → ModuleRegistration

GenericInterface::Invoker::Module###Test::Test

GenericInterface модуль регистрации для уровня Invoker

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceInvokerDefault  
Controller: Test  
Name: Test
```

GenericInterface::Invoker::Module###Test::TestSimple

GenericInterface модуль регистрации для уровня Invoker

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceInvokerDefault  
Controller: Test
```

Name: TestSimple

184. GenericInterface → Mapping → ModuleRegistration

GenericInterface::Mapping::Module###Simple

GenericInterface module registration for the mapping layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceMappingSimple
```

GenericInterface::Mapping::Module###Test

GenericInterface module registration for the mapping layer.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
ConfigDialog: ''
```

GenericInterface::Mapping::Module###XSLT

GenericInterface module registration for the mapping layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceMappingXSLT
```

185. GenericInterface → Operation

GenericInterface::Operation::Common::CachedAuth::AgentCacheTTL

Cache time, в сек, для аутентификации агентов в GenericInterface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '300'
```

GenericInterface::Operation::Common::CachedAuth::CustomerCacheTTL

Cache time, в сек, для аутентификации клиентов в GenericInterface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '300'
```

GenericInterface::Operation::ResponseLoggingMaxSize

Задаёт максимальный размер в килобайтах для ответов GenericInterface которые регистрируются в таблице gi_debugger_entry_content.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '200'
```

186. GenericInterface → Operation → Generic → RPC

GenericInterface::Operation::Generic::RPC

Enables the usage of operation Generic::RPC.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

GenericInterface::Operation::Generic::RPC::Modules###001-Default

Registration of allowed modules used by operation Generic::RPC. Just modules below Kernel::System and Custom::Kernel::System (and Kernel::Config) are allowed for executions.

Значение по умолчанию:

```
---
- Kernel::Config
- Kernel::System::CustomerCompany
- Kernel::System::CustomerUser
- Kernel::System::Encode
- Kernel::System::Group
- Kernel::System::LinkObject
- Kernel::System::Log
- Kernel::System::Main
- Kernel::System::PID
- Kernel::System::Queue
- Kernel::System::AuthSession
- Kernel::System::Ticket
```

187. GenericInterface → Operation → ModuleRegistration

GenericInterface::Operation::Module###FAQ::LanguageList

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---
ConfigDialog: AdminGenericInterfaceOperationDefault
Controller: FAQ
Name: LanguageList
```

GenericInterface::Operation::Module###FAQ::PublicCategoryList

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---
ConfigDialog: AdminGenericInterfaceOperationDefault
Controller: FAQ
Name: PublicCategoryList
```

GenericInterface::Operation::Module###FAQ::PublicFAQGet

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: FAQ  
Name: PublicFAQGet
```

GenericInterface::Operation::Module###FAQ::PublicFAQSearch

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: FAQ  
Name: PublicFAQSearch
```

GenericInterface::Operation::Module###Generic::RPC

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationRPC  
Controller: Generic  
Name: RPC
```

GenericInterface::Operation::Module###Session::SessionCreate

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Session  
Name: SessionCreate
```

GenericInterface::Operation::Module###Session::SessionGet

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Session  
Name: SessionGet
```

GenericInterface::Operation::Module###Test::Test

GenericInterface module registration for the operation layer.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Test  
Name: Test
```


GenericInterface::Operation::Module###Ticket::TicketCreate

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Ticket  
Name: TicketCreate
```

GenericInterface::Operation::Module###Ticket::TicketGet

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Ticket  
Name: TicketGet
```

GenericInterface::Operation::Module###Ticket::TicketHistoryGet

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Ticket  
Name: TicketHistoryGet
```

GenericInterface::Operation::Module###Ticket::TicketSearch

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Ticket  
Name: TicketGet
```

GenericInterface::Operation::Module###Ticket::TicketUpdate

GenericInterface module registration for the operation layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceOperationDefault  
Controller: Ticket  
Name: TicketUpdate
```

188. GenericInterface → Operation → TicketCreate

GenericInterface::Operation::TicketCreate###AutoResponseType

Задает стандартный тип автоответа для этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- auto reply
```

GenericInterface::Operation::TicketCreate###HistoryComment

Задает текст комментария в записи истории для этой операции, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '%GenericInterface Create'
```

GenericInterface::Operation::TicketCreate###HistoryType

Задает текст в записи истории для этой операции, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- NewTicket
```

GenericInterface::Operation::TicketCreate###IsVisibleForCustomer

Задает видимость заметок/сообщений по умолчанию для клиента по этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

189. GenericInterface → Operation → TicketSearch

GenericInterface::Operation::TicketSearch###Order::Default

Задает стандартный порядок сортировки в результатах поиска для этой операции. Up: старые вверху. Down: новые вверху.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Down
```

GenericInterface::Operation::TicketSearch###SearchLimit

Максимальное количество заявок отображаемых в результате этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '500'
```

GenericInterface::Operation::TicketSearch###SortBy::Default

Задает атрибут заявки по умолчанию для сортировки заявок в обзоре результатов поиска для этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- Age
```

190. GenericInterface → Operation → TicketUpdate

GenericInterface::Operation::TicketUpdate###AutoResponseType

Задаёт стандартный тип автоответа для этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- auto follow up
```

GenericInterface::Operation::TicketUpdate###HistoryComment

Задаёт текст комментария в записи истории для этой операции, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '%GenericInterface Note'
```

GenericInterface::Operation::TicketUpdate###HistoryType

Задаёт текст в записи истории для этой операции, в интерфейсе агента.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- AddNote
```

GenericInterface::Operation::TicketUpdate###IsVisibleForCustomer

Задаёт видимость заметок/сообщений по умолчанию для клиента по этой операции.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

191. GenericInterface → Transport → ModuleRegistration

GenericInterface::Transport::Module###HTTP::REST

GenericInterface module registration for the transport layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceTransportHTTPREST  
Name: REST  
Protocol: HTTP
```

GenericInterface::Transport::Module###HTTP::SOAP

GenericInterface module registration for the transport layer.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceTransportHTTPSOAP  
Name: SOAP  
Protocol: HTTP
```

GenericInterface::Transport::Module###HTTP::Test

GenericInterface module registration for the transport layer.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
ConfigDialog: AdminGenericInterfaceTransportHTTPTest  
Name: Test  
Protocol: HTTP
```

192. WebApp

WebApp::DefaultRedirect

Defines the default redirect. Use '/external' for the external or '/otrs/index.pl' for the agent interface, or an absolute URL if you want to redirect to an external site.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- /external
```

WebApp::SSO::RemoteUserSecret

Shared secret for SSO. Reverse proxies must pass a REMOTE_USER and a REMOTE_USER_SECRET header with the value of this setting, only then REMOTE_USER will be accepted and usable for HTTPBasicAuth.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
--- ''
```

WebApp::Server::AutomaticReloadFile

Defines the path to a file that should signal the need to reload the web server. It will only work correctly with the default value; change this only if you intend to use this file for other purposes (like triggering a cluster-wide web server reload - in this case you have to handle the actual reloads on your own).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- <OTRS_CONFIG_Home>/var/run/otrs.WebServer.pid.needs-reload
```

WebApp::Server::TriggerAutomaticReloads

If active, certain operations like package changes and external interface setting changes will trigger a hot reload of the production web server on the current node. This can be turned off if you plan to restart the web server manually or if another mechanism is used to perform the needed restarts.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

193. WebApp → API → Customer → Account

WebApp::API::Customer::Account::EmailBlacklist

Если включено, адрес электронной почты пользователя для разрешения регистрации может не соответствовать ни одному из регулярных выражений.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- \@your\.domain\.example$
```

WebApp::API::Customer::Account::EmailWhitelist

Если включено, адрес электронной почты пользователя для разрешения регистрации должен соответствовать хотя бы одному из регулярных выражений.

Этот параметр по-умолчанию не активен.

Значение по умолчанию:

```
---  
- \@your\.domain\.example$
```

WebApp::API::Customer::Account::Recover

Enables customers to recover their own accounts via the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

WebApp::API::Customer::Account::RecoverBody

Defines the body for an email with password recovery instructions for customer users, containing a link to request a new password.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi <OTRS_USERFIRSTNAME>,\n\nYou or someone impersonating you has requested to
```

```
change your OTRS password.\n\nIf you want to do this, click on this link. You will
receive another email containing the password.\n\n<OTRS_CONFIG_ContentType>://
<OTRS_CONFIG_FQDN><OTRS_CONFIG_Frontend::PrefixPath>/external/account/reset/<OTRS_TOKEN>
\n\nIf
you did not request a new password, please ignore this email.\n
"
```

WebApp::API::Customer::Account::RecoverSubject

Defines the subject for an email with password recovery instructions for customer users.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- New OTRS password request
```

WebApp::API::Customer::Account::Register

Enables customers to create their own accounts via the external interface.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1'
```

WebApp::API::Customer::Account::RegisterBody

Задает текст письма в почтовом уведомлении, посылаемом клиентам, о создании новой учетной записи.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi <OTRS_USERFIRSTNAME>,\n\nYou or someone impersonating you has created a new
OTRS account for you.\n\nFull name: <OTRS_USERFIRSTNAME> <OTRS_USERLASTNAME>\nUser
name: <OTRS_USERLOGIN>\nPassword: <OTRS_USERPASSWORD>\n\nYou can log in via the
following URL. We encourage you to change your password in the user preferences
after logging in.\n\n<OTRS_CONFIG_ContentType>://
<OTRS_CONFIG_FQDN><OTRS_CONFIG_Frontend::PrefixPath>/external\n
\"
```

WebApp::API::Customer::Account::RegisterSubject

Задает тему почтового сообщения, отправляемого клиенту о новой учетной записи.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- New OTRS Account!
```

WebApp::API::Customer::Account::ResetBody

Defines the body for an email with new password for customer users.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- "Hi <OTRS_USERFIRSTNAME>,\n\nYour new password is: <OTRS_NEWPW>\n\nYou can log
in via the following URL. We encourage you to change your password in the user
preferences
```

```
after logging in.\n\n<OTRS_CONFIG_ContentType>://  
<OTRS_CONFIG_FQDN><OTRS_CONFIG_Frontend::PrefixPath>/external\n  
\"
```

WebApp::API::Customer::Account::ResetSubject

Defines the subject for an email with new password for customer users.

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- New OTRS password
```

194. WebApp → APIClient

WebApp::APIClient###CloseTimeout

Defines timeout in milliseconds for the closing of a WebSocket connection in the frontend applications. Value of '0' will disable the timeout. Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

WebApp::APIClient###MaxReconnectionDelay

Defines maximum delay in milliseconds when trying to re-establish a WebSocket connection in the frontend applications. Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '10000'
```

WebApp::APIClient###OpenTimeout

Defines timeout in milliseconds for the opening of a WebSocket connection in the frontend applications. Value of '0' will disable the timeout. Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- 0
```

WebApp::APIClient###PrimaryProtocol

Defines primary API client communication protocol in the frontend applications. Please note that WebSocket option will fall back automatically to XHR in certain situations (e.g. file uploads). Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- ws
```

WebApp::APIClient###ReconnectionDelayIncrement

Defines increment delay in milliseconds with every reconnection attempt of a WebSocket connection in the frontend applications. Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '1000'
```

WebApp::APIClient###ResponseTimeout

Defines timeout in milliseconds for the responses of WebSocket requests in the frontend applications. Value of '0' will disable the timeout. Please note that changes to this setting require a restart of the web server (bin/otrs.WebServer.pl --deploy-assets).

Этот параметр не может быть отключен.

Значение по умолчанию:

```
--- '30000'
```


Appendix C. GNU Free Documentation License

Version 1.1, March 2000

Copyright (C) 2000 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other written document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you".

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document, that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters), and contains nothing that could fall directly within that overall subject. (For example, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, whose contents can be

viewed and edited directly and straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats, suitable for input to text formatters. A copy made in an otherwise Transparent file format, whose markup has been designed to thwart or discourage subsequent modification by readers is not Transparent. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include: plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML designed for human modification. Opaque formats include: PostScript, PDF, proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies of the Document numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a publicly-accessible computer-network location, containing a complete Transparent copy of the Document, free of added material, which the general network-using public has access to download anonymously, at no charge, using public-standard network protocols. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to en-

sure that this Transparent copy will remain thus accessible at the stated location, until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has less than five).
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section entitled "History", and its title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version, as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. In any section entitled "Acknowledgements" or "Dedications", preserve the section's title, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section as "Endorsements" or to conflict in title with any Invariant Section.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections entitled "History" in the various original documents, forming one section entitled "History"; likewise combine any sections entitled "Acknowledgements", and any sections entitled "Dedications". You must delete all sections entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License, for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, does not as a whole count as a Modified Version of the Document, provided no compilation copyright is claimed for the compilation. Such a compilation is called an "aggregate", and this License does not apply to the other self-contained works thus compiled with the Document, on account of their being thus compiled, if they are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one quarter of the entire aggregate, the Document's Cover Texts may be placed on covers that surround only the Document within the aggregate. Otherwise they must appear on covers around the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections, in addition to the original versions of these Invariant Sections. You may include a translation of this License provided that you also include the original English version of this License. In case of a disagreement between the translation and the original English version of this License, the original English version will prevail.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

. How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have no Invariant Sections, write "with no Invariant Sections" instead of saying which ones are invariant. If you have no Front-Cover Texts, write "no Front-Cover Texts" instead of "Front-Cover Texts being LIST"; likewise for Back-Cover Texts.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

